



FCC TEST REPORT

Application No.: ZR/2019/B0024
Applicant: Hisense International Co., Ltd.
Address of Applicant: Floor 22, Hisense Tower, 17 Donghai Xi Road, Qingdao, 266071, China
Manufacturer: Hisense Communications Co., Ltd.
Address of Manufacturer: No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
Factory: Qingdao Intelligent & Precise Electronics Co., Ltd.
Address of Factory: No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
EUT Description: Smartphone
Model No.: HLTE226E
Trade Mark: Hisense
FCC ID: 2ADOBHLTE226E
Standards: 47 CFR FCC Part 2, Subpart J
47 CFR FCC Part 15, Subpart C
47 CFR FCC Part 15, Subpart E
KDB 789033 D02 General UNII Test Procedures New Rules v02
FCC KDB 558074 D01 DTS Meas Guidance v0502
KDB 662911 D01 Multiple Transmitter Output v02r01
Test Method: KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02
KDB 905462 D03 Client Without DFS New Rules v01r02
ANSI C63.10-2013, American National Standard for Testing Unlicensed Wireless Devices
Date of Receipt: 2019/11/25
Date of Test: 2019/11/26 to 2019/12/20
Date of Issue: 2019/12/20

Test Result:	PASS *
---------------------	---------------

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derek Yang
Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Wireless Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
00		2019/12/20		Original

Authorized for issue by:			
Tested By		<i>Mike Hu</i>	2019/12/20
		(Mike Hu) /Project Engineer	Date
Checked By		<i>David Chen</i>	2019/12/20
		(David Chen) /Reviewer	Date



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Contents

1	VERSION	2
2	TEST SUMMARY	5
3	GENERAL INFORMATION	8
3.1	CLIENT INFORMATION	8
3.2	TEST LOCATION	8
3.3	TEST FACILITY	8
3.4	GENERAL DESCRIPTION OF EUT	9
3.5	TEST ENVIRONMENT AND MODE	11
4	TEST RESULTS AND MEASUREMENT DATA	12
4.1	ANTENNA REQUIREMENT	12
4.2	CONDUCTED EMISSIONS	12
4.3	DUTY CYCLE	16
4.3.1	Test Results	16
4.3.1	Test Plots	16
4.4	CONDUCTED OUTPUT POWER	20
4.4.1	Test Results for Conducted Output Power	21
4.5	26dB EMISSION BANDWIDTH	23
4.5.1	Test Results for 26dB Emission Bandwidth	24
4.5.2	Plots for 26dB Emission Bandwidth	25
4.6	6dB EMISSION BANDWIDTH	42
4.6.1	Test Results for 6dB Emission Bandwidth	43
4.6.2	Plots for 6dB Emission Bandwidth	43
4.7	99% OCCUPIED BANDWIDTH	49
4.7.1	Test Results for 99% Occupied Bandwidth	50
4.7.2	Plots for 99% Occupied Bandwidth	51
4.8	POWER SPECTRAL DENSITY	74
4.8.1	Test Results For Power Density	75
4.8.2	Test plots For Power Density	76
4.9	RADIATED SPURIOUS EMISSIONS	99
4.9.1	Radiated emission below 1GHz	101
4.9.2	Transmitter emission above 1GHz	103
4.10	BAND EDGE COMPLIANCE (RADIATED)	221
4.10.1	Test plots	223
4.11	FREQUENCIES STABILITY	313
4.11.1	Frequency Error vs. Voltage	313
4.11.2	Frequency Error vs. Temperature	313
4.12	DYNAMIC FREQUENCY SELECTION	314
4.12.1	DFS Overview	314
4.12.2	DFS Detection Thresholds	315
4.12.3	Response Requirements	315
4.12.4	Test plots	316
4.12.5	Test Data	317
5	MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)	320



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



6	EQUIPMENT LIST	321
7	PHOTOGRAPHS - EUT TEST SETUP DETAILS.....	323



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



2 Test Summary

Test Item	Band	FCC Rule	Requirements	Test Result	Verdict
Emission Bandwidth	5150-5250	15.403(i) 15.407(a)(1)	No limit.	Clause 4.4 Clause 4.5	Pass
	5250-5350	15.403(i) 15.407(a)(2)			
	5470-5725	15.403(i) 15.407(a)(2)	≥ 500 kHz.		
	5725-5850	15.403(i) 15.407(e)			
Occupied Bandwidth	5150-5250	KDB 789033 D02§ D	No limit.		Pass
	5250-5350				
	5470-5725				
	5725-5850				
Duty Cycle	5150-5850	--	No limit.		
Maximum Conducted Output Power	5150-5250	15.407(a)(1) 15.407(a)(4)	FCC < 250mW (avg during transmission)	Clause 4.3	Pass
	5250-5350	15.407(a)(2) 15.407(a)(4)	<MIN{250mW, 11dBm+10*lg(EBW)} (avg during transmission)		
	5470-5725	15.407(a)(2) 15.407(a)(4)	<MIN{250mW, 11dBm+10*lg(EBW)} (avg during transmission)		
	5725-5850	15.407(a)(3)	< 1W (avg during transmission)		
maximum Power Spectral Density	5150-5250	15.407(a)(1) 15.407(a)(4)	<11dBm/MHz (avg during transmission)	Clause 4.6	
	5250-5350	15.407(a)(2) 15.407(a)(4)	<11dBm/MHz (avg during transmission)		
	5470-5725	15.407(a)(2) 15.407(a)(4)	<11dBm/MHz (avg during transmission)		
	5725-5850	15.407(a)(3) 15.407(a)(4)	<30dBm/500KHz (avg during transmission)		
Unwanted Emissions that fall Outside of the Restricted Bands (Radiated)	5150-5250	15.407(b)(1) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.15-5.35 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).	Clause 4.7	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Item	Band	FCC Rule	Requirements	Test Result	Verdict
	5250-5350	15.407(b)(2) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.25-5.35 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).		
	5470-5750	15.407(b)(3) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP). F≥1GHz & out-restricted: <-27dBm/MHz PK e.i.r.p. (exl. 5.47-5.725 GHz). F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).		
	5725-5850	15.407(b)(4) 15.407(b)(6) 15.407(b)(7) 15.209	F<1GHz: §15.209/§7.2.5 limit (QP) F≥1GHz & out-restricted:(QP) a) 27 dBm/MHz at frequencies from the band edges decreasing linearly to 15.6 dBm/MHz at 5 MHz above or below the band edges; b) 15.6 dBm/MHz at 5 MHz above or below the band edges decreasing linearly to 10 dBm/MHz at 25 MHz above or below the band edges; c) 10 dBm/MHz at 25 MHz above or below the band edges decreasing linearly to -27 dBm/MHz at 75 MHz above or below the band edges; and d) -27 dBm/MHz at frequencies more than 75 MHz above or below		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Test Item	Band	FCC Rule	Requirements	Test Result	Verdict
			the band edges. F≥1GHz & in-restricted: §15.209/§7.2.5 limit (AV&PK).		
Band Edge Compliance (Radiated)	5150-5250 5250-5350 5470-5725 5725-5850	15.209		Clause 4.8	Pass
AC Power Line Conducted Emissions	5150-5250 5250-5350 5470-5725 5725-5850	15.207		Clause 4.2	Pass
Frequency Stability	5150-5250 5250-5350 5470-5600 5650-5725 5725-5850	15.209		Clause 4.9	Pass
Dynamic Frequency Selection	5250-5350 5470-5725	47 CFR Part 15, Subpart E 15.407	Channel Move Time:10 Seconds	Clause 4.10	Pass
			Transmission Time: milliseconds + an aggregate of 60 milliseconds over remaining 10 second period.		
			Non-occupancy period: Minimum 30 minutes		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, FCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



3 General Information

3.1 Client Information

Applicant:	Hisense International Co., Ltd.
Address of Applicant:	Floor 22, Hisense Tower, 17 Donghai Xi Road, Qingdao, 266071, China
Manufacturer:	Hisense Communications Co., Ltd.
Address of Manufacturer:	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China
Factory:	Qingdao Intelligent & Precise Electronics Co., Ltd.
Address of Factory:	No.218 Qianwangang Road, Economic & Technological Development Zone, Qingdao, China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China
Post code:	518057
Telephone:	+86 (0) 755 2601 2053
Fax:	+86 (0) 755 2671 0594
E-mail:	ee.shenzhen@sgs.com

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **CNAS (No. CNAS L2929)**

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• **Industry Canada (IC)**

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



3.4 General Description of EUT

EUT Description:	Smartphone
Model No.:	HLTE226E
Trade Mark:	Hisense
Hardware Version:	V1.00
Software Version:	L1703.6.01.01.MX02
IEEE 802.11 WLAN Mode Supported:	☒ 802.11a (20 MHz channel bandwidth) ; ☒ 802.11n (20 MHz channel bandwidth); ☒ 802.11n (40 MHz channel bandwidth); ☒ 802.11ac (20 MHz channel bandwidth); ☒ 802.11ac (40 MHz channel bandwidth); ☒ 802.11ac (80 MHz channel bandwidth); ☐ 802.11ac (160 MHz channel bandwidth),
Operation Frequency:	IEEE 802.11n(HT20/40)/ ac(HT20/40/80/): 5150MHz to 5250MHz IEEE 802.11n(HT20/40)/ ac(HT20/40/80/160): 5250MHz to 5350MHz IEEE 802.11n(HT20/40)/ ac(HT20/40/80/160): 5470MHz to 5725MHz IEEE 802.11n(HT20/40)/ ac(HT20/40/80): 5725MHz to 5850MHz
Type of Modulation:	OFDM
DFS mode:	☐ Master ☐ Slave with radar detection ☒ Slave without radar detection
Sample Type:	☒ Portable Device, ☐ Module
Antenna Type:	☐ External, ☒ Integrated
Antenna Ports	☒ Ant 1, ☐ Ant 2, ☐ Ant 3
Smart System	☒ SISO (for 802.11a/n/ac), ☐ MIMO (for 802.11n/ac), ☐ Diversity (for 802.11a) : Tx & Rx
Antenna Gain:	0.5dBi,
Power Supply	☒ AC/DC Adapter; ☐ PoE.; ☐ Other:

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency Range of Operation Operating Frequency Range (in each Band)	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band I:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5180



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



	The Middle channel	5200
	The Highest channel	5240
IEEE 802.11n/ac 40MHz	The Lowest channel	5190
	The Highest channel	5230
IEEE 802.11ac 80MHz	The Middle channel	5210

For UNII Band II-A:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5260
	The Middle channel	5280
	The Highest channel	5320
IEEE 802.11n/ac 40MHz	The Lowest channel	5270
	The Highest channel	5310
IEEE 802.11ac 80MHz	The Middle channel	5290

For UNII Band II-C:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5500
	The Middle channel	5580
	The Highest channel	5700
IEEE 802.11n/ac 40MHz	The Lowest channel	5510
	The Middle channel	5500
	The Highest channel	5670
IEEE 802.11ac 80MHz	The Lowest channel	5500
	The Highest channel	5580

For UNII Band III:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5745
	The Middle channel	5785
	The Highest channel	5825
IEEE 802.11n/ac 40MHz	The Lowest channel	5755
	The Highest channel	5795
IEEE 802.11ac 80MHz	The Middle channel	5775



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



3.5 Test Environment and Mode

Operating Environment:	
Temperature:	25.0 °C
Humidity:	55 % RH
Atmospheric Pressure:	101.32 KPa
Test mode:	
Transmitting mode:	Keep the EUT in transmitting mode with all kind of modulation and all kind of data rate.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



4 Test results and Measurement Data

4.1 Antenna Requirement

Test Requirement:	47 CFR Part 15 Section 15.203
The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is 0.5dBi.	


4.2 Conducted Emissions

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Frequency Range:	150kHz to 30MHz		
Limit:	Frequency range (MHz)	Limit (dBuV)	
		Quasi-peak	Average
	0.15-0.5	66 to 56*	56 to 46*
	0.5-5	56	46
	5-30	60	50
* Decreases with the logarithm of the frequency.			
Test Procedure:	1) The mains terminal disturbance voltage test was conducted in a shielded room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane, 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2013 on conducted measurement.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Test Setup:	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates at lowest, middle and highest channel.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate of 802.11a at lowest channel is the worst case. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.


Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Live Line:



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type
1	0.1751	10.10	54.22	64.72	10.50	28.54	54.72	26.18	L
2	0.2107	10.10	50.05	63.18	13.13	26.42	53.18	26.76	L
3	0.5334	10.10	35.40	56.00	20.60	17.68	46.00	28.32	L
4	2.0236	10.10	30.12	56.00	25.88	21.06	46.00	24.94	L
5	14.8603	10.11	49.78	60.00	10.22	39.61	50.00	10.39	L
6	24.0734	10.11	46.08	60.00	13.92	34.17	50.00	15.83	L




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Neutral Line:



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type
1	0.1753	10.10	54.15	64.71	10.56	28.65	54.71	26.06	N
2	0.2119	10.10	49.86	63.13	13.27	26.50	53.13	26.63	N
3	0.5604	10.10	36.23	56.00	19.77	19.18	46.00	26.82	N
4	2.0428	10.10	33.18	56.00	22.82	25.25	46.00	20.75	N
5	15.1718	10.11	45.68	60.00	14.32	34.49	50.00	15.51	N
6	24.4998	10.11	43.00	60.00	17.00	31.91	50.00	18.09	N

Remarks:

1. The following Quasi-Peak and Average measurements were performed on the EUT:
2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.3 Duty Cycle

4.3.1 Test Results

Test Mode	TX Freq. [MHz]	Duty cycle [%]
11A	Ant 1: CH149	96.85
11N20	Ant 1: CH149	96.25
11N40	Ant 1: CH151	89.11
11AC20	Ant 1: CH149	96.64
11AC40	Ant 1: CH151	89.60
11AC80	Ant 1: CH155	90.00

4.3.1 Test Plots

4.3.1.1.1 11A



Date: 12.DEC.2019 06:05:00




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CMAA Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the leaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>, and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a contract. Any use of this document without the prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the document shown in this test report refers only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attn: Mr. CHEN Chen@sgs.com.cn for the necessity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1444.


中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.3.1.1.2 11N20



Date: 12.DEC.2019 06:06:07


4.3.1.1.3 11N40



Date: 12.DEC.2019 06:08:43




4.3.1.1.4 11AC20



Date: 12.DEC.2019 06:06:58


4.3.1.1.5 11AC40



Date: 12.DEC.2019 06:09:29



4.3.1.1.6 11AC80




Date: 12.DEC.2019 06:13:45





4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15 Section 15.407(a)	
Test Method:	ANSI C63.10: 2013	
Test Setup:		
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates	
Final Test Mode:	Through Pre-scan, find that 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report.	
Limit:	Frequency Band	Limit
	5150-5250MHz	Not exceed 250mW(24dBm)
	5250-5350MHz	The lesser of 250mW(24dBm) or 11+ 10logB
	5470-5725MHz	The lesser of 250mW(24dBm) or 11+ 10logB
	5725-5850MHz	Not exceed 1W(30dBm)
	*Where B is the 26dB emission bandwidth in MHz	
Test Results:	Pass	





4.4.1 Test Results for Conducted Output Power

Test Mode	Test Channel	Frequency [MHz]	Antenna Port	Meas. Level (Cond.) [dBm]	Meas. Level (EIRP.) [dBm]	Verdict
11A20	36	5180	ANT 1	10.34	10.84	PASS
	48	5240	ANT 1	10.38	10.88	PASS
	52	5260	ANT 1	10.42	10.92	PASS
	64	5320	ANT 1	10.34	10.84	PASS
	100	5500	ANT 1	10.77	11.27	PASS
	140	5700	ANT 1	10.80	11.30	PASS
	149	5745	ANT 1	10.69	11.19	PASS
	165	5825	ANT 1	10.54	11.04	PASS
11N20	36	5180	ANT 1	8.96	9.46	PASS
	48	5240	ANT 1	9.18	9.68	PASS
	52	5260	ANT 1	9.27	9.77	PASS
	64	5320	ANT 1	9.25	9.75	PASS
	100	5500	ANT 1	9.62	10.12	PASS
	140	5700	ANT 1	9.65	10.15	PASS
	149	5745	ANT 1	9.51	10.01	PASS
	165	5825	ANT 1	9.45	9.95	PASS
11N40	38	5190	ANT 1	8.06	8.56	PASS
	46	5230	ANT 1	8.17	8.67	PASS
	54	5270	ANT 1	8.16	8.66	PASS
	62	5310	ANT 1	8.31	8.81	PASS
	102	5510	ANT 1	8.49	8.99	PASS
	134	5670	ANT 1	8.44	8.94	PASS
	151	5755	ANT 1	8.42	8.92	PASS
	159	5795	ANT 1	8.45	8.95	PASS
11AC20	36	5180	ANT 1	9.01	9.51	PASS
	48	5240	ANT 1	9.14	9.64	PASS
	52	5260	ANT 1	9.23	9.73	PASS
	64	5320	ANT 1	9.33	9.83	PASS
	100	5500	ANT 1	9.58	10.08	PASS
	140	5700	ANT 1	9.58	10.08	PASS
	149	5745	ANT 1	9.46	9.96	PASS
	165	5825	ANT 1	9.46	9.96	PASS
11AC40	38	5190	ANT 1	8.13	8.63	PASS
	46	5230	ANT 1	8.15	8.65	PASS
	54	5270	ANT 1	8.26	8.76	PASS
	62	5310	ANT 1	8.27	8.77	PASS
	102	5510	ANT 1	8.54	9.04	PASS
	134	5670	ANT 1	8.61	9.11	PASS
	151	5755	ANT 1	8.38	8.88	PASS






	159	5795	ANT 1	8.43	8.93	PASS
11AC80	42	5210	ANT 1	7.23	7.73	PASS
	58	5290	ANT 1	7.47	7.97	PASS
	106	5530	ANT 1	7.54	8.04	PASS
	138	5690	ANT 1	7.77	8.27	PASS
	155	5775	ANT 1	7.66	8.16	PASS



4.5 26dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(a)
Test Method:	ANSI C63.10: 2013
Test Setup:	
Instruments Used:	Refer to section 5.10 for details
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80). Only the worst case is recorded in the report.
Limit:	No restriction limits
Test Results:	Pass



4.5.1 Test Results for 26dB Emission Bandwidth

Test Mode	Test Channel	Frequency [MHz]	Antenna Port	26dB Emission Bandwidth [MHz]	Verdict
11A20	36	5180	ANT 1	23.46	PASS
	48	5240	ANT 1	21.06	PASS
	52	5260	ANT 1	20.73	PASS
	64	5320	ANT 1	20.76	PASS
	100	5500	ANT 1	21.00	PASS
	140	5700	ANT 1	21.84	PASS
11N20	36	5180	ANT 1	22.02	PASS
	48	5240	ANT 1	21.87	PASS
	52	5260	ANT 1	21.66	PASS
	64	5320	ANT 1	20.61	PASS
	100	5500	ANT 1	20.55	PASS
	140	5700	ANT 1	20.91	PASS
11N40	38	5190	ANT 1	41.34	PASS
	46	5230	ANT 1	41.34	PASS
	54	5270	ANT 1	40.80	PASS
	62	5310	ANT 1	40.74	PASS
	102	5510	ANT 1	40.74	PASS
	134	5670	ANT 1	40.86	PASS
11AC20	36	5180	ANT 1	20.73	PASS
	48	5240	ANT 1	20.58	PASS
	52	5260	ANT 1	20.52	PASS
	64	5320	ANT 1	20.22	PASS
	100	5500	ANT 1	20.49	PASS
	140	5700	ANT 1	20.40	PASS
11AC40	38	5190	ANT 1	40.86	PASS
	46	5230	ANT 1	40.98	PASS
	54	5270	ANT 1	41.04	PASS
	62	5310	ANT 1	40.74	PASS
	102	5510	ANT 1	40.80	PASS
	134	5670	ANT 1	40.68	PASS
11AC80	42	5210	ANT 1	82.40	PASS
	58	5290	ANT 1	120.96	PASS
	106	5530	ANT 1	82.40	PASS
	138	5690	ANT 1	82.40	PASS



4.5.2

Plots for 26dB Emission Bandwidth

4.5.2.1

11A20_36 ANT 1



Date: 12.DEC.2019 06:46:44

4.5.2.2

11A20_48 ANT 1




Date: 12.DEC.2019 06:48:57



4.5.2.3

11A20_52 ANT 1



Date: 12.DEC.2019 06:54:56

4.5.2.4

11A20_64 ANT 1



Date: 12.DEC.2019 06:56:21



4.5.2.5 11A20_100 ANT 1



Date: 12.DEC.2019 06:58:33

4.5.2.6 11A20_140 ANT 1




Date: 12.DEC.2019 07:01:55



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.5.2.7 11N20_36 ANT 1



Date: 12.DEC.2019 07:09:30

4.5.2.8 11N20_48 ANT 1




Date: 12.DEC.2019 07:11:21



4.5.2.9

11N20_52 ANT 1



Date: 12.DEC.2019 07:12:24

4.5.2.10

11N20_64 ANT 1




Date: 12.DEC.2019 07:13:37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.5.2.11 11N20_100 ANT 1



Date: 12.DEC.2019 07:15:05

4.5.2.12 11N20_140 ANT 1




Date: 12.DEC.2019 07:16:59



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.5.2.13 11N40_38 ANT 1



Date: 12.DEC.2019 07:35:46


4.5.2.14 11N40_46 ANT 1



Date: 12.DEC.2019 07:37:05




4.5.2.15 11N40_54 ANT 1



Date: 12.DEC.2019 07:38:41


4.5.2.16 11N40_62 ANT 1



Date: 12.DEC.2019 07:41:03




4.5.2.17 11N40_102 ANT 1



Date: 12.DEC.2019 07:45:35


4.5.2.18 11N40_134 ANT 1




Date: 12.DEC.2019 07:46:54




4.5.2.19 11AC20_36 ANT 1



4.5.2.20 11AC20_48 ANT 1




4.5.2.21 11AC20_52 ANT 1



Date: 12.DEC.2019 07:26:20

4.5.2.22 11AC20_64 ANT 1



Date: 12.DEC.2019 07:27:25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.5.2.23 11AC20_100 ANT 1



Date: 12.DEC.2019 07:29:01


4.5.2.24 11AC20_140 ANT 1



Date: 12.DEC.2019 07:29:50




4.5.2.25 11AC40_38 ANT 1



Date: 12.DEC.2019 07:52:06


4.5.2.26 11AC40_46 ANT 1



Date: 12.DEC.2019 07:53:06




4.5.2.27 11AC40_54 ANT 1



4.5.2.28 11AC40_62 ANT 1




4.5.2.29 11AC40_102 ANT 1



Date: 12.DEC.2019 07:58:53


4.5.2.30 11AC40_134 ANT 1



Date: 12.DEC.2019 08:00:17




4.5.2.31 11AC80_42 ANT 1



Date: 12.DEC.2019 08:05:57


4.5.2.32 11AC80_58 ANT 1



Date: 12.DEC.2019 08:07:04




4.5.2.33 11AC80_106 ANT 1



Date: 12.DEC.2019 08:08:18

4.5.2.34 11AC80_138 ANT 1




Date: 12.DEC.2019 08:12:47





4.6 6dB Emission Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(e)	
Test Method:	ANSI C63.10: 2013	
Test Setup:		
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates	
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80). Only the worst case is recorded in the report.	
Limit:	Frequency Band	Limit
	5725-5850MHz	At least 500kHz
Test Results:	Pass	




4.6.1 Test Results for 6dB Emission Bandwidth

Test Mode	Test Channel	Frequency [MHz]	ANT	6dB Emission Bandwidth [MHz]	Verdict
11A20	149	5745	ANT 1	13.89	PASS
	165	5825	ANT 1	15.18	PASS
11N20	149	5745	ANT 1	15.18	PASS
	165	5825	ANT 1	15.09	PASS
11N40	151	5755	ANT 1	35.10	PASS
	159	5795	ANT 1	35.22	PASS
11AC20	149	5745	ANT 1	15.06	PASS
	165	5825	ANT 1	15.12	PASS
11AC40	151	5755	ANT 1	35.16	PASS
	159	5795	ANT 1	35.16	PASS
11AC80	155	5775	ANT 1	75.52	PASS

4.6.2 Plots for 6dB Emission Bandwidth


4.6.2.1 11A20_149 ANT 1



Date: 12.DEC.2019 07:05:37

4.6.2.2


11A20_165 ANT 1



Date: 12.DEC.2019 07:06:49

4.6.2.3

11N20_149 ANT 1




Date: 12.DEC.2019 07:18:16




4.6.2.4

11N20_165 ANT 1




4.6.2.5

11N40_151 ANT 1



4.6.2.6


11N40_159 ANT 1



Date: 12.DEC.2019 07:49:56

4.6.2.7

11AC20_149 ANT 1




Date: 12.DEC.2019 07:31:24



4.6.2.8


11AC20 165 ANT 1



Date: 12 DEC 2019 07:33:18

4.6.2.9

11AC40 151 ANT 1



Date: 12 DEC 2019 08:03:23



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CMAA Laboratory


Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is notified that information contained herein is for the Company's financial and/or technical use only and is intended for the benefit of the Client. Client's instruction to any Company's sole responsibility is its Client and this document does not confer any right or obligation on a party to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and may result in severe civil or criminal penalties, damages and/or imprisonment. The results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com)


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China	518057	t (86-755) 26012053	f (86-755) 26710594	www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房	邮编: 518057	t (86-755) 26012053	f (86-755) 26710594	sgs.china@sgs.com

Member of the SGS Group (SGS SA)

4.6.2.10 11AC40_159 ANT 1




4.6.2.11 11AC80_155 ANT 1





4.7 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(e)	
Test Method:	ANSI C63.10: 2013	
Test Setup:		
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates	
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80). Only the worst case is recorded in the report.	
Limit:	Frequency Band	Limit
	5725-5850MHz	At lease 500kHz
Test Results:	Pass	



4.7.1 Test Results for 99% Occupied Bandwidth

Test Mode	Test Channel	Frequency [MHz]	Antenna Port	Occupied Bandwidth [MHz]	Verdict
11A20	36	5180	ANT 1	16.8132	PASS
	48	5240	ANT 1	16.7832	PASS
	52	5260	ANT 1	16.7532	PASS
	64	5320	ANT 1	16.8132	PASS
	100	5500	ANT 1	16.8432	PASS
	140	5700	ANT 1	16.8132	PASS
	149	5745	ANT 1	16.8432	PASS
	165	5825	ANT 1	16.8432	PASS
11N20	36	5180	ANT 1	17.6823	PASS
	48	5240	ANT 1	17.6523	PASS
	52	5260	ANT 1	17.6523	PASS
	64	5320	ANT 1	17.6224	PASS
	100	5500	ANT 1	17.6523	PASS
	140	5700	ANT 1	17.6224	PASS
	149	5745	ANT 1	17.6823	PASS
	165	5825	ANT 1	17.6523	PASS
11N40	38	5190	ANT 1	36.1439	PASS
	46	5230	ANT 1	36.1439	PASS
	54	5270	ANT 1	36.0839	PASS
	62	5310	ANT 1	36.0839	PASS
	102	5510	ANT 1	36.0240	PASS
	134	5670	ANT 1	36.1439	PASS
	151	5755	ANT 1	36.0240	PASS
	159	5795	ANT 1	36.1439	PASS
11AC20	36	5180	ANT 1	17.6823	PASS
	48	5240	ANT 1	17.6224	PASS
	52	5260	ANT 1	17.5924	PASS
	64	5320	ANT 1	17.5624	PASS
	100	5500	ANT 1	17.5924	PASS
	140	5700	ANT 1	17.6224	PASS
	149	5745	ANT 1	17.6224	PASS
	165	5825	ANT 1	17.6224	PASS
11AC40	38	5190	ANT 1	36.0240	PASS
	46	5230	ANT 1	36.0839	PASS
	54	5270	ANT 1	36.0240	PASS
	62	5310	ANT 1	36.0839	PASS
	102	5510	ANT 1	36.0839	PASS
	134	5670	ANT 1	36.0240	PASS
	151	5755	ANT 1	36.0240	PASS
	159	5795	ANT 1	36.0839	PASS
11AC80	42	5210	ANT 1	75.7642	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
 No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

	58	5290	ANT 1	75.7642	PASS
	106	5530	ANT 1	75.7642	PASS
	138	5690	ANT 1	75.7642	PASS
	155	5775	ANT 1	75.7642	PASS

4.7.2 Plots for 99% Occupied Bandwidth

4.7.2.1 11A20_36 ANT 1



Date: 12 DEC 2019 06:46:55



4.7.2.2

11A20_48 ANT 1



Date: 12 DEC. 2019 06:49:03

4.7.2.3

11A20_52 ANT 1



Date: 12 DEC. 2019 06:55:03



4.7.2.4

11A20_64 ANT 1



Date: 12 DEC 2019 06:56:28

4.7.2.5

11A20_100 ANT 1



Date: 12 DEC 2019 06:58:39



4.7.2.6

11A20_140 ANT 1



Date: 12.DEC.2019 07:02:01

4.7.2.7

11A20_149 ANT 1



Date: 12.DEC.2019 07:05:43



4.7.2.8

11A20_165 ANT 1



Date: 12.DEC.2019 07:06:55

4.7.2.9

11N20_36 ANT 1



Date: 12.DEC.2019 07:09:36



4.7.2.10

11N20_48 ANT 1



Date: 12.DEC.2019 07:11:27

4.7.2.11

11N20_52 ANT 1




Date: 12.DEC.2019 07:12:30



4.7.2.12

11N20_64 ANT 1



Date: 12.DEC.2019 07:13:43

4.7.2.13


11N20_100 ANT 1



Date: 12.DEC.2019 07:15:11



4.7.2.14 11N20_140 ANT 1



Date: 12.DEC.2019 07:17:05

4.7.2.15 11N20_149 ANT 1



Date: 12.DEC.2019 07:18:22



4.7.2.16


11N20_165 ANT 1



Date: 12.DEC.2019 07:20:07

4.7.2.17

11N40_38 ANT 1




Date: 12.DEC.2019 07:35:53



4.7.2.18

11N40_46 ANT 1



Date: 12.DEC.2019 07:37:11

4.7.2.19

11N40_54 ANT 1




Date: 12.DEC.2019 07:38:47



4.7.2.20

11N40_62 ANT 1



Date: 12.DEC.2019 07:41:09

4.7.2.21

11N40_102 ANT 1



Date: 12.DEC.2019 07:45:42



4.7.2.22

11N40_134 ANT 1



Date: 12.DEC.2019 07:47:00

4.7.2.23

11N40_151 ANT 1




Date: 12.DEC.2019 07:49:06



4.7.2.24

11N40_159 ANT 1



Date: 12.DEC.2019 07:50:02

4.7.2.25

11AC20_36 ANT 1



Date: 12.DEC.2019 07:23:54



4.7.2.26

11AC20_48 ANT 1



Date: 12.DEC.2019 07:24:50

4.7.2.27


11AC20_52 ANT 1



Date: 12.DEC.2019 07:26:27



4.7.2.28 11AC20_64 ANT 1



Date: 12.DEC.2019 07:27:31

4.7.2.29 11AC20_100 ANT 1



Date: 12.DEC.2019 07:29:08



4.7.2.30 11AC20_140 ANT 1



Date: 12 DEC 2019 07:29:56

4.7.2.31 11AC20_149 ANT 1




Date: 12 DEC 2019 07:31:30



4.7.2.32

11AC20_165 ANT 1



Date: 12 DEC 2019 07:33:25

4.7.2.33


11AC40_38 ANT 1



Date: 12 DEC 2019 07:52:12




4.7.2.34 11AC40_46 ANT 1



Date: 12.DEC.2019 07:53:12


4.7.2.35 11AC40_54 ANT 1



Date: 12.DEC.2019 07:54:52




4.7.2.36 11AC40_62 ANT 1



Date: 12.DEC.2019 07:56:33

4.7.2.37 11AC40_102 ANT 1




Date: 12.DEC.2019 07:58:59



4.7.2.38

11AC40_134 ANT 1



Date: 12.DEC.2019 08:00:24

4.7.2.39

11AC40_151 ANT 1




Date: 12.DEC.2019 08:03:29



4.7.2.40


11AC40_159 ANT 1



Date: 12.DEC.2019 08:04:37

4.7.2.41


11AC80_42 ANT 1



Date: 12.DEC.2019 08:06:04



4.7.2.42 11AC80_58 ANT 1



Date: 12.DEC.2019 08:07:11

4.7.2.43 11AC80_106 ANT 1



Date: 12.DEC.2019 08:08:25




4.7.2.44 11AC80_138 ANT 1



Date: 12.DEC.2019 08:12:53


4.7.2.45 11AC80_155 ANT 1



Date: 12.DEC.2019 08:15:16



4.8 Power Spectral Density

Test Requirement:	47 CFR Part 15 Section 15.407(a)	
Test Method:	ANSI C63.10: 2013	
Test Setup:		
Test Instruments:	Refer to section 5.10 for details	
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates	
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80). Only the worst case is recorded in the report.	
Limit:	Frequency Band	Limit
	5150-5250MHz	The power spectral density less than 11dBm/1MHz
	5250-5350MHz	The power spectral density less than 11dBm/1MHz
	5470-5725MHz	The power spectral density less than 11dBm/1MHz
	5725-5850MHz	The power spectral density less than <30dBm/500KHz
Test Results:	Pass	





4.8.1 Test Results For Power Density

Test Mode	Test Channel	Frequency [MHz]	Antenna Port	Meas. Level (Cond.)	Unit	Verdict
11A20	36	5180	ANT 1	7.94	dBm/MHz	PASS
	48	5240	ANT 1	7.46	dBm/MHz	PASS
	52	5260	ANT 1	7.57	dBm/MHz	PASS
	64	5320	ANT 1	8.37	dBm/MHz	PASS
	100	5500	ANT 1	8.06	dBm/MHz	PASS
	140	5700	ANT 1	8.62	dBm/MHz	PASS
	149	5745	ANT 1	6.91	dBm/500KHz	PASS
	165	5825	ANT 1	7.30	dBm/500KHz	PASS
11N20	36	5180	ANT 1	6.74	dBm/MHz	PASS
	48	5240	ANT 1	5.93	dBm/MHz	PASS
	52	5260	ANT 1	6.35	dBm/MHz	PASS
	64	5320	ANT 1	6.39	dBm/MHz	PASS
	100	5500	ANT 1	7.14	dBm/MHz	PASS
	140	5700	ANT 1	7.36	dBm/MHz	PASS
	149	5745	ANT 1	6.02	dBm/500KHz	PASS
	165	5825	ANT 1	5.71	dBm/500KHz	PASS
11N40	38	5190	ANT 1	3.22	dBm/MHz	PASS
	46	5230	ANT 1	2.99	dBm/MHz	PASS
	54	5270	ANT 1	3.23	dBm/MHz	PASS
	62	5310	ANT 1	3.39	dBm/MHz	PASS
	102	5510	ANT 1	3.95	dBm/MHz	PASS
	134	5670	ANT 1	4.82	dBm/MHz	PASS
	151	5755	ANT 1	3.01	dBm/500KHz	PASS
	159	5795	ANT 1	2.77	dBm/500KHz	PASS
11AC20	36	5180	ANT 1	6.54	dBm/MHz	PASS
	48	5240	ANT 1	6.30	dBm/MHz	PASS
	52	5260	ANT 1	6.24	dBm/MHz	PASS
	64	5320	ANT 1	6.82	dBm/MHz	PASS
	100	5500	ANT 1	7.33	dBm/MHz	PASS
	140	5700	ANT 1	7.36	dBm/MHz	PASS
	149	5745	ANT 1	5.65	dBm/500KHz	PASS
	165	5825	ANT 1	6.77	dBm/500KHz	PASS
11AC40	38	5190	ANT 1	2.86	dBm/MHz	PASS
	46	5230	ANT 1	3.05	dBm/MHz	PASS
	54	5270	ANT 1	3.97	dBm/MHz	PASS
	62	5310	ANT 1	3.18	dBm/MHz	PASS
	102	5510	ANT 1	3.52	dBm/MHz	PASS
	134	5670	ANT 1	3.26	dBm/MHz	PASS
	151	5755	ANT 1	2.72	dBm/500KHz	PASS
	159	5795	ANT 1	2.70	dBm/500KHz	PASS
11AC80	42	5210	ANT 1	-1.02	dBm/MHz	PASS
	58	5290	ANT 1	-1.10	dBm/MHz	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com

	106	5530	ANT 1	-0.76	dBm/MHz	PASS
	138	5690	ANT 1	-0.62	dBm/MHz	PASS
	155	5775	ANT 1	-1.61	dBm/500KHz	PASS

4.8.2 Test plots For Power Density

4.8.2.1 11A20_36 ANT 1



Date: 12 DEC. 2019 06:47:16



4.8.2.2

11A20_48 ANT 1



Date: 12.DEC.2019 06:49:24

4.8.2.3

11A20_52 ANT 1



Date: 12.DEC.2019 06:55:22



4.8.2.4

11A20_64 ANT 1



Date: 12.DEC.2019 06:56:48

4.8.2.5

11A20_100 ANT 1



Date: 12.DEC.2019 06:58:59



4.8.2.6

11A20_140 ANT 1



Date: 12.DEC.2019 07:02:21

4.8.2.7

11A20_149 ANT 1



Date: 12.DEC.2019 07:06:07



4.8.2.8 11A20_165 ANT 1



Date: 12.DEC.2019 07:07:19

4.8.2.9 11N20_36 ANT 1



Date: 12.DEC.2019 07:09:56



4.8.2.10

11N20_48 ANT 1



Date: 12.DEC.2019 07:11:47

4.8.2.11

11N20_52 ANT 1



Date: 12.DEC.2019 07:12:50



4.8.2.12

11N20_64 ANT 1



Date: 12.DEC.2019 07:14:03

4.8.2.13

11N20_100 ANT 1



Date: 12.DEC.2019 07:15:31



4.8.2.14


11N20_140 ANT 1



Date: 12.DEC.2019 07:17:25

4.8.2.15

11N20_149 ANT 1




Date: 12.DEC.2019 07:18:46



4.8.2.16

11N20_165 ANT 1



Date: 12.DEC.2019 07:20:31

4.8.2.17

11N40_38 ANT 1



Date: 12.DEC.2019 07:36:12



4.8.2.18

11N40_46 ANT 1



Date: 12.DEC.2019 07:37:31

4.8.2.19

11N40_54 ANT 1



Date: 12.DEC.2019 07:39:07



4.8.2.20

11N40_62 ANT 1



Date: 12.DEC.2019 07:41:29

4.8.2.21

11N40_102 ANT 1



Date: 12.DEC.2019 07:46:02

