



4.9.2.94 11AC40_62 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6861.0931	46.57	24.30	54.00	7.43	214	119	Vertical
2	6972.3986	56.52	24.91	74.00	17.48	215	360	Vertical
3	10620.000	45.42	1.88	54.00	8.58	186	342	Vertical
4	10620.000	57.59	1.88	74.00	16.41	181	342	Vertical
5	15930.000	57.13	3.14	74.00	16.87	171	136	Vertical
6	15930.000	44.88	3.14	54.00	9.12	266	86	Vertical
7	17601.230	47.21	4.29	54.00	6.79	253	342	Vertical




4.9.2.95 11AC40_102 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6946.2973	47.46	24.99	54.00	6.54	164	220	Vertical
2	7000.0000	56.92	24.76	74.00	17.08	246	68	Vertical
3	11020.000	45.67	2.51	54.00	8.33	161	292	Vertical
4	11020.000	56.40	2.51	74.00	17.60	247	192	Vertical
5	16530.000	57.38	2.86	74.00	16.62	172	292	Vertical
6	16530.000	45.91	2.86	54.00	8.09	232	0	Vertical
7	17901.545	47.27	2.68	54.00	6.73	282	192	Vertical



4.9.2.96 11AC40_110 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.8960	47.63	24.71	54.00	6.37	176	69	Vertical
2	6937.8969	56.85	24.90	74.00	17.15	263	221	Vertical
3	11100.000	45.79	2.57	54.00	8.21	221	140	Vertical
4	11100.000	57.91	2.57	74.00	16.09	286	342	Vertical
5	16650.000	57.07	2.75	74.00	16.93	206	40	Vertical
6	16650.000	45.67	2.75	54.00	8.33	158	342	Vertical
7	17614.430	47.56	4.03	54.00	6.44	276	90	Vertical




4.9.2.97 11AC40_134 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6941.7971	56.38	24.94	74.00	17.62	173	18	Vertical
2	6943.2972	47.33	24.95	54.00	6.67	234	119	Vertical
3	11340.000	46.01	2.61	54.00	7.99	208	0	Vertical
4	11340.000	57.01	2.61	74.00	16.99	169	140	Vertical
5	17010.000	53.45	0.60	74.00	20.55	205	140	Vertical
6	17010.000	42.55	0.60	54.00	11.45	200	191	Vertical
7	17594.079	47.97	4.23	54.00	6.03	287	0	Vertical




4.9.2.98 11AC40_151 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.4980	57.06	24.97	74.00	16.94	259	360	Vertical
2	6977.1989	47.08	24.88	54.00	6.92	246	18	Vertical
3	11510.000	44.32	2.69	54.00	9.68	276	192	Vertical
4	11510.000	55.73	2.69	74.00	18.27	279	92	Vertical
5	17265.000	56.75	2.13	74.00	17.25	194	0	Vertical
6	17265.000	45.85	2.13	54.00	8.15	232	192	Vertical
7	17866.893	47.31	2.25	54.00	6.69	227	242	Vertical




4.9.2.99 11AC40_159 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6862.8931	55.76	24.31	74.00	18.24	175	321	Vertical
2	6969.9985	47.25	24.92	54.00	6.75	239	321	Vertical
3	11590.000	44.37	2.39	54.00	9.63	295	240	Vertical
4	11590.000	56.11	2.39	74.00	17.89	155	37	Vertical
5	17385.000	56.39	1.36	74.00	17.61	227	240	Vertical
6	17385.000	42.14	1.36	54.00	11.86	223	0	Vertical
7	17612.780	46.08	4.06	54.00	7.92	237	342	Vertical




4.9.2.100 11AC40_38 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.4975	46.72	25.02	54.00	7.28	136	189	Horizontal
2	6961.8981	56.41	24.96	74.00	17.59	231	291	Horizontal
3	10380.000	44.15	1.00	54.00	9.85	121	322	Horizontal
4	10380.000	56.18	1.00	74.00	17.82	242	119	Horizontal
5	15570.000	56.11	3.66	74.00	17.89	157	119	Horizontal
6	15570.000	44.50	3.66	54.00	9.50	219	69	Horizontal
7	17601.230	46.87	4.29	54.00	7.13	159	222	Horizontal




4.9.2.101 11AC40_46 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6956.4978	47.08	24.99	54.00	6.92	106	190	Horizontal
2	6990.6995	56.12	24.81	74.00	17.88	173	39	Horizontal
3	10460.000	44.27	1.14	54.00	9.73	179	320	Horizontal
4	10460.000	55.23	1.14	74.00	18.77	103	18	Horizontal
5	15690.000	56.12	3.22	74.00	17.88	196	119	Horizontal
6	15690.000	44.97	3.22	54.00	9.03	214	270	Horizontal
7	17602.330	47.15	4.26	54.00	6.85	230	219	Horizontal




4.9.2.102 11AC40_54 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.6976	47.14	25.02	54.00	6.86	197	141	Horizontal
2	6971.4986	56.32	24.91	74.00	17.68	210	242	Horizontal
3	10540.000	45.22	1.47	54.00	8.78	135	219	Horizontal
4	10540.000	56.00	1.47	74.00	18.00	167	320	Horizontal
5	15810.000	56.55	2.78	74.00	17.45	107	18	Horizontal
6	15810.000	44.33	2.78	54.00	9.67	249	68	Horizontal
7	17863.043	47.63	2.20	54.00	6.37	115	119	Horizontal




4.9.2.103 11AC40_62 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6921.0961	56.25	24.72	74.00	17.75	170	241	Horizontal
2	6980.7990	47.24	24.86	54.00	6.76	186	40	Horizontal
3	10620.000	45.70	1.88	54.00	8.30	220	18	Horizontal
4	10620.000	57.42	1.88	74.00	16.58	146	18	Horizontal
5	15930.000	56.98	3.14	74.00	17.02	131	119	Horizontal
6	15930.000	44.91	3.14	54.00	9.09	112	360	Horizontal
7	17852.592	47.48	2.06	54.00	6.52	247	360	Horizontal




4.9.2.104 11AC40_102 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6952.5976	56.54	25.01	74.00	17.46	169	0	Horizontal
2	6985.5993	47.15	24.84	54.00	6.85	119	291	Horizontal
3	11020.000	45.48	2.51	54.00	8.52	249	18	Horizontal
4	11020.000	58.36	2.51	74.00	15.64	118	169	Horizontal
5	16530.000	57.06	2.86	74.00	16.94	204	169	Horizontal
6	16530.000	45.84	2.86	54.00	8.16	184	220	Horizontal
7	17619.931	47.18	3.92	54.00	6.82	154	169	Horizontal




4.9.2.105 11AC40_110 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6854.4927	46.75	24.27	54.00	7.25	131	342	Horizontal
2	6912.3956	56.23	24.63	74.00	17.77	213	90	Horizontal
3	11100.000	45.83	2.57	54.00	8.17	224	219	Horizontal
4	11100.000	57.29	2.57	74.00	16.71	212	360	Horizontal
5	16650.000	57.73	2.75	74.00	16.27	187	360	Horizontal
6	16650.000	45.72	2.75	54.00	8.28	197	320	Horizontal
7	17837.741	47.58	1.87	54.00	6.42	194	169	Horizontal



4.9.2.106 11AC40_134 ANT 1_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6883.2942	56.40	24.41	74.00	17.60	206	191	Horizontal
2	6991.5996	46.93	24.80	54.00	7.07	162	90	Horizontal
3	11340.000	45.83	2.61	54.00	8.17	243	360	Horizontal
4	11340.000	56.59	2.61	74.00	17.41	154	360	Horizontal
5	17010.000	54.30	0.60	74.00	19.70	107	320	Horizontal
6	17010.000	42.75	0.60	54.00	11.25	190	170	Horizontal
7	17868.543	47.22	2.27	54.00	6.78	168	119	Horizontal




4.9.2.107 11AC40_151 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6912.3956	56.24	24.63	74.00	17.76	141	90	Horizontal
2	6971.4986	47.50	24.91	54.00	6.50	229	342	Horizontal
3	11510.000	44.43	2.69	54.00	9.57	169	18	Horizontal
4	11510.000	56.54	2.69	74.00	17.46	101	72	Horizontal
5	17265.000	55.86	2.13	74.00	18.14	231	18	Horizontal
6	17265.000	45.34	2.13	54.00	8.66	151	72	Horizontal
7	17918.045	47.47	2.51	54.00	6.53	194	223	Horizontal



4.9.2.108 11AC40_159 ANT 1_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.1975	46.91	25.02	54.00	7.09	211	0	Horizontal
2	6969.3985	56.25	24.92	74.00	17.75	210	191	Horizontal
3	11590.000	44.29	2.39	54.00	9.71	194	169	Horizontal
4	11590.000	55.93	2.39	74.00	18.07	123	169	Horizontal
5	17385.000	56.15	1.36	74.00	17.85	115	320	Horizontal
6	17385.000	44.98	1.36	54.00	9.02	103	269	Horizontal
7	17610.580	47.79	4.10	54.00	6.21	233	320	Horizontal




4.9.2.109 11AC80_42 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6937.8969	56.53	24.90	74.00	17.47	230	270	Vertical
2	6940.8970	46.91	24.93	54.00	7.09	213	68	Vertical
3	10420.000	44.23	1.02	54.00	9.77	156	36	Vertical
4	10420.000	55.96	1.02	74.00	18.04	262	137	Vertical
5	15630.000	56.21	3.37	74.00	17.79	259	86	Vertical
6	15630.000	44.60	3.37	54.00	9.40	205	292	Vertical
7	17606.730	46.79	4.18	54.00	7.21	274	342	Vertical




4.9.2.110 11AC80_58 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6905.7953	56.46	24.56	74.00	17.54	226	360	Vertical
2	6953.1977	47.06	25.01	54.00	6.94	221	271	Vertical
3	10580.000	45.67	1.68	54.00	8.33	240	0	Vertical
4	10580.000	56.47	1.68	74.00	17.53	150	191	Vertical
5	15870.000	55.36	3.04	74.00	18.64	173	0	Vertical
6	15870.000	44.26	3.04	54.00	9.74	170	191	Vertical
7	17602.880	46.65	4.25	54.00	7.35	271	292	Vertical




4.9.2.111 11AC80_106 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.3977	47.25	25.00	54.00	6.75	163	171	Vertical
2	6970.2985	56.38	24.92	74.00	17.62	230	68	Vertical
3	11060.000	45.94	2.54	54.00	8.06	151	80	Vertical
4	11060.000	57.29	2.54	74.00	16.71	259	230	Vertical
5	16590.000	56.11	2.72	74.00	17.89	248	230	Vertical
6	16590.000	45.24	2.72	54.00	8.76	229	80	Vertical
7	17858.092	47.46	2.14	54.00	6.54	228	130	Vertical




4.9.2.112 11AC80_122 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6917.4959	56.31	24.68	74.00	17.69	213	118	Vertical
2	6955.8978	47.18	24.99	54.00	6.82	299	68	Vertical
3	11220.000	46.49	2.48	54.00	7.51	267	91	Vertical
4	11220.000	57.20	2.48	74.00	16.80	171	242	Vertical
5	16830.000	57.27	2.67	74.00	16.73	213	0	Vertical
6	16830.000	45.80	2.67	54.00	8.20	289	40	Vertical
7	17609.480	48.00	4.13	54.00	6.00	154	242	Vertical




4.9.2.113 11AC80_155 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6845.1923	55.76	24.21	74.00	18.24	276	169	Vertical
2	6950.7975	46.99	25.02	54.00	7.01	248	68	Vertical
3	11550.000	45.07	2.54	54.00	8.93	183	191	Vertical
4	11550.000	55.43	2.54	74.00	18.57	241	292	Vertical
5	17325.000	56.30	1.66	74.00	17.70	298	91	Vertical
6	17325.000	45.37	1.66	54.00	8.63	286	141	Vertical
7	17608.380	47.97	4.15	54.00	6.03	216	292	Vertical




4.9.2.114 11AC80_42 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.9982	56.92	24.95	74.00	17.08	207	91	Horizontal
2	6986.7993	47.20	24.83	54.00	6.80	149	241	Horizontal
3	10420.000	44.56	1.02	54.00	9.44	231	320	Horizontal
4	10420.000	55.31	1.02	74.00	18.69	232	68	Horizontal
5	15630.000	57.03	3.37	74.00	16.97	101	169	Horizontal
6	15630.000	44.37	3.37	54.00	9.63	230	169	Horizontal
7	17855.892	47.57	2.11	54.00	6.43	118	219	Horizontal




4.9.2.115 11AC80_58 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.2958	47.27	24.67	54.00	6.73	188	191	Horizontal
2	6963.3982	56.85	24.95	74.00	17.15	169	241	Horizontal
3	10580.000	45.93	1.68	54.00	8.07	124	68	Horizontal
4	10580.000	57.73	1.68	74.00	16.27	175	18	Horizontal
5	15870.000	56.59	3.04	74.00	17.41	173	321	Horizontal
6	15870.000	44.42	3.04	54.00	9.58	107	360	Horizontal
7	17612.230	47.14	4.07	54.00	6.86	197	120	Horizontal




4.9.2.116 11AC80_106 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6911.1956	56.11	24.62	74.00	17.89	147	290	Horizontal
2	6916.2958	47.32	24.67	54.00	6.68	148	77	Horizontal
3	11060.000	45.82	2.54	54.00	8.18	121	168	Horizontal
4	11060.000	58.05	2.54	74.00	15.95	217	319	Horizontal
5	16590.000	57.64	2.72	74.00	16.36	105	218	Horizontal
6	16590.000	45.46	2.72	54.00	8.54	196	68	Horizontal
7	17835.541	47.32	1.84	54.00	6.68	151	68	Horizontal




4.9.2.117 11AC80_122 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.8964	48.11	24.80	54.00	5.89	226	191	Horizontal
2	6948.9975	57.15	25.01	74.00	16.85	166	140	Horizontal
3	11220.000	46.22	2.48	54.00	7.78	231	68	Horizontal
4	11220.000	57.30	2.48	74.00	16.70	182	18	Horizontal
5	16830.000	56.57	2.67	74.00	17.43	147	118	Horizontal
6	16830.000	45.87	2.67	54.00	8.13	202	322	Horizontal
7	17599.030	46.28	4.30	54.00	7.72	145	322	Horizontal



4.9.2.118 11AC80_155 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.9976	56.71	25.01	74.00	17.29	154	240	Horizontal
2	6962.7981	47.29	24.96	54.00	6.71	216	0	Horizontal
3	11550.000	44.82	2.54	54.00	9.18	118	18	Horizontal
4	11550.000	56.28	2.54	74.00	17.72	121	169	Horizontal
5	17325.000	56.23	1.66	74.00	17.77	126	319	Horizontal
6	17325.000	45.31	1.66	54.00	8.69	208	18	Horizontal
7	17852.592	47.40	2.06	54.00	6.60	148	18	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.10 Band Edge Compliance (Radiated)

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
74.0		Peak Value	
Test Setup:			



The diagram illustrates the test setup within a semi-anechoic chamber. The chamber's interior walls are lined with pyramidal-shaped electromagnetic absorbers. Inside, an Equipment Under Test (EUT) is placed on a turntable. A horn antenna is mounted on a vertical tower, positioned at a 3m distance from the EUT. A ground reference plane is indicated on the floor. The antenna is connected to a test receiver, which is further connected to a pre-amplifier and a controller. The test receiver also has a connection to the turntable. The distance from the EUT to the antenna is labeled as 3m. The antenna is labeled 'Horn Antenna' and 'Antenna Tower'. The turntable is labeled '(Turntable)'. The ground reference plane is labeled 'Ground Reference Plane'. The test receiver is labeled 'Test Receiver'. The pre-amplifier is labeled 'Pre-Amplifier'. The controller is labeled 'Controller'.




Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.10.1 Test plots

4.10.1.1 11A20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5126.5133	41.41	21.52	54.00	12.59	175	18	Vertical
2	5138.3692	60.16	21.43	74.00	13.84	159	18	Vertical
3	5147.3237	43.21	21.36	54.00	10.79	219	24	Vertical
4	5148.0740	63.52	21.36	74.00	10.48	280	24	Vertical
5	5180.0000	104.43	21.01	68.30	-36.13	267	35	Vertical
6	5180.0000	86.21	21.01	0.00	-86.21	299	35	Vertical




4.10.1.2 11A20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.6618	42.01	21.55	54.00	11.99	153	226	Horizontal
2	5138.0190	61.51	21.43	74.00	12.49	160	226	Horizontal
3	5145.2226	42.81	21.38	54.00	11.19	191	61	Horizontal
4	5149.6748	65.11	21.34	74.00	8.89	131	61	Horizontal
5	5180.0000	104.25	21.01	68.30	-35.95	139	226	Horizontal
6	5180.0000	86.40	21.01	0.00	-86.40	165	226	Horizontal




4.10.1.3 11A20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	104.65	20.34	68.30	-36.35	227	29	Vertical
2	5240.0000	86.60	20.34	0.00	-86.60	195	29	Vertical
3	5355.9680	57.85	19.72	74.00	16.15	296	29	Vertical
4	5360.7404	44.17	19.68	54.00	9.83	235	311	Vertical
5	5383.3417	57.20	19.50	74.00	16.80	257	215	Vertical
6	5390.9955	43.87	19.43	54.00	10.13	204	69	Vertical



4.10.1.4 11A20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	103.87	20.34	68.30	-35.57	234	80	Horizontal
2	5240.0000	86.48	20.34	0.00	-86.48	197	87	Horizontal
3	5353.4467	57.77	19.74	74.00	16.23	103	12	Horizontal
4	5358.5793	44.57	19.70	54.00	9.43	228	74	Horizontal
5	5382.2611	58.32	19.51	74.00	15.68	115	74	Horizontal
6	5389.4647	43.99	19.45	54.00	10.01	154	67	Horizontal




4.10.1.5 11A20_52 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.5543	46.13	21.66	54.00	7.87	156	49	Vertical
2	5120.1701	59.28	21.57	74.00	14.72	256	350	Vertical
3	5143.9420	45.76	21.39	54.00	8.24	172	22	Vertical
4	5147.8139	59.40	21.36	74.00	14.60	271	16	Vertical
5	5260.0000	102.63	20.18	68.30	-34.33	178	22	Vertical
6	5260.0000	85.88	20.18	0.00	-85.88	161	29	Vertical




4.10.1.6 11A20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.4167	46.03	21.63	54.00	7.97	162	82	Horizontal
2	5116.5683	59.35	21.60	74.00	14.65	199	47	Horizontal
3	5141.5108	45.75	21.41	54.00	8.25	203	217	Horizontal
4	5146.0130	60.99	21.37	74.00	13.01	128	82	Horizontal
5	5260.0000	103.80	20.18	68.30	-35.50	225	82	Horizontal
6	5260.0000	86.53	20.18	0.00	-86.53	104	82	Horizontal



4.10.1.7 11A20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	103.08	19.90	68.30	-34.78	156	35	Vertical
2	5320.0000	85.63	19.90	0.00	-85.63	189	35	Vertical
3	5351.4757	62.97	19.76	74.00	11.03	150	35	Vertical
4	5359.1796	40.40	19.69	54.00	13.60	247	29	Vertical
5	5370.2851	56.16	19.60	74.00	17.84	219	35	Vertical
6	5385.4427	39.02	19.48	54.00	14.98	164	22	Vertical



4.10.1.8 11A20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	103.60	19.90	68.30	-35.30	165	64	Horizontal
2	5320.0000	86.04	19.90	0.00	-86.04	141	71	Horizontal
3	5350.7254	64.88	19.76	74.00	9.12	196	71	Horizontal
4	5359.0795	41.46	19.70	54.00	12.54	108	84	Horizontal
5	5369.6848	58.50	19.61	74.00	15.50	181	71	Horizontal
6	5382.1911	39.83	19.51	54.00	14.17	215	64	Horizontal



4.10.1.9 11A20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5437.0985	37.01	19.51	54.00	16.99	167	24	Vertical
2	5447.1236	51.38	19.55	74.00	22.62	187	29	Vertical
3	5456.9085	37.10	19.58	54.00	16.90	182	24	Vertical
4	5468.7344	56.99	19.61	68.30	11.31	174	29	Vertical
5	5500.0000	97.76	19.70	68.30	-29.46	205	24	Vertical
6	5500.0000	88.56	19.70	0.00	-88.56	222	24	Vertical



4.10.1.10 11A20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.8364	38.47	19.49	54.00	15.53	246	74	Horizontal
2	5440.4602	52.63	19.52	74.00	21.37	105	52	Horizontal
3	5452.2861	39.14	19.57	54.00	14.86	105	58	Horizontal
4	5469.2746	61.27	19.61	68.30	7.03	148	58	Horizontal
5	5500.0000	102.58	19.70	68.30	-34.28	159	74	Horizontal
6	5500.0000	93.27	19.70	0.00	-93.27	164	74	Horizontal




4.10.1.11 11A20_140 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	94.95	19.72	68.30	-26.65	256	66	Vertical
2	5727.7139	54.31	19.83	68.30	13.99	261	52	Vertical
3	5732.0060	53.42	19.85	68.30	14.88	194	61	Vertical
4	5745.5978	50.94	19.90	68.30	17.36	265	117	Vertical
5	5777.6588	52.13	20.03	68.30	16.17	206	268	Vertical




4.10.1.12 11A20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	102.15	19.72	68.30	-33.85	179	65	Horizontal
2	5727.8439	60.49	19.83	68.30	7.81	165	79	Horizontal
3	5734.6723	57.68	19.86	68.30	10.62	101	69	Horizontal
4	5753.8569	52.21	19.94	68.30	16.09	145	51	Horizontal
5	5770.1801	52.06	20.00	68.30	16.24	165	102	Horizontal



4.10.1.13 11A20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.2136	51.45	19.42	68.30	16.85	230	108	Vertical
2	5675.7879	51.84	19.57	87.38	35.54	241	48	Vertical
3	5703.3117	57.32	19.73	106.23	48.91	255	52	Vertical
4	5723.2716	65.86	19.81	118.36	52.50	165	61	Vertical
5	5745.0000	102.07	19.90	0.00	-102.07	170	57	Vertical



4.10.1.14 11A20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.7429	53.70	19.42	68.30	14.60	193	81	Horizontal
2	5685.8029	55.85	19.63	94.79	38.94	180	77	Horizontal
3	5703.2416	61.16	19.73	106.21	45.05	168	91	Horizontal
4	5723.3417	71.25	19.81	118.52	47.27	134	100	Horizontal
5	5745.0000	105.94	19.90	0.00	-105.94	208	77	Horizontal



4.10.1.15 11A20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	101.39	20.25	0.00	-101.39	288	57	Vertical
2	5850.8679	64.55	20.38	120.32	55.77	294	52	Vertical
3	5859.8624	58.08	20.34	109.54	51.46	164	52	Vertical
4	5899.9500	51.49	20.18	86.84	35.35	247	80	Vertical
5	5935.3852	52.24	20.50	68.30	16.06	234	181	Vertical




4.10.1.16 11A20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	105.97	20.25	0.00	-105.97	107	84	Horizontal
2	5850.4802	69.61	20.38	121.21	51.60	230	66	Horizontal
3	5865.0575	59.68	20.32	108.08	48.40	188	84	Horizontal
4	5896.9260	53.79	20.19	89.07	35.28	131	75	Horizontal
5	5934.3772	52.65	20.49	68.30	15.65	147	84	Horizontal




4.10.1.17 11N20_36 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.0615	41.79	21.55	54.00	12.21	297	18	Vertical
2	5135.0675	58.46	21.46	74.00	15.54	230	29	Vertical
3	5145.8729	42.98	21.37	54.00	11.02	240	29	Vertical
4	5148.4742	60.77	21.35	74.00	13.23	161	18	Vertical
5	5180.0000	103.89	21.01	68.30	-35.59	253	29	Vertical
6	5180.0000	85.31	21.01	0.00	-85.31	200	24	Vertical




4.10.1.18 11N20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5122.2111	41.46	21.56	54.00	12.54	181	225	Horizontal
2	5127.6138	55.45	21.51	74.00	18.55	209	225	Horizontal
3	5143.6718	42.16	21.39	54.00	11.84	211	225	Horizontal
4	5148.6743	59.88	21.35	74.00	14.12	222	137	Horizontal
5	5180.0000	102.74	21.01	68.30	-34.44	124	225	Horizontal
6	5180.0000	84.59	21.01	0.00	-84.59	188	76	Horizontal




4.10.1.19 11N20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	102.49	20.34	68.30	-34.19	275	22	Vertical
2	5240.0000	85.66	20.34	0.00	-85.66	227	22	Vertical
3	5355.5178	57.52	19.72	74.00	16.48	228	22	Vertical
4	5362.0010	44.14	19.67	54.00	9.86	237	207	Vertical
5	5378.0290	58.65	19.54	74.00	15.35	190	316	Vertical
6	5387.7539	43.84	19.46	54.00	10.16	278	36	Vertical




4.10.1.20 11N20_48 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	103.59	20.34	68.30	-35.29	109	66	Horizontal
2	5240.0000	85.60	20.34	0.00	-85.60	153	59	Horizontal
3	5358.2191	58.12	19.70	74.00	15.88	194	263	Horizontal
4	5364.7924	44.37	19.65	54.00	9.63	158	92	Horizontal
5	5377.8489	57.59	19.54	74.00	16.41	103	133	Horizontal



4.10.1.21 11N20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5117.1986	45.95	21.60	54.00	8.05	152	22	Vertical
2	5120.5303	60.37	21.57	74.00	13.63	263	228	Vertical
3	5135.9280	59.37	21.45	74.00	14.63	190	172	Vertical
4	5139.5298	45.70	21.42	54.00	8.30	166	268	Vertical
5	5260.0000	102.82	20.18	68.30	-34.52	161	36	Vertical
6	5260.0000	85.27	20.18	0.00	-85.27	219	22	Vertical



4.10.1.22 11N20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.0850	45.92	21.65	54.00	8.08	121	207	Horizontal
2	5120.6203	60.27	21.57	74.00	13.73	155	33	Horizontal
3	5135.0275	45.75	21.46	54.00	8.25	142	68	Horizontal
4	5142.6813	58.83	21.40	74.00	15.17	105	68	Horizontal
5	5260.0000	103.90	20.18	68.30	-35.60	118	61	Horizontal
6	5260.0000	85.67	20.18	0.00	-85.67	156	68	Horizontal



4.10.1.23 11N20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	101.64	19.90	68.30	-33.34	230	29	Vertical
2	5320.0000	83.25	19.90	0.00	-83.25	294	22	Vertical
3	5350.9255	58.47	19.76	74.00	15.53	292	35	Vertical
4	5365.6828	39.08	19.64	54.00	14.92	246	35	Vertical
5	5384.6923	51.78	19.49	74.00	22.22	212	22	Vertical
6	5390.3952	38.78	19.44	54.00	15.22	172	22	Vertical



4.10.1.24 11N20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	103.74	19.90	68.30	-35.44	116	61	Horizontal
2	5320.0000	84.52	19.90	0.00	-84.52	156	81	Horizontal
3	5351.1256	59.36	19.76	74.00	14.64	136	89	Horizontal
4	5358.9795	40.46	19.70	54.00	13.54	155	81	Horizontal
5	5377.2386	39.53	19.55	54.00	14.47	159	81	Horizontal
6	5388.9945	53.12	19.45	74.00	20.88	112	75	Horizontal




4.10.1.25 11N20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5434.1571	38.35	19.50	54.00	15.65	202	46	Vertical
2	5451.2056	52.87	19.56	74.00	21.13	247	35	Vertical
3	5454.2071	39.26	19.57	54.00	14.74	229	29	Vertical
4	5469.3947	58.32	19.61	68.30	9.98	191	35	Vertical
5	5500.0000	102.31	19.70	68.30	-34.01	159	35	Vertical
6	5500.0000	83.32	19.70	0.00	-83.32	264	35	Vertical




4.10.1.26 11N20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5433.6768	39.37	19.49	54.00	14.63	109	82	Horizontal
2	5453.4867	40.23	19.57	54.00	13.77	187	82	Horizontal
3	5458.7694	57.08	19.58	74.00	16.92	237	82	Horizontal
4	5469.8149	62.61	19.62	68.30	5.69	119	66	Horizontal
5	5500.0000	105.07	19.70	68.30	-36.77	220	82	Horizontal
6	5500.0000	86.91	19.70	0.00	-86.91	165	77	Horizontal



4.10.1.27 11N20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	94.47	19.72	68.30	-26.17	216	42	Vertical
2	5725.5678	57.18	19.82	68.30	11.12	299	42	Vertical
3	5742.4762	51.45	19.89	68.30	16.85	222	327	Vertical
4	5757.6288	50.98	19.95	68.30	17.32	179	38	Vertical
5	5774.6023	50.89	20.02	68.30	17.41	235	79	Vertical




4.10.1.28 11N20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	101.53	19.72	68.30	-33.23	115	61	Horizontal
2	5725.0000	63.06	19.82	68.30	5.24	184	75	Horizontal
3	5738.6393	53.94	19.87	68.30	14.36	164	112	Horizontal
4	5756.9785	52.08	19.95	68.30	16.22	160	108	Horizontal
5	5773.4967	52.64	20.01	68.30	15.66	107	66	Horizontal



4.10.1.29 11N20_149 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.3617	51.98	19.43	68.30	16.32	269	38	Vertical
2	5675.2976	51.77	19.57	87.02	35.25	232	29	Vertical
3	5715.8479	57.21	19.78	109.74	52.53	202	52	Vertical
4	5723.2716	63.00	19.81	118.36	55.36	159	52	Vertical
5	5745.0000	100.72	19.90	0.00	-100.72	273	52	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.10.1.30 11N20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.0230	53.43	19.42	68.30	14.87	177	66	Horizontal
2	5672.7764	54.99	19.55	85.15	30.16	124	66	Horizontal
3	5709.0545	60.77	19.76	107.84	47.07	215	80	Horizontal
4	5723.3417	68.79	19.81	118.52	49.73	133	76	Horizontal
5	5745.0000	105.22	19.90	0.00	-105.22	166	62	Horizontal




4.10.1.31 11N20_165 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	101.01	20.25	0.00	-101.01	161	61	Vertical
2	5850.7129	59.40	20.38	120.67	61.27	235	61	Vertical
3	5863.1191	54.50	20.33	108.63	54.13	285	61	Vertical
4	5892.3512	52.06	20.21	92.46	40.40	263	65	Vertical
5	5937.2461	52.13	20.52	68.30	16.17	173	70	Vertical




4.10.1.32 11N20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	104.93	20.25	0.00	-104.93	225	78	Horizontal
2	5851.1781	64.25	20.38	119.61	55.36	209	78	Horizontal
3	5862.3437	57.28	20.33	108.84	51.56	229	82	Horizontal
4	5902.8189	53.20	20.21	84.71	31.51	189	91	Horizontal
5	5937.3237	53.08	20.52	68.30	15.22	162	64	Horizontal



4.10.1.33 11N40_38 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.1041	39.56	21.67	54.00	14.44	280	24	Vertical
2	5127.3737	53.57	21.52	74.00	20.43	250	19	Vertical
3	5141.1206	40.04	21.41	54.00	13.96	295	30	Vertical
4	5146.5233	53.96	21.37	74.00	20.04	253	19	Vertical
5	5190.0000	97.27	20.90	68.30	-28.97	197	19	Vertical
6	5190.0000	65.03	20.90	0.00	-65.03	200	30	Vertical




4.10.1.34 11N40_38 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5114.9475	39.78	21.61	54.00	14.22	159	226	Horizontal
2	5127.1336	54.48	21.52	74.00	19.52	205	138	Horizontal
3	5143.2216	40.48	21.39	54.00	13.52	169	221	Horizontal
4	5148.5643	54.24	21.35	74.00	19.76	154	221	Horizontal
5	5190.0000	96.17	20.90	68.30	-27.87	225	188	Horizontal
6	5190.0000	64.90	20.90	0.00	-64.90	230	57	Horizontal




4.10.1.35 11N40_46 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	95.78	20.45	68.30	-27.48	241	22	Vertical
2	5230.0000	68.58	20.45	0.00	-68.58	234	22	Vertical
3	5356.1781	58.02	19.72	74.00	15.98	150	208	Vertical
4	5367.5838	43.93	19.63	54.00	10.07	274	90	Vertical
5	5386.2931	57.76	19.47	74.00	16.24	150	275	Vertical
6	5391.7959	43.80	19.43	54.00	10.20	225	356	Vertical




4.10.1.36 11N40_46 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.0000	97.02	20.45	68.30	-28.72	113	70	Horizontal
2	5230.0000	68.43	20.45	0.00	-68.43	105	220	Horizontal
3	5359.1796	57.75	19.69	74.00	16.25	169	50	Horizontal
4	5362.9815	43.99	19.66	54.00	10.01	227	50	Horizontal
5	5382.7914	57.20	19.50	74.00	16.80	239	0	Horizontal
6	5388.0940	43.82	19.46	54.00	10.18	224	276	Horizontal




4.10.1.37 11N40_54 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.2021	45.96	21.70	54.00	8.04	289	227	Vertical
2	5121.0105	59.36	21.57	74.00	14.64	200	297	Vertical
3	5130.2151	45.70	21.49	54.00	8.30	199	22	Vertical
4	5137.9190	59.36	21.43	74.00	14.64	230	345	Vertical
5	5270.0000	98.01	20.13	68.30	-29.71	184	29	Vertical
6	5270.0000	67.17	20.13	0.00	-67.17	248	22	Vertical



4.10.1.38 11N40_54 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.6063	45.90	21.63	54.00	8.10	131	227	Horizontal
2	5122.2111	59.57	21.56	74.00	14.43	198	116	Horizontal
3	5144.0220	45.67	21.39	54.00	8.33	197	67	Horizontal
4	5144.1221	59.36	21.39	74.00	14.64	174	144	Horizontal
5	5270.0000	95.97	20.13	68.30	-27.67	225	67	Horizontal
6	5270.0000	66.27	20.13	0.00	-66.27	225	220	Horizontal

