



TEST REPORT

No.I22N01654-SAR

For

Hisense International Co., Ltd.

Mobile phone

Model Name: HLTE239E

With

Hardware Version: FS301-MB-V1.0

Software Version: Hisense_HLTE239E_01_S01_01_05_MX05

FCC ID: 2ADOBHLTE239E

Issued Date: 2022-10-12

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn www.saitc.ac.cn




Picture 1: Front side of the sample




Picture 2: Back side of the sample




Test positions for Head:




Picture 3: Left Cheek Position



Picture 4: Left Tilt 15° Position



Picture 5: Right Cheek Position



Picture 6: Right Tilt 15° Position



Test positions for Body:



Picture 7: Front Side (10mm)



Picture 8: Rear Side (10mm)




Picture 9: Left Side (10mm)



Picture 10: Right Side (10mm)



Picture 11: Top Side (10mm)




Picture 12: Bottom Side (10mm)




Picture 13: Front Side (15mm)



Picture 14: Rear Side (15mm)

Test positions for Extremity:**Picture 15: Front Side (0mm)****Picture 16: Rear Side (0mm)**



Picture 17: Left Side (0mm)



Picture 18: Right Side (0mm)



Picture 19: Top Side (0mm)