


5.2G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	95.43	0.2
NVNT	a	5200	Ant1	95.55	0.2
NVNT	a	5240	Ant1	95.83	0.18
NVNT	ac20	5180	Ant1	93.49	0.29
NVNT	ac20	5200	Ant1	95.35	0.21
NVNT	ac20	5240	Ant1	95.68	0.19
NVNT	ac40	5190	Ant1	90.54	0.43
NVNT	ac40	5230	Ant1	90.7	0.42
NVNT	ac80	5210	Ant1	83.19	0.8
NVNT	n20	5180	Ant1	95.16	0.22
NVNT	n20	5200	Ant1	95.16	0.22
NVNT	n20	5240	Ant1	95.6	0.2
NVNT	n40	5190	Ant1	91.78	0.37
NVNT	n40	5230	Ant1	91.2	0.4


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.719	0.2	10.919	24	Pass
NVNT	a	5200	Ant1	10.83	0.2	11.03	24	Pass
NVNT	a	5240	Ant1	10.668	0.18	10.848	24	Pass
NVNT	ac20	5180	Ant1	10.104	0.29	10.394	24	Pass
NVNT	ac20	5200	Ant1	10.216	0.21	10.426	24	Pass
NVNT	ac20	5240	Ant1	10.502	0.19	10.692	24	Pass
NVNT	ac40	5190	Ant1	10.206	0.43	10.636	24	Pass
NVNT	ac40	5230	Ant1	10.684	0.42	11.104	24	Pass
NVNT	ac80	5210	Ant1	9.899	0.8	10.699	24	Pass
NVNT	n20	5180	Ant1	10.04	0.22	10.26	24	Pass
NVNT	n20	5200	Ant1	10.25	0.22	10.47	24	Pass
NVNT	n20	5240	Ant1	10.624	0.2	10.824	24	Pass
NVNT	n40	5190	Ant1	10.295	0.37	10.665	24	Pass
NVNT	n40	5230	Ant1	10.622	0.4	11.022	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.96	Pass
NVNT	a	5200	Ant1	21.202	Pass
NVNT	a	5240	Ant1	20.834	Pass
NVNT	ac20	5180	Ant1	21.302	Pass
NVNT	ac20	5200	Ant1	21.119	Pass
NVNT	ac20	5240	Ant1	21.214	Pass
NVNT	ac40	5190	Ant1	41.041	Pass
NVNT	ac40	5230	Ant1	42.834	Pass
NVNT	ac80	5210	Ant1	81.996	Pass
NVNT	n20	5180	Ant1	21.12	Pass
NVNT	n20	5200	Ant1	20.896	Pass
NVNT	n20	5240	Ant1	20.777	Pass
NVNT	n40	5190	Ant1	42.128	Pass
NVNT	n40	5230	Ant1	41.778	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.535
NVNT	a	5200	Ant1	16.595
NVNT	a	5240	Ant1	16.609
NVNT	ac20	5180	Ant1	17.657
NVNT	ac20	5200	Ant1	17.675
NVNT	ac20	5240	Ant1	17.716
NVNT	ac40	5190	Ant1	36.16
NVNT	ac40	5230	Ant1	36.235
NVNT	ac80	5210	Ant1	75.625
NVNT	n20	5180	Ant1	17.681
NVNT	n20	5200	Ant1	17.673
NVNT	n20	5240	Ant1	17.655
NVNT	n40	5190	Ant1	36.171
NVNT	n40	5230	Ant1	36.234


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.373	11	Pass
NVNT	a	5200	Ant1	0.345	11	Pass
NVNT	a	5240	Ant1	0.386	11	Pass
NVNT	ac20	5180	Ant1	-0.614	11	Pass
NVNT	ac20	5200	Ant1	-0.389	11	Pass
NVNT	ac20	5240	Ant1	-0.042	11	Pass
NVNT	ac40	5190	Ant1	-3.531	11	Pass
NVNT	ac40	5230	Ant1	-2.906	11	Pass
NVNT	ac80	5210	Ant1	-6.034	11	Pass
NVNT	n20	5180	Ant1	-0.562	11	Pass
NVNT	n20	5200	Ant1	-0.133	11	Pass
NVNT	n20	5240	Ant1	0.101	11	Pass
NVNT	n40	5190	Ant1	-3.667	11	Pass
NVNT	n40	5230	Ant1	-3.353	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-39.3	-27	Pass
NVNT	a	5240	Ant1	-44.9	-27	Pass
NVNT	ac20	5180	Ant1	-43.74	-27	Pass
NVNT	ac20	5240	Ant1	-45.42	-27	Pass
NVNT	ac40	5190	Ant1	-34.03	-27	Pass
NVNT	ac40	5230	Ant1	-50.65	-27	Pass
NVNT	ac80	5210	Ant1	-48.13	-27	Pass
NVNT	n20	5180	Ant1	-35.83	-27	Pass
NVNT	n20	5240	Ant1	-45.54	-27	Pass
NVNT	n40	5190	Ant1	-33.82	-27	Pass
NVNT	n40	5230	Ant1	-45.7	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.58	-27	Pass
NVNT	a	5200	Ant1	-35.54	-27	Pass
NVNT	a	5240	Ant1	-35.34	-27	Pass
NVNT	ac20	5180	Ant1	-35.24	-27	Pass
NVNT	ac20	5200	Ant1	-34.54	-27	Pass
NVNT	ac20	5240	Ant1	-35.63	-27	Pass
NVNT	ac40	5190	Ant1	-44.32	-27	Pass
NVNT	ac40	5230	Ant1	-44.66	-27	Pass
NVNT	ac80	5210	Ant1	-44.47	-27	Pass
NVNT	n20	5180	Ant1	-34.84	-27	Pass
NVNT	n20	5200	Ant1	-35.77	-27	Pass
NVNT	n20	5240	Ant1	-35.8	-27	Pass
NVNT	n40	5190	Ant1	-34.5	-27	Pass
NVNT	n40	5230	Ant1	-35.25	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.3G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	95.38	0.21
NVNT	a	5280	Ant1	95.83	0.18
NVNT	a	5320	Ant1	95.33	0.21
NVNT	ac20	5260	Ant1	95.68	0.19
NVNT	ac20	5280	Ant1	95.23	0.21
NVNT	ac20	5320	Ant1	95.16	0.22
NVNT	ac40	5270	Ant1	91.15	0.4
NVNT	ac40	5310	Ant1	91.09	0.41
NVNT	ac80	5290	Ant1	83.33	0.79
NVNT	n20	5260	Ant1	95.61	0.19
NVNT	n20	5280	Ant1	95.47	0.2
NVNT	n20	5320	Ant1	95.29	0.21
NVNT	n40	5270	Ant1	90.94	0.41
NVNT	n40	5310	Ant1	90.73	0.42


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.509	0.21	10.719	24	Pass
NVNT	a	5280	Ant1	10.607	0.18	10.787	24	Pass
NVNT	a	5320	Ant1	10.597	0.21	10.807	24	Pass
NVNT	ac20	5260	Ant1	10.462	0.19	10.652	24	Pass
NVNT	ac20	5280	Ant1	10.505	0.21	10.715	24	Pass
NVNT	ac20	5320	Ant1	10.424	0.22	10.644	24	Pass
NVNT	ac40	5270	Ant1	10.301	0.4	10.701	24	Pass
NVNT	ac40	5310	Ant1	10.14	0.41	10.55	24	Pass
NVNT	ac80	5290	Ant1	10.417	0.79	11.207	24	Pass
NVNT	n20	5260	Ant1	10.555	0.19	10.745	24	Pass
NVNT	n20	5280	Ant1	10.617	0.2	10.817	24	Pass
NVNT	n20	5320	Ant1	10.382	0.21	10.592	24	Pass
NVNT	n40	5270	Ant1	10.285	0.41	10.695	24	Pass
NVNT	n40	5310	Ant1	10.181	0.42	10.601	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	20.549	Pass
NVNT	a	5280	Ant1	20.711	Pass
NVNT	a	5320	Ant1	20.618	Pass
NVNT	ac20	5260	Ant1	21.04	Pass
NVNT	ac20	5280	Ant1	21.781	Pass
NVNT	ac20	5320	Ant1	21.413	Pass
NVNT	ac40	5270	Ant1	41.795	Pass
NVNT	ac40	5310	Ant1	41.845	Pass
NVNT	ac80	5290	Ant1	83.084	Pass
NVNT	n20	5260	Ant1	20.986	Pass
NVNT	n20	5280	Ant1	21.361	Pass
NVNT	n20	5320	Ant1	21.153	Pass
NVNT	n40	5270	Ant1	41.23	Pass
NVNT	n40	5310	Ant1	41.576	Pass


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.598
NVNT	a	5280	Ant1	16.606
NVNT	a	5320	Ant1	16.549
NVNT	ac20	5260	Ant1	17.707
NVNT	ac20	5280	Ant1	17.694
NVNT	ac20	5320	Ant1	17.659
NVNT	ac40	5270	Ant1	36.231
NVNT	ac40	5310	Ant1	36.288
NVNT	ac80	5290	Ant1	75.659
NVNT	n20	5260	Ant1	17.665
NVNT	n20	5280	Ant1	17.694
NVNT	n20	5320	Ant1	17.665
NVNT	n40	5270	Ant1	36.202
NVNT	n40	5310	Ant1	36.27


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac80 5290MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	0.153	11	Pass
NVNT	a	5280	Ant1	0.349	11	Pass
NVNT	a	5320	Ant1	0.291	11	Pass
NVNT	ac20	5260	Ant1	-0.172	11	Pass
NVNT	ac20	5280	Ant1	0.343	11	Pass
NVNT	ac20	5320	Ant1	-0.211	11	Pass
NVNT	ac40	5270	Ant1	-3.302	11	Pass
NVNT	ac40	5310	Ant1	-3.347	11	Pass
NVNT	ac80	5290	Ant1	-5.14	11	Pass
NVNT	n20	5260	Ant1	0.191	11	Pass
NVNT	n20	5280	Ant1	0.113	11	Pass
NVNT	n20	5320	Ant1	-0.251	11	Pass
NVNT	n40	5270	Ant1	-3.59	11	Pass
NVNT	n40	5310	Ant1	-3.412	11	Pass


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1



PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1

