







Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133297 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0



Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133297 RB Size=100 Position=#0



Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.03	-26.49	7.00	12.93	-32.42	-13.00	-19.42	H
5580.25	-28.08	8.40	17.11	-36.79	-13.00	-23.79	H
7439.78	-23.98	8.10	22.20	-38.08	-13.00	-25.08	H
3720.03	-26.08	7.00	12.93	-32.01	-13.00	-19.01	V
5580.25	-27.46	8.40	17.11	-36.17	-13.00	-23.17	V
7439.78	-23.53	8.10	22.20	-37.63	-13.00	-24.63	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.19	-27.68	7.00	12.93	-33.61	-13.00	-20.61	H
5640.07	-27.77	8.40	17.11	-36.48	-13.00	-23.48	H
7519.94	-23.98	8.10	22.20	-38.08	-13.00	-25.08	H
3760.19	-28.24	7.00	12.93	-34.17	-13.00	-21.17	V
5640.07	-27.11	8.40	17.11	-35.82	-13.00	-22.82	V
7519.94	-24.49	8.10	22.20	-38.59	-13.00	-25.59	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3799.97	-28.94	7.00	12.93	-34.87	-13.00	-21.87	H
5699.95	-25.31	8.40	17.11	-34.02	-13.00	-21.02	H
7599.90	-26.41	8.10	22.20	-40.51	-13.00	-27.51	H
3799.97	-26.33	7.00	12.93	-32.26	-13.00	-19.26	V
5699.95	-25.05	8.40	17.11	-33.76	-13.00	-20.76	V
7599.90	-28.02	8.10	22.20	-42.12	-13.00	-29.12	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.37	-25.93	7.20	12.56	-31.29	-13.00	-18.29	H
5160.16	-27.10	8.10	16.32	-35.32	-13.00	-22.32	H
6880.84	-24.37	8.30	21.13	-37.20	-13.00	-24.20	H
3440.37	-25.43	7.20	12.56	-30.79	-13.00	-17.79	V
5160.16	-28.88	8.10	16.32	-37.10	-13.00	-24.10	V
6880.84	-26.01	8.30	21.13	-38.84	-13.00	-25.84	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.03	-24.78	7.20	12.56	-30.14	-13.00	-17.14	H
5196.63	-26.93	8.10	16.32	-35.15	-13.00	-22.15	H
6929.68	-24.36	8.30	21.13	-37.19	-13.00	-24.19	H
3465.03	-27.41	7.20	12.56	-32.77	-13.00	-19.77	V
5196.63	-27.46	8.10	16.32	-35.68	-13.00	-22.68	V
6929.68	-25.91	8.30	21.13	-38.74	-13.00	-25.74	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.59	-25.09	7.20	12.56	-30.45	-13.00	-17.45	H
5235.05	-27.43	8.10	16.32	-35.65	-13.00	-22.65	H
6979.67	-23.75	8.30	21.13	-36.58	-13.00	-23.58	H
3490.59	-25.83	7.20	12.56	-31.19	-13.00	-18.19	V
5235.05	-26.91	8.10	16.32	-35.13	-13.00	-22.13	V
6979.67	-27.77	8.30	21.13	-40.60	-13.00	-27.60	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.80	-26.83	7.40	9.72	-29.15	-13.00	-16.15	H
2486.40	-25.76	8.30	10.86	-28.32	-13.00	-15.32	H
3315.21	-27.42	7.20	11.57	-31.79	-13.00	-18.79	H
1657.80	-27.64	7.40	9.72	-29.96	-13.00	-16.96	V
2486.40	-27.64	8.30	10.86	-30.20	-13.00	-17.20	V
3315.21	-27.40	7.20	11.57	-31.77	-13.00	-18.77	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.49	-28.01	7.40	9.72	-30.33	-13.00	-17.33	H
2509.09	-26.14	8.30	10.86	-28.70	-13.00	-15.70	H
3345.12	-25.11	7.20	11.57	-29.48	-13.00	-16.48	H
1672.49	-27.63	7.40	9.72	-29.95	-13.00	-16.95	V
2509.09	-26.91	8.30	10.86	-29.47	-13.00	-16.47	V
3345.12	-24.42	7.20	11.57	-28.79	-13.00	-15.79	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.65	-29.27	7.40	9.72	-31.59	-13.00	-18.59	H
2531.59	-26.91	8.30	10.86	-29.47	-13.00	-16.47	H
3375.41	-25.92	7.20	11.57	-30.29	-13.00	-17.29	H
1687.65	-30.85	7.40	9.72	-33.17	-13.00	-20.17	V
2531.59	-27.51	8.30	10.86	-30.07	-13.00	-17.07	V
3375.41	-26.74	7.20	11.57	-31.11	-13.00	-18.11	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.02	-29.61	8.00	15.86	-37.47	-25.00	-12.47	H
7530.98	-30.15	8.30	19.28	-41.13	-25.00	-16.13	H
10258.69	-27.82	8.10	23.19	-42.91	-25.00	-17.91	H
5021.02	-27.52	8.00	15.86	-35.38	-25.00	-10.38	V
7530.98	-27.68	8.30	19.28	-38.66	-25.00	-13.66	V
10258.69	-27.15	8.10	23.19	-42.24	-25.00	-17.24	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.95	-26.66	8.00	15.86	-34.52	-25.00	-9.52	H
7604.75	-25.62	8.30	19.28	-36.60	-25.00	-11.60	H
10139.87	-24.25	8.10	23.19	-39.34	-25.00	-14.34	H
5069.95	-31.33	8.00	15.86	-39.19	-25.00	-14.19	V
7604.75	-30.19	8.30	19.28	-41.17	-25.00	-16.17	V
10139.87	-26.45	8.10	23.19	-41.54	-25.00	-16.54	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.89	-28.50	8.00	15.86	-36.36	-25.00	-11.36	H
7678.47	-25.91	8.30	19.28	-36.89	-25.00	-11.89	H
10237.75	-28.28	8.10	23.19	-43.37	-25.00	-18.37	H
5118.89	-28.89	8.00	15.86	-36.75	-25.00	-11.75	V
7678.47	-26.10	8.30	19.28	-37.08	-25.00	-12.08	V
10237.75	-27.41	8.10	23.19	-42.50	-25.00	-17.50	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.63	-29.06	6.70	9.34	-31.70	-13.00	-18.70	H
2111.55	-26.81	7.80	10.42	-29.43	-13.00	-16.43	H
2815.95	-26.67	8.00	11.12	-29.79	-13.00	-16.79	H
1407.63	-29.77	6.70	9.34	-32.41	-13.00	-19.41	V
2111.55	-27.77	7.80	10.42	-30.39	-13.00	-17.39	V
2815.95	-28.43	8.00	11.12	-31.55	-13.00	-18.55	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.54	-26.39	6.70	9.34	-29.03	-13.00	-16.03	H
2122.14	-26.23	7.80	10.42	-28.85	-13.00	-15.85	H
2829.86	-25.73	8.00	11.12	-28.85	-13.00	-15.85	H
1414.54	-26.47	6.70	9.34	-29.11	-13.00	-16.11	V
2122.14	-28.83	7.80	10.42	-31.45	-13.00	-18.45	V
2829.86	-25.23	8.00	11.12	-28.35	-13.00	-15.35	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.53	-26.55	6.70	9.34	-29.19	-13.00	-16.19	H
2132.72	-28.11	7.80	10.42	-30.73	-13.00	-17.73	H
2843.78	-25.83	8.00	11.12	-28.95	-13.00	-15.95	H
1421.53	-27.24	6.70	9.34	-29.88	-13.00	-16.88	V
2132.72	-26.19	7.80	10.42	-28.81	-13.00	-15.81	V
2843.78	-26.84	8.00	11.12	-29.96	-13.00	-16.96	V

LTE Band 14 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1581.75	-48.53	7.50	7.72	-48.75	-40.00	-8.75	H
2379.13	-46.54	8.60	8.86	-46.80	-13.00	-33.80	H
3172.10	-46.60	9.70	10.57	-47.47	-13.00	-34.47	H
1581.75	-48.12	7.50	7.72	-48.34	-40.00	-8.34	V
2379.13	-46.71	8.60	8.86	-46.97	-13.00	-33.97	V
3172.10	-46.26	9.70	10.57	-47.13	-13.00	-34.13	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.36	-25.08	6.90	9.34	-27.52	-13.00	-14.52	H
2127.47	-28.34	8.00	10.42	-30.76	-13.00	-17.76	H
2836.62	-23.96	8.00	11.12	-27.08	-13.00	-14.08	H
1418.36	-26.60	6.90	9.34	-29.04	-13.00	-16.04	V
2127.47	-25.95	8.00	10.42	-28.37	-13.00	-15.37	V
2836.62	-26.65	8.00	11.12	-29.77	-13.00	-16.77	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.07	-28.39	6.90	9.34	-30.83	-13.00	-17.83	H
2130.14	-29.85	8.00	10.42	-32.27	-13.00	-19.27	H
2839.86	-25.12	8.00	11.12	-28.24	-13.00	-15.24	H
1420.07	-27.01	6.90	9.34	-29.45	-13.00	-16.45	V
2130.14	-29.34	8.00	10.42	-31.76	-13.00	-18.76	V
2839.86	-25.27	8.00	11.12	-28.39	-13.00	-15.39	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.32	-25.84	6.90	9.34	-28.28	-13.00	-15.28	H
2132.08	-28.20	8.00	10.42	-30.62	-13.00	-17.62	H
2842.46	-25.81	8.00	11.12	-28.93	-13.00	-15.93	H
1421.32	-30.32	6.90	9.34	-32.76	-13.00	-19.76	V
2132.08	-26.89	8.00	10.42	-29.31	-13.00	-16.31	V
2842.46	-27.58	8.00	11.12	-30.70	-13.00	-17.70	V

LTE Band 30 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.84	-44.84	8.20	12.95	-49.59	-40.00	-9.59	H
6929.88	-41.43	8.10	17.02	-50.35	-40.00	-10.35	H
9239.90	-35.46	8.30	21.78	-48.94	-40.00	-8.94	H
4619.84	-45.42	8.20	12.95	-50.17	-40.00	-10.17	V
6929.88	-41.37	8.10	17.02	-50.29	-40.00	-10.29	V
9239.90	-35.72	8.30	21.78	-49.20	-40.00	-9.20	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.16	-33.43	8.10	15.86	-41.19	-25.00	-16.19	H
7694.84	-34.80	9.00	19.28	-45.08	-25.00	-20.08	H
10260.17	-30.54	8.70	23.19	-45.03	-25.00	-20.03	H
5130.16	-32.63	8.10	15.86	-40.39	-25.00	-15.39	V
7694.84	-34.83	9.00	19.28	-45.11	-25.00	-20.11	V
10260.17	-32.55	8.70	23.19	-47.04	-25.00	-22.04	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.85	-32.11	8.10	15.86	-39.87	-25.00	-14.87	H
7814.89	-33.16	9.00	19.28	-43.44	-25.00	-18.44	H
10420.23	-30.56	8.70	23.19	-45.05	-25.00	-20.05	H
5209.85	-35.05	8.10	15.86	-42.81	-25.00	-17.81	V
7814.89	-34.82	9.00	19.28	-45.10	-25.00	-20.10	V
10420.23	-28.80	8.70	23.19	-43.29	-25.00	-18.29	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.89	-33.65	8.10	15.86	-41.41	-25.00	-16.41	H
7934.91	-33.10	9.00	19.28	-43.38	-25.00	-18.38	H
10579.99	-29.36	8.70	23.19	-43.85	-25.00	-18.85	H
5289.89	-35.94	8.10	15.86	-43.70	-25.00	-18.70	V
7934.91	-31.72	9.00	19.28	-42.00	-25.00	-17.00	V
10579.99	-30.52	8.70	23.19	-45.01	-25.00	-20.01	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.01	-34.36	7.90	15.86	-42.32	-25.00	-17.32	H
7518.08	-30.75	9.00	19.28	-41.03	-25.00	-16.03	H
10024.08	-33.09	8.70	23.19	-47.58	-25.00	-22.58	H
5012.01	-34.57	7.90	15.86	-42.53	-25.00	-17.53	V
7518.08	-34.57	9.00	19.28	-44.85	-25.00	-19.85	V
10024.08	-31.96	8.70	23.19	-46.45	-25.00	-21.45	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.89	-32.52	7.90	15.86	-40.48	-25.00	-15.48	H
7778.89	-31.26	9.00	19.28	-41.54	-25.00	-16.54	H
10371.97	-31.12	8.70	23.19	-45.61	-25.00	-20.61	H
5185.89	-31.40	7.90	15.86	-39.36	-25.00	-14.36	V
7778.89	-31.00	9.00	19.28	-41.28	-25.00	-16.28	V
10371.97	-31.26	8.70	23.19	-45.75	-25.00	-20.75	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.18	-32.12	7.90	15.86	-40.08	-25.00	-15.08	H
8040.24	-34.04	9.00	19.28	-44.32	-25.00	-19.32	H
10720.00	-31.18	8.70	23.19	-45.67	-25.00	-20.67	H
5360.18	-34.44	7.90	15.86	-42.40	-25.00	-17.40	V
8040.24	-33.29	9.00	19.28	-43.57	-25.00	-18.57	V
10720.00	-29.34	8.70	23.19	-43.83	-25.00	-18.83	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.20	-24.20	7.20	12.56	-29.56	-13.00	-16.56	H
5160.09	-29.15	8.10	16.32	-37.37	-13.00	-24.37	H
6880.11	-22.97	8.30	21.13	-35.80	-13.00	-22.80	H
3440.20	-28.26	7.20	12.56	-33.62	-13.00	-20.62	V
5160.09	-25.45	8.10	16.32	-33.67	-13.00	-20.67	V
6880.11	-26.41	8.30	21.13	-39.24	-13.00	-26.24	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.84	-26.33	7.20	12.56	-31.69	-13.00	-18.69	H
5234.93	-26.19	8.10	16.32	-34.41	-13.00	-21.41	H
6979.86	-24.81	8.30	21.13	-37.64	-13.00	-24.64	H
3489.84	-28.40	7.20	12.56	-33.76	-13.00	-20.76	V
5234.93	-27.49	8.10	16.32	-35.71	-13.00	-22.71	V
6979.86	-27.64	8.30	21.13	-40.47	-13.00	-27.47	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.10	-27.78	7.20	12.56	-33.14	-13.00	-20.14	H
5309.82	-25.69	8.10	16.32	-33.91	-13.00	-20.91	H
7080.53	-26.62	8.30	21.13	-39.45	-13.00	-26.45	H
3540.10	-28.70	7.20	12.56	-34.06	-13.00	-21.06	V
5309.82	-25.58	8.10	16.32	-33.80	-13.00	-20.80	V
7080.53	-24.23	8.30	21.13	-37.06	-13.00	-24.06	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.86	-26.50	6.50	9.34	-29.34	-13.00	-16.34	H
2019.07	-28.33	7.70	10.42	-31.05	-13.00	-18.05	H
2692.03	-28.48	7.90	11.12	-31.70	-13.00	-18.70	H
1345.86	-28.51	6.50	9.34	-31.35	-13.00	-18.35	V
2019.07	-26.29	7.70	10.42	-29.01	-13.00	-16.01	V
2692.03	-26.81	7.90	11.12	-30.03	-13.00	-17.03	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1360.86	-28.13	6.50	9.34	-30.97	-13.00	-17.97	H
2041.51	-31.23	7.70	10.42	-33.95	-13.00	-20.95	H
2722.05	-27.85	7.90	11.12	-31.07	-13.00	-18.07	H
1360.86	-30.65	6.50	9.34	-33.49	-13.00	-20.49	V
2041.51	-27.27	7.70	10.42	-29.99	-13.00	-16.99	V
2722.05	-26.21	7.90	11.12	-29.43	-13.00	-16.43	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.75	-29.43	6.50	9.34	-32.27	-13.00	-19.27	H
2063.83	-29.81	7.70	10.42	-32.53	-13.00	-19.53	H
2751.82	-27.72	7.90	11.12	-30.94	-13.00	-17.94	H
1375.75	-28.68	6.50	9.34	-31.52	-13.00	-18.52	V
2063.83	-29.40	7.70	10.42	-32.12	-13.00	-19.12	V
2751.82	-26.82	7.90	11.12	-30.04	-13.00	-17.04	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see LGT25C002EM01_APPENDIX II.

※※※※※END OF THE REPORT※※※※※