

Appendix C : Test Result - n2

1. Conducted Output Power

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
n2	15	5	370500	25@0	DFT_BPSK	22.2	-1.6	20.6	114.82	2000	PASS
n2	15	5	370500	12@6	DFT_BPSK	22.68	-1.6	21.08	128.23	2000	PASS
n2	15	5	370500	1@1	DFT_BPSK	22.6	-1.6	21	125.89	2000	PASS
n2	15	5	370500	1@23	DFT_BPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	5	370500	25@0	DFT_QPSK	21.7	-1.6	20.1	102.33	2000	PASS
n2	15	5	370500	12@6	DFT_QPSK	22.7	-1.6	21.1	128.82	2000	PASS
n2	15	5	370500	1@1	DFT_QPSK	22.55	-1.6	20.95	124.45	2000	PASS
n2	15	5	370500	1@23	DFT_QPSK	22.54	-1.6	20.94	124.17	2000	PASS
n2	15	5	370500	25@0	DFT_16QAM	20.64	-1.6	19.04	80.17	2000	PASS
n2	15	5	370500	12@6	DFT_16QAM	21.61	-1.6	20.01	100.23	2000	PASS
n2	15	5	370500	1@1	DFT_16QAM	21.74	-1.6	20.14	103.28	2000	PASS
n2	15	5	370500	1@23	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
n2	15	5	370500	25@0	DFT_64QAM	20.17	-1.6	18.57	71.94	2000	PASS
n2	15	5	370500	12@6	DFT_64QAM	20.15	-1.6	18.55	71.61	2000	PASS
n2	15	5	370500	1@1	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
n2	15	5	370500	1@23	DFT_64QAM	20.22	-1.6	18.62	72.78	2000	PASS
n2	15	5	370500	25@0	DFT_256QAM	18.04	-1.6	16.44	44.06	2000	PASS
n2	15	5	370500	12@6	DFT_256QAM	18.1	-1.6	16.5	44.67	2000	PASS
n2	15	5	370500	1@1	DFT_256QAM	18.02	-1.6	16.42	43.85	2000	PASS
n2	15	5	370500	1@23	DFT_256QAM	17.9	-1.6	16.3	42.66	2000	PASS
n2	15	5	370500	25@0	CP_QPSK	19.65	-1.6	18.05	63.83	2000	PASS
n2	15	5	370500	13@6	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
n2	15	5	370500	1@1	CP_QPSK	21.02	-1.6	19.42	87.5	2000	PASS
n2	15	5	370500	1@23	CP_QPSK	20.97	-1.6	19.37	86.5	2000	PASS
n2	15	5	370500	25@0	CP_16QAM	19.69	-1.6	18.09	64.42	2000	PASS
n2	15	5	370500	13@6	CP_16QAM	20.68	-1.6	19.08	80.91	2000	PASS
n2	15	5	370500	1@1	CP_16QAM	20.84	-1.6	19.24	83.95	2000	PASS
n2	15	5	370500	1@23	CP_16QAM	20.81	-1.6	19.21	83.37	2000	PASS
n2	15	5	370500	25@0	CP_64QAM	19.15	-1.6	17.55	56.89	2000	PASS
n2	15	5	370500	13@6	CP_64QAM	19.05	-1.6	17.45	55.59	2000	PASS
n2	15	5	370500	1@1	CP_64QAM	19.03	-1.6	17.43	55.34	2000	PASS
n2	15	5	370500	1@23	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
n2	15	5	370500	25@0	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
n2	15	5	370500	13@6	CP_256QAM	16.01	-1.6	14.41	27.61	2000	PASS

n2	15	5	370500	1@1	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	5	370500	1@23	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
n2	15	5	376000	25@0	DFT_BPSK	22.14	-1.6	20.54	113.24	2000	PASS
n2	15	5	376000	12@6	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
n2	15	5	376000	1@1	DFT_BPSK	22.46	-1.6	20.86	121.9	2000	PASS
n2	15	5	376000	1@23	DFT_BPSK	22.62	-1.6	21.02	126.47	2000	PASS
n2	15	5	376000	25@0	DFT_QPSK	21.7	-1.6	20.1	102.33	2000	PASS
n2	15	5	376000	12@6	DFT_QPSK	22.63	-1.6	21.03	126.77	2000	PASS
n2	15	5	376000	1@1	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
n2	15	5	376000	1@23	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
n2	15	5	376000	25@0	DFT_16QAM	20.64	-1.6	19.04	80.17	2000	PASS
n2	15	5	376000	12@6	DFT_16QAM	21.66	-1.6	20.06	101.39	2000	PASS
n2	15	5	376000	1@1	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
n2	15	5	376000	1@23	DFT_16QAM	21.73	-1.6	20.13	103.04	2000	PASS
n2	15	5	376000	25@0	DFT_64QAM	20.16	-1.6	18.56	71.78	2000	PASS
n2	15	5	376000	12@6	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
n2	15	5	376000	1@1	DFT_64QAM	20.21	-1.6	18.61	72.61	2000	PASS
n2	15	5	376000	1@23	DFT_64QAM	20.3	-1.6	18.7	74.13	2000	PASS
n2	15	5	376000	25@0	DFT_256QAM	18.09	-1.6	16.49	44.57	2000	PASS
n2	15	5	376000	12@6	DFT_256QAM	18.13	-1.6	16.53	44.98	2000	PASS
n2	15	5	376000	1@1	DFT_256QAM	17.97	-1.6	16.37	43.35	2000	PASS
n2	15	5	376000	1@23	DFT_256QAM	18.02	-1.6	16.42	43.85	2000	PASS
n2	15	5	376000	25@0	CP_QPSK	19.69	-1.6	18.09	64.42	2000	PASS
n2	15	5	376000	13@6	CP_QPSK	21.1	-1.6	19.5	89.13	2000	PASS
n2	15	5	376000	1@1	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
n2	15	5	376000	1@23	CP_QPSK	21.1	-1.6	19.5	89.13	2000	PASS
n2	15	5	376000	25@0	CP_16QAM	19.7	-1.6	18.1	64.57	2000	PASS
n2	15	5	376000	13@6	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
n2	15	5	376000	1@1	CP_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
n2	15	5	376000	1@23	CP_16QAM	20.92	-1.6	19.32	85.51	2000	PASS
n2	15	5	376000	25@0	CP_64QAM	19.18	-1.6	17.58	57.28	2000	PASS
n2	15	5	376000	13@6	CP_64QAM	19.13	-1.6	17.53	56.62	2000	PASS
n2	15	5	376000	1@1	CP_64QAM	19.05	-1.6	17.45	55.59	2000	PASS
n2	15	5	376000	1@23	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
n2	15	5	376000	25@0	CP_256QAM	16.12	-1.6	14.52	28.31	2000	PASS
n2	15	5	376000	13@6	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
n2	15	5	376000	1@1	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
n2	15	5	376000	1@23	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
n2	15	5	381500	25@0	DFT_BPSK	22.15	-1.6	20.55	113.5	2000	PASS
n2	15	5	381500	12@6	DFT_BPSK	22.63	-1.6	21.03	126.77	2000	PASS
n2	15	5	381500	1@1	DFT_BPSK	22.5	-1.6	20.9	123.03	2000	PASS
n2	15	5	381500	1@23	DFT_BPSK	22.57	-1.6	20.97	125.03	2000	PASS
n2	15	5	381500	25@0	DFT_QPSK	21.65	-1.6	20.05	101.16	2000	PASS

n2	15	5	381500	12@6	DFT_QPSK	22.63	-1.6	21.03	126.77	2000	PASS
n2	15	5	381500	1@1	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
n2	15	5	381500	1@23	DFT_QPSK	22.5	-1.6	20.9	123.03	2000	PASS
n2	15	5	381500	25@0	DFT_16QAM	20.63	-1.6	19.03	79.98	2000	PASS
n2	15	5	381500	12@6	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
n2	15	5	381500	1@1	DFT_16QAM	21.69	-1.6	20.09	102.09	2000	PASS
n2	15	5	381500	1@23	DFT_16QAM	21.7	-1.6	20.1	102.33	2000	PASS
n2	15	5	381500	25@0	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
n2	15	5	381500	12@6	DFT_64QAM	20.19	-1.6	18.59	72.28	2000	PASS
n2	15	5	381500	1@1	DFT_64QAM	20.24	-1.6	18.64	73.11	2000	PASS
n2	15	5	381500	1@23	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
n2	15	5	381500	25@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
n2	15	5	381500	12@6	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	5	381500	1@1	DFT_256QAM	17.94	-1.6	16.34	43.05	2000	PASS
n2	15	5	381500	1@23	DFT_256QAM	17.99	-1.6	16.39	43.55	2000	PASS
n2	15	5	381500	25@0	CP_QPSK	19.64	-1.6	18.04	63.68	2000	PASS
n2	15	5	381500	13@6	CP_QPSK	21.05	-1.6	19.45	88.1	2000	PASS
n2	15	5	381500	1@1	CP_QPSK	21	-1.6	19.4	87.1	2000	PASS
n2	15	5	381500	1@23	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
n2	15	5	381500	25@0	CP_16QAM	19.71	-1.6	18.11	64.71	2000	PASS
n2	15	5	381500	13@6	CP_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
n2	15	5	381500	1@1	CP_16QAM	20.8	-1.6	19.2	83.18	2000	PASS
n2	15	5	381500	1@23	CP_16QAM	20.85	-1.6	19.25	84.14	2000	PASS
n2	15	5	381500	25@0	CP_64QAM	19.18	-1.6	17.58	57.28	2000	PASS
n2	15	5	381500	13@6	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS
n2	15	5	381500	1@1	CP_64QAM	19.04	-1.6	17.44	55.46	2000	PASS
n2	15	5	381500	1@23	CP_64QAM	19.04	-1.6	17.44	55.46	2000	PASS
n2	15	5	381500	25@0	CP_256QAM	16.11	-1.6	14.51	28.25	2000	PASS
n2	15	5	381500	13@6	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
n2	15	5	381500	1@1	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
n2	15	5	381500	1@23	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	10	371000	50@0	DFT_BPSK	22.1	-1.6	20.5	112.2	2000	PASS
n2	15	10	371000	25@12	DFT_BPSK	22.58	-1.6	20.98	125.31	2000	PASS
n2	15	10	371000	1@1	DFT_BPSK	22.59	-1.6	20.99	125.6	2000	PASS
n2	15	10	371000	1@50	DFT_BPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	10	371000	50@0	DFT_QPSK	21.61	-1.6	20.01	100.23	2000	PASS
n2	15	10	371000	25@12	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	10	371000	1@1	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	10	371000	1@50	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	10	371000	50@0	DFT_16QAM	20.57	-1.6	18.97	78.89	2000	PASS
n2	15	10	371000	25@12	DFT_16QAM	21.56	-1.6	19.96	99.08	2000	PASS
n2	15	10	371000	1@1	DFT_16QAM	21.79	-1.6	20.19	104.47	2000	PASS
n2	15	10	371000	1@50	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS

n2	15	10	371000	50@0	DFT_64QAM	20.05	-1.6	18.45	69.98	2000	PASS
n2	15	10	371000	25@12	DFT_64QAM	20.07	-1.6	18.47	70.31	2000	PASS
n2	15	10	371000	1@1	DFT_64QAM	20.32	-1.6	18.72	74.47	2000	PASS
n2	15	10	371000	1@50	DFT_64QAM	20.22	-1.6	18.62	72.78	2000	PASS
n2	15	10	371000	50@0	DFT_256QAM	18	-1.6	16.4	43.65	2000	PASS
n2	15	10	371000	25@12	DFT_256QAM	17.95	-1.6	16.35	43.15	2000	PASS
n2	15	10	371000	1@1	DFT_256QAM	18.02	-1.6	16.42	43.85	2000	PASS
n2	15	10	371000	1@50	DFT_256QAM	17.98	-1.6	16.38	43.45	2000	PASS
n2	15	10	371000	52@0	CP_QPSK	19.59	-1.6	17.99	62.95	2000	PASS
n2	15	10	371000	26@13	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
n2	15	10	371000	1@1	CP_QPSK	21.05	-1.6	19.45	88.1	2000	PASS
n2	15	10	371000	1@50	CP_QPSK	21	-1.6	19.4	87.1	2000	PASS
n2	15	10	371000	52@0	CP_16QAM	19.6	-1.6	18	63.1	2000	PASS
n2	15	10	371000	26@13	CP_16QAM	20.58	-1.6	18.98	79.07	2000	PASS
n2	15	10	371000	1@1	CP_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
n2	15	10	371000	1@50	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
n2	15	10	371000	52@0	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS
n2	15	10	371000	26@13	CP_64QAM	19.06	-1.6	17.46	55.72	2000	PASS
n2	15	10	371000	1@1	CP_64QAM	19.07	-1.6	17.47	55.85	2000	PASS
n2	15	10	371000	1@50	CP_64QAM	19.05	-1.6	17.45	55.59	2000	PASS
n2	15	10	371000	52@0	CP_256QAM	16.03	-1.6	14.43	27.73	2000	PASS
n2	15	10	371000	26@13	CP_256QAM	16	-1.6	14.4	27.54	2000	PASS
n2	15	10	371000	1@1	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
n2	15	10	371000	1@50	CP_256QAM	16.19	-1.6	14.59	28.77	2000	PASS
n2	15	10	376000	50@0	DFT_BPSK	22.09	-1.6	20.49	111.94	2000	PASS
n2	15	10	376000	25@12	DFT_BPSK	22.57	-1.6	20.97	125.03	2000	PASS
n2	15	10	376000	1@1	DFT_BPSK	22.49	-1.6	20.89	122.74	2000	PASS
n2	15	10	376000	1@50	DFT_BPSK	22.7	-1.6	21.1	128.82	2000	PASS
n2	15	10	376000	50@0	DFT_QPSK	21.67	-1.6	20.07	101.62	2000	PASS
n2	15	10	376000	25@12	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
n2	15	10	376000	1@1	DFT_QPSK	22.46	-1.6	20.86	121.9	2000	PASS
n2	15	10	376000	1@50	DFT_QPSK	22.7	-1.6	21.1	128.82	2000	PASS
n2	15	10	376000	50@0	DFT_16QAM	20.63	-1.6	19.03	79.98	2000	PASS
n2	15	10	376000	25@12	DFT_16QAM	21.67	-1.6	20.07	101.62	2000	PASS
n2	15	10	376000	1@1	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS
n2	15	10	376000	1@50	DFT_16QAM	21.82	-1.6	20.22	105.2	2000	PASS
n2	15	10	376000	50@0	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
n2	15	10	376000	25@12	DFT_64QAM	20.19	-1.6	18.59	72.28	2000	PASS
n2	15	10	376000	1@1	DFT_64QAM	20.25	-1.6	18.65	73.28	2000	PASS
n2	15	10	376000	1@50	DFT_64QAM	20.39	-1.6	18.79	75.68	2000	PASS
n2	15	10	376000	50@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
n2	15	10	376000	25@12	DFT_256QAM	18.08	-1.6	16.48	44.46	2000	PASS
n2	15	10	376000	1@1	DFT_256QAM	17.96	-1.6	16.36	43.25	2000	PASS

n2	15	10	376000	1@50	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	10	376000	52@0	CP_QPSK	19.67	-1.6	18.07	64.12	2000	PASS
n2	15	10	376000	26@13	CP_QPSK	21.14	-1.6	19.54	89.95	2000	PASS
n2	15	10	376000	1@1	CP_QPSK	21.04	-1.6	19.44	87.9	2000	PASS
n2	15	10	376000	1@50	CP_QPSK	21.2	-1.6	19.6	91.2	2000	PASS
n2	15	10	376000	52@0	CP_16QAM	19.67	-1.6	18.07	64.12	2000	PASS
n2	15	10	376000	26@13	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
n2	15	10	376000	1@1	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
n2	15	10	376000	1@50	CP_16QAM	20.99	-1.6	19.39	86.9	2000	PASS
n2	15	10	376000	52@0	CP_64QAM	19.19	-1.6	17.59	57.41	2000	PASS
n2	15	10	376000	26@13	CP_64QAM	19.17	-1.6	17.57	57.15	2000	PASS
n2	15	10	376000	1@1	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
n2	15	10	376000	1@50	CP_64QAM	19.2	-1.6	17.6	57.54	2000	PASS
n2	15	10	376000	52@0	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
n2	15	10	376000	26@13	CP_256QAM	16.14	-1.6	14.54	28.44	2000	PASS
n2	15	10	376000	1@1	CP_256QAM	16.23	-1.6	14.63	29.04	2000	PASS
n2	15	10	376000	1@50	CP_256QAM	16.36	-1.6	14.76	29.92	2000	PASS
n2	15	10	381000	50@0	DFT_BPSK	22.09	-1.6	20.49	111.94	2000	PASS
n2	15	10	381000	25@12	DFT_BPSK	22.58	-1.6	20.98	125.31	2000	PASS
n2	15	10	381000	1@1	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
n2	15	10	381000	1@50	DFT_BPSK	22.63	-1.6	21.03	126.77	2000	PASS
n2	15	10	381000	50@0	DFT_QPSK	21.62	-1.6	20.02	100.46	2000	PASS
n2	15	10	381000	25@12	DFT_QPSK	22.57	-1.6	20.97	125.03	2000	PASS
n2	15	10	381000	1@1	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
n2	15	10	381000	1@50	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
n2	15	10	381000	50@0	DFT_16QAM	20.6	-1.6	19	79.43	2000	PASS
n2	15	10	381000	25@12	DFT_16QAM	21.61	-1.6	20.01	100.23	2000	PASS
n2	15	10	381000	1@1	DFT_16QAM	21.83	-1.6	20.23	105.44	2000	PASS
n2	15	10	381000	1@50	DFT_16QAM	21.8	-1.6	20.2	104.71	2000	PASS
n2	15	10	381000	50@0	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
n2	15	10	381000	25@12	DFT_64QAM	20.16	-1.6	18.56	71.78	2000	PASS
n2	15	10	381000	1@1	DFT_64QAM	20.37	-1.6	18.77	75.34	2000	PASS
n2	15	10	381000	1@50	DFT_64QAM	20.34	-1.6	18.74	74.82	2000	PASS
n2	15	10	381000	50@0	DFT_256QAM	18.03	-1.6	16.43	43.95	2000	PASS
n2	15	10	381000	25@12	DFT_256QAM	18.05	-1.6	16.45	44.16	2000	PASS
n2	15	10	381000	1@1	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
n2	15	10	381000	1@50	DFT_256QAM	18.08	-1.6	16.48	44.46	2000	PASS
n2	15	10	381000	52@0	CP_QPSK	19.61	-1.6	18.01	63.24	2000	PASS
n2	15	10	381000	26@13	CP_QPSK	21.02	-1.6	19.42	87.5	2000	PASS
n2	15	10	381000	1@1	CP_QPSK	21.06	-1.6	19.46	88.31	2000	PASS
n2	15	10	381000	1@50	CP_QPSK	21.13	-1.6	19.53	89.74	2000	PASS
n2	15	10	381000	52@0	CP_16QAM	19.67	-1.6	18.07	64.12	2000	PASS
n2	15	10	381000	26@13	CP_16QAM	20.65	-1.6	19.05	80.35	2000	PASS

n2	15	10	381000	1@1	CP_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
n2	15	10	381000	1@50	CP_16QAM	20.88	-1.6	19.28	84.72	2000	PASS
n2	15	10	381000	52@0	CP_64QAM	19.14	-1.6	17.54	56.75	2000	PASS
n2	15	10	381000	26@13	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
n2	15	10	381000	1@1	CP_64QAM	19.06	-1.6	17.46	55.72	2000	PASS
n2	15	10	381000	1@50	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
n2	15	10	381000	52@0	CP_256QAM	16.04	-1.6	14.44	27.8	2000	PASS
n2	15	10	381000	26@13	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
n2	15	10	381000	1@1	CP_256QAM	16.31	-1.6	14.71	29.58	2000	PASS
n2	15	10	381000	1@50	CP_256QAM	16.27	-1.6	14.67	29.31	2000	PASS
n2	15	15	371500	75@0	DFT_BPSK	22.17	-1.6	20.57	114.02	2000	PASS
n2	15	15	371500	36@18	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
n2	15	15	371500	1@1	DFT_BPSK	22.63	-1.6	21.03	126.77	2000	PASS
n2	15	15	371500	1@77	DFT_BPSK	22.54	-1.6	20.94	124.17	2000	PASS
n2	15	15	371500	75@0	DFT_QPSK	21.62	-1.6	20.02	100.46	2000	PASS
n2	15	15	371500	36@18	DFT_QPSK	22.66	-1.6	21.06	127.64	2000	PASS
n2	15	15	371500	1@1	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
n2	15	15	371500	1@77	DFT_QPSK	22.54	-1.6	20.94	124.17	2000	PASS
n2	15	15	371500	75@0	DFT_16QAM	20.61	-1.6	19.01	79.62	2000	PASS
n2	15	15	371500	36@18	DFT_16QAM	21.66	-1.6	20.06	101.39	2000	PASS
n2	15	15	371500	1@1	DFT_16QAM	21.78	-1.6	20.18	104.23	2000	PASS
n2	15	15	371500	1@77	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
n2	15	15	371500	75@0	DFT_64QAM	20.14	-1.6	18.54	71.45	2000	PASS
n2	15	15	371500	36@18	DFT_64QAM	20.15	-1.6	18.55	71.61	2000	PASS
n2	15	15	371500	1@1	DFT_64QAM	20.35	-1.6	18.75	74.99	2000	PASS
n2	15	15	371500	1@77	DFT_64QAM	20.22	-1.6	18.62	72.78	2000	PASS
n2	15	15	371500	75@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
n2	15	15	371500	36@18	DFT_256QAM	18.07	-1.6	16.47	44.36	2000	PASS
n2	15	15	371500	1@1	DFT_256QAM	18.05	-1.6	16.45	44.16	2000	PASS
n2	15	15	371500	1@77	DFT_256QAM	17.94	-1.6	16.34	43.05	2000	PASS
n2	15	15	371500	79@0	CP_QPSK	19.65	-1.6	18.05	63.83	2000	PASS
n2	15	15	371500	39@19	CP_QPSK	21.17	-1.6	19.57	90.57	2000	PASS
n2	15	15	371500	1@1	CP_QPSK	21.06	-1.6	19.46	88.31	2000	PASS
n2	15	15	371500	1@77	CP_QPSK	20.99	-1.6	19.39	86.9	2000	PASS
n2	15	15	371500	79@0	CP_16QAM	19.67	-1.6	18.07	64.12	2000	PASS
n2	15	15	371500	39@19	CP_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
n2	15	15	371500	1@1	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
n2	15	15	371500	1@77	CP_16QAM	20.79	-1.6	19.19	82.99	2000	PASS
n2	15	15	371500	79@0	CP_64QAM	19.17	-1.6	17.57	57.15	2000	PASS
n2	15	15	371500	39@19	CP_64QAM	19.17	-1.6	17.57	57.15	2000	PASS
n2	15	15	371500	1@1	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
n2	15	15	371500	1@77	CP_64QAM	19	-1.6	17.4	54.95	2000	PASS
n2	15	15	371500	79@0	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS

n2	15	15	371500	39@19	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
n2	15	15	371500	1@1	CP_256QAM	16.29	-1.6	14.69	29.44	2000	PASS
n2	15	15	371500	1@77	CP_256QAM	16.16	-1.6	14.56	28.58	2000	PASS
n2	15	15	376000	75@0	DFT_BPSK	22.19	-1.6	20.59	114.55	2000	PASS
n2	15	15	376000	36@18	DFT_BPSK	22.64	-1.6	21.04	127.06	2000	PASS
n2	15	15	376000	1@1	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
n2	15	15	376000	1@77	DFT_BPSK	22.78	-1.6	21.18	131.22	2000	PASS
n2	15	15	376000	75@0	DFT_QPSK	21.72	-1.6	20.12	102.8	2000	PASS
n2	15	15	376000	36@18	DFT_QPSK	22.68	-1.6	21.08	128.23	2000	PASS
n2	15	15	376000	1@1	DFT_QPSK	22.51	-1.6	20.91	123.31	2000	PASS
n2	15	15	376000	1@77	DFT_QPSK	22.78	-1.6	21.18	131.22	2000	PASS
n2	15	15	376000	75@0	DFT_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
n2	15	15	376000	36@18	DFT_16QAM	21.74	-1.6	20.14	103.28	2000	PASS
n2	15	15	376000	1@1	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS
n2	15	15	376000	1@77	DFT_16QAM	21.86	-1.6	20.26	106.17	2000	PASS
n2	15	15	376000	75@0	DFT_64QAM	20.22	-1.6	18.62	72.78	2000	PASS
n2	15	15	376000	36@18	DFT_64QAM	20.24	-1.6	18.64	73.11	2000	PASS
n2	15	15	376000	1@1	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
n2	15	15	376000	1@77	DFT_64QAM	20.34	-1.6	18.74	74.82	2000	PASS
n2	15	15	376000	75@0	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	15	376000	36@18	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	15	376000	1@1	DFT_256QAM	17.9	-1.6	16.3	42.66	2000	PASS
n2	15	15	376000	1@77	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
n2	15	15	376000	79@0	CP_QPSK	19.75	-1.6	18.15	65.31	2000	PASS
n2	15	15	376000	39@19	CP_QPSK	21.24	-1.6	19.64	92.04	2000	PASS
n2	15	15	376000	1@1	CP_QPSK	20.97	-1.6	19.37	86.5	2000	PASS
n2	15	15	376000	1@77	CP_QPSK	21.15	-1.6	19.55	90.16	2000	PASS
n2	15	15	376000	79@0	CP_16QAM	19.76	-1.6	18.16	65.46	2000	PASS
n2	15	15	376000	39@19	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
n2	15	15	376000	1@1	CP_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
n2	15	15	376000	1@77	CP_16QAM	20.97	-1.6	19.37	86.5	2000	PASS
n2	15	15	376000	79@0	CP_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
n2	15	15	376000	39@19	CP_64QAM	19.25	-1.6	17.65	58.21	2000	PASS
n2	15	15	376000	1@1	CP_64QAM	19	-1.6	17.4	54.95	2000	PASS
n2	15	15	376000	1@77	CP_64QAM	19.18	-1.6	17.58	57.28	2000	PASS
n2	15	15	376000	79@0	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	15	376000	39@19	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	15	376000	1@1	CP_256QAM	16.14	-1.6	14.54	28.44	2000	PASS
n2	15	15	376000	1@77	CP_256QAM	16.36	-1.6	14.76	29.92	2000	PASS
n2	15	15	380500	75@0	DFT_BPSK	22.24	-1.6	20.64	115.88	2000	PASS
n2	15	15	380500	36@18	DFT_BPSK	22.7	-1.6	21.1	128.82	2000	PASS
n2	15	15	380500	1@1	DFT_BPSK	22.74	-1.6	21.14	130.02	2000	PASS
n2	15	15	380500	1@77	DFT_BPSK	22.72	-1.6	21.12	129.42	2000	PASS

n2	15	15	380500	75@0	DFT_QPSK	21.7	-1.6	20.1	102.33	2000	PASS
n2	15	15	380500	36@18	DFT_QPSK	22.71	-1.6	21.11	129.12	2000	PASS
n2	15	15	380500	1@1	DFT_QPSK	22.71	-1.6	21.11	129.12	2000	PASS
n2	15	15	380500	1@77	DFT_QPSK	22.67	-1.6	21.07	127.94	2000	PASS
n2	15	15	380500	75@0	DFT_16QAM	20.72	-1.6	19.12	81.66	2000	PASS
n2	15	15	380500	36@18	DFT_16QAM	21.76	-1.6	20.16	103.75	2000	PASS
n2	15	15	380500	1@1	DFT_16QAM	21.89	-1.6	20.29	106.91	2000	PASS
n2	15	15	380500	1@77	DFT_16QAM	21.84	-1.6	20.24	105.68	2000	PASS
n2	15	15	380500	75@0	DFT_64QAM	20.28	-1.6	18.68	73.79	2000	PASS
n2	15	15	380500	36@18	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
n2	15	15	380500	1@1	DFT_64QAM	20.4	-1.6	18.8	75.86	2000	PASS
n2	15	15	380500	1@77	DFT_64QAM	20.39	-1.6	18.79	75.68	2000	PASS
n2	15	15	380500	75@0	DFT_256QAM	18.19	-1.6	16.59	45.6	2000	PASS
n2	15	15	380500	36@18	DFT_256QAM	18.18	-1.6	16.58	45.5	2000	PASS
n2	15	15	380500	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	15	380500	1@77	DFT_256QAM	18.16	-1.6	16.56	45.29	2000	PASS
n2	15	15	380500	79@0	CP_QPSK	19.78	-1.6	18.18	65.77	2000	PASS
n2	15	15	380500	39@19	CP_QPSK	21.24	-1.6	19.64	92.04	2000	PASS
n2	15	15	380500	1@1	CP_QPSK	21.16	-1.6	19.56	90.36	2000	PASS
n2	15	15	380500	1@77	CP_QPSK	21.12	-1.6	19.52	89.54	2000	PASS
n2	15	15	380500	79@0	CP_16QAM	19.75	-1.6	18.15	65.31	2000	PASS
n2	15	15	380500	39@19	CP_16QAM	20.79	-1.6	19.19	82.99	2000	PASS
n2	15	15	380500	1@1	CP_16QAM	20.98	-1.6	19.38	86.7	2000	PASS
n2	15	15	380500	1@77	CP_16QAM	20.97	-1.6	19.37	86.5	2000	PASS
n2	15	15	380500	79@0	CP_64QAM	19.3	-1.6	17.7	58.88	2000	PASS
n2	15	15	380500	39@19	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
n2	15	15	380500	1@1	CP_64QAM	19.19	-1.6	17.59	57.41	2000	PASS
n2	15	15	380500	1@77	CP_64QAM	19.14	-1.6	17.54	56.75	2000	PASS
n2	15	15	380500	79@0	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
n2	15	15	380500	39@19	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
n2	15	15	380500	1@1	CP_256QAM	16.37	-1.6	14.77	29.99	2000	PASS
n2	15	15	380500	1@77	CP_256QAM	16.32	-1.6	14.72	29.65	2000	PASS
n2	15	20	372000	100@0	DFT_BPSK	22.16	-1.6	20.56	113.76	2000	PASS
n2	15	20	372000	50@25	DFT_BPSK	22.68	-1.6	21.08	128.23	2000	PASS
n2	15	20	372000	1@1	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
n2	15	20	372000	1@104	DFT_BPSK	22.6	-1.6	21	125.89	2000	PASS
n2	15	20	372000	100@0	DFT_QPSK	21.64	-1.6	20.04	100.93	2000	PASS
n2	15	20	372000	50@25	DFT_QPSK	22.65	-1.6	21.05	127.35	2000	PASS
n2	15	20	372000	1@1	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
n2	15	20	372000	1@104	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
n2	15	20	372000	100@0	DFT_16QAM	20.58	-1.6	18.98	79.07	2000	PASS
n2	15	20	372000	50@25	DFT_16QAM	21.63	-1.6	20.03	100.69	2000	PASS
n2	15	20	372000	1@1	DFT_16QAM	21.76	-1.6	20.16	103.75	2000	PASS

n2	15	20	372000	1@104	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS
n2	15	20	372000	100@0	DFT_64QAM	20.09	-1.6	18.49	70.63	2000	PASS
n2	15	20	372000	50@25	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
n2	15	20	372000	1@1	DFT_64QAM	20.35	-1.6	18.75	74.99	2000	PASS
n2	15	20	372000	1@104	DFT_64QAM	20.27	-1.6	18.67	73.62	2000	PASS
n2	15	20	372000	100@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
n2	15	20	372000	50@25	DFT_256QAM	18.09	-1.6	16.49	44.57	2000	PASS
n2	15	20	372000	1@1	DFT_256QAM	18.08	-1.6	16.48	44.46	2000	PASS
n2	15	20	372000	1@104	DFT_256QAM	17.99	-1.6	16.39	43.55	2000	PASS
n2	15	20	372000	106@0	CP_QPSK	19.61	-1.6	18.01	63.24	2000	PASS
n2	15	20	372000	53@26	CP_QPSK	21.15	-1.6	19.55	90.16	2000	PASS
n2	15	20	372000	1@1	CP_QPSK	21.08	-1.6	19.48	88.72	2000	PASS
n2	15	20	372000	1@104	CP_QPSK	20.96	-1.6	19.36	86.3	2000	PASS
n2	15	20	372000	106@0	CP_16QAM	19.64	-1.6	18.04	63.68	2000	PASS
n2	15	20	372000	53@26	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
n2	15	20	372000	1@1	CP_16QAM	20.88	-1.6	19.28	84.72	2000	PASS
n2	15	20	372000	1@104	CP_16QAM	20.84	-1.6	19.24	83.95	2000	PASS
n2	15	20	372000	106@0	CP_64QAM	19.12	-1.6	17.52	56.49	2000	PASS
n2	15	20	372000	53@26	CP_64QAM	19.12	-1.6	17.52	56.49	2000	PASS
n2	15	20	372000	1@1	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
n2	15	20	372000	1@104	CP_64QAM	19	-1.6	17.4	54.95	2000	PASS
n2	15	20	372000	106@0	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
n2	15	20	372000	53@26	CP_256QAM	16.11	-1.6	14.51	28.25	2000	PASS
n2	15	20	372000	1@1	CP_256QAM	16.25	-1.6	14.65	29.17	2000	PASS
n2	15	20	372000	1@104	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	20	376000	100@0	DFT_BPSK	22.24	-1.6	20.64	115.88	2000	PASS
n2	15	20	376000	50@25	DFT_BPSK	22.7	-1.6	21.1	128.82	2000	PASS
n2	15	20	376000	1@1	DFT_BPSK	22.55	-1.6	20.95	124.45	2000	PASS
n2	15	20	376000	1@104	DFT_BPSK	22.84	-1.6	21.24	133.05	2000	PASS
n2	15	20	376000	100@0	DFT_QPSK	21.68	-1.6	20.08	101.86	2000	PASS
n2	15	20	376000	50@25	DFT_QPSK	22.72	-1.6	21.12	129.42	2000	PASS
n2	15	20	376000	1@1	DFT_QPSK	22.53	-1.6	20.93	123.88	2000	PASS
n2	15	20	376000	1@104	DFT_QPSK	22.76	-1.6	21.16	130.62	2000	PASS
n2	15	20	376000	100@0	DFT_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
n2	15	20	376000	50@25	DFT_16QAM	21.74	-1.6	20.14	103.28	2000	PASS
n2	15	20	376000	1@1	DFT_16QAM	21.57	-1.6	19.97	99.31	2000	PASS
n2	15	20	376000	1@104	DFT_16QAM	21.88	-1.6	20.28	106.66	2000	PASS
n2	15	20	376000	100@0	DFT_64QAM	20.17	-1.6	18.57	71.94	2000	PASS
n2	15	20	376000	50@25	DFT_64QAM	20.2	-1.6	18.6	72.44	2000	PASS
n2	15	20	376000	1@1	DFT_64QAM	20.15	-1.6	18.55	71.61	2000	PASS
n2	15	20	376000	1@104	DFT_64QAM	20.41	-1.6	18.81	76.03	2000	PASS
n2	15	20	376000	100@0	DFT_256QAM	18.17	-1.6	16.57	45.39	2000	PASS
n2	15	20	376000	50@25	DFT_256QAM	18.2	-1.6	16.6	45.71	2000	PASS

n2	15	20	376000	1@1	DFT_256QAM	17.85	-1.6	16.25	42.17	2000	PASS
n2	15	20	376000	1@104	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
n2	15	20	376000	106@0	CP_QPSK	19.7	-1.6	18.1	64.57	2000	PASS
n2	15	20	376000	53@26	CP_QPSK	21.29	-1.6	19.69	93.11	2000	PASS
n2	15	20	376000	1@1	CP_QPSK	20.91	-1.6	19.31	85.31	2000	PASS
n2	15	20	376000	1@104	CP_QPSK	21.13	-1.6	19.53	89.74	2000	PASS
n2	15	20	376000	106@0	CP_16QAM	19.71	-1.6	18.11	64.71	2000	PASS
n2	15	20	376000	53@26	CP_16QAM	20.76	-1.6	19.16	82.41	2000	PASS
n2	15	20	376000	1@1	CP_16QAM	20.7	-1.6	19.1	81.28	2000	PASS
n2	15	20	376000	1@104	CP_16QAM	20.92	-1.6	19.32	85.51	2000	PASS
n2	15	20	376000	106@0	CP_64QAM	19.21	-1.6	17.61	57.68	2000	PASS
n2	15	20	376000	53@26	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
n2	15	20	376000	1@1	CP_64QAM	18.89	-1.6	17.29	53.58	2000	PASS
n2	15	20	376000	1@104	CP_64QAM	19.14	-1.6	17.54	56.75	2000	PASS
n2	15	20	376000	106@0	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
n2	15	20	376000	53@26	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
n2	15	20	376000	1@1	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
n2	15	20	376000	1@104	CP_256QAM	16.34	-1.6	14.74	29.79	2000	PASS
n2	15	20	380000	100@0	DFT_BPSK	22.28	-1.6	20.68	116.95	2000	PASS
n2	15	20	380000	50@25	DFT_BPSK	22.8	-1.6	21.2	131.83	2000	PASS
n2	15	20	380000	1@1	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
n2	15	20	380000	1@104	DFT_BPSK	22.73	-1.6	21.13	129.72	2000	PASS
n2	15	20	380000	100@0	DFT_QPSK	21.79	-1.6	20.19	104.47	2000	PASS
n2	15	20	380000	50@25	DFT_QPSK	22.79	-1.6	21.19	131.52	2000	PASS
n2	15	20	380000	1@1	DFT_QPSK	22.76	-1.6	21.16	130.62	2000	PASS
n2	15	20	380000	1@104	DFT_QPSK	22.69	-1.6	21.09	128.53	2000	PASS
n2	15	20	380000	100@0	DFT_16QAM	20.8	-1.6	19.2	83.18	2000	PASS
n2	15	20	380000	50@25	DFT_16QAM	21.83	-1.6	20.23	105.44	2000	PASS
n2	15	20	380000	1@1	DFT_16QAM	21.86	-1.6	20.26	106.17	2000	PASS
n2	15	20	380000	1@104	DFT_16QAM	21.9	-1.6	20.3	107.15	2000	PASS
n2	15	20	380000	100@0	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
n2	15	20	380000	50@25	DFT_64QAM	20.29	-1.6	18.69	73.96	2000	PASS
n2	15	20	380000	1@1	DFT_64QAM	20.47	-1.6	18.87	77.09	2000	PASS
n2	15	20	380000	1@104	DFT_64QAM	20.41	-1.6	18.81	76.03	2000	PASS
n2	15	20	380000	100@0	DFT_256QAM	18.27	-1.6	16.67	46.45	2000	PASS
n2	15	20	380000	50@25	DFT_256QAM	18.25	-1.6	16.65	46.24	2000	PASS
n2	15	20	380000	1@1	DFT_256QAM	18.16	-1.6	16.56	45.29	2000	PASS
n2	15	20	380000	1@104	DFT_256QAM	18.16	-1.6	16.56	45.29	2000	PASS
n2	15	20	380000	106@0	CP_QPSK	19.79	-1.6	18.19	65.92	2000	PASS
n2	15	20	380000	53@26	CP_QPSK	21.3	-1.6	19.7	93.33	2000	PASS
n2	15	20	380000	1@1	CP_QPSK	21.17	-1.6	19.57	90.57	2000	PASS
n2	15	20	380000	1@104	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
n2	15	20	380000	106@0	CP_16QAM	19.76	-1.6	18.16	65.46	2000	PASS

n2	15	20	380000	53@26	CP_16QAM	20.81	-1.6	19.21	83.37	2000	PASS
n2	15	20	380000	1@1	CP_16QAM	20.96	-1.6	19.36	86.3	2000	PASS
n2	15	20	380000	1@104	CP_16QAM	20.98	-1.6	19.38	86.7	2000	PASS
n2	15	20	380000	106@0	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
n2	15	20	380000	53@26	CP_64QAM	19.31	-1.6	17.71	59.02	2000	PASS
n2	15	20	380000	1@1	CP_64QAM	19.17	-1.6	17.57	57.15	2000	PASS
n2	15	20	380000	1@104	CP_64QAM	19.2	-1.6	17.6	57.54	2000	PASS
n2	15	20	380000	106@0	CP_256QAM	16.26	-1.6	14.66	29.24	2000	PASS
n2	15	20	380000	53@26	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
n2	15	20	380000	1@1	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS
n2	15	20	380000	1@104	CP_256QAM	16.37	-1.6	14.77	29.99	2000	PASS

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
DC_4A_n2A	15	5	370500	25@0	DFT_BPSK	22.37	-1.6	20.77	119.4	2000	PASS
DC_4A_n2A	15	5	370500	12@6	DFT_BPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_4A_n2A	15	5	370500	1@1	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_4A_n2A	15	5	370500	1@23	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_4A_n2A	15	5	370500	25@0	DFT_QPSK	21.9	-1.6	20.3	107.15	2000	PASS
DC_4A_n2A	15	5	370500	12@6	DFT_QPSK	22.92	-1.6	21.32	135.52	2000	PASS
DC_4A_n2A	15	5	370500	1@1	DFT_QPSK	22.68	-1.6	21.08	128.23	2000	PASS
DC_4A_n2A	15	5	370500	1@23	DFT_QPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_4A_n2A	15	5	370500	25@0	DFT_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
DC_4A_n2A	15	5	370500	12@6	DFT_16QAM	21.8	-1.6	20.2	104.71	2000	PASS
DC_4A_n2A	15	5	370500	1@1	DFT_16QAM	21.98	-1.6	20.38	109.14	2000	PASS
DC_4A_n2A	15	5	370500	1@23	DFT_16QAM	21.96	-1.6	20.36	108.64	2000	PASS
DC_4A_n2A	15	5	370500	25@0	DFT_64QAM	20.42	-1.6	18.82	76.21	2000	PASS
DC_4A_n2A	15	5	370500	12@6	DFT_64QAM	20.4	-1.6	18.8	75.86	2000	PASS
DC_4A_n2A	15	5	370500	1@1	DFT_64QAM	20.52	-1.6	18.92	77.98	2000	PASS
DC_4A_n2A	15	5	370500	1@23	DFT_64QAM	20.42	-1.6	18.82	76.21	2000	PASS
DC_4A_n2A	15	5	370500	25@0	DFT_256QAM	18.31	-1.6	16.71	46.88	2000	PASS
DC_4A_n2A	15	5	370500	12@6	DFT_256QAM	18.34	-1.6	16.74	47.21	2000	PASS
DC_4A_n2A	15	5	370500	1@1	DFT_256QAM	18.24	-1.6	16.64	46.13	2000	PASS
DC_4A_n2A	15	5	370500	1@23	DFT_256QAM	18.17	-1.6	16.57	45.39	2000	PASS
DC_4A_n2A	15	5	370500	25@0	CP_QPSK	20.36	-1.6	18.76	75.16	2000	PASS
DC_4A_n2A	15	5	370500	13@6	CP_QPSK	21.2	-1.6	19.6	91.2	2000	PASS
DC_4A_n2A	15	5	370500	1@1	CP_QPSK	21.2	-1.6	19.6	91.2	2000	PASS
DC_4A_n2A	15	5	370500	1@23	CP_QPSK	21.16	-1.6	19.56	90.36	2000	PASS
DC_4A_n2A	15	5	370500	25@0	CP_16QAM	19.92	-1.6	18.32	67.92	2000	PASS
DC_4A_n2A	15	5	370500	13@6	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_4A_n2A	15	5	370500	1@1	CP_16QAM	20.98	-1.6	19.38	86.7	2000	PASS
DC_4A_n2A	15	5	370500	1@23	CP_16QAM	20.97	-1.6	19.37	86.5	2000	PASS

DC_4A_n2A	15	5	370500	25@0	CP_64QAM	19.37	-1.6	17.77	59.84	2000	PASS
DC_4A_n2A	15	5	370500	13@6	CP_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
DC_4A_n2A	15	5	370500	1@1	CP_64QAM	19.19	-1.6	17.59	57.41	2000	PASS
DC_4A_n2A	15	5	370500	1@23	CP_64QAM	19.2	-1.6	17.6	57.54	2000	PASS
DC_4A_n2A	15	5	370500	25@0	CP_256QAM	16.29	-1.6	14.69	29.44	2000	PASS
DC_4A_n2A	15	5	370500	13@6	CP_256QAM	16.28	-1.6	14.68	29.38	2000	PASS
DC_4A_n2A	15	5	370500	1@1	CP_256QAM	16.42	-1.6	14.82	30.34	2000	PASS
DC_4A_n2A	15	5	370500	1@23	CP_256QAM	16.41	-1.6	14.81	30.27	2000	PASS
DC_4A_n2A	15	5	376000	25@0	DFT_BPSK	21.66	-1.6	20.06	101.39	2000	PASS
DC_4A_n2A	15	5	376000	12@6	DFT_BPSK	22.49	-1.6	20.89	122.74	2000	PASS
DC_4A_n2A	15	5	376000	1@1	DFT_BPSK	22.74	-1.6	21.14	130.02	2000	PASS
DC_4A_n2A	15	5	376000	1@23	DFT_BPSK	22.16	-1.6	20.56	113.76	2000	PASS
DC_4A_n2A	15	5	376000	25@0	DFT_QPSK	21.58	-1.6	19.98	99.54	2000	PASS
DC_4A_n2A	15	5	376000	12@6	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
DC_4A_n2A	15	5	376000	1@1	DFT_QPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_4A_n2A	15	5	376000	1@23	DFT_QPSK	22.46	-1.6	20.86	121.9	2000	PASS
DC_4A_n2A	15	5	376000	25@0	DFT_16QAM	20.56	-1.6	18.96	78.7	2000	PASS
DC_4A_n2A	15	5	376000	12@6	DFT_16QAM	21.6	-1.6	20	100	2000	PASS
DC_4A_n2A	15	5	376000	1@1	DFT_16QAM	21.64	-1.6	20.04	100.93	2000	PASS
DC_4A_n2A	15	5	376000	1@23	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
DC_4A_n2A	15	5	376000	25@0	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_4A_n2A	15	5	376000	12@6	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
DC_4A_n2A	15	5	376000	1@1	DFT_64QAM	20.19	-1.6	18.59	72.28	2000	PASS
DC_4A_n2A	15	5	376000	1@23	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_4A_n2A	15	5	376000	25@0	DFT_256QAM	18.04	-1.6	16.44	44.06	2000	PASS
DC_4A_n2A	15	5	376000	12@6	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_4A_n2A	15	5	376000	1@1	DFT_256QAM	17.97	-1.6	16.37	43.35	2000	PASS
DC_4A_n2A	15	5	376000	1@23	DFT_256QAM	17.97	-1.6	16.37	43.35	2000	PASS
DC_4A_n2A	15	5	376000	25@0	CP_QPSK	20.36	-1.6	18.76	75.16	2000	PASS
DC_4A_n2A	15	5	376000	13@6	CP_QPSK	21.16	-1.6	19.56	90.36	2000	PASS
DC_4A_n2A	15	5	376000	1@1	CP_QPSK	20.96	-1.6	19.36	86.3	2000	PASS
DC_4A_n2A	15	5	376000	1@23	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_4A_n2A	15	5	376000	25@0	CP_16QAM	20.15	-1.6	18.55	71.61	2000	PASS
DC_4A_n2A	15	5	376000	13@6	CP_16QAM	20.66	-1.6	19.06	80.54	2000	PASS
DC_4A_n2A	15	5	376000	1@1	CP_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_4A_n2A	15	5	376000	1@23	CP_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_4A_n2A	15	5	376000	25@0	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
DC_4A_n2A	15	5	376000	13@6	CP_64QAM	19.05	-1.6	17.45	55.59	2000	PASS
DC_4A_n2A	15	5	376000	1@1	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_4A_n2A	15	5	376000	1@23	CP_64QAM	18.97	-1.6	17.37	54.58	2000	PASS
DC_4A_n2A	15	5	376000	25@0	CP_256QAM	16.03	-1.6	14.43	27.73	2000	PASS
DC_4A_n2A	15	5	376000	13@6	CP_256QAM	16.02	-1.6	14.42	27.67	2000	PASS
DC_4A_n2A	15	5	376000	1@1	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS

DC_4A_n2A	15	5	376000	1@23	CP_256QAM	16.19	-1.6	14.59	28.77	2000	PASS
DC_4A_n2A	15	5	381500	25@0	DFT_BPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_4A_n2A	15	5	381500	12@6	DFT_BPSK	21.99	-1.6	20.39	109.4	2000	PASS
DC_4A_n2A	15	5	381500	1@1	DFT_BPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_4A_n2A	15	5	381500	1@23	DFT_BPSK	22.12	-1.6	20.52	112.72	2000	PASS
DC_4A_n2A	15	5	381500	25@0	DFT_QPSK	21.55	-1.6	19.95	98.86	2000	PASS
DC_4A_n2A	15	5	381500	12@6	DFT_QPSK	22.54	-1.6	20.94	124.17	2000	PASS
DC_4A_n2A	15	5	381500	1@1	DFT_QPSK	22.41	-1.6	20.81	120.5	2000	PASS
DC_4A_n2A	15	5	381500	1@23	DFT_QPSK	22.4	-1.6	20.8	120.23	2000	PASS
DC_4A_n2A	15	5	381500	25@0	DFT_16QAM	20.53	-1.6	18.93	78.16	2000	PASS
DC_4A_n2A	15	5	381500	12@6	DFT_16QAM	21.57	-1.6	19.97	99.31	2000	PASS
DC_4A_n2A	15	5	381500	1@1	DFT_16QAM	21.57	-1.6	19.97	99.31	2000	PASS
DC_4A_n2A	15	5	381500	1@23	DFT_16QAM	21.63	-1.6	20.03	100.69	2000	PASS
DC_4A_n2A	15	5	381500	25@0	DFT_64QAM	20.07	-1.6	18.47	70.31	2000	PASS
DC_4A_n2A	15	5	381500	12@6	DFT_64QAM	20.1	-1.6	18.5	70.79	2000	PASS
DC_4A_n2A	15	5	381500	1@1	DFT_64QAM	20.16	-1.6	18.56	71.78	2000	PASS
DC_4A_n2A	15	5	381500	1@23	DFT_64QAM	20.14	-1.6	18.54	71.45	2000	PASS
DC_4A_n2A	15	5	381500	25@0	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_4A_n2A	15	5	381500	12@6	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_4A_n2A	15	5	381500	1@1	DFT_256QAM	17.59	-1.6	15.99	39.72	2000	PASS
DC_4A_n2A	15	5	381500	1@23	DFT_256QAM	17.99	-1.6	16.39	43.55	2000	PASS
DC_4A_n2A	15	5	381500	25@0	CP_QPSK	20.65	-1.6	19.05	80.35	2000	PASS
DC_4A_n2A	15	5	381500	13@6	CP_QPSK	20.94	-1.6	19.34	85.9	2000	PASS
DC_4A_n2A	15	5	381500	1@1	CP_QPSK	20.89	-1.6	19.29	84.92	2000	PASS
DC_4A_n2A	15	5	381500	1@23	CP_QPSK	20.9	-1.6	19.3	85.11	2000	PASS
DC_4A_n2A	15	5	381500	25@0	CP_16QAM	19.6	-1.6	18	63.1	2000	PASS
DC_4A_n2A	15	5	381500	13@6	CP_16QAM	20.59	-1.6	18.99	79.25	2000	PASS
DC_4A_n2A	15	5	381500	1@1	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
DC_4A_n2A	15	5	381500	1@23	CP_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
DC_4A_n2A	15	5	381500	25@0	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS
DC_4A_n2A	15	5	381500	13@6	CP_64QAM	18.99	-1.6	17.39	54.83	2000	PASS
DC_4A_n2A	15	5	381500	1@1	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_4A_n2A	15	5	381500	1@23	CP_64QAM	18.91	-1.6	17.31	53.83	2000	PASS
DC_4A_n2A	15	5	381500	25@0	CP_256QAM	16	-1.6	14.4	27.54	2000	PASS
DC_4A_n2A	15	5	381500	13@6	CP_256QAM	16.02	-1.6	14.42	27.67	2000	PASS
DC_4A_n2A	15	5	381500	1@1	CP_256QAM	16.12	-1.6	14.52	28.31	2000	PASS
DC_4A_n2A	15	5	381500	1@23	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_4A_n2A	15	10	371000	50@0	DFT_BPSK	21.69	-1.6	20.09	102.09	2000	PASS
DC_4A_n2A	15	10	371000	25@12	DFT_BPSK	22.8	-1.6	21.2	131.83	2000	PASS
DC_4A_n2A	15	10	371000	1@1	DFT_BPSK	22.8	-1.6	21.2	131.83	2000	PASS
DC_4A_n2A	15	10	371000	1@50	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_4A_n2A	15	10	371000	50@0	DFT_QPSK	21.8	-1.6	20.2	104.71	2000	PASS
DC_4A_n2A	15	10	371000	25@12	DFT_QPSK	22.82	-1.6	21.22	132.43	2000	PASS

DC_4A_n2A	15	10	371000	1@1	DFT_QPSK	22.74	-1.6	21.14	130.02	2000	PASS
DC_4A_n2A	15	10	371000	1@50	DFT_QPSK	22.78	-1.6	21.18	131.22	2000	PASS
DC_4A_n2A	15	10	371000	50@0	DFT_16QAM	20.83	-1.6	19.23	83.75	2000	PASS
DC_4A_n2A	15	10	371000	25@12	DFT_16QAM	21.79	-1.6	20.19	104.47	2000	PASS
DC_4A_n2A	15	10	371000	1@1	DFT_16QAM	22.04	-1.6	20.44	110.66	2000	PASS
DC_4A_n2A	15	10	371000	1@50	DFT_16QAM	21.95	-1.6	20.35	108.39	2000	PASS
DC_4A_n2A	15	10	371000	50@0	DFT_64QAM	20.32	-1.6	18.72	74.47	2000	PASS
DC_4A_n2A	15	10	371000	25@12	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_4A_n2A	15	10	371000	1@1	DFT_64QAM	20.46	-1.6	18.86	76.91	2000	PASS
DC_4A_n2A	15	10	371000	1@50	DFT_64QAM	20.51	-1.6	18.91	77.8	2000	PASS
DC_4A_n2A	15	10	371000	50@0	DFT_256QAM	17.99	-1.6	16.39	43.55	2000	PASS
DC_4A_n2A	15	10	371000	25@12	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_4A_n2A	15	10	371000	1@1	DFT_256QAM	17.6	-1.6	16	39.81	2000	PASS
DC_4A_n2A	15	10	371000	1@50	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_4A_n2A	15	10	371000	52@0	CP_QPSK	20.54	-1.6	18.94	78.34	2000	PASS
DC_4A_n2A	15	10	371000	26@13	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
DC_4A_n2A	15	10	371000	1@1	CP_QPSK	21.21	-1.6	19.61	91.41	2000	PASS
DC_4A_n2A	15	10	371000	1@50	CP_QPSK	21.22	-1.6	19.62	91.62	2000	PASS
DC_4A_n2A	15	10	371000	52@0	CP_16QAM	19.84	-1.6	18.24	66.68	2000	PASS
DC_4A_n2A	15	10	371000	26@13	CP_16QAM	20.81	-1.6	19.21	83.37	2000	PASS
DC_4A_n2A	15	10	371000	1@1	CP_16QAM	21	-1.6	19.4	87.1	2000	PASS
DC_4A_n2A	15	10	371000	1@50	CP_16QAM	21.02	-1.6	19.42	87.5	2000	PASS
DC_4A_n2A	15	10	371000	52@0	CP_64QAM	19.33	-1.6	17.73	59.29	2000	PASS
DC_4A_n2A	15	10	371000	26@13	CP_64QAM	19.27	-1.6	17.67	58.48	2000	PASS
DC_4A_n2A	15	10	371000	1@1	CP_64QAM	19.23	-1.6	17.63	57.94	2000	PASS
DC_4A_n2A	15	10	371000	1@50	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
DC_4A_n2A	15	10	371000	52@0	CP_256QAM	16.27	-1.6	14.67	29.31	2000	PASS
DC_4A_n2A	15	10	371000	26@13	CP_256QAM	16.23	-1.6	14.63	29.04	2000	PASS
DC_4A_n2A	15	10	371000	1@1	CP_256QAM	16.43	-1.6	14.83	30.41	2000	PASS
DC_4A_n2A	15	10	371000	1@50	CP_256QAM	16.48	-1.6	14.88	30.76	2000	PASS
DC_4A_n2A	15	10	376000	50@0	DFT_BPSK	21.95	-1.6	20.35	108.39	2000	PASS
DC_4A_n2A	15	10	376000	25@12	DFT_BPSK	22.46	-1.6	20.86	121.9	2000	PASS
DC_4A_n2A	15	10	376000	1@1	DFT_BPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_4A_n2A	15	10	376000	1@50	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_4A_n2A	15	10	376000	50@0	DFT_QPSK	21.58	-1.6	19.98	99.54	2000	PASS
DC_4A_n2A	15	10	376000	25@12	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_4A_n2A	15	10	376000	1@1	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_4A_n2A	15	10	376000	1@50	DFT_QPSK	22.51	-1.6	20.91	123.31	2000	PASS
DC_4A_n2A	15	10	376000	50@0	DFT_16QAM	20.55	-1.6	18.95	78.52	2000	PASS
DC_4A_n2A	15	10	376000	25@12	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS
DC_4A_n2A	15	10	376000	1@1	DFT_16QAM	21.75	-1.6	20.15	103.51	2000	PASS
DC_4A_n2A	15	10	376000	1@50	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS
DC_4A_n2A	15	10	376000	50@0	DFT_64QAM	20.04	-1.6	18.44	69.82	2000	PASS

DC_4A_n2A	15	10	376000	25@12	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
DC_4A_n2A	15	10	376000	1@1	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_4A_n2A	15	10	376000	1@50	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_4A_n2A	15	10	376000	50@0	DFT_256QAM	18.01	-1.6	16.41	43.75	2000	PASS
DC_4A_n2A	15	10	376000	25@12	DFT_256QAM	18.03	-1.6	16.43	43.95	2000	PASS
DC_4A_n2A	15	10	376000	1@1	DFT_256QAM	18	-1.6	16.4	43.65	2000	PASS
DC_4A_n2A	15	10	376000	1@50	DFT_256QAM	17.98	-1.6	16.38	43.45	2000	PASS
DC_4A_n2A	15	10	376000	52@0	CP_QPSK	20.57	-1.6	18.97	78.89	2000	PASS
DC_4A_n2A	15	10	376000	26@13	CP_QPSK	21.01	-1.6	19.41	87.3	2000	PASS
DC_4A_n2A	15	10	376000	1@1	CP_QPSK	21.01	-1.6	19.41	87.3	2000	PASS
DC_4A_n2A	15	10	376000	1@50	CP_QPSK	20.99	-1.6	19.39	86.9	2000	PASS
DC_4A_n2A	15	10	376000	52@0	CP_16QAM	19.58	-1.6	17.98	62.81	2000	PASS
DC_4A_n2A	15	10	376000	26@13	CP_16QAM	20.62	-1.6	19.02	79.8	2000	PASS
DC_4A_n2A	15	10	376000	1@1	CP_16QAM	20.8	-1.6	19.2	83.18	2000	PASS
DC_4A_n2A	15	10	376000	1@50	CP_16QAM	20.76	-1.6	19.16	82.41	2000	PASS
DC_4A_n2A	15	10	376000	52@0	CP_64QAM	19.06	-1.6	17.46	55.72	2000	PASS
DC_4A_n2A	15	10	376000	26@13	CP_64QAM	19.1	-1.6	17.5	56.23	2000	PASS
DC_4A_n2A	15	10	376000	1@1	CP_64QAM	19.03	-1.6	17.43	55.34	2000	PASS
DC_4A_n2A	15	10	376000	1@50	CP_64QAM	18.99	-1.6	17.39	54.83	2000	PASS
DC_4A_n2A	15	10	376000	52@0	CP_256QAM	15.99	-1.6	14.39	27.48	2000	PASS
DC_4A_n2A	15	10	376000	26@13	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
DC_4A_n2A	15	10	376000	1@1	CP_256QAM	16.25	-1.6	14.65	29.17	2000	PASS
DC_4A_n2A	15	10	376000	1@50	CP_256QAM	16.23	-1.6	14.63	29.04	2000	PASS
DC_4A_n2A	15	10	381000	50@0	DFT_BPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_4A_n2A	15	10	381000	25@12	DFT_BPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_4A_n2A	15	10	381000	1@1	DFT_BPSK	22.5	-1.6	20.9	123.03	2000	PASS
DC_4A_n2A	15	10	381000	1@50	DFT_BPSK	22.5	-1.6	20.9	123.03	2000	PASS
DC_4A_n2A	15	10	381000	50@0	DFT_QPSK	21.51	-1.6	19.91	97.95	2000	PASS
DC_4A_n2A	15	10	381000	25@12	DFT_QPSK	22.46	-1.6	20.86	121.9	2000	PASS
DC_4A_n2A	15	10	381000	1@1	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_4A_n2A	15	10	381000	1@50	DFT_QPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_4A_n2A	15	10	381000	50@0	DFT_16QAM	20.52	-1.6	18.92	77.98	2000	PASS
DC_4A_n2A	15	10	381000	25@12	DFT_16QAM	21.52	-1.6	19.92	98.17	2000	PASS
DC_4A_n2A	15	10	381000	1@1	DFT_16QAM	21.7	-1.6	20.1	102.33	2000	PASS
DC_4A_n2A	15	10	381000	1@50	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS
DC_4A_n2A	15	10	381000	50@0	DFT_64QAM	20.03	-1.6	18.43	69.66	2000	PASS
DC_4A_n2A	15	10	381000	25@12	DFT_64QAM	20.06	-1.6	18.46	70.15	2000	PASS
DC_4A_n2A	15	10	381000	1@1	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
DC_4A_n2A	15	10	381000	1@50	DFT_64QAM	20.27	-1.6	18.67	73.62	2000	PASS
DC_4A_n2A	15	10	381000	50@0	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_4A_n2A	15	10	381000	25@12	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_4A_n2A	15	10	381000	1@1	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_4A_n2A	15	10	381000	1@50	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS

DC_4A_n2A	15	10	381000	52@0	CP_QPSK	19.28	-1.6	17.68	58.61	2000	PASS
DC_4A_n2A	15	10	381000	26@13	CP_QPSK	20.14	-1.6	18.54	71.45	2000	PASS
DC_4A_n2A	15	10	381000	1@1	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_4A_n2A	15	10	381000	1@50	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_4A_n2A	15	10	381000	52@0	CP_16QAM	19.51	-1.6	17.91	61.8	2000	PASS
DC_4A_n2A	15	10	381000	26@13	CP_16QAM	20.5	-1.6	18.9	77.62	2000	PASS
DC_4A_n2A	15	10	381000	1@1	CP_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
DC_4A_n2A	15	10	381000	1@50	CP_16QAM	20.74	-1.6	19.14	82.04	2000	PASS
DC_4A_n2A	15	10	381000	52@0	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_4A_n2A	15	10	381000	26@13	CP_64QAM	18.96	-1.6	17.36	54.45	2000	PASS
DC_4A_n2A	15	10	381000	1@1	CP_64QAM	18.95	-1.6	17.35	54.33	2000	PASS
DC_4A_n2A	15	10	381000	1@50	CP_64QAM	18.96	-1.6	17.36	54.45	2000	PASS
DC_4A_n2A	15	10	381000	52@0	CP_256QAM	15.94	-1.6	14.34	27.16	2000	PASS
DC_4A_n2A	15	10	381000	26@13	CP_256QAM	15.96	-1.6	14.36	27.29	2000	PASS
DC_4A_n2A	15	10	381000	1@1	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
DC_4A_n2A	15	10	381000	1@50	CP_256QAM	16.16	-1.6	14.56	28.58	2000	PASS
DC_4A_n2A	15	15	371500	75@0	DFT_BPSK	21.59	-1.6	19.99	99.77	2000	PASS
DC_4A_n2A	15	15	371500	36@18	DFT_BPSK	22.86	-1.6	21.26	133.66	2000	PASS
DC_4A_n2A	15	15	371500	1@1	DFT_BPSK	22.82	-1.6	21.22	132.43	2000	PASS
DC_4A_n2A	15	15	371500	1@77	DFT_BPSK	22.76	-1.6	21.16	130.62	2000	PASS
DC_4A_n2A	15	15	371500	75@0	DFT_QPSK	21.84	-1.6	20.24	105.68	2000	PASS
DC_4A_n2A	15	15	371500	36@18	DFT_QPSK	22.85	-1.6	21.25	133.35	2000	PASS
DC_4A_n2A	15	15	371500	1@1	DFT_QPSK	22.75	-1.6	21.15	130.32	2000	PASS
DC_4A_n2A	15	15	371500	1@77	DFT_QPSK	22.73	-1.6	21.13	129.72	2000	PASS
DC_4A_n2A	15	15	371500	75@0	DFT_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
DC_4A_n2A	15	15	371500	36@18	DFT_16QAM	21.9	-1.6	20.3	107.15	2000	PASS
DC_4A_n2A	15	15	371500	1@1	DFT_16QAM	22.04	-1.6	20.44	110.66	2000	PASS
DC_4A_n2A	15	15	371500	1@77	DFT_16QAM	21.89	-1.6	20.29	106.91	2000	PASS
DC_4A_n2A	15	15	371500	75@0	DFT_64QAM	20.37	-1.6	18.77	75.34	2000	PASS
DC_4A_n2A	15	15	371500	36@18	DFT_64QAM	20.4	-1.6	18.8	75.86	2000	PASS
DC_4A_n2A	15	15	371500	1@1	DFT_64QAM	20.57	-1.6	18.97	78.89	2000	PASS
DC_4A_n2A	15	15	371500	1@77	DFT_64QAM	20.42	-1.6	18.82	76.21	2000	PASS
DC_4A_n2A	15	15	371500	75@0	DFT_256QAM	18.29	-1.6	16.69	46.67	2000	PASS
DC_4A_n2A	15	15	371500	36@18	DFT_256QAM	18.32	-1.6	16.72	46.99	2000	PASS
DC_4A_n2A	15	15	371500	1@1	DFT_256QAM	18.3	-1.6	16.7	46.77	2000	PASS
DC_4A_n2A	15	15	371500	1@77	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_4A_n2A	15	15	371500	79@0	CP_QPSK	20.88	-1.6	19.28	84.72	2000	PASS
DC_4A_n2A	15	15	371500	39@19	CP_QPSK	21.4	-1.6	19.8	95.5	2000	PASS
DC_4A_n2A	15	15	371500	1@1	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
DC_4A_n2A	15	15	371500	1@77	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
DC_4A_n2A	15	15	371500	79@0	CP_16QAM	19.88	-1.6	18.28	67.3	2000	PASS
DC_4A_n2A	15	15	371500	39@19	CP_16QAM	20.93	-1.6	19.33	85.7	2000	PASS
DC_4A_n2A	15	15	371500	1@1	CP_16QAM	21	-1.6	19.4	87.1	2000	PASS

DC_4A_n2A	15	15	371500	1@77	CP_16QAM	20.98	-1.6	19.38	86.7	2000	PASS
DC_4A_n2A	15	15	371500	79@0	CP_64QAM	19.4	-1.6	17.8	60.26	2000	PASS
DC_4A_n2A	15	15	371500	39@19	CP_64QAM	19.42	-1.6	17.82	60.53	2000	PASS
DC_4A_n2A	15	15	371500	1@1	CP_64QAM	19.23	-1.6	17.63	57.94	2000	PASS
DC_4A_n2A	15	15	371500	1@77	CP_64QAM	19.23	-1.6	17.63	57.94	2000	PASS
DC_4A_n2A	15	15	371500	79@0	CP_256QAM	16.33	-1.6	14.73	29.72	2000	PASS
DC_4A_n2A	15	15	371500	39@19	CP_256QAM	16.34	-1.6	14.74	29.79	2000	PASS
DC_4A_n2A	15	15	371500	1@1	CP_256QAM	16.49	-1.6	14.89	30.83	2000	PASS
DC_4A_n2A	15	15	371500	1@77	CP_256QAM	16.4	-1.6	14.8	30.2	2000	PASS
DC_4A_n2A	15	15	376000	75@0	DFT_BPSK	21.63	-1.6	20.03	100.69	2000	PASS
DC_4A_n2A	15	15	376000	36@18	DFT_BPSK	22.57	-1.6	20.97	125.03	2000	PASS
DC_4A_n2A	15	15	376000	1@1	DFT_BPSK	22.56	-1.6	20.96	124.74	2000	PASS
DC_4A_n2A	15	15	376000	1@77	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_4A_n2A	15	15	376000	75@0	DFT_QPSK	21.64	-1.6	20.04	100.93	2000	PASS
DC_4A_n2A	15	15	376000	36@18	DFT_QPSK	22.56	-1.6	20.96	124.74	2000	PASS
DC_4A_n2A	15	15	376000	1@1	DFT_QPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_4A_n2A	15	15	376000	1@77	DFT_QPSK	22.51	-1.6	20.91	123.31	2000	PASS
DC_4A_n2A	15	15	376000	75@0	DFT_16QAM	20.6	-1.6	19	79.43	2000	PASS
DC_4A_n2A	15	15	376000	36@18	DFT_16QAM	21.66	-1.6	20.06	101.39	2000	PASS
DC_4A_n2A	15	15	376000	1@1	DFT_16QAM	21.7	-1.6	20.1	102.33	2000	PASS
DC_4A_n2A	15	15	376000	1@77	DFT_16QAM	21.61	-1.6	20.01	100.23	2000	PASS
DC_4A_n2A	15	15	376000	75@0	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
DC_4A_n2A	15	15	376000	36@18	DFT_64QAM	20.17	-1.6	18.57	71.94	2000	PASS
DC_4A_n2A	15	15	376000	1@1	DFT_64QAM	20.28	-1.6	18.68	73.79	2000	PASS
DC_4A_n2A	15	15	376000	1@77	DFT_64QAM	20.21	-1.6	18.61	72.61	2000	PASS
DC_4A_n2A	15	15	376000	75@0	DFT_256QAM	18.13	-1.6	16.53	44.98	2000	PASS
DC_4A_n2A	15	15	376000	36@18	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
DC_4A_n2A	15	15	376000	1@1	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_4A_n2A	15	15	376000	1@77	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_4A_n2A	15	15	376000	79@0	CP_QPSK	20.11	-1.6	18.51	70.96	2000	PASS
DC_4A_n2A	15	15	376000	39@19	CP_QPSK	20.58	-1.6	18.98	79.07	2000	PASS
DC_4A_n2A	15	15	376000	1@1	CP_QPSK	20.97	-1.6	19.37	86.5	2000	PASS
DC_4A_n2A	15	15	376000	1@77	CP_QPSK	20.86	-1.6	19.26	84.33	2000	PASS
DC_4A_n2A	15	15	376000	79@0	CP_16QAM	19.61	-1.6	18.01	63.24	2000	PASS
DC_4A_n2A	15	15	376000	39@19	CP_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
DC_4A_n2A	15	15	376000	1@1	CP_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
DC_4A_n2A	15	15	376000	1@77	CP_16QAM	20.68	-1.6	19.08	80.91	2000	PASS
DC_4A_n2A	15	15	376000	79@0	CP_64QAM	19.13	-1.6	17.53	56.62	2000	PASS
DC_4A_n2A	15	15	376000	39@19	CP_64QAM	19.16	-1.6	17.56	57.02	2000	PASS
DC_4A_n2A	15	15	376000	1@1	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
DC_4A_n2A	15	15	376000	1@77	CP_64QAM	18.9	-1.6	17.3	53.7	2000	PASS
DC_4A_n2A	15	15	376000	79@0	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_4A_n2A	15	15	376000	39@19	CP_256QAM	16.11	-1.6	14.51	28.25	2000	PASS

DC_4A_n2A	15	15	376000	1@1	CP_256QAM	16.21	-1.6	14.61	28.91	2000	PASS
DC_4A_n2A	15	15	376000	1@77	CP_256QAM	16.13	-1.6	14.53	28.38	2000	PASS
DC_4A_n2A	15	15	380500	75@0	DFT_BPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_4A_n2A	15	15	380500	36@18	DFT_BPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_4A_n2A	15	15	380500	1@1	DFT_BPSK	22.55	-1.6	20.95	124.45	2000	PASS
DC_4A_n2A	15	15	380500	1@77	DFT_BPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_4A_n2A	15	15	380500	75@0	DFT_QPSK	21.58	-1.6	19.98	99.54	2000	PASS
DC_4A_n2A	15	15	380500	36@18	DFT_QPSK	22.54	-1.6	20.94	124.17	2000	PASS
DC_4A_n2A	15	15	380500	1@1	DFT_QPSK	22.51	-1.6	20.91	123.31	2000	PASS
DC_4A_n2A	15	15	380500	1@77	DFT_QPSK	22.5	-1.6	20.9	123.03	2000	PASS
DC_4A_n2A	15	15	380500	75@0	DFT_16QAM	20.58	-1.6	18.98	79.07	2000	PASS
DC_4A_n2A	15	15	380500	36@18	DFT_16QAM	21.61	-1.6	20.01	100.23	2000	PASS
DC_4A_n2A	15	15	380500	1@1	DFT_16QAM	21.73	-1.6	20.13	103.04	2000	PASS
DC_4A_n2A	15	15	380500	1@77	DFT_16QAM	21.73	-1.6	20.13	103.04	2000	PASS
DC_4A_n2A	15	15	380500	75@0	DFT_64QAM	20.14	-1.6	18.54	71.45	2000	PASS
DC_4A_n2A	15	15	380500	36@18	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
DC_4A_n2A	15	15	380500	1@1	DFT_64QAM	20.25	-1.6	18.65	73.28	2000	PASS
DC_4A_n2A	15	15	380500	1@77	DFT_64QAM	20.27	-1.6	18.67	73.62	2000	PASS
DC_4A_n2A	15	15	380500	75@0	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_4A_n2A	15	15	380500	36@18	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
DC_4A_n2A	15	15	380500	1@1	DFT_256QAM	18.44	-1.6	16.84	48.31	2000	PASS
DC_4A_n2A	15	15	380500	1@77	DFT_256QAM	18.32	-1.6	16.72	46.99	2000	PASS
DC_4A_n2A	15	15	380500	79@0	CP_QPSK	19.58	-1.6	17.98	62.81	2000	PASS
DC_4A_n2A	15	15	380500	39@19	CP_QPSK	21.08	-1.6	19.48	88.72	2000	PASS
DC_4A_n2A	15	15	380500	1@1	CP_QPSK	20.94	-1.6	19.34	85.9	2000	PASS
DC_4A_n2A	15	15	380500	1@77	CP_QPSK	20.95	-1.6	19.35	86.1	2000	PASS
DC_4A_n2A	15	15	380500	79@0	CP_16QAM	19.61	-1.6	18.01	63.24	2000	PASS
DC_4A_n2A	15	15	380500	39@19	CP_16QAM	20.66	-1.6	19.06	80.54	2000	PASS
DC_4A_n2A	15	15	380500	1@1	CP_16QAM	20.8	-1.6	19.2	83.18	2000	PASS
DC_4A_n2A	15	15	380500	1@77	CP_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
DC_4A_n2A	15	15	380500	79@0	CP_64QAM	19.12	-1.6	17.52	56.49	2000	PASS
DC_4A_n2A	15	15	380500	39@19	CP_64QAM	19.12	-1.6	17.52	56.49	2000	PASS
DC_4A_n2A	15	15	380500	1@1	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
DC_4A_n2A	15	15	380500	1@77	CP_64QAM	18.99	-1.6	17.39	54.83	2000	PASS
DC_4A_n2A	15	15	380500	79@0	CP_256QAM	16.04	-1.6	14.44	27.8	2000	PASS
DC_4A_n2A	15	15	380500	39@19	CP_256QAM	16.06	-1.6	14.46	27.93	2000	PASS
DC_4A_n2A	15	15	380500	1@1	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
DC_4A_n2A	15	15	380500	1@77	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_4A_n2A	15	20	372000	100@0	DFT_BPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_4A_n2A	15	20	372000	50@25	DFT_BPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_4A_n2A	15	20	372000	1@1	DFT_BPSK	22.82	-1.6	21.22	132.43	2000	PASS
DC_4A_n2A	15	20	372000	1@104	DFT_BPSK	22.71	-1.6	21.11	129.12	2000	PASS
DC_4A_n2A	15	20	372000	100@0	DFT_QPSK	21.83	-1.6	20.23	105.44	2000	PASS

DC_4A_n2A	15	20	372000	50@25	DFT_QPSK	22.9	-1.6	21.3	134.9	2000	PASS
DC_4A_n2A	15	20	372000	1@1	DFT_QPSK	22.73	-1.6	21.13	129.72	2000	PASS
DC_4A_n2A	15	20	372000	1@104	DFT_QPSK	22.67	-1.6	21.07	127.94	2000	PASS
DC_4A_n2A	15	20	372000	100@0	DFT_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
DC_4A_n2A	15	20	372000	50@25	DFT_16QAM	21.87	-1.6	20.27	106.41	2000	PASS
DC_4A_n2A	15	20	372000	1@1	DFT_16QAM	21.97	-1.6	20.37	108.89	2000	PASS
DC_4A_n2A	15	20	372000	1@104	DFT_16QAM	21.84	-1.6	20.24	105.68	2000	PASS
DC_4A_n2A	15	20	372000	100@0	DFT_64QAM	20.34	-1.6	18.74	74.82	2000	PASS
DC_4A_n2A	15	20	372000	50@25	DFT_64QAM	20.35	-1.6	18.75	74.99	2000	PASS
DC_4A_n2A	15	20	372000	1@1	DFT_64QAM	20.6	-1.6	19	79.43	2000	PASS
DC_4A_n2A	15	20	372000	1@104	DFT_64QAM	20.38	-1.6	18.78	75.51	2000	PASS
DC_4A_n2A	15	20	372000	100@0	DFT_256QAM	18.22	-1.6	16.62	45.92	2000	PASS
DC_4A_n2A	15	20	372000	50@25	DFT_256QAM	18.27	-1.6	16.67	46.45	2000	PASS
DC_4A_n2A	15	20	372000	1@1	DFT_256QAM	18.25	-1.6	16.65	46.24	2000	PASS
DC_4A_n2A	15	20	372000	1@104	DFT_256QAM	18.09	-1.6	16.49	44.57	2000	PASS
DC_4A_n2A	15	20	372000	106@0	CP_QPSK	20.98	-1.6	19.38	86.7	2000	PASS
DC_4A_n2A	15	20	372000	53@26	CP_QPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_4A_n2A	15	20	372000	1@1	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
DC_4A_n2A	15	20	372000	1@104	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
DC_4A_n2A	15	20	372000	106@0	CP_16QAM	19.85	-1.6	18.25	66.83	2000	PASS
DC_4A_n2A	15	20	372000	53@26	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_4A_n2A	15	20	372000	1@1	CP_16QAM	21.04	-1.6	19.44	87.9	2000	PASS
DC_4A_n2A	15	20	372000	1@104	CP_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
DC_4A_n2A	15	20	372000	106@0	CP_64QAM	19.33	-1.6	17.73	59.29	2000	PASS
DC_4A_n2A	15	20	372000	53@26	CP_64QAM	19.34	-1.6	17.74	59.43	2000	PASS
DC_4A_n2A	15	20	372000	1@1	CP_64QAM	19.27	-1.6	17.67	58.48	2000	PASS
DC_4A_n2A	15	20	372000	1@104	CP_64QAM	19.07	-1.6	17.47	55.85	2000	PASS
DC_4A_n2A	15	20	372000	106@0	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS
DC_4A_n2A	15	20	372000	53@26	CP_256QAM	16.33	-1.6	14.73	29.72	2000	PASS
DC_4A_n2A	15	20	372000	1@1	CP_256QAM	16.48	-1.6	14.88	30.76	2000	PASS
DC_4A_n2A	15	20	372000	1@104	CP_256QAM	16.3	-1.6	14.7	29.51	2000	PASS
DC_4A_n2A	15	20	376000	100@0	DFT_BPSK	22.08	-1.6	20.48	111.69	2000	PASS
DC_4A_n2A	15	20	376000	50@25	DFT_BPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_4A_n2A	15	20	376000	1@1	DFT_BPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_4A_n2A	15	20	376000	1@104	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_4A_n2A	15	20	376000	100@0	DFT_QPSK	21.6	-1.6	20	100	2000	PASS
DC_4A_n2A	15	20	376000	50@25	DFT_QPSK	22.66	-1.6	21.06	127.64	2000	PASS
DC_4A_n2A	15	20	376000	1@1	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
DC_4A_n2A	15	20	376000	1@104	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_4A_n2A	15	20	376000	100@0	DFT_16QAM	20.61	-1.6	19.01	79.62	2000	PASS
DC_4A_n2A	15	20	376000	50@25	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
DC_4A_n2A	15	20	376000	1@1	DFT_16QAM	21.69	-1.6	20.09	102.09	2000	PASS
DC_4A_n2A	15	20	376000	1@104	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS

DC_4A_n2A	15	20	376000	100@0	DFT_64QAM	20.09	-1.6	18.49	70.63	2000	PASS
DC_4A_n2A	15	20	376000	50@25	DFT_64QAM	20.15	-1.6	18.55	71.61	2000	PASS
DC_4A_n2A	15	20	376000	1@1	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
DC_4A_n2A	15	20	376000	1@104	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
DC_4A_n2A	15	20	376000	100@0	DFT_256QAM	18.63	-1.6	17.03	50.47	2000	PASS
DC_4A_n2A	15	20	376000	50@25	DFT_256QAM	17.98	-1.6	16.38	43.45	2000	PASS
DC_4A_n2A	15	20	376000	1@1	DFT_256QAM	18.65	-1.6	17.05	50.7	2000	PASS
DC_4A_n2A	15	20	376000	1@104	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_4A_n2A	15	20	376000	106@0	CP_QPSK	20.11	-1.6	18.51	70.96	2000	PASS
DC_4A_n2A	15	20	376000	53@26	CP_QPSK	20.86	-1.6	19.26	84.33	2000	PASS
DC_4A_n2A	15	20	376000	1@1	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_4A_n2A	15	20	376000	1@104	CP_QPSK	20.54	-1.6	18.94	78.34	2000	PASS
DC_4A_n2A	15	20	376000	106@0	CP_16QAM	19.57	-1.6	17.97	62.66	2000	PASS
DC_4A_n2A	15	20	376000	53@26	CP_16QAM	20.65	-1.6	19.05	80.35	2000	PASS
DC_4A_n2A	15	20	376000	1@1	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
DC_4A_n2A	15	20	376000	1@104	CP_16QAM	20.59	-1.6	18.99	79.25	2000	PASS
DC_4A_n2A	15	20	376000	106@0	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS
DC_4A_n2A	15	20	376000	53@26	CP_64QAM	19.14	-1.6	17.54	56.75	2000	PASS
DC_4A_n2A	15	20	376000	1@1	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_4A_n2A	15	20	376000	1@104	CP_64QAM	18.88	-1.6	17.28	53.46	2000	PASS
DC_4A_n2A	15	20	376000	106@0	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_4A_n2A	15	20	376000	53@26	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
DC_4A_n2A	15	20	376000	1@1	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
DC_4A_n2A	15	20	376000	1@104	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_4A_n2A	15	20	380000	100@0	DFT_BPSK	21.94	-1.6	20.34	108.14	2000	PASS
DC_4A_n2A	15	20	380000	50@25	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
DC_4A_n2A	15	20	380000	1@1	DFT_BPSK	22.49	-1.6	20.89	122.74	2000	PASS
DC_4A_n2A	15	20	380000	1@104	DFT_BPSK	22.55	-1.6	20.95	124.45	2000	PASS
DC_4A_n2A	15	20	380000	100@0	DFT_QPSK	21.57	-1.6	19.97	99.31	2000	PASS
DC_4A_n2A	15	20	380000	50@25	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
DC_4A_n2A	15	20	380000	1@1	DFT_QPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_4A_n2A	15	20	380000	1@104	DFT_QPSK	22.51	-1.6	20.91	123.31	2000	PASS
DC_4A_n2A	15	20	380000	100@0	DFT_16QAM	20.56	-1.6	18.96	78.7	2000	PASS
DC_4A_n2A	15	20	380000	50@25	DFT_16QAM	21.62	-1.6	20.02	100.46	2000	PASS
DC_4A_n2A	15	20	380000	1@1	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS
DC_4A_n2A	15	20	380000	1@104	DFT_16QAM	21.76	-1.6	20.16	103.75	2000	PASS
DC_4A_n2A	15	20	380000	100@0	DFT_64QAM	20.09	-1.6	18.49	70.63	2000	PASS
DC_4A_n2A	15	20	380000	50@25	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
DC_4A_n2A	15	20	380000	1@1	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_4A_n2A	15	20	380000	1@104	DFT_64QAM	20.3	-1.6	18.7	74.13	2000	PASS
DC_4A_n2A	15	20	380000	100@0	DFT_256QAM	17.69	-1.6	16.09	40.64	2000	PASS
DC_4A_n2A	15	20	380000	50@25	DFT_256QAM	18.25	-1.6	16.65	46.24	2000	PASS
DC_4A_n2A	15	20	380000	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS

DC_4A_n2A	15	20	380000	1@104	DFT_256QAM	18.34	-1.6	16.74	47.21	2000	PASS
DC_4A_n2A	15	20	380000	106@0	CP_QPSK	20.36	-1.6	18.76	75.16	2000	PASS
DC_4A_n2A	15	20	380000	53@26	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_4A_n2A	15	20	380000	1@1	CP_QPSK	20.48	-1.6	18.88	77.27	2000	PASS
DC_4A_n2A	15	20	380000	1@104	CP_QPSK	20.47	-1.6	18.87	77.09	2000	PASS
DC_4A_n2A	15	20	380000	106@0	CP_16QAM	20.44	-1.6	18.84	76.56	2000	PASS
DC_4A_n2A	15	20	380000	53@26	CP_16QAM	20.63	-1.6	19.03	79.98	2000	PASS
DC_4A_n2A	15	20	380000	1@1	CP_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
DC_4A_n2A	15	20	380000	1@104	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
DC_4A_n2A	15	20	380000	106@0	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
DC_4A_n2A	15	20	380000	53@26	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
DC_4A_n2A	15	20	380000	1@1	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_4A_n2A	15	20	380000	1@104	CP_64QAM	19.03	-1.6	17.43	55.34	2000	PASS
DC_4A_n2A	15	20	380000	106@0	CP_256QAM	16.03	-1.6	14.43	27.73	2000	PASS
DC_4A_n2A	15	20	380000	53@26	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_4A_n2A	15	20	380000	1@1	CP_256QAM	16.12	-1.6	14.52	28.31	2000	PASS
DC_4A_n2A	15	20	380000	1@104	CP_256QAM	16.24	-1.6	14.64	29.11	2000	PASS

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
DC_30A_n2A	15	5	370500	25@0	DFT_BPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_30A_n2A	15	5	370500	12@6	DFT_BPSK	22.93	-1.6	21.33	135.83	2000	PASS
DC_30A_n2A	15	5	370500	1@1	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_30A_n2A	15	5	370500	1@23	DFT_BPSK	22.81	-1.6	21.21	132.13	2000	PASS
DC_30A_n2A	15	5	370500	25@0	DFT_QPSK	21.92	-1.6	20.32	107.65	2000	PASS
DC_30A_n2A	15	5	370500	12@6	DFT_QPSK	22.93	-1.6	21.33	135.83	2000	PASS
DC_30A_n2A	15	5	370500	1@1	DFT_QPSK	22.72	-1.6	21.12	129.42	2000	PASS
DC_30A_n2A	15	5	370500	1@23	DFT_QPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_30A_n2A	15	5	370500	25@0	DFT_16QAM	20.88	-1.6	19.28	84.72	2000	PASS
DC_30A_n2A	15	5	370500	12@6	DFT_16QAM	21.84	-1.6	20.24	105.68	2000	PASS
DC_30A_n2A	15	5	370500	1@1	DFT_16QAM	22.02	-1.6	20.42	110.15	2000	PASS
DC_30A_n2A	15	5	370500	1@23	DFT_16QAM	21.94	-1.6	20.34	108.14	2000	PASS
DC_30A_n2A	15	5	370500	25@0	DFT_64QAM	20.43	-1.6	18.83	76.38	2000	PASS
DC_30A_n2A	15	5	370500	12@6	DFT_64QAM	20.38	-1.6	18.78	75.51	2000	PASS
DC_30A_n2A	15	5	370500	1@1	DFT_64QAM	20.57	-1.6	18.97	78.89	2000	PASS
DC_30A_n2A	15	5	370500	1@23	DFT_64QAM	20.52	-1.6	18.92	77.98	2000	PASS
DC_30A_n2A	15	5	370500	25@0	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_30A_n2A	15	5	370500	12@6	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_30A_n2A	15	5	370500	1@1	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_30A_n2A	15	5	370500	1@23	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	5	370500	25@0	CP_QPSK	20.53	-1.6	18.93	78.16	2000	PASS
DC_30A_n2A	15	5	370500	13@6	CP_QPSK	21.23	-1.6	19.63	91.83	2000	PASS

DC_30A_n2A	15	5	370500	1@1	CP_QPSK	21.22	-1.6	19.62	91.62	2000	PASS
DC_30A_n2A	15	5	370500	1@23	CP_QPSK	21.17	-1.6	19.57	90.57	2000	PASS
DC_30A_n2A	15	5	370500	25@0	CP_16QAM	19.96	-1.6	18.36	68.55	2000	PASS
DC_30A_n2A	15	5	370500	13@6	CP_16QAM	20.92	-1.6	19.32	85.51	2000	PASS
DC_30A_n2A	15	5	370500	1@1	CP_16QAM	21.01	-1.6	19.41	87.3	2000	PASS
DC_30A_n2A	15	5	370500	1@23	CP_16QAM	21.02	-1.6	19.42	87.5	2000	PASS
DC_30A_n2A	15	5	370500	25@0	CP_64QAM	19.38	-1.6	17.78	59.98	2000	PASS
DC_30A_n2A	15	5	370500	13@6	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
DC_30A_n2A	15	5	370500	1@1	CP_64QAM	19.39	-1.6	17.79	60.12	2000	PASS
DC_30A_n2A	15	5	370500	1@23	CP_64QAM	19.34	-1.6	17.74	59.43	2000	PASS
DC_30A_n2A	15	5	370500	25@0	CP_256QAM	16.47	-1.6	14.87	30.69	2000	PASS
DC_30A_n2A	15	5	370500	13@6	CP_256QAM	16.43	-1.6	14.83	30.41	2000	PASS
DC_30A_n2A	15	5	370500	1@1	CP_256QAM	16.53	-1.6	14.93	31.12	2000	PASS
DC_30A_n2A	15	5	370500	1@23	CP_256QAM	16.52	-1.6	14.92	31.05	2000	PASS
DC_30A_n2A	15	5	376000	25@0	DFT_BPSK	21.66	-1.6	20.06	101.39	2000	PASS
DC_30A_n2A	15	5	376000	12@6	DFT_BPSK	22.72	-1.6	21.12	129.42	2000	PASS
DC_30A_n2A	15	5	376000	1@1	DFT_BPSK	22.64	-1.6	21.04	127.06	2000	PASS
DC_30A_n2A	15	5	376000	1@23	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_30A_n2A	15	5	376000	25@0	DFT_QPSK	21.78	-1.6	20.18	104.23	2000	PASS
DC_30A_n2A	15	5	376000	12@6	DFT_QPSK	22.76	-1.6	21.16	130.62	2000	PASS
DC_30A_n2A	15	5	376000	1@1	DFT_QPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_30A_n2A	15	5	376000	1@23	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
DC_30A_n2A	15	5	376000	25@0	DFT_16QAM	20.72	-1.6	19.12	81.66	2000	PASS
DC_30A_n2A	15	5	376000	12@6	DFT_16QAM	21.78	-1.6	20.18	104.23	2000	PASS
DC_30A_n2A	15	5	376000	1@1	DFT_16QAM	21.86	-1.6	20.26	106.17	2000	PASS
DC_30A_n2A	15	5	376000	1@23	DFT_16QAM	21.78	-1.6	20.18	104.23	2000	PASS
DC_30A_n2A	15	5	376000	25@0	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	5	376000	12@6	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	5	376000	1@1	DFT_64QAM	20.35	-1.6	18.75	74.99	2000	PASS
DC_30A_n2A	15	5	376000	1@23	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	5	376000	25@0	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_30A_n2A	15	5	376000	12@6	DFT_256QAM	18.22	-1.6	16.62	45.92	2000	PASS
DC_30A_n2A	15	5	376000	1@1	DFT_256QAM	18.31	-1.6	16.71	46.88	2000	PASS
DC_30A_n2A	15	5	376000	1@23	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	5	376000	25@0	CP_QPSK	19.55	-1.6	17.95	62.37	2000	PASS
DC_30A_n2A	15	5	376000	13@6	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_30A_n2A	15	5	376000	1@1	CP_QPSK	20.55	-1.6	18.95	78.52	2000	PASS
DC_30A_n2A	15	5	376000	1@23	CP_QPSK	20.65	-1.6	19.05	80.35	2000	PASS
DC_30A_n2A	15	5	376000	25@0	CP_16QAM	19.79	-1.6	18.19	65.92	2000	PASS
DC_30A_n2A	15	5	376000	13@6	CP_16QAM	20.79	-1.6	19.19	82.99	2000	PASS
DC_30A_n2A	15	5	376000	1@1	CP_16QAM	20.99	-1.6	19.39	86.9	2000	PASS
DC_30A_n2A	15	5	376000	1@23	CP_16QAM	20.85	-1.6	19.25	84.14	2000	PASS
DC_30A_n2A	15	5	376000	25@0	CP_64QAM	19.25	-1.6	17.65	58.21	2000	PASS

DC_30A_n2A	15	5	376000	13@6	CP_64QAM	19.21	-1.6	17.61	57.68	2000	PASS
DC_30A_n2A	15	5	376000	1@1	CP_64QAM	19.21	-1.6	17.61	57.68	2000	PASS
DC_30A_n2A	15	5	376000	1@23	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS
DC_30A_n2A	15	5	376000	25@0	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
DC_30A_n2A	15	5	376000	13@6	CP_256QAM	16.19	-1.6	14.59	28.77	2000	PASS
DC_30A_n2A	15	5	376000	1@1	CP_256QAM	16.37	-1.6	14.77	29.99	2000	PASS
DC_30A_n2A	15	5	376000	1@23	CP_256QAM	16.26	-1.6	14.66	29.24	2000	PASS
DC_30A_n2A	15	5	381500	25@0	DFT_BPSK	21.99	-1.6	20.39	109.4	2000	PASS
DC_30A_n2A	15	5	381500	12@6	DFT_BPSK	22.43	-1.6	20.83	121.06	2000	PASS
DC_30A_n2A	15	5	381500	1@1	DFT_BPSK	22.34	-1.6	20.74	118.58	2000	PASS
DC_30A_n2A	15	5	381500	1@23	DFT_BPSK	22.36	-1.6	20.76	119.12	2000	PASS
DC_30A_n2A	15	5	381500	25@0	DFT_QPSK	21.5	-1.6	19.9	97.72	2000	PASS
DC_30A_n2A	15	5	381500	12@6	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_30A_n2A	15	5	381500	1@1	DFT_QPSK	22.34	-1.6	20.74	118.58	2000	PASS
DC_30A_n2A	15	5	381500	1@23	DFT_QPSK	22.33	-1.6	20.73	118.3	2000	PASS
DC_30A_n2A	15	5	381500	25@0	DFT_16QAM	20.45	-1.6	18.85	76.74	2000	PASS
DC_30A_n2A	15	5	381500	12@6	DFT_16QAM	21.45	-1.6	19.85	96.61	2000	PASS
DC_30A_n2A	15	5	381500	1@1	DFT_16QAM	21.58	-1.6	19.98	99.54	2000	PASS
DC_30A_n2A	15	5	381500	1@23	DFT_16QAM	21.56	-1.6	19.96	99.08	2000	PASS
DC_30A_n2A	15	5	381500	25@0	DFT_64QAM	20.02	-1.6	18.42	69.5	2000	PASS
DC_30A_n2A	15	5	381500	12@6	DFT_64QAM	20.06	-1.6	18.46	70.15	2000	PASS
DC_30A_n2A	15	5	381500	1@1	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_30A_n2A	15	5	381500	1@23	DFT_64QAM	20.09	-1.6	18.49	70.63	2000	PASS
DC_30A_n2A	15	5	381500	25@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
DC_30A_n2A	15	5	381500	12@6	DFT_256QAM	18.41	-1.6	16.81	47.97	2000	PASS
DC_30A_n2A	15	5	381500	1@1	DFT_256QAM	18.22	-1.6	16.62	45.92	2000	PASS
DC_30A_n2A	15	5	381500	1@23	DFT_256QAM	18.45	-1.6	16.85	48.42	2000	PASS
DC_30A_n2A	15	5	381500	25@0	CP_QPSK	20.03	-1.6	18.43	69.66	2000	PASS
DC_30A_n2A	15	5	381500	13@6	CP_QPSK	20.87	-1.6	19.27	84.53	2000	PASS
DC_30A_n2A	15	5	381500	1@1	CP_QPSK	20.97	-1.6	19.37	86.5	2000	PASS
DC_30A_n2A	15	5	381500	1@23	CP_QPSK	20.84	-1.6	19.24	83.95	2000	PASS
DC_30A_n2A	15	5	381500	25@0	CP_16QAM	19.56	-1.6	17.96	62.52	2000	PASS
DC_30A_n2A	15	5	381500	13@6	CP_16QAM	20.52	-1.6	18.92	77.98	2000	PASS
DC_30A_n2A	15	5	381500	1@1	CP_16QAM	20.66	-1.6	19.06	80.54	2000	PASS
DC_30A_n2A	15	5	381500	1@23	CP_16QAM	20.64	-1.6	19.04	80.17	2000	PASS
DC_30A_n2A	15	5	381500	25@0	CP_64QAM	19.01	-1.6	17.41	55.08	2000	PASS
DC_30A_n2A	15	5	381500	13@6	CP_64QAM	18.93	-1.6	17.33	54.08	2000	PASS
DC_30A_n2A	15	5	381500	1@1	CP_64QAM	18.88	-1.6	17.28	53.46	2000	PASS
DC_30A_n2A	15	5	381500	1@23	CP_64QAM	18.88	-1.6	17.28	53.46	2000	PASS
DC_30A_n2A	15	5	381500	25@0	CP_256QAM	15.94	-1.6	14.34	27.16	2000	PASS
DC_30A_n2A	15	5	381500	13@6	CP_256QAM	15.96	-1.6	14.36	27.29	2000	PASS
DC_30A_n2A	15	5	381500	1@1	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
DC_30A_n2A	15	5	381500	1@23	CP_256QAM	16.04	-1.6	14.44	27.8	2000	PASS

DC_30A_n2A	15	10	371000	50@0	DFT_BPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_30A_n2A	15	10	371000	25@12	DFT_BPSK	22.9	-1.6	21.3	134.9	2000	PASS
DC_30A_n2A	15	10	371000	1@1	DFT_BPSK	22.95	-1.6	21.35	136.46	2000	PASS
DC_30A_n2A	15	10	371000	1@50	DFT_BPSK	22.93	-1.6	21.33	135.83	2000	PASS
DC_30A_n2A	15	10	371000	50@0	DFT_QPSK	21.97	-1.6	20.37	108.89	2000	PASS
DC_30A_n2A	15	10	371000	25@12	DFT_QPSK	22.93	-1.6	21.33	135.83	2000	PASS
DC_30A_n2A	15	10	371000	1@1	DFT_QPSK	22.9	-1.6	21.3	134.9	2000	PASS
DC_30A_n2A	15	10	371000	1@50	DFT_QPSK	22.92	-1.6	21.32	135.52	2000	PASS
DC_30A_n2A	15	10	371000	50@0	DFT_16QAM	20.93	-1.6	19.33	85.7	2000	PASS
DC_30A_n2A	15	10	371000	25@12	DFT_16QAM	21.93	-1.6	20.33	107.89	2000	PASS
DC_30A_n2A	15	10	371000	1@1	DFT_16QAM	22.18	-1.6	20.58	114.29	2000	PASS
DC_30A_n2A	15	10	371000	1@50	DFT_16QAM	22.1	-1.6	20.5	112.2	2000	PASS
DC_30A_n2A	15	10	371000	50@0	DFT_64QAM	20.43	-1.6	18.83	76.38	2000	PASS
DC_30A_n2A	15	10	371000	25@12	DFT_64QAM	20.48	-1.6	18.88	77.27	2000	PASS
DC_30A_n2A	15	10	371000	1@1	DFT_64QAM	20.72	-1.6	19.12	81.66	2000	PASS
DC_30A_n2A	15	10	371000	1@50	DFT_64QAM	20.68	-1.6	19.08	80.91	2000	PASS
DC_30A_n2A	15	10	371000	50@0	DFT_256QAM	18.21	-1.6	16.61	45.81	2000	PASS
DC_30A_n2A	15	10	371000	25@12	DFT_256QAM	18.29	-1.6	16.69	46.67	2000	PASS
DC_30A_n2A	15	10	371000	1@1	DFT_256QAM	18.4	-1.6	16.8	47.86	2000	PASS
DC_30A_n2A	15	10	371000	1@50	DFT_256QAM	18.4	-1.6	16.8	47.86	2000	PASS
DC_30A_n2A	15	10	371000	52@0	CP_QPSK	20.14	-1.6	18.54	71.45	2000	PASS
DC_30A_n2A	15	10	371000	26@13	CP_QPSK	21.55	-1.6	19.95	98.86	2000	PASS
DC_30A_n2A	15	10	371000	1@1	CP_QPSK	21.44	-1.6	19.84	96.38	2000	PASS
DC_30A_n2A	15	10	371000	1@50	CP_QPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_30A_n2A	15	10	371000	52@0	CP_16QAM	20.54	-1.6	18.94	78.34	2000	PASS
DC_30A_n2A	15	10	371000	26@13	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_30A_n2A	15	10	371000	1@1	CP_16QAM	21.12	-1.6	19.52	89.54	2000	PASS
DC_30A_n2A	15	10	371000	1@50	CP_16QAM	21.19	-1.6	19.59	90.99	2000	PASS
DC_30A_n2A	15	10	371000	52@0	CP_64QAM	19.42	-1.6	17.82	60.53	2000	PASS
DC_30A_n2A	15	10	371000	26@13	CP_64QAM	19.36	-1.6	17.76	59.7	2000	PASS
DC_30A_n2A	15	10	371000	1@1	CP_64QAM	19.34	-1.6	17.74	59.43	2000	PASS
DC_30A_n2A	15	10	371000	1@50	CP_64QAM	19.39	-1.6	17.79	60.12	2000	PASS
DC_30A_n2A	15	10	371000	52@0	CP_256QAM	16.42	-1.6	14.82	30.34	2000	PASS
DC_30A_n2A	15	10	371000	26@13	CP_256QAM	16.32	-1.6	14.72	29.65	2000	PASS
DC_30A_n2A	15	10	371000	1@1	CP_256QAM	16.58	-1.6	14.98	31.48	2000	PASS
DC_30A_n2A	15	10	371000	1@50	CP_256QAM	16.58	-1.6	14.98	31.48	2000	PASS
DC_30A_n2A	15	10	376000	50@0	DFT_BPSK	21.88	-1.6	20.28	106.66	2000	PASS
DC_30A_n2A	15	10	376000	25@12	DFT_BPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_30A_n2A	15	10	376000	1@1	DFT_BPSK	22.72	-1.6	21.12	129.42	2000	PASS
DC_30A_n2A	15	10	376000	1@50	DFT_BPSK	22.6	-1.6	21	125.89	2000	PASS
DC_30A_n2A	15	10	376000	50@0	DFT_QPSK	21.76	-1.6	20.16	103.75	2000	PASS
DC_30A_n2A	15	10	376000	25@12	DFT_QPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_30A_n2A	15	10	376000	1@1	DFT_QPSK	22.69	-1.6	21.09	128.53	2000	PASS

DC_30A_n2A	15	10	376000	1@50	DFT_QPSK	22.55	-1.6	20.95	124.45	2000	PASS
DC_30A_n2A	15	10	376000	50@0	DFT_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
DC_30A_n2A	15	10	376000	25@12	DFT_16QAM	21.73	-1.6	20.13	103.04	2000	PASS
DC_30A_n2A	15	10	376000	1@1	DFT_16QAM	22.01	-1.6	20.41	109.9	2000	PASS
DC_30A_n2A	15	10	376000	1@50	DFT_16QAM	21.77	-1.6	20.17	103.99	2000	PASS
DC_30A_n2A	15	10	376000	50@0	DFT_64QAM	20.19	-1.6	18.59	72.28	2000	PASS
DC_30A_n2A	15	10	376000	25@12	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
DC_30A_n2A	15	10	376000	1@1	DFT_64QAM	20.55	-1.6	18.95	78.52	2000	PASS
DC_30A_n2A	15	10	376000	1@50	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	10	376000	50@0	DFT_256QAM	18.57	-1.6	16.97	49.77	2000	PASS
DC_30A_n2A	15	10	376000	25@12	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	10	376000	1@1	DFT_256QAM	18.65	-1.6	17.05	50.7	2000	PASS
DC_30A_n2A	15	10	376000	1@50	DFT_256QAM	18.41	-1.6	16.81	47.97	2000	PASS
DC_30A_n2A	15	10	376000	52@0	CP_QPSK	20.59	-1.6	18.99	79.25	2000	PASS
DC_30A_n2A	15	10	376000	26@13	CP_QPSK	21.19	-1.6	19.59	90.99	2000	PASS
DC_30A_n2A	15	10	376000	1@1	CP_QPSK	21.25	-1.6	19.65	92.26	2000	PASS
DC_30A_n2A	15	10	376000	1@50	CP_QPSK	21.05	-1.6	19.45	88.1	2000	PASS
DC_30A_n2A	15	10	376000	52@0	CP_16QAM	19.72	-1.6	18.12	64.86	2000	PASS
DC_30A_n2A	15	10	376000	26@13	CP_16QAM	20.74	-1.6	19.14	82.04	2000	PASS
DC_30A_n2A	15	10	376000	1@1	CP_16QAM	21.03	-1.6	19.43	87.7	2000	PASS
DC_30A_n2A	15	10	376000	1@50	CP_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
DC_30A_n2A	15	10	376000	52@0	CP_64QAM	19.23	-1.6	17.63	57.94	2000	PASS
DC_30A_n2A	15	10	376000	26@13	CP_64QAM	19.23	-1.6	17.63	57.94	2000	PASS
DC_30A_n2A	15	10	376000	1@1	CP_64QAM	19.24	-1.6	17.64	58.08	2000	PASS
DC_30A_n2A	15	10	376000	1@50	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
DC_30A_n2A	15	10	376000	52@0	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
DC_30A_n2A	15	10	376000	26@13	CP_256QAM	16.15	-1.6	14.55	28.51	2000	PASS
DC_30A_n2A	15	10	376000	1@1	CP_256QAM	16.5	-1.6	14.9	30.9	2000	PASS
DC_30A_n2A	15	10	376000	1@50	CP_256QAM	16.31	-1.6	14.71	29.58	2000	PASS
DC_30A_n2A	15	10	381000	50@0	DFT_BPSK	21.69	-1.6	20.09	102.09	2000	PASS
DC_30A_n2A	15	10	381000	25@12	DFT_BPSK	22.39	-1.6	20.79	119.95	2000	PASS
DC_30A_n2A	15	10	381000	1@1	DFT_BPSK	22.41	-1.6	20.81	120.5	2000	PASS
DC_30A_n2A	15	10	381000	1@50	DFT_BPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_30A_n2A	15	10	381000	50@0	DFT_QPSK	21.46	-1.6	19.86	96.83	2000	PASS
DC_30A_n2A	15	10	381000	25@12	DFT_QPSK	22.4	-1.6	20.8	120.23	2000	PASS
DC_30A_n2A	15	10	381000	1@1	DFT_QPSK	22.4	-1.6	20.8	120.23	2000	PASS
DC_30A_n2A	15	10	381000	1@50	DFT_QPSK	22.38	-1.6	20.78	119.67	2000	PASS
DC_30A_n2A	15	10	381000	50@0	DFT_16QAM	20.46	-1.6	18.86	76.91	2000	PASS
DC_30A_n2A	15	10	381000	25@12	DFT_16QAM	21.47	-1.6	19.87	97.05	2000	PASS
DC_30A_n2A	15	10	381000	1@1	DFT_16QAM	21.64	-1.6	20.04	100.93	2000	PASS
DC_30A_n2A	15	10	381000	1@50	DFT_16QAM	21.64	-1.6	20.04	100.93	2000	PASS
DC_30A_n2A	15	10	381000	50@0	DFT_64QAM	19.96	-1.6	18.36	68.55	2000	PASS
DC_30A_n2A	15	10	381000	25@12	DFT_64QAM	19.97	-1.6	18.37	68.71	2000	PASS

DC_30A_n2A	15	10	381000	1@1	DFT_64QAM	20.2	-1.6	18.6	72.44	2000	PASS
DC_30A_n2A	15	10	381000	1@50	DFT_64QAM	20.17	-1.6	18.57	71.94	2000	PASS
DC_30A_n2A	15	10	381000	50@0	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_30A_n2A	15	10	381000	25@12	DFT_256QAM	18.33	-1.6	16.73	47.1	2000	PASS
DC_30A_n2A	15	10	381000	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	10	381000	1@50	DFT_256QAM	18.41	-1.6	16.81	47.97	2000	PASS
DC_30A_n2A	15	10	381000	52@0	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_30A_n2A	15	10	381000	26@13	CP_QPSK	20.41	-1.6	18.81	76.03	2000	PASS
DC_30A_n2A	15	10	381000	1@1	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_30A_n2A	15	10	381000	1@50	CP_QPSK	20.19	-1.6	18.59	72.28	2000	PASS
DC_30A_n2A	15	10	381000	52@0	CP_16QAM	19.43	-1.6	17.83	60.67	2000	PASS
DC_30A_n2A	15	10	381000	26@13	CP_16QAM	20.43	-1.6	18.83	76.38	2000	PASS
DC_30A_n2A	15	10	381000	1@1	CP_16QAM	20.65	-1.6	19.05	80.35	2000	PASS
DC_30A_n2A	15	10	381000	1@50	CP_16QAM	20.64	-1.6	19.04	80.17	2000	PASS
DC_30A_n2A	15	10	381000	52@0	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_30A_n2A	15	10	381000	26@13	CP_64QAM	18.95	-1.6	17.35	54.33	2000	PASS
DC_30A_n2A	15	10	381000	1@1	CP_64QAM	18.88	-1.6	17.28	53.46	2000	PASS
DC_30A_n2A	15	10	381000	1@50	CP_64QAM	18.86	-1.6	17.26	53.21	2000	PASS
DC_30A_n2A	15	10	381000	52@0	CP_256QAM	15.87	-1.6	14.27	26.73	2000	PASS
DC_30A_n2A	15	10	381000	26@13	CP_256QAM	15.89	-1.6	14.29	26.85	2000	PASS
DC_30A_n2A	15	10	381000	1@1	CP_256QAM	16.15	-1.6	14.55	28.51	2000	PASS
DC_30A_n2A	15	10	381000	1@50	CP_256QAM	16.07	-1.6	14.47	27.99	2000	PASS
DC_30A_n2A	15	15	371500	75@0	DFT_BPSK	21.69	-1.6	20.09	102.09	2000	PASS
DC_30A_n2A	15	15	371500	36@18	DFT_BPSK	22.97	-1.6	21.37	137.09	2000	PASS
DC_30A_n2A	15	15	371500	1@1	DFT_BPSK	22.95	-1.6	21.35	136.46	2000	PASS
DC_30A_n2A	15	15	371500	1@77	DFT_BPSK	22.96	-1.6	21.36	136.77	2000	PASS
DC_30A_n2A	15	15	371500	75@0	DFT_QPSK	21.96	-1.6	20.36	108.64	2000	PASS
DC_30A_n2A	15	15	371500	36@18	DFT_QPSK	22.98	-1.6	21.38	137.4	2000	PASS
DC_30A_n2A	15	15	371500	1@1	DFT_QPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_30A_n2A	15	15	371500	1@77	DFT_QPSK	22.91	-1.6	21.31	135.21	2000	PASS
DC_30A_n2A	15	15	371500	75@0	DFT_16QAM	21	-1.6	19.4	87.1	2000	PASS
DC_30A_n2A	15	15	371500	36@18	DFT_16QAM	22	-1.6	20.4	109.65	2000	PASS
DC_30A_n2A	15	15	371500	1@1	DFT_16QAM	22.16	-1.6	20.56	113.76	2000	PASS
DC_30A_n2A	15	15	371500	1@77	DFT_16QAM	22.02	-1.6	20.42	110.15	2000	PASS
DC_30A_n2A	15	15	371500	75@0	DFT_64QAM	20.5	-1.6	18.9	77.62	2000	PASS
DC_30A_n2A	15	15	371500	36@18	DFT_64QAM	20.51	-1.6	18.91	77.8	2000	PASS
DC_30A_n2A	15	15	371500	1@1	DFT_64QAM	20.74	-1.6	19.14	82.04	2000	PASS
DC_30A_n2A	15	15	371500	1@77	DFT_64QAM	20.56	-1.6	18.96	78.7	2000	PASS
DC_30A_n2A	15	15	371500	75@0	DFT_256QAM	18.09	-1.6	16.49	44.57	2000	PASS
DC_30A_n2A	15	15	371500	36@18	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_30A_n2A	15	15	371500	1@1	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_30A_n2A	15	15	371500	1@77	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_30A_n2A	15	15	371500	79@0	CP_QPSK	20.12	-1.6	18.52	71.12	2000	PASS

DC_30A_n2A	15	15	371500	39@19	CP_QPSK	21.26	-1.6	19.66	92.47	2000	PASS
DC_30A_n2A	15	15	371500	1@1	CP_QPSK	21.11	-1.6	19.51	89.33	2000	PASS
DC_30A_n2A	15	15	371500	1@77	CP_QPSK	21.06	-1.6	19.46	88.31	2000	PASS
DC_30A_n2A	15	15	371500	79@0	CP_16QAM	19.99	-1.6	18.39	69.02	2000	PASS
DC_30A_n2A	15	15	371500	39@19	CP_16QAM	21	-1.6	19.4	87.1	2000	PASS
DC_30A_n2A	15	15	371500	1@1	CP_16QAM	21.17	-1.6	19.57	90.57	2000	PASS
DC_30A_n2A	15	15	371500	1@77	CP_16QAM	21.13	-1.6	19.53	89.74	2000	PASS
DC_30A_n2A	15	15	371500	79@0	CP_64QAM	19.49	-1.6	17.89	61.52	2000	PASS
DC_30A_n2A	15	15	371500	39@19	CP_64QAM	19.51	-1.6	17.91	61.8	2000	PASS
DC_30A_n2A	15	15	371500	1@1	CP_64QAM	19.36	-1.6	17.76	59.7	2000	PASS
DC_30A_n2A	15	15	371500	1@77	CP_64QAM	19.37	-1.6	17.77	59.84	2000	PASS
DC_30A_n2A	15	15	371500	79@0	CP_256QAM	16.43	-1.6	14.83	30.41	2000	PASS
DC_30A_n2A	15	15	371500	39@19	CP_256QAM	16.43	-1.6	14.83	30.41	2000	PASS
DC_30A_n2A	15	15	371500	1@1	CP_256QAM	16.61	-1.6	15.01	31.7	2000	PASS
DC_30A_n2A	15	15	371500	1@77	CP_256QAM	16.6	-1.6	15	31.62	2000	PASS
DC_30A_n2A	15	15	376000	75@0	DFT_BPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_30A_n2A	15	15	376000	36@18	DFT_BPSK	22.71	-1.6	21.11	129.12	2000	PASS
DC_30A_n2A	15	15	376000	1@1	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_30A_n2A	15	15	376000	1@77	DFT_BPSK	22.55	-1.6	20.95	124.45	2000	PASS
DC_30A_n2A	15	15	376000	75@0	DFT_QPSK	21.76	-1.6	20.16	103.75	2000	PASS
DC_30A_n2A	15	15	376000	36@18	DFT_QPSK	22.73	-1.6	21.13	129.72	2000	PASS
DC_30A_n2A	15	15	376000	1@1	DFT_QPSK	22.81	-1.6	21.21	132.13	2000	PASS
DC_30A_n2A	15	15	376000	1@77	DFT_QPSK	22.54	-1.6	20.94	124.17	2000	PASS
DC_30A_n2A	15	15	376000	75@0	DFT_16QAM	20.77	-1.6	19.17	82.6	2000	PASS
DC_30A_n2A	15	15	376000	36@18	DFT_16QAM	21.82	-1.6	20.22	105.2	2000	PASS
DC_30A_n2A	15	15	376000	1@1	DFT_16QAM	21.91	-1.6	20.31	107.4	2000	PASS
DC_30A_n2A	15	15	376000	1@77	DFT_16QAM	21.66	-1.6	20.06	101.39	2000	PASS
DC_30A_n2A	15	15	376000	75@0	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	15	376000	36@18	DFT_64QAM	20.31	-1.6	18.71	74.3	2000	PASS
DC_30A_n2A	15	15	376000	1@1	DFT_64QAM	20.52	-1.6	18.92	77.98	2000	PASS
DC_30A_n2A	15	15	376000	1@77	DFT_64QAM	20.21	-1.6	18.61	72.61	2000	PASS
DC_30A_n2A	15	15	376000	75@0	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_30A_n2A	15	15	376000	36@18	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_30A_n2A	15	15	376000	1@1	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_30A_n2A	15	15	376000	1@77	DFT_256QAM	18.42	-1.6	16.82	48.08	2000	PASS
DC_30A_n2A	15	15	376000	79@0	CP_QPSK	19.69	-1.6	18.09	64.42	2000	PASS
DC_30A_n2A	15	15	376000	39@19	CP_QPSK	20.36	-1.6	18.76	75.16	2000	PASS
DC_30A_n2A	15	15	376000	1@1	CP_QPSK	20.11	-1.6	18.51	70.96	2000	PASS
DC_30A_n2A	15	15	376000	1@77	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_30A_n2A	15	15	376000	79@0	CP_16QAM	19.77	-1.6	18.17	65.61	2000	PASS
DC_30A_n2A	15	15	376000	39@19	CP_16QAM	20.82	-1.6	19.22	83.56	2000	PASS
DC_30A_n2A	15	15	376000	1@1	CP_16QAM	21.03	-1.6	19.43	87.7	2000	PASS
DC_30A_n2A	15	15	376000	1@77	CP_16QAM	20.73	-1.6	19.13	81.85	2000	PASS

DC_30A_n2A	15	15	376000	79@0	CP_64QAM	19.29	-1.6	17.69	58.75	2000	PASS
DC_30A_n2A	15	15	376000	39@19	CP_64QAM	19.3	-1.6	17.7	58.88	2000	PASS
DC_30A_n2A	15	15	376000	1@1	CP_64QAM	19.25	-1.6	17.65	58.21	2000	PASS
DC_30A_n2A	15	15	376000	1@77	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_30A_n2A	15	15	376000	79@0	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_30A_n2A	15	15	376000	39@19	CP_256QAM	16.23	-1.6	14.63	29.04	2000	PASS
DC_30A_n2A	15	15	376000	1@1	CP_256QAM	16.49	-1.6	14.89	30.83	2000	PASS
DC_30A_n2A	15	15	376000	1@77	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_30A_n2A	15	15	380500	75@0	DFT_BPSK	21.68	-1.6	20.08	101.86	2000	PASS
DC_30A_n2A	15	15	380500	36@18	DFT_BPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_30A_n2A	15	15	380500	1@1	DFT_BPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_30A_n2A	15	15	380500	1@77	DFT_BPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_30A_n2A	15	15	380500	75@0	DFT_QPSK	21.5	-1.6	19.9	97.72	2000	PASS
DC_30A_n2A	15	15	380500	36@18	DFT_QPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_30A_n2A	15	15	380500	1@1	DFT_QPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_30A_n2A	15	15	380500	1@77	DFT_QPSK	22.42	-1.6	20.82	120.78	2000	PASS
DC_30A_n2A	15	15	380500	75@0	DFT_16QAM	20.5	-1.6	18.9	77.62	2000	PASS
DC_30A_n2A	15	15	380500	36@18	DFT_16QAM	21.54	-1.6	19.94	98.63	2000	PASS
DC_30A_n2A	15	15	380500	1@1	DFT_16QAM	21.64	-1.6	20.04	100.93	2000	PASS
DC_30A_n2A	15	15	380500	1@77	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS
DC_30A_n2A	15	15	380500	75@0	DFT_64QAM	20.06	-1.6	18.46	70.15	2000	PASS
DC_30A_n2A	15	15	380500	36@18	DFT_64QAM	20.07	-1.6	18.47	70.31	2000	PASS
DC_30A_n2A	15	15	380500	1@1	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
DC_30A_n2A	15	15	380500	1@77	DFT_64QAM	20.17	-1.6	18.57	71.94	2000	PASS
DC_30A_n2A	15	15	380500	75@0	DFT_256QAM	18.05	-1.6	16.45	44.16	2000	PASS
DC_30A_n2A	15	15	380500	36@18	DFT_256QAM	18.22	-1.6	16.62	45.92	2000	PASS
DC_30A_n2A	15	15	380500	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	15	380500	1@77	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_30A_n2A	15	15	380500	79@0	CP_QPSK	20.16	-1.6	18.56	71.78	2000	PASS
DC_30A_n2A	15	15	380500	39@19	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_30A_n2A	15	15	380500	1@1	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_30A_n2A	15	15	380500	1@77	CP_QPSK	20.66	-1.6	19.06	80.54	2000	PASS
DC_30A_n2A	15	15	380500	79@0	CP_16QAM	20.49	-1.6	18.89	77.45	2000	PASS
DC_30A_n2A	15	15	380500	39@19	CP_16QAM	20.55	-1.6	18.95	78.52	2000	PASS
DC_30A_n2A	15	15	380500	1@1	CP_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
DC_30A_n2A	15	15	380500	1@77	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
DC_30A_n2A	15	15	380500	79@0	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
DC_30A_n2A	15	15	380500	39@19	CP_64QAM	19.03	-1.6	17.43	55.34	2000	PASS
DC_30A_n2A	15	15	380500	1@1	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_30A_n2A	15	15	380500	1@77	CP_64QAM	18.87	-1.6	17.27	53.33	2000	PASS
DC_30A_n2A	15	15	380500	79@0	CP_256QAM	15.94	-1.6	14.34	27.16	2000	PASS
DC_30A_n2A	15	15	380500	39@19	CP_256QAM	15.96	-1.6	14.36	27.29	2000	PASS
DC_30A_n2A	15	15	380500	1@1	CP_256QAM	16.13	-1.6	14.53	28.38	2000	PASS

DC_30A_n2A	15	15	380500	1@77	CP_256QAM	16.08	-1.6	14.48	28.05	2000	PASS
DC_30A_n2A	15	20	372000	100@0	DFT_BPSK	22.12	-1.6	20.52	112.72	2000	PASS
DC_30A_n2A	15	20	372000	50@25	DFT_BPSK	23	-1.6	21.4	138.04	2000	PASS
DC_30A_n2A	15	20	372000	1@1	DFT_BPSK	22.94	-1.6	21.34	136.14	2000	PASS
DC_30A_n2A	15	20	372000	1@104	DFT_BPSK	22.96	-1.6	21.36	136.77	2000	PASS
DC_30A_n2A	15	20	372000	100@0	DFT_QPSK	21.98	-1.6	20.38	109.14	2000	PASS
DC_30A_n2A	15	20	372000	50@25	DFT_QPSK	23.02	-1.6	21.42	138.68	2000	PASS
DC_30A_n2A	15	20	372000	1@1	DFT_QPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_30A_n2A	15	20	372000	1@104	DFT_QPSK	22.92	-1.6	21.32	135.52	2000	PASS
DC_30A_n2A	15	20	372000	100@0	DFT_16QAM	20.95	-1.6	19.35	86.1	2000	PASS
DC_30A_n2A	15	20	372000	50@25	DFT_16QAM	21.97	-1.6	20.37	108.89	2000	PASS
DC_30A_n2A	15	20	372000	1@1	DFT_16QAM	22.12	-1.6	20.52	112.72	2000	PASS
DC_30A_n2A	15	20	372000	1@104	DFT_16QAM	22.05	-1.6	20.45	110.92	2000	PASS
DC_30A_n2A	15	20	372000	100@0	DFT_64QAM	20.45	-1.6	18.85	76.74	2000	PASS
DC_30A_n2A	15	20	372000	50@25	DFT_64QAM	20.47	-1.6	18.87	77.09	2000	PASS
DC_30A_n2A	15	20	372000	1@1	DFT_64QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_30A_n2A	15	20	372000	1@104	DFT_64QAM	20.63	-1.6	19.03	79.98	2000	PASS
DC_30A_n2A	15	20	372000	100@0	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_30A_n2A	15	20	372000	50@25	DFT_256QAM	18.22	-1.6	16.62	45.92	2000	PASS
DC_30A_n2A	15	20	372000	1@1	DFT_256QAM	18.12	-1.6	16.52	44.87	2000	PASS
DC_30A_n2A	15	20	372000	1@104	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_30A_n2A	15	20	372000	106@0	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
DC_30A_n2A	15	20	372000	53@26	CP_QPSK	21.45	-1.6	19.85	96.61	2000	PASS
DC_30A_n2A	15	20	372000	1@1	CP_QPSK	21.3	-1.6	19.7	93.33	2000	PASS
DC_30A_n2A	15	20	372000	1@104	CP_QPSK	21.29	-1.6	19.69	93.11	2000	PASS
DC_30A_n2A	15	20	372000	106@0	CP_16QAM	19.98	-1.6	18.38	68.87	2000	PASS
DC_30A_n2A	15	20	372000	53@26	CP_16QAM	21.02	-1.6	19.42	87.5	2000	PASS
DC_30A_n2A	15	20	372000	1@1	CP_16QAM	21.13	-1.6	19.53	89.74	2000	PASS
DC_30A_n2A	15	20	372000	1@104	CP_16QAM	21.14	-1.6	19.54	89.95	2000	PASS
DC_30A_n2A	15	20	372000	106@0	CP_64QAM	19.48	-1.6	17.88	61.38	2000	PASS
DC_30A_n2A	15	20	372000	53@26	CP_64QAM	19.48	-1.6	17.88	61.38	2000	PASS
DC_30A_n2A	15	20	372000	1@1	CP_64QAM	19.33	-1.6	17.73	59.29	2000	PASS
DC_30A_n2A	15	20	372000	1@104	CP_64QAM	19.32	-1.6	17.72	59.16	2000	PASS
DC_30A_n2A	15	20	372000	106@0	CP_256QAM	16.46	-1.6	14.86	30.62	2000	PASS
DC_30A_n2A	15	20	372000	53@26	CP_256QAM	16.43	-1.6	14.83	30.41	2000	PASS
DC_30A_n2A	15	20	372000	1@1	CP_256QAM	16.59	-1.6	14.99	31.55	2000	PASS
DC_30A_n2A	15	20	372000	1@104	CP_256QAM	16.54	-1.6	14.94	31.19	2000	PASS
DC_30A_n2A	15	20	376000	100@0	DFT_BPSK	21.61	-1.6	20.01	100.23	2000	PASS
DC_30A_n2A	15	20	376000	50@25	DFT_BPSK	22.76	-1.6	21.16	130.62	2000	PASS
DC_30A_n2A	15	20	376000	1@1	DFT_BPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_30A_n2A	15	20	376000	1@104	DFT_BPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_30A_n2A	15	20	376000	100@0	DFT_QPSK	21.73	-1.6	20.13	103.04	2000	PASS
DC_30A_n2A	15	20	376000	50@25	DFT_QPSK	22.77	-1.6	21.17	130.92	2000	PASS

DC_30A_n2A	15	20	376000	1@1	DFT_QPSK	22.87	-1.6	21.27	133.97	2000	PASS
DC_30A_n2A	15	20	376000	1@104	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_30A_n2A	15	20	376000	100@0	DFT_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_30A_n2A	15	20	376000	50@25	DFT_16QAM	21.8	-1.6	20.2	104.71	2000	PASS
DC_30A_n2A	15	20	376000	1@1	DFT_16QAM	21.92	-1.6	20.32	107.65	2000	PASS
DC_30A_n2A	15	20	376000	1@104	DFT_16QAM	21.56	-1.6	19.96	99.08	2000	PASS
DC_30A_n2A	15	20	376000	100@0	DFT_64QAM	20.27	-1.6	18.67	73.62	2000	PASS
DC_30A_n2A	15	20	376000	50@25	DFT_64QAM	20.28	-1.6	18.68	73.79	2000	PASS
DC_30A_n2A	15	20	376000	1@1	DFT_64QAM	20.51	-1.6	18.91	77.8	2000	PASS
DC_30A_n2A	15	20	376000	1@104	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
DC_30A_n2A	15	20	376000	100@0	DFT_256QAM	18.69	-1.6	17.09	51.17	2000	PASS
DC_30A_n2A	15	20	376000	50@25	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_30A_n2A	15	20	376000	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	20	376000	1@104	DFT_256QAM	18.33	-1.6	16.73	47.1	2000	PASS
DC_30A_n2A	15	20	376000	106@0	CP_QPSK	19.69	-1.6	18.09	64.42	2000	PASS
DC_30A_n2A	15	20	376000	53@26	CP_QPSK	21.26	-1.6	19.66	92.47	2000	PASS
DC_30A_n2A	15	20	376000	1@1	CP_QPSK	21.22	-1.6	19.62	91.62	2000	PASS
DC_30A_n2A	15	20	376000	1@104	CP_QPSK	20.82	-1.6	19.22	83.56	2000	PASS
DC_30A_n2A	15	20	376000	106@0	CP_16QAM	19.75	-1.6	18.15	65.31	2000	PASS
DC_30A_n2A	15	20	376000	53@26	CP_16QAM	20.81	-1.6	19.21	83.37	2000	PASS
DC_30A_n2A	15	20	376000	1@1	CP_16QAM	21.05	-1.6	19.45	88.1	2000	PASS
DC_30A_n2A	15	20	376000	1@104	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
DC_30A_n2A	15	20	376000	106@0	CP_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
DC_30A_n2A	15	20	376000	53@26	CP_64QAM	19.29	-1.6	17.69	58.75	2000	PASS
DC_30A_n2A	15	20	376000	1@1	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
DC_30A_n2A	15	20	376000	1@104	CP_64QAM	18.88	-1.6	17.28	53.46	2000	PASS
DC_30A_n2A	15	20	376000	106@0	CP_256QAM	16.19	-1.6	14.59	28.77	2000	PASS
DC_30A_n2A	15	20	376000	53@26	CP_256QAM	16.26	-1.6	14.66	29.24	2000	PASS
DC_30A_n2A	15	20	376000	1@1	CP_256QAM	16.5	-1.6	14.9	30.9	2000	PASS
DC_30A_n2A	15	20	376000	1@104	CP_256QAM	16.13	-1.6	14.53	28.38	2000	PASS
DC_30A_n2A	15	20	380000	100@0	DFT_BPSK	21.65	-1.6	20.05	101.16	2000	PASS
DC_30A_n2A	15	20	380000	50@25	DFT_BPSK	22.54	-1.6	20.94	124.17	2000	PASS
DC_30A_n2A	15	20	380000	1@1	DFT_BPSK	22.49	-1.6	20.89	122.74	2000	PASS
DC_30A_n2A	15	20	380000	1@104	DFT_BPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_30A_n2A	15	20	380000	100@0	DFT_QPSK	21.53	-1.6	19.93	98.4	2000	PASS
DC_30A_n2A	15	20	380000	50@25	DFT_QPSK	22.55	-1.6	20.95	124.45	2000	PASS
DC_30A_n2A	15	20	380000	1@1	DFT_QPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_30A_n2A	15	20	380000	1@104	DFT_QPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_30A_n2A	15	20	380000	100@0	DFT_16QAM	20.54	-1.6	18.94	78.34	2000	PASS
DC_30A_n2A	15	20	380000	50@25	DFT_16QAM	21.57	-1.6	19.97	99.31	2000	PASS
DC_30A_n2A	15	20	380000	1@1	DFT_16QAM	21.58	-1.6	19.98	99.54	2000	PASS
DC_30A_n2A	15	20	380000	1@104	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
DC_30A_n2A	15	20	380000	100@0	DFT_64QAM	20.04	-1.6	18.44	69.82	2000	PASS

DC_30A_n2A	15	20	380000	50@25	DFT_64QAM	20.06	-1.6	18.46	70.15	2000	PASS
DC_30A_n2A	15	20	380000	1@1	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
DC_30A_n2A	15	20	380000	1@104	DFT_64QAM	20.25	-1.6	18.65	73.28	2000	PASS
DC_30A_n2A	15	20	380000	100@0	DFT_256QAM	18.36	-1.6	16.76	47.42	2000	PASS
DC_30A_n2A	15	20	380000	50@25	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_30A_n2A	15	20	380000	1@1	DFT_256QAM	18.44	-1.6	16.84	48.31	2000	PASS
DC_30A_n2A	15	20	380000	1@104	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_30A_n2A	15	20	380000	106@0	CP_QPSK	20.23	-1.6	18.63	72.95	2000	PASS
DC_30A_n2A	15	20	380000	53@26	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_30A_n2A	15	20	380000	1@1	CP_QPSK	20.11	-1.6	18.51	70.96	2000	PASS
DC_30A_n2A	15	20	380000	1@104	CP_QPSK	20.54	-1.6	18.94	78.34	2000	PASS
DC_30A_n2A	15	20	380000	106@0	CP_16QAM	20.06	-1.6	18.46	70.15	2000	PASS
DC_30A_n2A	15	20	380000	53@26	CP_16QAM	20.55	-1.6	18.95	78.52	2000	PASS
DC_30A_n2A	15	20	380000	1@1	CP_16QAM	20.69	-1.6	19.09	81.1	2000	PASS
DC_30A_n2A	15	20	380000	1@104	CP_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
DC_30A_n2A	15	20	380000	106@0	CP_64QAM	18.99	-1.6	17.39	54.83	2000	PASS
DC_30A_n2A	15	20	380000	53@26	CP_64QAM	19.02	-1.6	17.42	55.21	2000	PASS
DC_30A_n2A	15	20	380000	1@1	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_30A_n2A	15	20	380000	1@104	CP_64QAM	18.93	-1.6	17.33	54.08	2000	PASS
DC_30A_n2A	15	20	380000	106@0	CP_256QAM	15.99	-1.6	14.39	27.48	2000	PASS
DC_30A_n2A	15	20	380000	53@26	CP_256QAM	15.97	-1.6	14.37	27.35	2000	PASS
DC_30A_n2A	15	20	380000	1@1	CP_256QAM	16.1	-1.6	14.5	28.18	2000	PASS
DC_30A_n2A	15	20	380000	1@104	CP_256QAM	16.14	-1.6	14.54	28.44	2000	PASS

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
DC_66A_n2A	15	5	370500	25@0	DFT_BPSK	21.99	-1.6	20.39	109.4	2000	PASS
DC_66A_n2A	15	5	370500	12@6	DFT_BPSK	22.89	-1.6	21.29	134.59	2000	PASS
DC_66A_n2A	15	5	370500	1@1	DFT_BPSK	22.83	-1.6	21.23	132.74	2000	PASS
DC_66A_n2A	15	5	370500	1@23	DFT_BPSK	22.8	-1.6	21.2	131.83	2000	PASS
DC_66A_n2A	15	5	370500	25@0	DFT_QPSK	21.93	-1.6	20.33	107.89	2000	PASS
DC_66A_n2A	15	5	370500	12@6	DFT_QPSK	22.95	-1.6	21.35	136.46	2000	PASS
DC_66A_n2A	15	5	370500	1@1	DFT_QPSK	22.75	-1.6	21.15	130.32	2000	PASS
DC_66A_n2A	15	5	370500	1@23	DFT_QPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_66A_n2A	15	5	370500	25@0	DFT_16QAM	20.89	-1.6	19.29	84.92	2000	PASS
DC_66A_n2A	15	5	370500	12@6	DFT_16QAM	21.85	-1.6	20.25	105.93	2000	PASS
DC_66A_n2A	15	5	370500	1@1	DFT_16QAM	22.03	-1.6	20.43	110.41	2000	PASS
DC_66A_n2A	15	5	370500	1@23	DFT_16QAM	21.97	-1.6	20.37	108.89	2000	PASS
DC_66A_n2A	15	5	370500	25@0	DFT_64QAM	20.44	-1.6	18.84	76.56	2000	PASS
DC_66A_n2A	15	5	370500	12@6	DFT_64QAM	20.41	-1.6	18.81	76.03	2000	PASS
DC_66A_n2A	15	5	370500	1@1	DFT_64QAM	20.62	-1.6	19.02	79.8	2000	PASS
DC_66A_n2A	15	5	370500	1@23	DFT_64QAM	20.5	-1.6	18.9	77.62	2000	PASS

DC_66A_n2A	15	5	370500	25@0	DFT_256QAM	18.34	-1.6	16.74	47.21	2000	PASS
DC_66A_n2A	15	5	370500	12@6	DFT_256QAM	18.4	-1.6	16.8	47.86	2000	PASS
DC_66A_n2A	15	5	370500	1@1	DFT_256QAM	18.3	-1.6	16.7	46.77	2000	PASS
DC_66A_n2A	15	5	370500	1@23	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_66A_n2A	15	5	370500	25@0	CP_QPSK	19.92	-1.6	18.32	67.92	2000	PASS
DC_66A_n2A	15	5	370500	13@6	CP_QPSK	21.3	-1.6	19.7	93.33	2000	PASS
DC_66A_n2A	15	5	370500	1@1	CP_QPSK	21.21	-1.6	19.61	91.41	2000	PASS
DC_66A_n2A	15	5	370500	1@23	CP_QPSK	21.22	-1.6	19.62	91.62	2000	PASS
DC_66A_n2A	15	5	370500	25@0	CP_16QAM	20	-1.6	18.4	69.18	2000	PASS
DC_66A_n2A	15	5	370500	13@6	CP_16QAM	20.93	-1.6	19.33	85.7	2000	PASS
DC_66A_n2A	15	5	370500	1@1	CP_16QAM	21.06	-1.6	19.46	88.31	2000	PASS
DC_66A_n2A	15	5	370500	1@23	CP_16QAM	21.02	-1.6	19.42	87.5	2000	PASS
DC_66A_n2A	15	5	370500	25@0	CP_64QAM	19.45	-1.6	17.85	60.95	2000	PASS
DC_66A_n2A	15	5	370500	13@6	CP_64QAM	19.31	-1.6	17.71	59.02	2000	PASS
DC_66A_n2A	15	5	370500	1@1	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
DC_66A_n2A	15	5	370500	1@23	CP_64QAM	19.33	-1.6	17.73	59.29	2000	PASS
DC_66A_n2A	15	5	370500	25@0	CP_256QAM	16.42	-1.6	14.82	30.34	2000	PASS
DC_66A_n2A	15	5	370500	13@6	CP_256QAM	16.34	-1.6	14.74	29.79	2000	PASS
DC_66A_n2A	15	5	370500	1@1	CP_256QAM	16.48	-1.6	14.88	30.76	2000	PASS
DC_66A_n2A	15	5	370500	1@23	CP_256QAM	16.47	-1.6	14.87	30.69	2000	PASS
DC_66A_n2A	15	5	376000	25@0	DFT_BPSK	21.59	-1.6	19.99	99.77	2000	PASS
DC_66A_n2A	15	5	376000	12@6	DFT_BPSK	22.71	-1.6	21.11	129.12	2000	PASS
DC_66A_n2A	15	5	376000	1@1	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
DC_66A_n2A	15	5	376000	1@23	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_66A_n2A	15	5	376000	25@0	DFT_QPSK	21.77	-1.6	20.17	103.99	2000	PASS
DC_66A_n2A	15	5	376000	12@6	DFT_QPSK	22.74	-1.6	21.14	130.02	2000	PASS
DC_66A_n2A	15	5	376000	1@1	DFT_QPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	5	376000	1@23	DFT_QPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_66A_n2A	15	5	376000	25@0	DFT_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_66A_n2A	15	5	376000	12@6	DFT_16QAM	21.77	-1.6	20.17	103.99	2000	PASS
DC_66A_n2A	15	5	376000	1@1	DFT_16QAM	21.86	-1.6	20.26	106.17	2000	PASS
DC_66A_n2A	15	5	376000	1@23	DFT_16QAM	21.82	-1.6	20.22	105.2	2000	PASS
DC_66A_n2A	15	5	376000	25@0	DFT_64QAM	20.3	-1.6	18.7	74.13	2000	PASS
DC_66A_n2A	15	5	376000	12@6	DFT_64QAM	20.29	-1.6	18.69	73.96	2000	PASS
DC_66A_n2A	15	5	376000	1@1	DFT_64QAM	20.41	-1.6	18.81	76.03	2000	PASS
DC_66A_n2A	15	5	376000	1@23	DFT_64QAM	20.39	-1.6	18.79	75.68	2000	PASS
DC_66A_n2A	15	5	376000	25@0	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_66A_n2A	15	5	376000	12@6	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_66A_n2A	15	5	376000	1@1	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	5	376000	1@23	DFT_256QAM	18.14	-1.6	16.54	45.08	2000	PASS
DC_66A_n2A	15	5	376000	25@0	CP_QPSK	19.26	-1.6	17.66	58.34	2000	PASS
DC_66A_n2A	15	5	376000	13@6	CP_QPSK	20.36	-1.6	18.76	75.16	2000	PASS
DC_66A_n2A	15	5	376000	1@1	CP_QPSK	20.16	-1.6	18.56	71.78	2000	PASS

DC_66A_n2A	15	5	376000	1@23	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_66A_n2A	15	5	376000	25@0	CP_16QAM	19.77	-1.6	18.17	65.61	2000	PASS
DC_66A_n2A	15	5	376000	13@6	CP_16QAM	20.8	-1.6	19.2	83.18	2000	PASS
DC_66A_n2A	15	5	376000	1@1	CP_16QAM	20.91	-1.6	19.31	85.31	2000	PASS
DC_66A_n2A	15	5	376000	1@23	CP_16QAM	20.87	-1.6	19.27	84.53	2000	PASS
DC_66A_n2A	15	5	376000	25@0	CP_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
DC_66A_n2A	15	5	376000	13@6	CP_64QAM	19.19	-1.6	17.59	57.41	2000	PASS
DC_66A_n2A	15	5	376000	1@1	CP_64QAM	19.15	-1.6	17.55	56.89	2000	PASS
DC_66A_n2A	15	5	376000	1@23	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
DC_66A_n2A	15	5	376000	25@0	CP_256QAM	16.19	-1.6	14.59	28.77	2000	PASS
DC_66A_n2A	15	5	376000	13@6	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_66A_n2A	15	5	376000	1@1	CP_256QAM	16.34	-1.6	14.74	29.79	2000	PASS
DC_66A_n2A	15	5	376000	1@23	CP_256QAM	16.33	-1.6	14.73	29.72	2000	PASS
DC_66A_n2A	15	5	381500	25@0	DFT_BPSK	21.68	-1.6	20.08	101.86	2000	PASS
DC_66A_n2A	15	5	381500	12@6	DFT_BPSK	22.56	-1.6	20.96	124.74	2000	PASS
DC_66A_n2A	15	5	381500	1@1	DFT_BPSK	22.43	-1.6	20.83	121.06	2000	PASS
DC_66A_n2A	15	5	381500	1@23	DFT_BPSK	22.45	-1.6	20.85	121.62	2000	PASS
DC_66A_n2A	15	5	381500	25@0	DFT_QPSK	21.58	-1.6	19.98	99.54	2000	PASS
DC_66A_n2A	15	5	381500	12@6	DFT_QPSK	22.57	-1.6	20.97	125.03	2000	PASS
DC_66A_n2A	15	5	381500	1@1	DFT_QPSK	22.43	-1.6	20.83	121.06	2000	PASS
DC_66A_n2A	15	5	381500	1@23	DFT_QPSK	22.4	-1.6	20.8	120.23	2000	PASS
DC_66A_n2A	15	5	381500	25@0	DFT_16QAM	20.55	-1.6	18.95	78.52	2000	PASS
DC_66A_n2A	15	5	381500	12@6	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
DC_66A_n2A	15	5	381500	1@1	DFT_16QAM	21.63	-1.6	20.03	100.69	2000	PASS
DC_66A_n2A	15	5	381500	1@23	DFT_16QAM	21.68	-1.6	20.08	101.86	2000	PASS
DC_66A_n2A	15	5	381500	25@0	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
DC_66A_n2A	15	5	381500	12@6	DFT_64QAM	20.12	-1.6	18.52	71.12	2000	PASS
DC_66A_n2A	15	5	381500	1@1	DFT_64QAM	20.21	-1.6	18.61	72.61	2000	PASS
DC_66A_n2A	15	5	381500	1@23	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_66A_n2A	15	5	381500	25@0	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_66A_n2A	15	5	381500	12@6	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_66A_n2A	15	5	381500	1@1	DFT_256QAM	18.56	-1.6	16.96	49.66	2000	PASS
DC_66A_n2A	15	5	381500	1@23	DFT_256QAM	18.47	-1.6	16.87	48.64	2000	PASS
DC_66A_n2A	15	5	381500	25@0	CP_QPSK	20.14	-1.6	18.54	71.45	2000	PASS
DC_66A_n2A	15	5	381500	13@6	CP_QPSK	20.96	-1.6	19.36	86.3	2000	PASS
DC_66A_n2A	15	5	381500	1@1	CP_QPSK	20.92	-1.6	19.32	85.51	2000	PASS
DC_66A_n2A	15	5	381500	1@23	CP_QPSK	20.91	-1.6	19.31	85.31	2000	PASS
DC_66A_n2A	15	5	381500	25@0	CP_16QAM	19.62	-1.6	18.02	63.39	2000	PASS
DC_66A_n2A	15	5	381500	13@6	CP_16QAM	20.62	-1.6	19.02	79.8	2000	PASS
DC_66A_n2A	15	5	381500	1@1	CP_16QAM	20.72	-1.6	19.12	81.66	2000	PASS
DC_66A_n2A	15	5	381500	1@23	CP_16QAM	20.72	-1.6	19.12	81.66	2000	PASS
DC_66A_n2A	15	5	381500	25@0	CP_64QAM	19.08	-1.6	17.48	55.98	2000	PASS
DC_66A_n2A	15	5	381500	13@6	CP_64QAM	19.04	-1.6	17.44	55.46	2000	PASS

DC_66A_n2A	15	5	381500	1@1	CP_64QAM	18.95	-1.6	17.35	54.33	2000	PASS
DC_66A_n2A	15	5	381500	1@23	CP_64QAM	18.94	-1.6	17.34	54.2	2000	PASS
DC_66A_n2A	15	5	381500	25@0	CP_256QAM	16.01	-1.6	14.41	27.61	2000	PASS
DC_66A_n2A	15	5	381500	13@6	CP_256QAM	16.01	-1.6	14.41	27.61	2000	PASS
DC_66A_n2A	15	5	381500	1@1	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
DC_66A_n2A	15	5	381500	1@23	CP_256QAM	16.15	-1.6	14.55	28.51	2000	PASS
DC_66A_n2A	15	10	371000	50@0	DFT_BPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_66A_n2A	15	10	371000	25@12	DFT_BPSK	22.36	-1.6	20.76	119.12	2000	PASS
DC_66A_n2A	15	10	371000	1@1	DFT_BPSK	22.15	-1.6	20.55	113.5	2000	PASS
DC_66A_n2A	15	10	371000	1@50	DFT_BPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_66A_n2A	15	10	371000	50@0	DFT_QPSK	21.45	-1.6	19.85	96.61	2000	PASS
DC_66A_n2A	15	10	371000	25@12	DFT_QPSK	22.44	-1.6	20.84	121.34	2000	PASS
DC_66A_n2A	15	10	371000	1@1	DFT_QPSK	22.46	-1.6	20.86	121.9	2000	PASS
DC_66A_n2A	15	10	371000	1@50	DFT_QPSK	22.66	-1.6	21.06	127.64	2000	PASS
DC_66A_n2A	15	10	371000	50@0	DFT_16QAM	20.12	-1.6	18.52	71.12	2000	PASS
DC_66A_n2A	15	10	371000	25@12	DFT_16QAM	21.36	-1.6	19.76	94.62	2000	PASS
DC_66A_n2A	15	10	371000	1@1	DFT_16QAM	21.11	-1.6	19.51	89.33	2000	PASS
DC_66A_n2A	15	10	371000	1@50	DFT_16QAM	21.65	-1.6	20.05	101.16	2000	PASS
DC_66A_n2A	15	10	371000	50@0	DFT_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
DC_66A_n2A	15	10	371000	25@12	DFT_64QAM	20.6	-1.6	19	79.43	2000	PASS
DC_66A_n2A	15	10	371000	1@1	DFT_64QAM	20.36	-1.6	18.76	75.16	2000	PASS
DC_66A_n2A	15	10	371000	1@50	DFT_64QAM	20.11	-1.6	18.51	70.96	2000	PASS
DC_66A_n2A	15	10	371000	50@0	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_66A_n2A	15	10	371000	25@12	DFT_256QAM	18.21	-1.6	16.61	45.81	2000	PASS
DC_66A_n2A	15	10	371000	1@1	DFT_256QAM	18.28	-1.6	16.68	46.56	2000	PASS
DC_66A_n2A	15	10	371000	1@50	DFT_256QAM	18.28	-1.6	16.68	46.56	2000	PASS
DC_66A_n2A	15	10	371000	52@0	CP_QPSK	19.83	-1.6	18.23	66.53	2000	PASS
DC_66A_n2A	15	10	371000	26@13	CP_QPSK	21.26	-1.6	19.66	92.47	2000	PASS
DC_66A_n2A	15	10	371000	1@1	CP_QPSK	21.26	-1.6	19.66	92.47	2000	PASS
DC_66A_n2A	15	10	371000	1@50	CP_QPSK	21.25	-1.6	19.65	92.26	2000	PASS
DC_66A_n2A	15	10	371000	52@0	CP_16QAM	19.89	-1.6	18.29	67.45	2000	PASS
DC_66A_n2A	15	10	371000	26@13	CP_16QAM	20.88	-1.6	19.28	84.72	2000	PASS
DC_66A_n2A	15	10	371000	1@1	CP_16QAM	21.08	-1.6	19.48	88.72	2000	PASS
DC_66A_n2A	15	10	371000	1@50	CP_16QAM	21.09	-1.6	19.49	88.92	2000	PASS
DC_66A_n2A	15	10	371000	52@0	CP_64QAM	19.38	-1.6	17.78	59.98	2000	PASS
DC_66A_n2A	15	10	371000	26@13	CP_64QAM	19.31	-1.6	17.71	59.02	2000	PASS
DC_66A_n2A	15	10	371000	1@1	CP_64QAM	19.27	-1.6	17.67	58.48	2000	PASS
DC_66A_n2A	15	10	371000	1@50	CP_64QAM	19.3	-1.6	17.7	58.88	2000	PASS
DC_66A_n2A	15	10	371000	52@0	CP_256QAM	16.33	-1.6	14.73	29.72	2000	PASS
DC_66A_n2A	15	10	371000	26@13	CP_256QAM	16.3	-1.6	14.7	29.51	2000	PASS
DC_66A_n2A	15	10	371000	1@1	CP_256QAM	16.51	-1.6	14.91	30.97	2000	PASS
DC_66A_n2A	15	10	371000	1@50	CP_256QAM	16.52	-1.6	14.92	31.05	2000	PASS
DC_66A_n2A	15	10	376000	50@0	DFT_BPSK	21.59	-1.6	19.99	99.77	2000	PASS

DC_66A_n2A	15	10	376000	25@12	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
DC_66A_n2A	15	10	376000	1@1	DFT_BPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	10	376000	1@50	DFT_BPSK	22.63	-1.6	21.03	126.77	2000	PASS
DC_66A_n2A	15	10	376000	50@0	DFT_QPSK	21.68	-1.6	20.08	101.86	2000	PASS
DC_66A_n2A	15	10	376000	25@12	DFT_QPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	10	376000	1@1	DFT_QPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	10	376000	1@50	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
DC_66A_n2A	15	10	376000	50@0	DFT_16QAM	20.66	-1.6	19.06	80.54	2000	PASS
DC_66A_n2A	15	10	376000	25@12	DFT_16QAM	21.7	-1.6	20.1	102.33	2000	PASS
DC_66A_n2A	15	10	376000	1@1	DFT_16QAM	21.89	-1.6	20.29	106.91	2000	PASS
DC_66A_n2A	15	10	376000	1@50	DFT_16QAM	21.79	-1.6	20.19	104.47	2000	PASS
DC_66A_n2A	15	10	376000	50@0	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_66A_n2A	15	10	376000	25@12	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_66A_n2A	15	10	376000	1@1	DFT_64QAM	20.3	-1.6	18.7	74.13	2000	PASS
DC_66A_n2A	15	10	376000	1@50	DFT_64QAM	20.35	-1.6	18.75	74.99	2000	PASS
DC_66A_n2A	15	10	376000	50@0	DFT_256QAM	18.1	-1.6	16.5	44.67	2000	PASS
DC_66A_n2A	15	10	376000	25@12	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_66A_n2A	15	10	376000	1@1	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_66A_n2A	15	10	376000	1@50	DFT_256QAM	18.1	-1.6	16.5	44.67	2000	PASS
DC_66A_n2A	15	10	376000	52@0	CP_QPSK	19.65	-1.6	18.05	63.83	2000	PASS
DC_66A_n2A	15	10	376000	26@13	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_66A_n2A	15	10	376000	1@1	CP_QPSK	20.45	-1.6	18.85	76.74	2000	PASS
DC_66A_n2A	15	10	376000	1@50	CP_QPSK	20.55	-1.6	18.95	78.52	2000	PASS
DC_66A_n2A	15	10	376000	52@0	CP_16QAM	19.53	-1.6	17.93	62.09	2000	PASS
DC_66A_n2A	15	10	376000	26@13	CP_16QAM	20.72	-1.6	19.12	81.66	2000	PASS
DC_66A_n2A	15	10	376000	1@1	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_66A_n2A	15	10	376000	1@50	CP_16QAM	20.86	-1.6	19.26	84.33	2000	PASS
DC_66A_n2A	15	10	376000	52@0	CP_64QAM	19.17	-1.6	17.57	57.15	2000	PASS
DC_66A_n2A	15	10	376000	26@13	CP_64QAM	19.19	-1.6	17.59	57.41	2000	PASS
DC_66A_n2A	15	10	376000	1@1	CP_64QAM	19.12	-1.6	17.52	56.49	2000	PASS
DC_66A_n2A	15	10	376000	1@50	CP_64QAM	19.13	-1.6	17.53	56.62	2000	PASS
DC_66A_n2A	15	10	376000	52@0	CP_256QAM	16.12	-1.6	14.52	28.31	2000	PASS
DC_66A_n2A	15	10	376000	26@13	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_66A_n2A	15	10	376000	1@1	CP_256QAM	16.39	-1.6	14.79	30.13	2000	PASS
DC_66A_n2A	15	10	376000	1@50	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS
DC_66A_n2A	15	10	381000	50@0	DFT_BPSK	21.53	-1.6	19.93	98.4	2000	PASS
DC_66A_n2A	15	10	381000	25@12	DFT_BPSK	22.47	-1.6	20.87	122.18	2000	PASS
DC_66A_n2A	15	10	381000	1@1	DFT_BPSK	22.5	-1.6	20.9	123.03	2000	PASS
DC_66A_n2A	15	10	381000	1@50	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_66A_n2A	15	10	381000	50@0	DFT_QPSK	21.5	-1.6	19.9	97.72	2000	PASS
DC_66A_n2A	15	10	381000	25@12	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_66A_n2A	15	10	381000	1@1	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_66A_n2A	15	10	381000	1@50	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS

DC_66A_n2A	15	10	381000	50@0	DFT_16QAM	20.5	-1.6	18.9	77.62	2000	PASS
DC_66A_n2A	15	10	381000	25@12	DFT_16QAM	21.52	-1.6	19.92	98.17	2000	PASS
DC_66A_n2A	15	10	381000	1@1	DFT_16QAM	21.74	-1.6	20.14	103.28	2000	PASS
DC_66A_n2A	15	10	381000	1@50	DFT_16QAM	21.72	-1.6	20.12	102.8	2000	PASS
DC_66A_n2A	15	10	381000	50@0	DFT_64QAM	20.03	-1.6	18.43	69.66	2000	PASS
DC_66A_n2A	15	10	381000	25@12	DFT_64QAM	20.04	-1.6	18.44	69.82	2000	PASS
DC_66A_n2A	15	10	381000	1@1	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_66A_n2A	15	10	381000	1@50	DFT_64QAM	20.19	-1.6	18.59	72.28	2000	PASS
DC_66A_n2A	15	10	381000	50@0	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	10	381000	25@12	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_66A_n2A	15	10	381000	1@1	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	10	381000	1@50	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	10	381000	52@0	CP_QPSK	20.16	-1.6	18.56	71.78	2000	PASS
DC_66A_n2A	15	10	381000	26@13	CP_QPSK	20.66	-1.6	19.06	80.54	2000	PASS
DC_66A_n2A	15	10	381000	1@1	CP_QPSK	20.16	-1.6	18.56	71.78	2000	PASS
DC_66A_n2A	15	10	381000	1@50	CP_QPSK	20.44	-1.6	18.84	76.56	2000	PASS
DC_66A_n2A	15	10	381000	52@0	CP_16QAM	19.49	-1.6	17.89	61.52	2000	PASS
DC_66A_n2A	15	10	381000	26@13	CP_16QAM	20.49	-1.6	18.89	77.45	2000	PASS
DC_66A_n2A	15	10	381000	1@1	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
DC_66A_n2A	15	10	381000	1@50	CP_16QAM	20.7	-1.6	19.1	81.28	2000	PASS
DC_66A_n2A	15	10	381000	52@0	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_66A_n2A	15	10	381000	26@13	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_66A_n2A	15	10	381000	1@1	CP_64QAM	18.94	-1.6	17.34	54.2	2000	PASS
DC_66A_n2A	15	10	381000	1@50	CP_64QAM	18.96	-1.6	17.36	54.45	2000	PASS
DC_66A_n2A	15	10	381000	52@0	CP_256QAM	15.92	-1.6	14.32	27.04	2000	PASS
DC_66A_n2A	15	10	381000	26@13	CP_256QAM	15.96	-1.6	14.36	27.29	2000	PASS
DC_66A_n2A	15	10	381000	1@1	CP_256QAM	16.16	-1.6	14.56	28.58	2000	PASS
DC_66A_n2A	15	10	381000	1@50	CP_256QAM	16.18	-1.6	14.58	28.71	2000	PASS
DC_66A_n2A	15	15	371500	75@0	DFT_BPSK	21.99	-1.6	20.39	109.4	2000	PASS
DC_66A_n2A	15	15	371500	36@18	DFT_BPSK	22.85	-1.6	21.25	133.35	2000	PASS
DC_66A_n2A	15	15	371500	1@1	DFT_BPSK	22.86	-1.6	21.26	133.66	2000	PASS
DC_66A_n2A	15	15	371500	1@77	DFT_BPSK	22.79	-1.6	21.19	131.52	2000	PASS
DC_66A_n2A	15	15	371500	75@0	DFT_QPSK	21.89	-1.6	20.29	106.91	2000	PASS
DC_66A_n2A	15	15	371500	36@18	DFT_QPSK	22.91	-1.6	21.31	135.21	2000	PASS
DC_66A_n2A	15	15	371500	1@1	DFT_QPSK	22.77	-1.6	21.17	130.92	2000	PASS
DC_66A_n2A	15	15	371500	1@77	DFT_QPSK	22.75	-1.6	21.15	130.32	2000	PASS
DC_66A_n2A	15	15	371500	75@0	DFT_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_66A_n2A	15	15	371500	36@18	DFT_16QAM	21.92	-1.6	20.32	107.65	2000	PASS
DC_66A_n2A	15	15	371500	1@1	DFT_16QAM	22.05	-1.6	20.45	110.92	2000	PASS
DC_66A_n2A	15	15	371500	1@77	DFT_16QAM	21.89	-1.6	20.29	106.91	2000	PASS
DC_66A_n2A	15	15	371500	75@0	DFT_64QAM	20.39	-1.6	18.79	75.68	2000	PASS
DC_66A_n2A	15	15	371500	36@18	DFT_64QAM	20.41	-1.6	18.81	76.03	2000	PASS
DC_66A_n2A	15	15	371500	1@1	DFT_64QAM	20.67	-1.6	19.07	80.72	2000	PASS

DC_66A_n2A	15	15	371500	1@77	DFT_64QAM	20.5	-1.6	18.9	77.62	2000	PASS
DC_66A_n2A	15	15	371500	75@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
DC_66A_n2A	15	15	371500	36@18	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	15	371500	1@1	DFT_256QAM	18.24	-1.6	16.64	46.13	2000	PASS
DC_66A_n2A	15	15	371500	1@77	DFT_256QAM	18.23	-1.6	16.63	46.03	2000	PASS
DC_66A_n2A	15	15	371500	79@0	CP_QPSK	20.66	-1.6	19.06	80.54	2000	PASS
DC_66A_n2A	15	15	371500	39@19	CP_QPSK	21.41	-1.6	19.81	95.72	2000	PASS
DC_66A_n2A	15	15	371500	1@1	CP_QPSK	21.22	-1.6	19.62	91.62	2000	PASS
DC_66A_n2A	15	15	371500	1@77	CP_QPSK	21.17	-1.6	19.57	90.57	2000	PASS
DC_66A_n2A	15	15	371500	79@0	CP_16QAM	19.91	-1.6	18.31	67.76	2000	PASS
DC_66A_n2A	15	15	371500	39@19	CP_16QAM	20.95	-1.6	19.35	86.1	2000	PASS
DC_66A_n2A	15	15	371500	1@1	CP_16QAM	21.03	-1.6	19.43	87.7	2000	PASS
DC_66A_n2A	15	15	371500	1@77	CP_16QAM	21.04	-1.6	19.44	87.9	2000	PASS
DC_66A_n2A	15	15	371500	79@0	CP_64QAM	19.4	-1.6	17.8	60.26	2000	PASS
DC_66A_n2A	15	15	371500	39@19	CP_64QAM	19.41	-1.6	17.81	60.39	2000	PASS
DC_66A_n2A	15	15	371500	1@1	CP_64QAM	19.28	-1.6	17.68	58.61	2000	PASS
DC_66A_n2A	15	15	371500	1@77	CP_64QAM	19.26	-1.6	17.66	58.34	2000	PASS
DC_66A_n2A	15	15	371500	79@0	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS
DC_66A_n2A	15	15	371500	39@19	CP_256QAM	16.37	-1.6	14.77	29.99	2000	PASS
DC_66A_n2A	15	15	371500	1@1	CP_256QAM	16.52	-1.6	14.92	31.05	2000	PASS
DC_66A_n2A	15	15	371500	1@77	CP_256QAM	16.44	-1.6	14.84	30.48	2000	PASS
DC_66A_n2A	15	15	376000	75@0	DFT_BPSK	21.45	-1.6	19.85	96.61	2000	PASS
DC_66A_n2A	15	15	376000	36@18	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_66A_n2A	15	15	376000	1@1	DFT_BPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_66A_n2A	15	15	376000	1@77	DFT_BPSK	22.62	-1.6	21.02	126.47	2000	PASS
DC_66A_n2A	15	15	376000	75@0	DFT_QPSK	21.74	-1.6	20.14	103.28	2000	PASS
DC_66A_n2A	15	15	376000	36@18	DFT_QPSK	22.67	-1.6	21.07	127.94	2000	PASS
DC_66A_n2A	15	15	376000	1@1	DFT_QPSK	22.6	-1.6	21	125.89	2000	PASS
DC_66A_n2A	15	15	376000	1@77	DFT_QPSK	22.59	-1.6	20.99	125.6	2000	PASS
DC_66A_n2A	15	15	376000	75@0	DFT_16QAM	20.71	-1.6	19.11	81.47	2000	PASS
DC_66A_n2A	15	15	376000	36@18	DFT_16QAM	21.78	-1.6	20.18	104.23	2000	PASS
DC_66A_n2A	15	15	376000	1@1	DFT_16QAM	21.79	-1.6	20.19	104.47	2000	PASS
DC_66A_n2A	15	15	376000	1@77	DFT_16QAM	21.69	-1.6	20.09	102.09	2000	PASS
DC_66A_n2A	15	15	376000	75@0	DFT_64QAM	20.23	-1.6	18.63	72.95	2000	PASS
DC_66A_n2A	15	15	376000	36@18	DFT_64QAM	20.28	-1.6	18.68	73.79	2000	PASS
DC_66A_n2A	15	15	376000	1@1	DFT_64QAM	20.32	-1.6	18.72	74.47	2000	PASS
DC_66A_n2A	15	15	376000	1@77	DFT_64QAM	20.29	-1.6	18.69	73.96	2000	PASS
DC_66A_n2A	15	15	376000	75@0	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	15	376000	36@18	DFT_256QAM	18.19	-1.6	16.59	45.6	2000	PASS
DC_66A_n2A	15	15	376000	1@1	DFT_256QAM	18.03	-1.6	16.43	43.95	2000	PASS
DC_66A_n2A	15	15	376000	1@77	DFT_256QAM	17.99	-1.6	16.39	43.55	2000	PASS
DC_66A_n2A	15	15	376000	79@0	CP_QPSK	19.74	-1.6	18.14	65.16	2000	PASS
DC_66A_n2A	15	15	376000	39@19	CP_QPSK	21.27	-1.6	19.67	92.68	2000	PASS

DC_66A_n2A	15	15	376000	1@1	CP_QPSK	21.06	-1.6	19.46	88.31	2000	PASS
DC_66A_n2A	15	15	376000	1@77	CP_QPSK	20.95	-1.6	19.35	86.1	2000	PASS
DC_66A_n2A	15	15	376000	79@0	CP_16QAM	19.72	-1.6	18.12	64.86	2000	PASS
DC_66A_n2A	15	15	376000	39@19	CP_16QAM	20.81	-1.6	19.21	83.37	2000	PASS
DC_66A_n2A	15	15	376000	1@1	CP_16QAM	20.88	-1.6	19.28	84.72	2000	PASS
DC_66A_n2A	15	15	376000	1@77	CP_16QAM	20.79	-1.6	19.19	82.99	2000	PASS
DC_66A_n2A	15	15	376000	79@0	CP_64QAM	19.27	-1.6	17.67	58.48	2000	PASS
DC_66A_n2A	15	15	376000	39@19	CP_64QAM	19.27	-1.6	17.67	58.48	2000	PASS
DC_66A_n2A	15	15	376000	1@1	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
DC_66A_n2A	15	15	376000	1@77	CP_64QAM	19	-1.6	17.4	54.95	2000	PASS
DC_66A_n2A	15	15	376000	79@0	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
DC_66A_n2A	15	15	376000	39@19	CP_256QAM	16.24	-1.6	14.64	29.11	2000	PASS
DC_66A_n2A	15	15	376000	1@1	CP_256QAM	16.33	-1.6	14.73	29.72	2000	PASS
DC_66A_n2A	15	15	376000	1@77	CP_256QAM	16.22	-1.6	14.62	28.97	2000	PASS
DC_66A_n2A	15	15	380500	75@0	DFT_BPSK	21.69	-1.6	20.09	102.09	2000	PASS
DC_66A_n2A	15	15	380500	36@18	DFT_BPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_66A_n2A	15	15	380500	1@1	DFT_BPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	15	380500	1@77	DFT_BPSK	22.54	-1.6	20.94	124.17	2000	PASS
DC_66A_n2A	15	15	380500	75@0	DFT_QPSK	21.56	-1.6	19.96	99.08	2000	PASS
DC_66A_n2A	15	15	380500	36@18	DFT_QPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_66A_n2A	15	15	380500	1@1	DFT_QPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_66A_n2A	15	15	380500	1@77	DFT_QPSK	22.5	-1.6	20.9	123.03	2000	PASS
DC_66A_n2A	15	15	380500	75@0	DFT_16QAM	20.58	-1.6	18.98	79.07	2000	PASS
DC_66A_n2A	15	15	380500	36@18	DFT_16QAM	21.58	-1.6	19.98	99.54	2000	PASS
DC_66A_n2A	15	15	380500	1@1	DFT_16QAM	21.73	-1.6	20.13	103.04	2000	PASS
DC_66A_n2A	15	15	380500	1@77	DFT_16QAM	21.72	-1.6	20.12	102.8	2000	PASS
DC_66A_n2A	15	15	380500	75@0	DFT_64QAM	20.14	-1.6	18.54	71.45	2000	PASS
DC_66A_n2A	15	15	380500	36@18	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_66A_n2A	15	15	380500	1@1	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
DC_66A_n2A	15	15	380500	1@77	DFT_64QAM	20.27	-1.6	18.67	73.62	2000	PASS
DC_66A_n2A	15	15	380500	75@0	DFT_256QAM	18.06	-1.6	16.46	44.26	2000	PASS
DC_66A_n2A	15	15	380500	36@18	DFT_256QAM	18.26	-1.6	16.66	46.34	2000	PASS
DC_66A_n2A	15	15	380500	1@1	DFT_256QAM	18.11	-1.6	16.51	44.77	2000	PASS
DC_66A_n2A	15	15	380500	1@77	DFT_256QAM	18.15	-1.6	16.55	45.19	2000	PASS
DC_66A_n2A	15	15	380500	79@0	CP_QPSK	19.61	-1.6	18.01	63.24	2000	PASS
DC_66A_n2A	15	15	380500	39@19	CP_QPSK	20.11	-1.6	18.51	70.96	2000	PASS
DC_66A_n2A	15	15	380500	1@1	CP_QPSK	20.15	-1.6	18.55	71.61	2000	PASS
DC_66A_n2A	15	15	380500	1@77	CP_QPSK	20.61	-1.6	19.01	79.62	2000	PASS
DC_66A_n2A	15	15	380500	79@0	CP_16QAM	19.36	-1.6	17.76	59.7	2000	PASS
DC_66A_n2A	15	15	380500	39@19	CP_16QAM	20.6	-1.6	19	79.43	2000	PASS
DC_66A_n2A	15	15	380500	1@1	CP_16QAM	20.75	-1.6	19.15	82.22	2000	PASS
DC_66A_n2A	15	15	380500	1@77	CP_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_66A_n2A	15	15	380500	79@0	CP_64QAM	19.09	-1.6	17.49	56.1	2000	PASS

DC_66A_n2A	15	15	380500	39@19	CP_64QAM	19.07	-1.6	17.47	55.85	2000	PASS
DC_66A_n2A	15	15	380500	1@1	CP_64QAM	18.99	-1.6	17.39	54.83	2000	PASS
DC_66A_n2A	15	15	380500	1@77	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_66A_n2A	15	15	380500	79@0	CP_256QAM	16.04	-1.6	14.44	27.8	2000	PASS
DC_66A_n2A	15	15	380500	39@19	CP_256QAM	16.03	-1.6	14.43	27.73	2000	PASS
DC_66A_n2A	15	15	380500	1@1	CP_256QAM	16.21	-1.6	14.61	28.91	2000	PASS
DC_66A_n2A	15	15	380500	1@77	CP_256QAM	16.16	-1.6	14.56	28.58	2000	PASS
DC_66A_n2A	15	20	372000	100@0	DFT_BPSK	21.49	-1.6	19.89	97.5	2000	PASS
DC_66A_n2A	15	20	372000	50@25	DFT_BPSK	22.88	-1.6	21.28	134.28	2000	PASS
DC_66A_n2A	15	20	372000	1@1	DFT_BPSK	22.83	-1.6	21.23	132.74	2000	PASS
DC_66A_n2A	15	20	372000	1@104	DFT_BPSK	22.76	-1.6	21.16	130.62	2000	PASS
DC_66A_n2A	15	20	372000	100@0	DFT_QPSK	21.85	-1.6	20.25	105.93	2000	PASS
DC_66A_n2A	15	20	372000	50@25	DFT_QPSK	22.9	-1.6	21.3	134.9	2000	PASS
DC_66A_n2A	15	20	372000	1@1	DFT_QPSK	22.77	-1.6	21.17	130.92	2000	PASS
DC_66A_n2A	15	20	372000	1@104	DFT_QPSK	22.71	-1.6	21.11	129.12	2000	PASS
DC_66A_n2A	15	20	372000	100@0	DFT_16QAM	20.83	-1.6	19.23	83.75	2000	PASS
DC_66A_n2A	15	20	372000	50@25	DFT_16QAM	21.9	-1.6	20.3	107.15	2000	PASS
DC_66A_n2A	15	20	372000	1@1	DFT_16QAM	22.04	-1.6	20.44	110.66	2000	PASS
DC_66A_n2A	15	20	372000	1@104	DFT_16QAM	21.87	-1.6	20.27	106.41	2000	PASS
DC_66A_n2A	15	20	372000	100@0	DFT_64QAM	20.33	-1.6	18.73	74.64	2000	PASS
DC_66A_n2A	15	20	372000	50@25	DFT_64QAM	20.37	-1.6	18.77	75.34	2000	PASS
DC_66A_n2A	15	20	372000	1@1	DFT_64QAM	20.59	-1.6	18.99	79.25	2000	PASS
DC_66A_n2A	15	20	372000	1@104	DFT_64QAM	20.43	-1.6	18.83	76.38	2000	PASS
DC_66A_n2A	15	20	372000	100@0	DFT_256QAM	18.33	-1.6	16.73	47.1	2000	PASS
DC_66A_n2A	15	20	372000	50@25	DFT_256QAM	18.33	-1.6	16.73	47.1	2000	PASS
DC_66A_n2A	15	20	372000	1@1	DFT_256QAM	18.31	-1.6	16.71	46.88	2000	PASS
DC_66A_n2A	15	20	372000	1@104	DFT_256QAM	18.18	-1.6	16.58	45.5	2000	PASS
DC_66A_n2A	15	20	372000	106@0	CP_QPSK	21.03	-1.6	19.43	87.7	2000	PASS
DC_66A_n2A	15	20	372000	53@26	CP_QPSK	21.36	-1.6	19.76	94.62	2000	PASS
DC_66A_n2A	15	20	372000	1@1	CP_QPSK	21.2	-1.6	19.6	91.2	2000	PASS
DC_66A_n2A	15	20	372000	1@104	CP_QPSK	21.09	-1.6	19.49	88.92	2000	PASS
DC_66A_n2A	15	20	372000	106@0	CP_16QAM	19.84	-1.6	18.24	66.68	2000	PASS
DC_66A_n2A	15	20	372000	53@26	CP_16QAM	20.9	-1.6	19.3	85.11	2000	PASS
DC_66A_n2A	15	20	372000	1@1	CP_16QAM	21.01	-1.6	19.41	87.3	2000	PASS
DC_66A_n2A	15	20	372000	1@104	CP_16QAM	20.91	-1.6	19.31	85.31	2000	PASS
DC_66A_n2A	15	20	372000	106@0	CP_64QAM	19.35	-1.6	17.75	59.57	2000	PASS
DC_66A_n2A	15	20	372000	53@26	CP_64QAM	19.37	-1.6	17.77	59.84	2000	PASS
DC_66A_n2A	15	20	372000	1@1	CP_64QAM	19.25	-1.6	17.65	58.21	2000	PASS
DC_66A_n2A	15	20	372000	1@104	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
DC_66A_n2A	15	20	372000	106@0	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS
DC_66A_n2A	15	20	372000	53@26	CP_256QAM	16.31	-1.6	14.71	29.58	2000	PASS
DC_66A_n2A	15	20	372000	1@1	CP_256QAM	16.48	-1.6	14.88	30.76	2000	PASS
DC_66A_n2A	15	20	372000	1@104	CP_256QAM	16.35	-1.6	14.75	29.85	2000	PASS

DC_66A_n2A	15	20	376000	100@0	DFT_BPSK	21.66	-1.6	20.06	101.39	2000	PASS
DC_66A_n2A	15	20	376000	50@25	DFT_BPSK	22.7	-1.6	21.1	128.82	2000	PASS
DC_66A_n2A	15	20	376000	1@1	DFT_BPSK	22.69	-1.6	21.09	128.53	2000	PASS
DC_66A_n2A	15	20	376000	1@104	DFT_BPSK	22.58	-1.6	20.98	125.31	2000	PASS
DC_66A_n2A	15	20	376000	100@0	DFT_QPSK	21.71	-1.6	20.11	102.57	2000	PASS
DC_66A_n2A	15	20	376000	50@25	DFT_QPSK	22.71	-1.6	21.11	129.12	2000	PASS
DC_66A_n2A	15	20	376000	1@1	DFT_QPSK	22.65	-1.6	21.05	127.35	2000	PASS
DC_66A_n2A	15	20	376000	1@104	DFT_QPSK	22.52	-1.6	20.92	123.59	2000	PASS
DC_66A_n2A	15	20	376000	100@0	DFT_16QAM	20.65	-1.6	19.05	80.35	2000	PASS
DC_66A_n2A	15	20	376000	50@25	DFT_16QAM	21.77	-1.6	20.17	103.99	2000	PASS
DC_66A_n2A	15	20	376000	1@1	DFT_16QAM	21.71	-1.6	20.11	102.57	2000	PASS
DC_66A_n2A	15	20	376000	1@104	DFT_16QAM	21.59	-1.6	19.99	99.77	2000	PASS
DC_66A_n2A	15	20	376000	100@0	DFT_64QAM	20.18	-1.6	18.58	72.11	2000	PASS
DC_66A_n2A	15	20	376000	50@25	DFT_64QAM	20.21	-1.6	18.61	72.61	2000	PASS
DC_66A_n2A	15	20	376000	1@1	DFT_64QAM	20.26	-1.6	18.66	73.45	2000	PASS
DC_66A_n2A	15	20	376000	1@104	DFT_64QAM	20.22	-1.6	18.62	72.78	2000	PASS
DC_66A_n2A	15	20	376000	100@0	DFT_256QAM	18.56	-1.6	16.96	49.66	2000	PASS
DC_66A_n2A	15	20	376000	50@25	DFT_256QAM	18.17	-1.6	16.57	45.39	2000	PASS
DC_66A_n2A	15	20	376000	1@1	DFT_256QAM	18	-1.6	16.4	43.65	2000	PASS
DC_66A_n2A	15	20	376000	1@104	DFT_256QAM	17.9	-1.6	16.3	42.66	2000	PASS
DC_66A_n2A	15	20	376000	106@0	CP_QPSK	20.74	-1.6	19.14	82.04	2000	PASS
DC_66A_n2A	15	20	376000	53@26	CP_QPSK	21.24	-1.6	19.64	92.04	2000	PASS
DC_66A_n2A	15	20	376000	1@1	CP_QPSK	20.98	-1.6	19.38	86.7	2000	PASS
DC_66A_n2A	15	20	376000	1@104	CP_QPSK	20.85	-1.6	19.25	84.14	2000	PASS
DC_66A_n2A	15	20	376000	106@0	CP_16QAM	19.7	-1.6	18.1	64.57	2000	PASS
DC_66A_n2A	15	20	376000	53@26	CP_16QAM	20.78	-1.6	19.18	82.79	2000	PASS
DC_66A_n2A	15	20	376000	1@1	CP_16QAM	20.87	-1.6	19.27	84.53	2000	PASS
DC_66A_n2A	15	20	376000	1@104	CP_16QAM	20.67	-1.6	19.07	80.72	2000	PASS
DC_66A_n2A	15	20	376000	106@0	CP_64QAM	19.16	-1.6	17.56	57.02	2000	PASS
DC_66A_n2A	15	20	376000	53@26	CP_64QAM	19.24	-1.6	17.64	58.08	2000	PASS
DC_66A_n2A	15	20	376000	1@1	CP_64QAM	19.06	-1.6	17.46	55.72	2000	PASS
DC_66A_n2A	15	20	376000	1@104	CP_64QAM	18.92	-1.6	17.32	53.95	2000	PASS
DC_66A_n2A	15	20	376000	106@0	CP_256QAM	16.15	-1.6	14.55	28.51	2000	PASS
DC_66A_n2A	15	20	376000	53@26	CP_256QAM	16.2	-1.6	14.6	28.84	2000	PASS
DC_66A_n2A	15	20	376000	1@1	CP_256QAM	16.28	-1.6	14.68	29.38	2000	PASS
DC_66A_n2A	15	20	376000	1@104	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
DC_66A_n2A	15	20	380000	100@0	DFT_BPSK	21.81	-1.6	20.21	104.95	2000	PASS
DC_66A_n2A	15	20	380000	50@25	DFT_BPSK	22.61	-1.6	21.01	126.18	2000	PASS
DC_66A_n2A	15	20	380000	1@1	DFT_BPSK	22.51	-1.6	20.91	123.31	2000	PASS
DC_66A_n2A	15	20	380000	1@104	DFT_BPSK	22.53	-1.6	20.93	123.88	2000	PASS
DC_66A_n2A	15	20	380000	100@0	DFT_QPSK	21.6	-1.6	20	100	2000	PASS
DC_66A_n2A	15	20	380000	50@25	DFT_QPSK	22.61	-1.6	21.01	126.18	2000	PASS
DC_66A_n2A	15	20	380000	1@1	DFT_QPSK	22.5	-1.6	20.9	123.03	2000	PASS

DC_66A_n2A	15	20	380000	1@104	DFT_QPSK	22.48	-1.6	20.88	122.46	2000	PASS
DC_66A_n2A	15	20	380000	100@0	DFT_16QAM	20.57	-1.6	18.97	78.89	2000	PASS
DC_66A_n2A	15	20	380000	50@25	DFT_16QAM	21.63	-1.6	20.03	100.69	2000	PASS
DC_66A_n2A	15	20	380000	1@1	DFT_16QAM	21.64	-1.6	20.04	100.93	2000	PASS
DC_66A_n2A	15	20	380000	1@104	DFT_16QAM	21.69	-1.6	20.09	102.09	2000	PASS
DC_66A_n2A	15	20	380000	100@0	DFT_64QAM	20.1	-1.6	18.5	70.79	2000	PASS
DC_66A_n2A	15	20	380000	50@25	DFT_64QAM	20.13	-1.6	18.53	71.29	2000	PASS
DC_66A_n2A	15	20	380000	1@1	DFT_64QAM	20.24	-1.6	18.64	73.11	2000	PASS
DC_66A_n2A	15	20	380000	1@104	DFT_64QAM	20.3	-1.6	18.7	74.13	2000	PASS
DC_66A_n2A	15	20	380000	100@0	DFT_256QAM	18.07	-1.6	16.47	44.36	2000	PASS
DC_66A_n2A	15	20	380000	50@25	DFT_256QAM	18.07	-1.6	16.47	44.36	2000	PASS
DC_66A_n2A	15	20	380000	1@1	DFT_256QAM	17.97	-1.6	16.37	43.35	2000	PASS
DC_66A_n2A	15	20	380000	1@104	DFT_256QAM	18.03	-1.6	16.43	43.95	2000	PASS
DC_66A_n2A	15	20	380000	106@0	CP_QPSK	19.36	-1.6	17.76	59.7	2000	PASS
DC_66A_n2A	15	20	380000	53@26	CP_QPSK	20.48	-1.6	18.88	77.27	2000	PASS
DC_66A_n2A	15	20	380000	1@1	CP_QPSK	20.77	-1.6	19.17	82.6	2000	PASS
DC_66A_n2A	15	20	380000	1@104	CP_QPSK	20.83	-1.6	19.23	83.75	2000	PASS
DC_66A_n2A	15	20	380000	106@0	CP_16QAM	19.55	-1.6	17.95	62.37	2000	PASS
DC_66A_n2A	15	20	380000	53@26	CP_16QAM	20.66	-1.6	19.06	80.54	2000	PASS
DC_66A_n2A	15	20	380000	1@1	CP_16QAM	20.76	-1.6	19.16	82.41	2000	PASS
DC_66A_n2A	15	20	380000	1@104	CP_16QAM	20.73	-1.6	19.13	81.85	2000	PASS
DC_66A_n2A	15	20	380000	106@0	CP_64QAM	19.07	-1.6	17.47	55.85	2000	PASS
DC_66A_n2A	15	20	380000	53@26	CP_64QAM	19.11	-1.6	17.51	56.36	2000	PASS
DC_66A_n2A	15	20	380000	1@1	CP_64QAM	18.98	-1.6	17.38	54.7	2000	PASS
DC_66A_n2A	15	20	380000	1@104	CP_64QAM	19	-1.6	17.4	54.95	2000	PASS
DC_66A_n2A	15	20	380000	106@0	CP_256QAM	16.05	-1.6	14.45	27.86	2000	PASS
DC_66A_n2A	15	20	380000	53@26	CP_256QAM	16.04	-1.6	14.44	27.8	2000	PASS
DC_66A_n2A	15	20	380000	1@1	CP_256QAM	16.17	-1.6	14.57	28.64	2000	PASS
DC_66A_n2A	15	20	380000	1@104	CP_256QAM	16.21	-1.6	14.61	28.91	2000	PASS


2. Frequency Stability

Temperature (°C)	Voltage (V)	Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Verdict
20(Ref.)	3.87	n2	15	20	376000	100@0	DFT_BPSK	-7.7	-0.0041	PASS
20	3.29	n2	15	20	376000	100@0	DFT_BPSK	3	0.0016	PASS
20	4.45	n2	15	20	376000	100@0	DFT_BPSK	-2	-0.00106	PASS
-30	3.87	n2	15	20	376000	100@0	DFT_BPSK	-7.3	-0.00388	PASS
-20	3.87	n2	15	20	376000	100@0	DFT_BPSK	-10.1	-0.00537	PASS
-10	3.87	n2	15	20	376000	100@0	DFT_BPSK	7.6	0.00404	PASS
0	3.87	n2	15	20	376000	100@0	DFT_BPSK	5.7	0.00303	PASS
10	3.87	n2	15	20	376000	100@0	DFT_BPSK	3.3	0.00176	PASS
30	3.87	n2	15	20	376000	100@0	DFT_BPSK	-4.1	-0.00218	PASS
40	3.87	n2	15	20	376000	100@0	DFT_BPSK	-2.1	-0.00112	PASS
50	3.87	n2	15	20	376000	100@0	DFT_BPSK	10.8	0.00574	PASS


Note: The frequency fundamental emissions stay within the authorized frequency block.

3. Peak-to-average Ratio


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n2	15	20	376000	100@0	DFT_BPSK	4.49	13	PASS
n2	15	20	376000	100@0	DFT_QPSK	5.61	13	PASS
n2	15	20	376000	100@0	DFT_16QAM	6.39	13	PASS
n2	15	20	376000	100@0	DFT_64QAM	6.65	13	PASS
n2	15	20	376000	100@0	DFT_256QAM	6.89	13	PASS




n2 SCS=15kHz DFT_BPSK BW=20MHz Channel=376000
RB=100@0




n2 SCS=15kHz DFT_QPSK BW=20MHz Channel=376000
RB=100@0



n2 SCS=15kHz DFT_16QAM BW=20MHz Channel=376000
RB=100@0




n2 SCS=15kHz DFT_64QAM BW=20MHz Channel=376000
RB=100@0




n2 SCS=15kHz DFT_256QAM BW=20MHz Channel=376000
RB=100@0

4. Occupied Bandwidth


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n2	15	5	376000	1880	25@0	DFT_BPSK	4.486	4.900	PASS
n2	15	5	376000	1880	25@0	CP_QPSK	4.486	4.910	PASS
n2	15	5	376000	1880	25@0	CP_16QAM	4.505	4.850	PASS
n2	15	5	376000	1880	25@0	CP_64QAM	4.496	4.910	PASS
n2	15	5	376000	1880	25@0	CP_256QAM	4.486	4.910	PASS
n2	15	10	376000	1880	50@0	DFT_BPSK	9.011	9.600	PASS
n2	15	10	376000	1880	52@0	CP_QPSK	9.311	9.880	PASS
n2	15	10	376000	1880	52@0	CP_16QAM	9.311	9.940	PASS
n2	15	10	376000	1880	52@0	CP_64QAM	9.331	9.880	PASS
n2	15	10	376000	1880	52@0	CP_256QAM	9.311	9.920	PASS
n2	15	15	376000	1880	75@0	DFT_BPSK	13.487	14.280	PASS
n2	15	15	376000	1880	79@0	CP_QPSK	14.146	14.910	PASS
n2	15	15	376000	1880	79@0	CP_16QAM	14.146	14.970	PASS
n2	15	15	376000	1880	79@0	CP_64QAM	14.176	15.030	PASS
n2	15	15	376000	1880	79@0	CP_256QAM	14.176	14.970	PASS
n2	15	20	376000	1880	100@0	DFT_BPSK	18.022	19.120	PASS
n2	15	20	376000	1880	106@0	CP_QPSK	19.021	20.200	PASS
n2	15	20	376000	1880	106@0	CP_16QAM	19.021	20.200	PASS
n2	15	20	376000	1880	106@0	CP_64QAM	19.061	20.200	PASS
n2	15	20	376000	1880	106@0	CP_256QAM	18.981	20.280	PASS




n2 SCS=15kHz DFT_BPSK BW=5MHz Channel=376000
RB=25@0




n2 SCS=15kHz CP_QPSK BW=5MHz Channel=376000
RB=25@0




n2 SCS=15kHz CP_16QAM BW=5MHz Channel=376000
RB=25@0




n2 SCS=15kHz CP_64QAM BW=5MHz Channel=376000
RB=25@0




n2 SCS=15kHz CP_256QAM BW=5MHz Channel=376000
RB=25@0




n2 SCS=15kHz DFT_BPSK BW=10MHz Channel=376000
RB=50@0




n2 SCS=15kHz CP_QPSK BW=10MHz Channel=376000
RB=52@0




n2 SCS=15kHz CP_16QAM BW=10MHz Channel=376000
RB=52@0




n2 SCS=15kHz CP_64QAM BW=10MHz Channel=376000
RB=52@0




n2 SCS=15kHz CP_256QAM BW=10MHz Channel=376000
RB=52@0




n2 SCS=15kHz DFT_BPSK BW=15MHz Channel=376000
RB=75@0




n2 SCS=15kHz CP_QPSK BW=15MHz Channel=376000
RB=79@0




n2 SCS=15kHz CP_16QAM BW=15MHz Channel=376000
RB=79@0




n2 SCS=15kHz CP_64QAM BW=15MHz Channel=376000
RB=79@0




n2 SCS=15kHz CP_256QAM BW=15MHz Channel=376000
RB=79@0




n2 SCS=15kHz DFT_BPSK BW=20MHz Channel=376000
RB=100@0



n2 SCS=15kHz CP_QPSK BW=20MHz Channel=376000
RB=106@0




n2 SCS=15kHz CP_16QAM BW=20MHz Channel=376000
RB=106@0



n2 SCS=15kHz CP_64QAM BW=20MHz Channel=376000


RB=106@0




n2 SCS=15kHz CP_256QAM BW=20MHz Channel=376000

RB=106@0


5. Conducted Band Edge




n2 SCS=15kHz DFT_BPSK BW=5MHz LowChannel=370500
RB=1@0




n2 SCS=15kHz DFT_BPSK BW=5MHz LowChannel=370500
RB=25@0




n2 SCS=15kHz DFT_QPSK BW=5MHz LowChannel=370500
RB=1@0



n2 SCS=15kHz DFT_QPSK BW=5MHz LowChannel=370500
RB=25@0



n2 SCS=15kHz DFT_16QAM BW=5MHz LowChannel=370500
RB=1@0



n2 SCS=15kHz DFT_16QAM BW=5MHz LowChannel=370500
RB=25@0