

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	10	-30000	-5.454545	20	PASS
			NV	20	-15000	-2.727273	20	PASS
			NV	30	-15000	-2.727273	20	PASS
			NV	45	-15000	-2.727273	20	PASS
	Ant1	5580	NV	-40	-15000	-2.688172	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.688172	20	PASS
	Ant2	5580	NV	-40	-15000	-2.688172	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-15000	-2.688172	20	PASS
			NV	-10	-15000	-2.688172	20	PASS
			NV	0	-15000	-2.688172	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-15000	-2.688172	20	PASS
			NV	30	-15000	-2.688172	20	PASS
			NV	45	-15000	-2.688172	20	PASS
	Ant1	5700	NV	-40	-15000	-2.631579	20	PASS
			NV	-30	-15000	-2.631579	20	PASS
			NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-15000	-2.631579	20	PASS
			NV	0	-15000	-2.631579	20	PASS
			NV	10	-15000	-2.631579	20	PASS
			NV	20	-15000	-2.631579	20	PASS
			NV	30	-15000	-2.631579	20	PASS
			NV	45	-15000	-2.631579	20	PASS
	Ant2	5700	NV	-40	-15000	-2.631579	20	PASS
			NV	-30	-15000	-2.631579	20	PASS
			NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-15000	-2.631579	20	PASS
			NV	0	-15000	-2.631579	20	PASS
			NV	10	-15000	-2.631579	20	PASS
			NV	20	-15000	-2.631579	20	PASS
			NV	30	-15000	-2.631579	20	PASS
			NV	45	-15000	-2.631579	20	PASS
	Ant1	5745	NV	-40	-30000	-5.221932	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-30	-15000	-2.610966	20	PASS
			NV	-20	-15000	-2.610966	20	PASS
			NV	-10	-15000	-2.610966	20	PASS
			NV	0	-30000	-5.221932	20	PASS
			NV	10	-15000	-2.610966	20	PASS
			NV	20	-30000	-5.221932	20	PASS
			NV	30	-15000	-2.610966	20	PASS
			NV	45	-30000	-5.221932	20	PASS
	Ant2	5745	NV	-40	-15000	-2.610966	20	PASS
			NV	-30	-15000	-2.610966	20	PASS
			NV	-20	-15000	-2.610966	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.610966	20	PASS
	Ant1	5785	NV	-40	-30000	-5.185825	20	PASS
			NV	-30	-15000	-2.592913	20	PASS
			NV	-20	-15000	-2.592913	20	PASS
			NV	-10	-15000	-2.592913	20	PASS
			NV	0	-15000	-2.592913	20	PASS
			NV	10	-30000	-5.185825	20	PASS
			NV	20	-15000	-2.592913	20	PASS
			NV	30	-15000	-2.592913	20	PASS
			NV	45	-30000	-5.185825	20	PASS
	Ant2	5785	NV	-40	-30000	-5.185825	20	PASS
			NV	-30	-15000	-2.592913	20	PASS
			NV	-20	-30000	-5.185825	20	PASS
			NV	-10	-15000	-2.592913	20	PASS
			NV	0	-15000	-2.592913	20	PASS
			NV	10	-15000	-2.592913	20	PASS
			NV	20	-15000	-2.592913	20	PASS
			NV	30	-15000	-2.592913	20	PASS
			NV	45	-15000	-2.592913	20	PASS
	Ant1	5825	NV	-40	-15000	-2.575107	20	PASS
			NV	-30	-15000	-2.575107	20	PASS
			NV	-20	-30000	-5.150215	20	PASS
			NV	-10	-15000	-2.575107	20	PASS
			NV	0	-30000	-5.150215	20	PASS
			NV	10	-15000	-2.575107	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	-30000	-5.150215	20	PASS
			NV	30	-30000	-5.150215	20	PASS
			NV	45	-30000	-5.150215	20	PASS
	Ant2	5825	NV	-40	-30000	-5.150215	20	PASS
			NV	-30	-30000	-5.150215	20	PASS
			NV	-20	-30000	-5.150215	20	PASS
			NV	-10	-30000	-5.150215	20	PASS
			NV	0	-30000	-5.150215	20	PASS
			NV	10	-15000	-2.575107	20	PASS
			NV	20	-15000	-2.575107	20	PASS
			NV	30	-30000	-5.150215	20	PASS
			NV	45	-30000	-5.150215	20	PASS
11N20SISO	Ant1	5180	NV	-40	0	0	20	PASS
			NV	-30	15000	2.895753	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5180	NV	-40	-15000	-2.895753	20	PASS
			NV	-30	-15000	-2.895753	20	PASS
			NV	-20	-15000	-2.895753	20	PASS
			NV	-10	-15000	-2.895753	20	PASS
			NV	0	-15000	-2.895753	20	PASS
			NV	10	-15000	-2.895753	20	PASS
			NV	20	-15000	-2.895753	20	PASS
			NV	30	-15000	-2.895753	20	PASS
			NV	45	-15000	-2.895753	20	PASS
	Ant1	5200	NV	-40	-15000	-2.884615	20	PASS
			NV	-30	-15000	-2.884615	20	PASS
			NV	-20	-30000	-5.769231	20	PASS
			NV	-10	-15000	-2.884615	20	PASS
			NV	0	-15000	-2.884615	20	PASS
			NV	10	-15000	-2.884615	20	PASS
			NV	20	-15000	-2.884615	20	PASS
			NV	30	-15000	-2.884615	20	PASS
			NV	45	-15000	-2.884615	20	PASS
	Ant2	5200	NV	-40	-30000	-5.769231	20	PASS
			NV	-30	-15000	-2.884615	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	-30000	-5.769231	20	PASS
			NV	-10	-15000	-2.884615	20	PASS
			NV	0	-15000	-2.884615	20	PASS
			NV	10	-15000	-2.884615	20	PASS
			NV	20	-15000	-2.884615	20	PASS
			NV	30	-15000	-2.884615	20	PASS
			NV	45	-15000	-2.884615	20	PASS
	Ant1	5240	NV	-40	-15000	-2.862595	20	PASS
			NV	-30	-15000	-2.862595	20	PASS
			NV	-20	-15000	-2.862595	20	PASS
			NV	-10	-30000	-5.725191	20	PASS
			NV	0	-30000	-5.725191	20	PASS
			NV	10	-15000	-2.862595	20	PASS
			NV	20	-15000	-2.862595	20	PASS
			NV	30	-15000	-2.862595	20	PASS
			NV	45	-15000	-2.862595	20	PASS
	Ant2	5240	NV	-40	-15000	-2.862595	20	PASS
			NV	-30	-15000	-2.862595	20	PASS
			NV	-20	-15000	-2.862595	20	PASS
			NV	-10	-15000	-2.862595	20	PASS
			NV	0	-15000	-2.862595	20	PASS
			NV	10	-15000	-2.862595	20	PASS
			NV	20	-15000	-2.862595	20	PASS
			NV	30	-15000	-2.862595	20	PASS
			NV	45	-15000	-2.862595	20	PASS
	Ant1	5260	NV	-40	-15000	-2.851711	20	PASS
			NV	-30	-15000	-2.851711	20	PASS
			NV	-20	-15000	-2.851711	20	PASS
			NV	-10	-15000	-2.851711	20	PASS
			NV	0	-15000	-2.851711	20	PASS
			NV	10	-15000	-2.851711	20	PASS
			NV	20	-30000	-5.703422	20	PASS
			NV	30	-15000	-2.851711	20	PASS
			NV	45	-15000	-2.851711	20	PASS
	Ant2	5260	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-15000	-2.851711	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5280	NV	-40	-15000	-2.840909	20	PASS
			NV	-30	-15000	-2.840909	20	PASS
			NV	-20	-15000	-2.840909	20	PASS
			NV	-10	-15000	-2.840909	20	PASS
			NV	0	-15000	-2.840909	20	PASS
			NV	10	-15000	-2.840909	20	PASS
			NV	20	-15000	-2.840909	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.840909	20	PASS
	Ant2	5280	NV	-40	-15000	-2.840909	20	PASS
			NV	-30	-15000	-2.840909	20	PASS
			NV	-20	-30000	-5.681818	20	PASS
			NV	-10	-15000	-2.840909	20	PASS
			NV	0	-30000	-5.681818	20	PASS
			NV	10	-30000	-5.681818	20	PASS
			NV	20	-30000	-5.681818	20	PASS
			NV	30	-30000	-5.681818	20	PASS
			NV	45	-15000	-2.840909	20	PASS
	Ant1	5320	NV	-40	-15000	-2.819549	20	PASS
			NV	-30	-15000	-2.819549	20	PASS
			NV	-20	-15000	-2.819549	20	PASS
			NV	-10	-15000	-2.819549	20	PASS
			NV	0	-15000	-2.819549	20	PASS
			NV	10	-15000	-2.819549	20	PASS
			NV	20	-15000	-2.819549	20	PASS
			NV	30	-15000	-2.819549	20	PASS
			NV	45	-15000	-2.819549	20	PASS
	Ant2	5320	NV	-40	-15000	-2.819549	20	PASS
			NV	-30	-15000	-2.819549	20	PASS
			NV	-20	-15000	-2.819549	20	PASS
			NV	-10	-15000	-2.819549	20	PASS
			NV	0	-15000	-2.819549	20	PASS
			NV	10	-15000	-2.819549	20	PASS
			NV	20	-15000	-2.819549	20	PASS
			NV	30	-15000	-2.819549	20	PASS
			NV	45	-15000	-2.819549	20	PASS
	Ant1	5500	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-10	-15000	-2.727273	20	PASS
			NV	0	-15000	-2.727273	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.727273	20	PASS
	Ant2	5500	NV	-40	-15000	-2.727273	20	PASS
			NV	-30	-15000	-2.727273	20	PASS
			NV	-20	-15000	-2.727273	20	PASS
			NV	-10	-15000	-2.727273	20	PASS
			NV	0	-15000	-2.727273	20	PASS
			NV	10	-15000	-2.727273	20	PASS
			NV	20	-15000	-2.727273	20	PASS
			NV	30	-15000	-2.727273	20	PASS
			NV	45	-30000	-5.454545	20	PASS
	Ant1	5580	NV	-40	-30000	-5.376344	20	PASS
			NV	-30	-15000	-2.688172	20	PASS
			NV	-20	-30000	-5.376344	20	PASS
			NV	-10	-15000	-2.688172	20	PASS
			NV	0	-30000	-5.376344	20	PASS
			NV	10	-30000	-5.376344	20	PASS
			NV	20	-30000	-5.376344	20	PASS
			NV	30	-15000	-2.688172	20	PASS
			NV	45	-30000	-5.376344	20	PASS
	Ant2	5580	NV	-40	0	0	20	PASS
			NV	-30	-15000	-2.688172	20	PASS
			NV	-20	-15000	-2.688172	20	PASS
			NV	-10	-15000	-2.688172	20	PASS
			NV	0	-15000	-2.688172	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-15000	-2.688172	20	PASS
			NV	30	-15000	-2.688172	20	PASS
			NV	45	-15000	-2.688172	20	PASS
	Ant1	5700	NV	-40	-15000	-2.631579	20	PASS
			NV	-30	-15000	-2.631579	20	PASS
			NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-15000	-2.631579	20	PASS
			NV	0	-15000	-2.631579	20	PASS
			NV	10	-15000	-2.631579	20	PASS
			NV	20	-15000	-2.631579	20	PASS
			NV	30	-15000	-2.631579	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	45	-15000	-2.631579	20	PASS
	Ant2	5700	NV	-40	-15000	-2.631579	20	PASS
			NV	-30	-15000	-2.631579	20	PASS
			NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-15000	-2.631579	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.631579	20	PASS
	Ant1	5745	NV	-40	-15000	-2.610966	20	PASS
			NV	-30	-15000	-2.610966	20	PASS
			NV	-20	-15000	-2.610966	20	PASS
			NV	-10	-15000	-2.610966	20	PASS
			NV	0	-15000	-2.610966	20	PASS
			NV	10	-15000	-2.610966	20	PASS
			NV	20	-15000	-2.610966	20	PASS
			NV	30	-15000	-2.610966	20	PASS
			NV	45	-15000	-2.610966	20	PASS
	Ant2	5745	NV	-40	-15000	-2.610966	20	PASS
			NV	-30	-30000	-5.221932	20	PASS
			NV	-20	-15000	-2.610966	20	PASS
			NV	-10	-15000	-2.610966	20	PASS
			NV	0	-15000	-2.610966	20	PASS
			NV	10	-15000	-2.610966	20	PASS
			NV	20	-15000	-2.610966	20	PASS
			NV	30	-15000	-2.610966	20	PASS
			NV	45	-30000	-5.221932	20	PASS
	Ant1	5785	NV	-40	-15000	-2.592913	20	PASS
			NV	-30	-15000	-2.592913	20	PASS
			NV	-20	-15000	-2.592913	20	PASS
			NV	-10	-15000	-2.592913	20	PASS
			NV	0	-15000	-2.592913	20	PASS
			NV	10	-15000	-2.592913	20	PASS
			NV	20	-15000	-2.592913	20	PASS
			NV	30	-15000	-2.592913	20	PASS
			NV	45	-15000	-2.592913	20	PASS
	Ant2	5785	NV	-40	-30000	-5.185825	20	PASS
			NV	-30	-30000	-5.185825	20	PASS
			NV	-20	-15000	-2.592913	20	PASS
			NV	-10	-30000	-5.185825	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	-30000	-5.185825	20	PASS
			NV	10	-30000	-5.185825	20	PASS
			NV	20	-15000	-2.592913	20	PASS
			NV	30	-30000	-5.185825	20	PASS
			NV	45	-15000	-2.592913	20	PASS
	Ant1	5825	NV	-40	-15000	-2.575107	20	PASS
			NV	-30	-15000	-2.575107	20	PASS
			NV	-20	-15000	-2.575107	20	PASS
			NV	-10	-15000	-2.575107	20	PASS
			NV	0	-15000	-2.575107	20	PASS
			NV	10	-15000	-2.575107	20	PASS
			NV	20	-15000	-2.575107	20	PASS
			NV	30	-15000	-2.575107	20	PASS
			NV	45	-15000	-2.575107	20	PASS
	Ant2	5825	NV	-40	-15000	-2.575107	20	PASS
			NV	-30	-15000	-2.575107	20	PASS
			NV	-20	-15000	-2.575107	20	PASS
			NV	-10	-15000	-2.575107	20	PASS
			NV	0	-15000	-2.575107	20	PASS
			NV	10	-15000	-2.575107	20	PASS
			NV	20	-15000	-2.575107	20	PASS
			NV	30	-15000	-2.575107	20	PASS
			NV	45	-15000	-2.575107	20	PASS
11N40SISO	Ant1	5190	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5190	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant1	5230	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.736138	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.736138	20	PASS
			NV	0	-30000	-5.736138	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.736138	20	PASS
			NV	45	-30000	-5.736138	20	PASS
	Ant2	5230	NV	-40	-30000	-5.736138	20	PASS
			NV	-30	-30000	-5.736138	20	PASS
			NV	-20	-30000	-5.736138	20	PASS
			NV	-10	-30000	-5.736138	20	PASS
			NV	0	-30000	-5.736138	20	PASS
			NV	10	-30000	-5.736138	20	PASS
			NV	20	-30000	-5.736138	20	PASS
			NV	30	-30000	-5.736138	20	PASS
			NV	45	-30000	-5.736138	20	PASS
	Ant1	5270	NV	-40	-30000	-5.6926	20	PASS
			NV	-30	-30000	-5.6926	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.6926	20	PASS
			NV	0	-30000	-5.6926	20	PASS
			NV	10	-30000	-5.6926	20	PASS
			NV	20	-30000	-5.6926	20	PASS
			NV	30	-30000	-5.6926	20	PASS
			NV	45	-30000	-5.6926	20	PASS
	Ant2	5270	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-30000	-5.6926	20	PASS
			NV	20	-30000	-5.6926	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5310	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.649718	20	PASS
			NV	-20	-30000	-5.649718	20	PASS
			NV	-10	-30000	-5.649718	20	PASS
			NV	0	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	10	-30000	-5.649718	20	PASS
			NV	20	-60000	-11.299435	20	PASS
			NV	30	-30000	-5.649718	20	PASS
			NV	45	-30000	-5.649718	20	PASS
	Ant2	5310	NV	-40	-30000	-5.649718	20	PASS
			NV	-30	-30000	-5.649718	20	PASS
			NV	-20	-30000	-5.649718	20	PASS
			NV	-10	-30000	-5.649718	20	PASS
			NV	0	-30000	-5.649718	20	PASS
			NV	10	-30000	-5.649718	20	PASS
			NV	20	-30000	-5.649718	20	PASS
			NV	30	-30000	-5.649718	20	PASS
			NV	45	-30000	-5.649718	20	PASS
	Ant1	5510	NV	-40	-30000	-5.444646	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-30000	-5.444646	20	PASS
			NV	-10	-30000	-5.444646	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.444646	20	PASS
	Ant2	5510	NV	-40	-30000	-5.444646	20	PASS
			NV	-30	-60000	-10.889292	20	PASS
			NV	-20	-30000	-5.444646	20	PASS
			NV	-10	-30000	-5.444646	20	PASS
			NV	0	-30000	-5.444646	20	PASS
			NV	10	-30000	-5.444646	20	PASS
			NV	20	-60000	-10.889292	20	PASS
			NV	30	-30000	-5.444646	20	PASS
			NV	45	-30000	-5.444646	20	PASS
	Ant1	5550	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.405405	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.405405	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-60000	-10.810811	20	PASS
			NV	45	-60000	-10.810811	20	PASS
	Ant2	5550	NV	-40	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-30	-30000	-5.405405	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.405405	20	PASS
			NV	0	-30000	-5.405405	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.405405	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.405405	20	PASS
	Ant1	5670	NV	-40	-30000	-5.291005	20	PASS
			NV	-30	-30000	-5.291005	20	PASS
			NV	-20	-30000	-5.291005	20	PASS
			NV	-10	-30000	-5.291005	20	PASS
			NV	0	-30000	-5.291005	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5670	NV	-40	-30000	-5.291005	20	PASS
			NV	-30	-30000	-5.291005	20	PASS
			NV	-20	-30000	-5.291005	20	PASS
			NV	-10	-30000	-5.291005	20	PASS
			NV	0	-30000	-5.291005	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.291005	20	PASS
	Ant1	5755	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.212858	20	PASS
			NV	-20	-30000	-5.212858	20	PASS
			NV	-10	-30000	-5.212858	20	PASS
			NV	0	-30000	-5.212858	20	PASS
			NV	10	-30000	-5.212858	20	PASS
			NV	20	-30000	-5.212858	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.212858	20	PASS
	Ant2	5755	NV	-40	-60000	-10.425717	20	PASS
			NV	-30	-60000	-10.425717	20	PASS
			NV	-20	-60000	-10.425717	20	PASS
			NV	-10	-60000	-10.425717	20	PASS
			NV	0	-60000	-10.425717	20	PASS
			NV	10	-60000	-10.425717	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	-60000	-10.425717	20	PASS
			NV	30	-60000	-10.425717	20	PASS
			NV	45	-60000	-10.425717	20	PASS
	Ant1	5795	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5795	NV	-40	-30000	-5.176877	20	PASS
			NV	-30	-30000	-5.176877	20	PASS
			NV	-20	-30000	-5.176877	20	PASS
			NV	-10	-30000	-5.176877	20	PASS
			NV	0	-30000	-5.176877	20	PASS
			NV	10	-30000	-5.176877	20	PASS
			NV	20	-30000	-5.176877	20	PASS
			NV	30	-30000	-5.176877	20	PASS
			NV	45	-30000	-5.176877	20	PASS
11AC20SISO	Ant1	5180	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5180	NV	-40	-30000	-5.791506	20	PASS
			NV	-30	-30000	-5.791506	20	PASS
			NV	-20	-30000	-5.791506	20	PASS
			NV	-10	-30000	-5.791506	20	PASS
			NV	0	-15000	-2.895753	20	PASS
			NV	10	-15000	-2.895753	20	PASS
			NV	20	-15000	-2.895753	20	PASS
			NV	30	-15000	-2.895753	20	PASS
			NV	45	-15000	-2.895753	20	PASS
	Ant1	5200	NV	-40	-30000	-5.769231	20	PASS
			NV	-30	-15000	-2.884615	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	-15000	-2.884615	20	PASS
			NV	-10	-15000	-2.884615	20	PASS
			NV	0	-30000	-5.769231	20	PASS
			NV	10	-30000	-5.769231	20	PASS
			NV	20	-15000	-2.884615	20	PASS
			NV	30	-15000	-2.884615	20	PASS
			NV	45	-15000	-2.884615	20	PASS
	Ant2	5200	NV	-40	-30000	-5.769231	20	PASS
			NV	-30	-30000	-5.769231	20	PASS
			NV	-20	-30000	-5.769231	20	PASS
			NV	-10	-30000	-5.769231	20	PASS
			NV	0	-30000	-5.769231	20	PASS
			NV	10	-30000	-5.769231	20	PASS
			NV	20	-30000	-5.769231	20	PASS
			NV	30	-30000	-5.769231	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5240	NV	-40	-15000	-2.862595	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-15000	-2.862595	20	PASS
			NV	-10	-15000	-2.862595	20	PASS
			NV	0	-15000	-2.862595	20	PASS
			NV	10	-15000	-2.862595	20	PASS
			NV	20	-15000	-2.862595	20	PASS
			NV	30	-15000	-2.862595	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5240	NV	-40	-15000	-2.862595	20	PASS
			NV	-30	-30000	-5.725191	20	PASS
			NV	-20	-30000	-5.725191	20	PASS
			NV	-10	-30000	-5.725191	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-15000	-2.862595	20	PASS
			NV	20	-15000	-2.862595	20	PASS
			NV	30	-15000	-2.862595	20	PASS
			NV	45	-15000	-2.862595	20	PASS
	Ant1	5260	NV	-40	0	0	20	PASS
			NV	-30	-15000	-2.851711	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-15000	-2.851711	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.851711	20	PASS
	Ant2	5260	NV	-40	-15000	-2.851711	20	PASS
			NV	-30	-15000	-2.851711	20	PASS
			NV	-20	-15000	-2.851711	20	PASS
			NV	-10	-30000	-5.703422	20	PASS
			NV	0	-15000	-2.851711	20	PASS
			NV	10	-15000	-2.851711	20	PASS
			NV	20	-15000	-2.851711	20	PASS
			NV	30	-15000	-2.851711	20	PASS
			NV	45	-15000	-2.851711	20	PASS
	Ant1	5280	NV	-40	-15000	-2.840909	20	PASS
			NV	-30	-15000	-2.840909	20	PASS
			NV	-20	-30000	-5.681818	20	PASS
			NV	-10	-15000	-2.840909	20	PASS
			NV	0	-30000	-5.681818	20	PASS
			NV	10	-30000	-5.681818	20	PASS
			NV	20	-30000	-5.681818	20	PASS
			NV	30	-15000	-2.840909	20	PASS
			NV	45	-15000	-2.840909	20	PASS
	Ant2	5280	NV	-40	-45000	-8.522727	20	PASS
			NV	-30	-30000	-5.681818	20	PASS
			NV	-20	-30000	-5.681818	20	PASS
			NV	-10	-30000	-5.681818	20	PASS
			NV	0	-30000	-5.681818	20	PASS
			NV	10	-45000	-8.522727	20	PASS
			NV	20	-45000	-8.522727	20	PASS
			NV	30	-30000	-5.681818	20	PASS
			NV	45	-45000	-8.522727	20	PASS
	Ant1	5320	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.639098	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.639098	20	PASS
			NV	0	-15000	-2.819549	20	PASS
			NV	10	-30000	-5.639098	20	PASS
			NV	20	-15000	-2.819549	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.819549	20	PASS
	Ant2	5320	NV	-40	-30000	-5.639098	20	PASS
			NV	-30	-30000	-5.639098	20	PASS
			NV	-20	-30000	-5.639098	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-10	-30000	-5.639098	20	PASS
			NV	0	-45000	-8.458647	20	PASS
			NV	10	-30000	-5.639098	20	PASS
			NV	20	-45000	-8.458647	20	PASS
			NV	30	-30000	-5.639098	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5500	NV	-40	-30000	-5.454545	20	PASS
			NV	-30	-15000	-2.727273	20	PASS
			NV	-20	-15000	-2.727273	20	PASS
			NV	-10	-15000	-2.727273	20	PASS
			NV	0	-15000	-2.727273	20	PASS
			NV	10	-30000	-5.454545	20	PASS
			NV	20	-30000	-5.454545	20	PASS
			NV	30	-30000	-5.454545	20	PASS
			NV	45	-15000	-2.727273	20	PASS
	Ant2	5500	NV	-40	-30000	-5.454545	20	PASS
			NV	-30	-30000	-5.454545	20	PASS
			NV	-20	-30000	-5.454545	20	PASS
			NV	-10	-30000	-5.454545	20	PASS
			NV	0	-30000	-5.454545	20	PASS
			NV	10	-30000	-5.454545	20	PASS
			NV	20	-30000	-5.454545	20	PASS
			NV	30	-30000	-5.454545	20	PASS
			NV	45	-30000	-5.454545	20	PASS
	Ant1	5580	NV	-40	-15000	-2.688172	20	PASS
			NV	-30	-15000	-2.688172	20	PASS
			NV	-20	-30000	-5.376344	20	PASS
			NV	-10	-15000	-2.688172	20	PASS
			NV	0	-15000	-2.688172	20	PASS
			NV	10	-15000	-2.688172	20	PASS
			NV	20	-15000	-2.688172	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-15000	-2.688172	20	PASS
	Ant2	5580	NV	-40	-30000	-5.376344	20	PASS
			NV	-30	-15000	-2.688172	20	PASS
			NV	-20	-30000	-5.376344	20	PASS
			NV	-10	-15000	-2.688172	20	PASS
			NV	0	-30000	-5.376344	20	PASS
			NV	10	-30000	-5.376344	20	PASS
			NV	20	-30000	-5.376344	20	PASS
			NV	30	-30000	-5.376344	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	45	-30000	-5.376344	20	PASS
	Ant1	5700	NV	-40	0	0	20	PASS
			NV	-30	-15000	-2.631579	20	PASS
			NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-15000	-2.631579	20	PASS
			NV	0	-15000	-2.631579	20	PASS
			NV	10	-15000	-2.631579	20	PASS
			NV	20	-15000	-2.631579	20	PASS
			NV	30	-15000	-2.631579	20	PASS
			NV	45	-15000	-2.631579	20	PASS
	Ant2	5700	NV	-40	-45000	-7.894737	20	PASS
			NV	-30	-45000	-7.894737	20	PASS
			NV	-20	-30000	-5.263158	20	PASS
			NV	-10	-30000	-5.263158	20	PASS
			NV	0	-30000	-5.263158	20	PASS
			NV	10	-45000	-7.894737	20	PASS
			NV	20	-30000	-5.263158	20	PASS
			NV	30	-30000	-5.263158	20	PASS
			NV	45	-30000	-5.263158	20	PASS
	Ant1	5745	NV	-40	-15000	-2.610966	20	PASS
			NV	-30	-15000	-2.610966	20	PASS
			NV	-20	-15000	-2.610966	20	PASS
			NV	-10	-15000	-2.610966	20	PASS
			NV	0	-15000	-2.610966	20	PASS
			NV	10	-15000	-2.610966	20	PASS
			NV	20	-15000	-2.610966	20	PASS
			NV	30	-30000	-5.221932	20	PASS
			NV	45	-15000	-2.610966	20	PASS
	Ant2	5745	NV	-40	-30000	-5.221932	20	PASS
			NV	-30	-30000	-5.221932	20	PASS
			NV	-20	-30000	-5.221932	20	PASS
			NV	-10	-30000	-5.221932	20	PASS
			NV	0	-30000	-5.221932	20	PASS
			NV	10	-30000	-5.221932	20	PASS
			NV	20	-30000	-5.221932	20	PASS
			NV	30	-30000	-5.221932	20	PASS
			NV	45	-30000	-5.221932	20	PASS
	Ant1	5785	NV	-40	-15000	-2.592913	20	PASS
			NV	-30	-15000	-2.592913	20	PASS
			NV	-20	-15000	-2.592913	20	PASS
			NV	-10	-30000	-5.185825	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	0	-15000	-2.592913	20	PASS
			NV	10	-15000	-2.592913	20	PASS
			NV	20	-30000	-5.185825	20	PASS
			NV	30	-30000	-5.185825	20	PASS
			NV	45	-15000	-2.592913	20	PASS
	Ant2	5785	NV	-40	-30000	-5.185825	20	PASS
			NV	-30	-15000	-2.592913	20	PASS
			NV	-20	-15000	-2.592913	20	PASS
			NV	-10	-15000	-2.592913	20	PASS
			NV	0	-15000	-2.592913	20	PASS
			NV	10	-45000	-7.778738	20	PASS
			NV	20	-45000	-7.778738	20	PASS
			NV	30	-30000	-5.185825	20	PASS
			NV	45	-30000	-5.185825	20	PASS
	Ant1	5825	NV	-40	-15000	-2.575107	20	PASS
			NV	-30	-15000	-2.575107	20	PASS
			NV	-20	-15000	-2.575107	20	PASS
			NV	-10	-15000	-2.575107	20	PASS
			NV	0	-15000	-2.575107	20	PASS
			NV	10	-15000	-2.575107	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-15000	-2.575107	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5825	NV	-40	-45000	-7.725322	20	PASS
			NV	-30	-45000	-7.725322	20	PASS
			NV	-20	-30000	-5.150215	20	PASS
			NV	-10	-30000	-5.150215	20	PASS
			NV	0	-45000	-7.725322	20	PASS
			NV	10	-15000	-2.575107	20	PASS
			NV	20	-30000	-5.150215	20	PASS
			NV	30	-45000	-7.725322	20	PASS
			NV	45	-30000	-5.150215	20	PASS
11AC40SISO	Ant1	5190	NV	-40	-30000	-5.780347	20	PASS
			NV	-30	-30000	-5.780347	20	PASS
			NV	-20	-30000	-5.780347	20	PASS
			NV	-10	-30000	-5.780347	20	PASS
			NV	0	-30000	-5.780347	20	PASS
			NV	10	0	0	20	PASS
			NV	20	630000	121.387283	20	PASS
			NV	30	-30000	-5.780347	20	PASS
			NV	45	-30000	-5.780347	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
	Ant2	5190	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.780347	20	PASS
			NV	-20	-30000	-5.780347	20	PASS
			NV	-10	-60000	-11.560694	20	PASS
			NV	0	-30000	-5.780347	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.780347	20	PASS
			NV	45	0	0	20	PASS
		5230	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.736138	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5270	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.6926	20	PASS
			NV	0	-30000	-5.6926	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.6926	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5270	NV	-40	-30000	-5.6926	20	PASS
			NV	-30	-30000	-5.6926	20	PASS
			NV	-20	-30000	-5.6926	20	PASS
			NV	-10	-30000	-5.6926	20	PASS
			NV	0	-30000	-5.6926	20	PASS
			NV	10	-30000	-5.6926	20	PASS
			NV	20	-30000	-5.6926	20	PASS
			NV	30	-30000	-5.6926	20	PASS
			NV	45	-30000	-5.6926	20	PASS
	Ant1	5310	NV	-40	-30000	-5.649718	20	PASS
			NV	-30	-30000	-5.649718	20	PASS
			NV	-20	-30000	-5.649718	20	PASS
			NV	-10	-30000	-5.649718	20	PASS
			NV	0	-30000	-5.649718	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	10	-30000	-5.649718	20	PASS
			NV	20	-30000	-5.649718	20	PASS
			NV	30	-30000	-5.649718	20	PASS
			NV	45	-30000	-5.649718	20	PASS
	Ant2	5310	NV	-40	-30000	-5.649718	20	PASS
			NV	-30	-60000	-11.299435	20	PASS
			NV	-20	-30000	-5.649718	20	PASS
			NV	-10	-30000	-5.649718	20	PASS
			NV	0	-30000	-5.649718	20	PASS
			NV	10	-30000	-5.649718	20	PASS
			NV	20	-30000	-5.649718	20	PASS
			NV	30	-60000	-11.299435	20	PASS
			NV	45	-30000	-5.649718	20	PASS
	Ant1	5510	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5510	NV	-40	-30000	-5.444646	20	PASS
			NV	-30	-30000	-5.444646	20	PASS
			NV	-20	-30000	-5.444646	20	PASS
			NV	-10	-30000	-5.444646	20	PASS
			NV	0	-30000	-5.444646	20	PASS
			NV	10	-30000	-5.444646	20	PASS
			NV	20	-30000	-5.444646	20	PASS
			NV	30	-30000	-5.444646	20	PASS
			NV	45	-30000	-5.444646	20	PASS
	Ant1	5550	NV	-40	0	0	20	PASS
			NV	-30	-30000	-5.405405	20	PASS
			NV	-20	-30000	-5.405405	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.405405	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.405405	20	PASS
	Ant2	5550	NV	-40	-30000	-5.405405	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-30	-30000	-5.405405	20	PASS
			NV	-20	-30000	-5.405405	20	PASS
			NV	-10	-30000	-5.405405	20	PASS
			NV	0	-60000	-10.810811	20	PASS
			NV	10	-30000	-5.405405	20	PASS
			NV	20	-30000	-5.405405	20	PASS
			NV	30	-60000	-10.810811	20	PASS
			NV	45	-60000	-10.810811	20	PASS
	Ant1	5670	NV	-40	-30000	-5.291005	20	PASS
			NV	-30	-30000	-5.291005	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.291005	20	PASS
			NV	0	-30000	-5.291005	20	PASS
			NV	10	-30000	-5.291005	20	PASS
			NV	20	-30000	-5.291005	20	PASS
			NV	30	-30000	-5.291005	20	PASS
			NV	45	-30000	-5.291005	20	PASS
	Ant2	5670	NV	-40	-30000	-5.291005	20	PASS
			NV	-30	-30000	-5.291005	20	PASS
			NV	-20	-30000	-5.291005	20	PASS
			NV	-10	-30000	-5.291005	20	PASS
			NV	0	-30000	-5.291005	20	PASS
			NV	10	-30000	-5.291005	20	PASS
			NV	20	-30000	-5.291005	20	PASS
			NV	30	-30000	-5.291005	20	PASS
			NV	45	-30000	-5.291005	20	PASS
	Ant1	5755	NV	-40	-30000	-5.212858	20	PASS
			NV	-30	-30000	-5.212858	20	PASS
			NV	-20	-30000	-5.212858	20	PASS
			NV	-10	-30000	-5.212858	20	PASS
			NV	0	-30000	-5.212858	20	PASS
			NV	10	-30000	-5.212858	20	PASS
			NV	20	-30000	-5.212858	20	PASS
			NV	30	-30000	-5.212858	20	PASS
			NV	45	-60000	-10.425717	20	PASS
	Ant2	5755	NV	-40	-30000	-5.212858	20	PASS
			NV	-30	-30000	-5.212858	20	PASS
			NV	-20	-30000	-5.212858	20	PASS
			NV	-10	-30000	-5.212858	20	PASS
			NV	0	-30000	-5.212858	20	PASS
			NV	10	-30000	-5.212858	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	20	-30000	-5.212858	20	PASS
			NV	30	0	0	20	PASS
			NV	45	-30000	-5.212858	20	PASS
	Ant1	5795	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.176877	20	PASS
			NV	0	-30000	-5.176877	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5795	NV	-40	-30000	-5.176877	20	PASS
			NV	-30	-60000	-10.353753	20	PASS
			NV	-20	-60000	-10.353753	20	PASS
			NV	-10	-60000	-10.353753	20	PASS
			NV	0	-60000	-10.353753	20	PASS
			NV	10	-60000	-10.353753	20	PASS
			NV	20	-60000	-10.353753	20	PASS
			NV	30	-60000	-10.353753	20	PASS
			NV	45	-30000	-5.176877	20	PASS
11AC80SISO	Ant1	5210	NV	-40	-60000	-11.516315	20	PASS
			NV	-30	-60000	-11.516315	20	PASS
			NV	-20	-60000	-11.516315	20	PASS
			NV	-10	-60000	-11.516315	20	PASS
			NV	0	-60000	-11.516315	20	PASS
			NV	10	-60000	-11.516315	20	PASS
			NV	20	-60000	-11.516315	20	PASS
			NV	30	-60000	-11.516315	20	PASS
			NV	45	-60000	-11.516315	20	PASS
	Ant2	5210	NV	-40	-60000	-11.516315	20	PASS
			NV	-30	-60000	-11.516315	20	PASS
			NV	-20	-60000	-11.516315	20	PASS
			NV	-10	-60000	-11.516315	20	PASS
			NV	0	-60000	-11.516315	20	PASS
			NV	10	-60000	-11.516315	20	PASS
			NV	20	-60000	-11.516315	20	PASS
			NV	30	-60000	-11.516315	20	PASS
			NV	45	-60000	-11.516315	20	PASS
	Ant1	5290	NV	-40	0	0	20	PASS
			NV	-30	-60000	-11.342155	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	-20	60000	11.342155	20	PASS
			NV	-10	60000	11.342155	20	PASS
			NV	0	0	0	20	PASS
			NV	10	60000	11.342155	20	PASS
			NV	20	-60000	-11.516315	20	PASS
			NV	30	-60000	-11.342155	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5290	NV	-40	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5530	NV	-40	0	0	20	PASS
			NV	-30	-60000	-10.84991	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-60000	-10.84991	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-60000	-10.84991	20	PASS
			NV	20	-60000	-10.84991	20	PASS
			NV	30	-60000	-10.84991	20	PASS
			NV	45	0	0	20	PASS
	Ant2	5530	NV	-40	-60000	-10.84991	20	PASS
			NV	-30	-60000	-10.84991	20	PASS
			NV	-20	-60000	-10.84991	20	PASS
			NV	-10	60000	10.84991	20	PASS
			NV	0	60000	10.84991	20	PASS
			NV	10	60000	10.84991	20	PASS
			NV	20	60000	10.84991	20	PASS
			NV	30	60000	10.84991	20	PASS
			NV	45	0	0	20	PASS
	Ant1	5610	NV	-40	0	0	20	PASS
			NV	-30	-60000	-10.695187	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-60000	-10.695187	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-60000	-10.695187	20	PASS
			NV	20	-60000	-10.695187	20	PASS

Temperature								
Test Mode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
			NV	30	-60000	-10.695187	20	PASS
			NV	45	-60000	-10.695187	20	PASS
	Ant2	5610	NV	-40	0	0	20	PASS
			NV	-30	-60000	-10.695187	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-60000	-10.695187	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	60000	10.695187	20	PASS
	Ant1	5775	NV	-40	60000	10.38961	20	PASS
			NV	-30	60000	10.38961	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	45	60000	10.38961	20	PASS
	Ant2	5775	NV	-40	-60000	-10.38961	20	PASS
			NV	-30	-60000	-10.38961	20	PASS
			NV	-20	-60000	-10.38961	20	PASS
			NV	-10	-60000	-10.38961	20	PASS
			NV	0	-60000	-10.38961	20	PASS
			NV	10	-60000	-10.38961	20	PASS
			NV	20	-60000	-10.38961		
			NV	30	-60000	-10.38961		
			NV	45	0	0	20	PASS