


Appendix-C Field Strength of Spurious Radiation

For LTE Cat M:

Project Information			
Mode:	Cat M	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.40	102.99	-79.71	23.28	-	-	Horizontal	NA
2	1959.80	39.55	-79.37	-39.82	-	-	Horizontal	NA
3	2975.00	31.19	-74.86	-43.67	-13.00	30.67	Horizontal	PASS
4	3743.00	46.35	-107.43	-61.08	-13.00	48.08	Horizontal	PASS
5	17326.00	38.69	-83.50	-44.81	-13.00	31.81	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.40	91.40	-79.71	11.69	-	-	Vertical	NA
2	2973.80	31.27	-74.86	-43.59	-13.00	30.59	Vertical	PASS
3	3743.00	45.98	-107.43	-61.45	-13.00	48.45	Vertical	PASS
4	17839.50	37.74	-82.61	-44.87	-13.00	31.87	Vertical	PASS

Project Information

Mode:	Cat M	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1724.00	104.69	-79.95	24.74	-	-	Horizontal	NA
2	2139.60	38.05	-79.24	-41.19	-	-	Horizontal	NA
3	2969.80	31.44	-74.87	-43.43	-13.00	30.43	Horizontal	PASS
4	3448.00	62.25	-107.30	-45.05	-13.00	32.05	Horizontal	PASS
5	17355.00	38.06	-82.59	-44.53	-13.00	31.53	Horizontal	PASS

Project Information

Mode:	Cat M	Band:	4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1724.00	91.54	-79.95	11.59	-	-	Vertical	NA
2	2952.80	31.19	-74.90	-43.71	-13.00	30.71	Vertical	PASS
3	3448.00	55.67	-107.30	-51.63	-13.00	38.63	Vertical	PASS
4	17838.50	37.86	-82.62	-44.76	-13.00	31.76	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	66.59	-114.12	-47.53	-13.00	34.53	Horizontal	PASS
2	2496.80	69.37	-111.38	-42.01	-13.00	29.01	Horizontal	PASS
3	3329.20	51.85	-108.29	-56.44	-13.00	43.44	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	54.25	-114.12	-59.87	-13.00	46.87	Vertical	PASS
2	2496.80	60.64	-111.38	-50.74	-13.00	37.74	Vertical	PASS
3	3329.20	46.20	-108.29	-62.09	-13.00	49.09	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	79.54	-114.33	-34.79	-13.00	21.79	Horizontal	PASS
2	2109.85	61.57	-113.21	-51.64	-13.00	38.64	Horizontal	PASS
3	2813.00	58.55	-109.81	-51.26	-13.00	38.26	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	65.58	-114.33	-48.75	-13.00	35.75	Vertical	PASS
2	2109.85	52.86	-113.21	-60.35	-13.00	47.35	Vertical	PASS
3	2813.00	49.88	-109.81	-59.93	-13.00	46.93	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.57	63.57	-114.07	-50.50	-13.00	37.50	Horizontal	PASS
2	2333.27	67.88	-112.39	-44.51	-13.00	31.51	Horizontal	PASS
3	3110.97	56.43	-108.58	-52.15	-13.00	39.15	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.57	56.35	-114.07	-57.72	-13.00	44.72	Vertical	PASS
2	2333.27	58.11	-112.39	-54.28	-13.00	41.28	Vertical	PASS
3	3111.43	49.64	-108.57	-58.93	-13.00	45.93	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.77	58.10	-114.09	-55.99	-40.00	15.99	Horizontal	PASS
2	2339.57	65.97	-112.43	-46.46	-13.00	33.46	Horizontal	PASS
3	3119.37	57.64	-108.53	-50.89	-13.00	37.89	Horizontal	PASS

Project Information

Mode:	Cat M	Band:	13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.30	50.11	-114.09	-63.98	-40.00	23.98	Vertical	PASS
2	2339.57	58.54	-112.43	-53.89	-13.00	40.89	Vertical	PASS
3	3119.13	48.96	-108.53	-59.57	-13.00	46.57	Vertical	PASS

Project Information

Mode:	Cat M	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.20	106.96	-84.95	22.01	-	-	Horizontal	NA
2	1959.40	55.41	-84.77	-29.36	-	-	Horizontal	NA
3	2955.20	35.71	-79.99	-44.28	-13.00	31.28	Horizontal	PASS
4	3756.50	45.74	-107.31	-61.57	-13.00	48.57	Horizontal	PASS
5	17858.50	37.85	-82.56	-44.71	-13.00	31.71	Horizontal	PASS

Project Information

Mode:	Cat M	Band:	25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1878.20	97.46	-84.95	12.51	-	-	Vertical	NA
2	1965.40	44.12	-84.81	-40.69	-	-	Vertical	NA
3	2963.40	35.54	-79.95	-44.41	-13.00	31.41	Vertical	PASS
4	3757.00	49.40	-107.31	-57.91	-13.00	44.91	Vertical	PASS
5	17835.00	38.39	-82.68	-44.29	-13.00	31.29	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.60	65.03	-114.17	-49.14	-13.00	36.14	Horizontal	PASS
2	2444.00	64.67	-111.24	-46.57	-13.00	33.57	Horizontal	PASS
3	3258.80	55.73	-108.45	-52.72	-13.00	39.72	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.60	54.88	-114.17	-59.29	-13.00	46.29	Vertical	PASS
2	2444.00	56.67	-111.24	-54.57	-13.00	41.57	Vertical	PASS
3	3259.20	48.56	-108.44	-59.88	-13.00	46.88	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1650.00	67.71	-114.08	-46.37	-13.00	33.37	Horizontal	PASS
2	2475.20	67.13	-111.26	-44.13	-13.00	31.13	Horizontal	PASS
3	3300.00	54.86	-108.17	-53.31	-13.00	40.31	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1650.00	57.55	-114.08	-56.53	-13.00	43.53	Vertical	PASS
2	2475.20	58.43	-111.26	-52.83	-13.00	39.83	Vertical	PASS
3	3300.00	46.38	-108.17	-61.79	-13.00	48.79	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.40	105.48	-79.78	25.70	-	-	Horizontal	NA
2	2160.40	45.50	-79.22	-33.72	-	-	Horizontal	NA
3	2891.00	31.99	-75.51	-43.52	-13.00	30.52	Horizontal	PASS
4	3493.00	59.17	-107.01	-47.84	-13.00	34.84	Horizontal	PASS
5	17848.50	38.81	-82.48	-43.67	-13.00	30.67	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1746.40	90.93	-79.78	11.15	-	-	Vertical	NA
2	2974.40	31.83	-74.86	-43.03	-13.00	30.03	Vertical	PASS
3	3492.50	52.57	-107.01	-54.44	-13.00	41.44	Vertical	PASS
4	17841.00	38.07	-82.59	-44.52	-13.00	31.52	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	85
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1405.30	75.73	-114.33	-38.60	-13.00	25.60	Horizontal	PASS
2	2108.45	61.45	-113.21	-51.76	-13.00	38.76	Horizontal	PASS
3	2811.25	58.89	-109.82	-50.93	-13.00	37.93	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	85
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840074148270	Engineer:	Ou Shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	61.08	-114.33	-53.25	-13.00	40.25	Vertical	PASS
2	2108.45	50.79	-113.21	-62.42	-13.00	49.42	Vertical	PASS
3	2811.25	52.28	-109.82	-57.54	-13.00	44.54	Vertical	PASS

For LTE NB-IoT:

Project Information			
Mode:	NB-IoT	Band:	2
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	102.13	-79.70	22.43	-	-	Horizontal	NA
2	2970.00	31.14	-74.87	-43.73	-13.00	30.73	Horizontal	PASS
3	3760.00	47.72	-107.25	-59.53	-13.00	46.53	Horizontal	PASS
4	17348.50	38.04	-82.47	-44.43	-13.00	31.43	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	2
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	87.94	-79.70	8.24	-	-	Vertical	NA
2	2969.00	31.40	-74.87	-43.47	-13.00	30.47	Vertical	PASS
3	3760.00	47.24	-107.25	-60.01	-13.00	47.01	Vertical	PASS
4	17993.50	37.96	-82.52	-44.56	-13.00	31.56	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	4
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	105.22	-79.90	25.32	-	-	Horizontal	NA
2	2970.20	31.19	-74.87	-43.68	-13.00	30.68	Horizontal	PASS
3	3465.00	57.20	-107.19	-49.99	-13.00	36.99	Horizontal	PASS
4	17830.50	38.17	-82.75	-44.58	-13.00	31.58	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	4
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	92.29	-79.90	12.39	-	-	Vertical	NA
2	2978.40	31.32	-74.94	-43.62	-13.00	30.62	Vertical	PASS
3	3465.00	50.16	-107.19	-57.03	-13.00	44.03	Vertical	PASS
4	17832.00	38.19	-82.73	-44.54	-13.00	31.54	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	5
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.80	70.24	-114.14	-43.90	-13.00	30.90	Horizontal	PASS
2	2509.20	70.50	-111.36	-40.86	-13.00	27.86	Horizontal	PASS
3	3345.60	53.80	-108.36	-54.56	-13.00	41.56	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	5
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.80	52.79	-114.14	-61.35	-13.00	48.35	Vertical	PASS
2	2509.20	62.59	-111.36	-48.77	-13.00	35.77	Vertical	PASS
3	3346.00	48.38	-108.36	-59.98	-13.00	46.98	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	12
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1415.10	70.36	-114.36	-44.00	-13.00	31.00	Horizontal	PASS
2	2122.10	68.52	-113.21	-44.69	-13.00	31.69	Horizontal	PASS
3	2830.15	53.67	-109.65	-55.98	-13.00	42.98	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	12
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.75	53.89	-114.36	-60.47	-13.00	47.47	Vertical	PASS
2	2122.10	54.84	-113.21	-58.37	-13.00	45.37	Vertical	PASS
3	2829.80	47.51	-109.65	-62.14	-13.00	49.14	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1564.20	59.66	-114.12	-54.46	-40.00	14.46	Horizontal	PASS
2	2346.10	68.31	-112.47	-44.16	-13.00	31.16	Horizontal	PASS
3	3127.77	50.65	-108.49	-57.84	-13.00	44.84	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	47.02	-114.11	-67.09	-40.00	27.09	Vertical	PASS
2	2345.63	59.11	-112.46	-53.35	-13.00	40.35	Vertical	PASS
3	7901.07	38.12	-95.69	-57.57	-13.00	44.57	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	15KHz		
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	57.20	-114.11	-56.91	-40.00	16.91	Horizontal	PASS
2	2345.63	68.95	-112.46	-43.51	-13.00	30.51	Horizontal	PASS
3	3127.77	49.69	-108.49	-58.80	-13.00	45.80	Horizontal	PASS

Project Information

Mode:	NB-IoT	Band:	13
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	15KHz		
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	46.25	-114.11	-67.86	-40.00	27.86	Vertical	PASS
2	2345.87	59.72	-112.47	-52.75	-13.00	39.75	Vertical	PASS
3	7904.80	37.94	-95.67	-57.73	-13.00	44.73	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	25
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1882.40	108.98	-84.95	24.03	-	-	Horizontal	NA
2	2950.40	31.39	-80.01	-48.62	-13.00	35.62	Horizontal	PASS
3	3765.00	49.38	-107.17	-57.79	-13.00	44.79	Horizontal	PASS
4	17836.50	38.30	-82.66	-44.36	-13.00	31.36	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	25
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1882.40	93.26	-84.95	8.31	-	-	Vertical	NA
2	2968.20	31.31	-79.93	-48.62	-13.00	35.62	Vertical	PASS
3	3765.00	47.12	-107.17	-60.05	-13.00	47.05	Vertical	PASS
4	17993.50	38.00	-82.52	-44.52	-13.00	31.52	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	66
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.00	109.71	-85.03	24.68	-	-	Horizontal	NA
2	2987.40	35.59	-80.11	-44.52	-13.00	31.52	Horizontal	PASS
3	3510.00	50.39	-107.10	-56.71	-13.00	43.71	Horizontal	PASS
4	17840.00	38.08	-82.61	-44.53	-13.00	31.53	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	66
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.00	96.13	-85.03	11.10	-	-	Vertical	NA
2	2957.60	35.49	-79.98	-44.49	-13.00	31.49	Vertical	PASS
3	3510.00	45.60	-107.10	-61.50	-13.00	48.50	Vertical	PASS
4	17996.00	37.72	-82.49	-44.77	-13.00	31.77	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	71
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1360.85	64.41	-114.21	-49.80	-13.00	36.80	Horizontal	PASS
2	2041.60	67.80	-113.75	-45.95	-13.00	32.95	Horizontal	PASS
3	2721.65	53.78	-110.27	-56.49	-13.00	43.49	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	71
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1361.20	46.97	-114.21	-67.24	-13.00	54.24	Vertical	PASS
2	2041.25	53.22	-113.75	-60.53	-13.00	47.53	Vertical	PASS
3	3402.05	43.94	-107.50	-63.56	-13.00	50.56	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	85
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.70	70.35	-114.35	-44.00	-13.00	31.00	Horizontal	PASS
2	2120.70	68.22	-113.21	-44.99	-13.00	31.99	Horizontal	PASS
3	2828.40	52.72	-109.67	-56.95	-13.00	43.95	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	85
Bandwidth:	-	Channel:	Mid
IMEI:	866840074148340	Engineer:	Ou Shuyan
Remark:	3.75KHz		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.05	52.80	-114.35	-61.55	-13.00	48.55	Vertical	PASS
2	2120.70	54.51	-113.21	-58.70	-13.00	45.70	Vertical	PASS
3	2827.70	47.32	-109.67	-62.35	-13.00	49.35	Vertical	PASS

~The End~