


Appendix-C Field Strength of Spurious Radiation

For LTE Cat M:

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	72.28	-114.12	-41.84	-13.00	28.84	Horizontal	PASS
2	2496.40	71.34	-111.37	-40.03	-13.00	27.03	Horizontal	PASS
3	3329.20	55.04	-108.29	-53.25	-13.00	40.25	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.40	69.15	-114.12	-44.97	-13.00	31.97	Vertical	PASS
2	2497.20	70.25	-111.38	-41.13	-13.00	28.13	Vertical	PASS
3	3328.40	53.85	-108.29	-54.44	-13.00	41.44	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	106.56	-84.97	21.59	-	-	Horizontal	NA
2	3742.50	49.20	-107.43	-58.23	-13.00	45.23	Horizontal	PASS
3	5613.50	52.63	-101.19	-48.56	-13.00	35.56	Horizontal	PASS
4	17357.50	38.06	-82.69	-44.63	-13.00	31.63	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	103.27	-84.97	18.30	-	-	Vertical	NA
2	3743.00	48.64	-107.43	-58.79	-13.00	45.79	Vertical	PASS
3	5614.50	45.23	-101.17	-55.94	-13.00	42.94	Vertical	PASS
4	17863.00	38.11	-82.61	-44.50	-13.00	31.50	Vertical	PASS

Project Information

Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1724.00	106.97	-85.27	21.70	-	-	Horizontal	NA
2	3448.00	49.39	-107.30	-57.91	-13.00	44.91	Horizontal	PASS
3	5171.50	54.43	-102.05	-47.62	-13.00	34.62	Horizontal	PASS
4	17348.50	38.30	-82.47	-44.17	-13.00	31.17	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	107.64	-85.28	22.36	-	-	Vertical	NA
2	3448.00	49.71	-107.30	-57.59	-13.00	44.59	Vertical	PASS
3	5172.00	47.71	-102.06	-54.35	-13.00	41.35	Vertical	PASS
4	17812.50	38.95	-83.00	-44.05	-13.00	31.05	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	77.74	-114.33	-36.59	-13.00	23.59	Horizontal	PASS
2	2109.85	77.63	-113.21	-35.58	-13.00	22.58	Horizontal	PASS
3	2813.00	67.68	-109.81	-42.13	-13.00	29.13	Horizontal	PASS

Project Information

Mode:	Cat M	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	78.69	-114.33	-35.64	-13.00	22.64	Vertical	PASS
2	2109.85	80.52	-113.21	-32.69	-13.00	19.69	Vertical	PASS
3	2812.30	68.09	-109.81	-41.72	-13.00	28.72	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	64.70	-114.07	-49.37	-13.00	36.37	Horizontal	PASS
2	2332.80	69.77	-112.39	-42.62	-13.00	29.62	Horizontal	PASS
3	3110.73	55.52	-108.58	-53.06	-13.00	40.06	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.57	69.05	-114.07	-45.02	-13.00	32.02	Vertical	PASS
2	2333.27	66.89	-112.39	-45.50	-13.00	32.50	Vertical	PASS
3	3111.20	54.33	-108.58	-54.25	-13.00	41.25	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	64.86	-114.09	-49.23	-40.00	9.23	Horizontal	PASS
2	2339.57	69.16	-112.43	-43.27	-13.00	30.27	Horizontal	PASS
3	3119.37	55.47	-108.53	-53.06	-13.00	40.06	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1559.53	68.06	-114.09	-46.03	-40.00	6.03	Vertical	PASS
2	2339.57	67.70	-112.43	-44.73	-13.00	31.73	Vertical	PASS
3	3118.90	54.97	-108.53	-53.56	-13.00	40.56	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	106.05	-84.97	21.08	-	-	Horizontal	NA
2	3747.00	53.02	-107.43	-54.41	-13.00	41.41	Horizontal	PASS
3	5622.00	44.69	-101.07	-56.38	-13.00	43.38	Horizontal	PASS
4	17856.50	37.88	-82.54	-44.66	-13.00	31.66	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.80	103.58	-84.97	18.61	-	-	Vertical	NA
2	3748.00	47.91	-107.42	-59.51	-13.00	46.51	Vertical	PASS
3	5621.50	40.86	-101.08	-60.22	-13.00	47.22	Vertical	PASS
4	17046.50	38.53	-85.03	-46.50	-13.00	33.50	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.60	71.21	-114.17	-42.96	-13.00	29.96	Horizontal	PASS
2	2444.00	65.12	-111.24	-46.12	-13.00	33.12	Horizontal	PASS
3	3259.20	57.21	-108.44	-51.23	-13.00	38.23	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	68.23	-114.17	-45.94	-13.00	32.94	Vertical	PASS
2	2444.40	63.41	-111.24	-47.83	-13.00	34.83	Vertical	PASS
3	3259.20	57.70	-108.44	-50.74	-13.00	37.74	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1660.00	74.31	-114.11	-39.80	-13.00	26.80	Horizontal	PASS
2	2490.00	66.36	-111.34	-44.98	-13.00	31.98	Horizontal	PASS
3	3320.00	58.24	-108.25	-50.01	-13.00	37.01	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 26(824-849MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1660.00	71.54	-114.11	-42.57	-13.00	29.57	Vertical	PASS
2	2490.00	63.20	-111.34	-48.14	-13.00	35.14	Vertical	PASS
3	3320.00	54.37	-108.25	-53.88	-13.00	40.88	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.40	106.14	-85.18	20.96	-	-	Horizontal	NA
2	3473.00	49.37	-107.13	-57.76	-13.00	44.76	Horizontal	PASS
3	5209.50	52.80	-102.19	-49.39	-13.00	36.39	Horizontal	PASS
4	17349.50	37.48	-82.42	-44.94	-13.00	31.94	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 66
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.60	106.89	-85.18	21.71	-	-	Vertical	NA
2	3472.50	48.64	-107.14	-58.50	-13.00	45.50	Vertical	PASS
3	5209.50	48.65	-102.19	-53.54	-13.00	40.54	Vertical	PASS
4	17433.50	39.59	-83.79	-44.20	-13.00	31.20	Vertical	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1405.30	77.25	-114.33	-37.08	-13.00	24.08	Horizontal	PASS
2	2108.10	77.54	-113.22	-35.68	-13.00	22.68	Horizontal	PASS
3	2811.25	65.10	-109.82	-44.72	-13.00	31.72	Horizontal	PASS

Project Information			
Mode:	Cat M	Band:	Band 85
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:			
Test Standard:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1405.65	78.43	-114.33	-35.90	-13.00	22.90	Vertical	PASS
2	2108.45	80.49	-113.21	-32.72	-13.00	19.72	Vertical	PASS
3	2811.25	66.29	-109.82	-43.53	-13.00	30.53	Vertical	PASS

For LTE NB-IoT:

Project Information			
Mode:	NB-IoT	Band:	Band 2
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1879.80	94.88	-79.70	15.18	-	-	Horizontal	NA
2	1960.00	43.43	-79.37	-35.94	-	-	Horizontal	NA
3	2959.00	31.91	-74.89	-42.98	-13.00	29.98	Horizontal	PASS
4	3760.00	52.90	-107.25	-54.35	-13.00	41.35	Horizontal	PASS
5	17854.50	38.14	-82.51	-44.37	-13.00	31.37	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 2
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1700.80	39.79	-80.03	-40.24	-13.00	27.24	Vertical	PASS
2	1880.00	101.50	-79.70	21.80	-	-	Vertical	NA
3	1960.20	33.46	-79.37	-45.91	-	-	Vertical	NA
4	3760.00	54.28	-107.25	-52.97	-13.00	39.97	Vertical	PASS
5	17833.00	38.11	-82.70	-44.59	-13.00	31.59	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 4
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	95.32	-79.90	15.42	-	-	Horizontal	NA
2	2976.20	31.45	-74.89	-43.44	-13.00	30.44	Horizontal	PASS
3	14362.00	38.20	-86.16	-47.96	-13.00	34.96	Horizontal	PASS
4	17351.50	37.77	-82.46	-44.69	-13.00	31.69	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 4
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1732.40	103.61	-79.90	23.71	-	-	Vertical	NA
2	1883.00	39.26	-79.68	-40.42	-13.00	27.42	Vertical	PASS
3	9471.00	37.98	-93.14	-55.16	-13.00	42.16	Vertical	PASS
4	17361.00	37.90	-82.83	-44.93	-13.00	31.93	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 5
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.80	61.91	-114.14	-52.23	-13.00	39.23	Horizontal	PASS
2	2509.20	60.12	-111.36	-51.24	-13.00	38.24	Horizontal	PASS
3	3345.60	58.35	-108.36	-50.01	-13.00	37.01	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 5
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1672.80	70.69	-114.14	-43.45	-13.00	30.45	Vertical	PASS
2	2509.20	55.68	-111.36	-55.68	-13.00	42.68	Vertical	PASS
3	3345.60	55.46	-108.36	-52.90	-13.00	39.90	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.75	72.97	-114.36	-41.39	-13.00	28.39	Horizontal	PASS
2	2122.10	66.13	-113.21	-47.08	-13.00	34.08	Horizontal	PASS
3	2829.80	61.06	-109.65	-48.59	-13.00	35.59	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 12
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.75	66.78	-114.36	-47.58	-13.00	34.58	Vertical	PASS
2	2122.10	67.77	-113.21	-45.44	-13.00	32.44	Vertical	PASS
3	2829.80	60.18	-109.65	-49.47	-13.00	36.47	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	15KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	62.68	-114.11	-51.43	-40.00	11.43	Horizontal	PASS
2	2345.63	67.44	-112.46	-45.02	-13.00	32.02	Horizontal	PASS
3	3127.53	59.19	-108.49	-49.30	-13.00	36.30	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	15KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	67.03	-114.11	-47.08	-40.00	7.08	Vertical	PASS
2	2345.63	63.88	-112.46	-48.58	-13.00	35.58	Vertical	PASS
3	3127.53	55.85	-108.49	-52.64	-13.00	39.64	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1563.73	64.49	-114.11	-49.62	-40.00	9.62	Horizontal	PASS
2	2345.63	64.66	-112.46	-47.80	-13.00	34.80	Horizontal	PASS
3	3128.23	59.68	-108.48	-48.80	-13.00	35.80	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 13
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1564.20	67.92	-114.12	-46.20	-40.00	6.20	Vertical	PASS
2	2346.10	61.32	-112.47	-51.15	-13.00	38.15	Vertical	PASS
3	3128.23	55.52	-108.48	-52.96	-13.00	39.96	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 25
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1882.40	95.43	-79.70	15.73	-	-	Horizontal	NA
2	1962.60	45.44	-79.41	-33.97	-	-	Horizontal	NA
3	2971.00	31.45	-74.87	-43.42	-13.00	30.42	Horizontal	PASS
4	3765.00	52.18	-107.17	-54.99	-13.00	41.99	Horizontal	PASS
5	17860.50	38.11	-82.58	-44.47	-13.00	31.47	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 25
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1882.40	101.29	-79.70	21.59	-	-	Vertical	NA
2	2938.20	31.83	-75.03	-43.20	-13.00	30.20	Vertical	PASS
3	3765.00	52.19	-107.17	-54.98	-13.00	41.98	Vertical	PASS
4	17844.00	38.18	-82.55	-44.37	-13.00	31.37	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 66
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.00	93.73	-79.67	14.06	-	-	Horizontal	NA
2	2155.00	42.78	-79.28	-36.50	-	-	Horizontal	NA
3	2940.20	31.76	-75.01	-43.25	-13.00	30.25	Horizontal	PASS
4	3510.00	47.37	-107.10	-59.73	-13.00	46.73	Horizontal	PASS
5	5265.00	43.13	-101.94	-58.81	-13.00	45.81	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 66
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1755.00	102.40	-79.67	22.73	-	-	Vertical	NA
2	2981.80	31.37	-75.02	-43.65	-13.00	30.65	Vertical	PASS
3	3510.00	47.85	-107.10	-59.25	-13.00	46.25	Vertical	PASS
4	5265.00	45.02	-101.94	-56.92	-13.00	43.92	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 71
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1360.85	78.81	-114.21	-35.40	-13.00	22.40	Horizontal	PASS
2	2041.25	81.79	-113.75	-31.96	-13.00	18.96	Horizontal	PASS
3	3402.05	68.68	-107.50	-38.82	-13.00	25.82	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 71
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1361.20	77.48	-114.21	-36.73	-13.00	23.73	Vertical	PASS
2	2041.25	72.83	-113.75	-40.92	-13.00	27.92	Vertical	PASS
3	3402.05	66.21	-107.50	-41.29	-13.00	28.29	Vertical	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 85
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.05	72.44	-114.35	-41.91	-13.00	28.91	Horizontal	PASS
2	2120.70	68.76	-113.21	-44.45	-13.00	31.45	Horizontal	PASS
3	2827.70	61.48	-109.67	-48.19	-13.00	35.19	Horizontal	PASS

Project Information			
Mode:	NB-IoT	Band:	Band 85
Bandwidth:	-	Channel:	MID
IMEI:	866840079921690	Engineer:	Ou shuyan
Remark:	3.75KHz		
Test Standard:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.05	69.83	-114.35	-44.52	-13.00	31.52	Vertical	PASS
2	2121.05	66.64	-113.21	-46.57	-13.00	33.57	Vertical	PASS
3	2827.70	64.53	-109.67	-45.14	-13.00	32.14	Vertical	PASS

~The End~