


PHANTOM V Fold

User Manual


Explosion diagram specification




1	CTP+LCM 7.85AMOLED	2	MAIN LCM DECO A
3	F HSG ASM A	4	PCBA MB
5	FCAM FRAME	6	FLASH FPC
7	FCAM 16M	8	CAM 50M CL
9	CAM 50M	10	CAM 13M AF
11	REAR FRAME	12	NFC
13	FLASH DECO	14	SIDEKEY FRAME
15	RCAM DECO	16	RCAM LENS
17	50M CL CAM DECO	18	50M CL CAM LENS
19	BAT COVER	20	SCREW M1.4*D25*L25
21	D-D SCREW M1.4*D24.5*L25	22	SCREW M1.4*D25*L35
23	SCREW M1.2*D23*L13	24	HING ROTATE DECO
25	HING ROTATE	26	OVER-AXIS FPC-1
27	F HSG ASM B	28	REC FRAME
29	PCBA SUB-LCM	30	FCAM 32M
31	REC	32	TOP SPK
33	OFF-SCREEN LP FPC	34	REC FPC
35	LP FRAME	36	TOP BOX ASM
37	STEEL B1	38	SUB LCM BTB STEEL
39	MAIN LCM DECO B	40	SCREW M1.4*D25*L28
41	CTP+LCM 6.42AMOLED	42	BAT 2300MAH
43	STEEL B2	44	BOT BOX ASM
45	SIM PLUG ASM	46	SUB-LCM PCBA TO SIM PCBA FPC
47	BOT SPK FPC	48	MOTO
49	BOT SPK	50	PCBA SIM
51	CARD HOLDER ASM	52	OVER-AXIS FPC-2

53	SCREW M1.4*D25*L20	54	USB PCBA FRAME
55	ANT PCBA FRAME	56	USB RUBBER
57	SIDEKEY ASM	58	STEEL A1
59	STEEL A2	60	BAT 2700MAH
61	RF CABLE LINE-3	62	RF CABLE LINE-1
63	RF CABLE LINE-2	64	MB FPC
65	MAIN PCBA TO ANT PCBA FPC	66	SIDEKEY FPC
67	FP	68	PCBA USB
69	PCBA ANT		

Know your phone






1. Front camera
2. Volume + key
3. Volume - key
4. Power key & side fingerprint sensor
5. NFC

SIM/SD card installation

1. Power off mobile.
2. Refer to the following picture for SIM / SD card installation.






Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).

Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



FCC Caution

Labelling requirements.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Information to user.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

This mobile phone meets the government's requirements for

exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: AD10 (FCC ID: 2ADYY-AD10) has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for use at the ear is 0.751W/kg and when properly worn on the body is 1.196W/kg. This device was tested for typical body-worn operations with the back of the handset kept 10 mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 10 mm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that does not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 1.0 cm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

HiOS runs on Android™ OS.
Android is a trademark of Google LLC.