PSD NVNT ac40 5510MHz Ant2


PSD NVNT ac40 5670MHz Ant2

PSD NVNT ac40 5755MHz Ant2

PSD NVNT ac40 5795MHz Ant2

PSD NVNT ac80 5210MHz Ant2

PSD NVNT ac80 5290MHz Ant2

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

PSD NVNT ac80 5530MHz Ant2

PSD NVNT ac80 5610MHz Ant2

Member of the WSCT INC

PSD NVNT ac80 5775MHz Ant2

PSD NVNT ax20 5180MHz Ant2

PSD NVNT ax20 5240MHz Ant2

PSD NVNT ax20 5260MHz Ant2

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

PSD NVNT ax20 5320MHz Ant2

PSD NVNT ax20 5500MHz Ant2

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306   FAX:86-755-86376605   E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 215 of 310

Member of the WSCT INC

PSD NVNT ax20 5700MHz Ant2

PSD NVNT ax20 5745MHz Ant2

PSD NVNT ax20 5825MHz Ant2

PSD NVNT ax40 5190MHz Ant2

PSD NVNT ax40 5230MHz Ant2

PSD NVNT ax40 5270MHz Ant2

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

PSD NVNT ax40 5310MHz Ant2

PSD NVNT ax40 5510MHz Ant2

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Member of the WSCT INC

PSD NVNT ax40 5670MHz Ant2

PSD NVNT ax40 5755MHz Ant2

PSD NVNT ax40 5795MHz Ant2

PSD NVNT ax80 5210MHz Ant2

Member of the WSCT INC.

PSD NVNT ax80 5290MHz Ant2

PSD NVNT ax80 5530MHz Ant2

PSD NVNT ax80 5610MHz Ant2

## PSD NVNT ax80 5775MHz Ant2

PSD NVLT ax160 5250MHz Ant2

PSD NVLT ax160 5570MHz Ant2

7.8 FREQUENCY STABILITY

Product:	EUT-Sample		Test Item:	Frequency Stability
Temperature:	25 ℃		Humidity:	56%RH
Test Voltage:	DC 3.86V		Test Result:	PASS

Mode	Frequency (MHz)	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
a	5180	5180	0	0	25	Pass
a	5240	5240	0	0	25	Pass
a	5260	5259.98	-20000	-3.8	25	Pass
a	5320	5320	0	0	25	Pass
a	5500	5499.98	-20000	-3.64	25	Pass
a	5700	5700	0	0	25	Pass
a	5745	5745.02	20000	3.48	25	Pass
a	5825	5824.98	-20000	-3.43	25	Pass
n20	5180	5180	0	0	25	Pass
n20	5240	5239.98	-20000	-3.82	25	Pass
n20	5260	5260	0	0	25	Pass
n20	5320	5320.02	20000	3.76	25	Pass
n20	5500	5500.02	20000	3.64	25	Pass
n20	5700	5699.98	-20000	-3.51	25	Pass
n20	5745	5745	0	0	25	Pass
n20	5825	5824.98	-20000	-3.43	25	Pass
n40	5190	5189.96	-40000	-7.71	25	Pass
n40	5230	5230	0	0	25	Pass
n40	5270	5270	0	0	25	Pass
n40	5310	5310.04	40000	7.53	25	Pass
n40	5510	5510	0	0	25	Pass
n40	5670	5669.96	-40000	-7.05	25	Pass
n40	5755	5755	0	0	25	Pass
n40	5795	5795	0	0	25	Pass
ac20	5180	5179.98	-20000	-3.86	25	Pass
ac20	5240	5240.02	20000	3.82	25	Pass
ac20	5260	5260	0	0	25	Pass
ac20	5320	5320	0	0	25	Pass
ac20	5500	5500.02	20000	3.64	25	Pass
ac20	5700	5700	0	0	25	Pass
ac20	5745	5745	0	0	25	Pass
ac20	5825	5825	0	0	25	Pass
ac40	5190	5189.96	-40000	-7.71	25	Pass
ac40	5230	5230	0	0	25	Pass
ac40	5270	5270	0	0	25	Pass
ac40	5310	5310.04	40000	7.53	25	Pass
ac40	5510	5510	0	0	25	Pass
ac40	5670	5669.96	-40000	-7.05	25	Pass
ac40	5755	5755.04	40000	6.95	25	Pass
ac40	5795	5795	0	0	25	Pass
ac80	5210	5210	0	0	25	Pass

ac80	5290	5290	0	0	25	Pass
ac80	5530	5530	0	0	25	Pass
ac80	5610	5610	0	0	25	Pass
ac80	5775	5775	0	0	25	Pass
ax20	5180	5180	0	0	25	Pass
ax20	5240	5240	0	0	25	Pass
ax20	5260	5260	0	0	25	Pass
ax20	5320	5320	0	0	25	Pass
ax20	5500	5500	0	0	25	Pass
ax20	5700	5700	0	0	25	Pass
ax20	5745	5745	0	0	25	Pass
ax20	5825	5825	0	0	25	Pass
ax40	5190	5189.96	-40000	-7.71	25	Pass
ax40	5230	5230	0	0	25	Pass
ax40	5270	5270	0	0	25	Pass
ax40	5310	5310.04	40000	7.53	25	Pass
ax40	5510	5510	0	0	25	Pass
ax40	5670	5670	0	0	25	Pass
ax40	5755	5754.96	-40000	-6.95	25	Pass
ax40	5795	5795	0	0	25	Pass
ax80	5210	5210	0	0	25	Pass
ax80	5290	5290	0	0	25	Pass
ax80	5530	5530	0	0	25	Pass
ax80	5610	5610	0	0	25	Pass
ax80	5775	5775	0	0	25	Pass
ax160	5250	5250	0	0	25	Pass
ax160	5570	5570	0	0	25	Pass

Test Graphs

Freq. Stability NVNT a 5180MHz

Freq. Stability NVNT a 5240MHz

Freq. Stability NVNT a 5260MHz

Freq. Stability NVNT a 5320MHz

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT a 5500MHz

Freq. Stability NVNT a 5700MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail:Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 229 of 310

Member of the WSCT INC

Freq. Stability NVNT a 5745MHz

Freq. Stability NVNT a 5825MHz

Freq. Stability NVNT n20 5180MHz

Freq. Stability NVNT n20 5240MHz

Freq. Stability NVNT n20 5260MHz

Freq. Stability NVNT n20 5320MHz

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT n20 5500MHz

Spectrum Analyzer 1
Swept SA

KEYSIGHT | Input: RF | Input Z: 50 Ω | #Atten: 30 dB | PNO: Fast | #Avg Type: Power (RMS | 1 2 3 4 5 6
R L | Coupling: DC | Corr CCorr | | Gate: Off | Avg|Hold: 10/10 | M W W W W W
| Align: Auto | Freq Ref: Int (S) | | IF Gain: Low | Trig: Free Run |
| | | | Sig Track: Off | | P N N N N N

1 Spectrum | Ref Lvl Offset 5.31 dB | Mkr1 5.500 02 GHz
Scale/Div 10 dB | Ref Level 20.00 dBm | -19.43 dBm

Log
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0

Center 5.50000 GHz | #Video BW 30 kHz | Span 40.00 MHz
#Res BW 10 kHz | | Sweep 382 ms (1001 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.500 02 GHz	-19.43 dBm			
2	N	1	f	5.491 16 GHz	-13.49 dBm			
3	N	1	f	5.508 88 GHz	-17.11 dBm			
4								
5								
6								

Mar 03, 2024
9:54:00 AM

Freq. Stability NVNT n20 5700MHz

Spectrum Analyzer 1
Swept SA

KEYSIGHT | Input: RF | Input Z: 50 Ω | #Atten: 30 dB | PNO: Fast | #Avg Type: Power (RMS | 1 2 3 4 5 6
R L | Coupling: DC | Corr CCorr | | Gate: Off | Avg|Hold: 10/10 | M W W W W W
| Align: Auto | Freq Ref: Int (S) | | IF Gain: Low | Trig: Free Run |
| | | | Sig Track: Off | | P N N N N N

1 Spectrum | Ref Lvl Offset 5.52 dB | Mkr1 5.699 98 GHz
Scale/Div 10 dB | Ref Level 20.00 dBm | -17.80 dBm

Log
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0

Center 5.70000 GHz | #Video BW 30 kHz | Span 40.00 MHz
#Res BW 10 kHz | | Sweep 382 ms (1001 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.699 98 GHz	-17.80 dBm			
2	N	1	f	5.691 12 GHz	-16.51 dBm			
3	N	1	f	5.708 84 GHz	-15.72 dBm			
4								
5								
6								

Mar 03, 2024
9:56:56 AM

世标检测认证股份
World Standardization Certification & Testing Group (Shenzhen) Co., Ltd.

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 233 of 310

Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT n20 5745MHz

Freq. Stability NVNT n20 5825MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Member of the WSCT INC

Freq. Stability NVNT n40 5190MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.189 96 GHz	-25.99 dBm			
2	N	1	f	5.171 76 GHz	-18.33 dBm			
3	N	1	f	5.208 16 GHz	-17.83 dBm			
4								
5								
6								

Freq. Stability NVNT n40 5230MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.230 00 GHz	-26.70 dBm			
2	N	1	f	5.211 76 GHz	-20.12 dBm			
3	N	1	f	5.248 24 GHz	-21.70 dBm			
4								
5								
6								

世标检测认证股份
World Standardization Certification & Testing Group (Shenzhen) Co., Ltd.
ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 235 of 310

Member of the WSCT INC

Freq. Stability NVNT n40 5270MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.270 00 GHz	-27.17 dBm			
2	N	1	f	5.251 76 GHz	-21.22 dBm			
3	N	1	f	5.288 24 GHz	-19.72 dBm			
4								
5								
6								

Freq. Stability NVNT n40 5310MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.310 04 GHz	-27.79 dBm			
2	N	1	f	5.291 84 GHz	-17.37 dBm			
3	N	1	f	5.328 24 GHz	-20.03 dBm			
4								
5								
6								

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT n40 5510MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.510 00 GHz	-28.50 dBm			
2	N	1	f	5.491 76 GHz	-19.84 dBm			
3	N	1	f	5.528 24 GHz	-18.65 dBm			
4								
5								
6								

Mar 03, 2024
10:47:22 AM

Freq. Stability NVNT n40 5670MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.669 96 GHz	-26.11 dBm			
2	N	1	f	5.651 76 GHz	-19.01 dBm			
3	N	1	f	5.688 16 GHz	-18.60 dBm			
4								
5								
6								

Mar 03, 2024
10:50:47 AM

世标检测认证股份
World Standardization Certification & Testing Group (Shenzhen) Co., Ltd.
ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com
Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT n40 5755MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.755 00 GHz	-27.11 dBm			
2	N	1	f	5.736 76 GHz	-19.94 dBm			
3	N	1	f	5.773 24 GHz	-19.99 dBm			
4								
5								
6								

Mar 03, 2024 10:53:53 AM

Freq. Stability NVNT n40 5795MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.795 00 GHz	-30.22 dBm			
2	N	1	f	5.776 76 GHz	-19.89 dBm			
3	N	1	f	5.813 24 GHz	-20.21 dBm			
4								
5								
6								

Mar 03, 2024 10:56:57 AM

Freq. Stability NVNT ac20 5180MHz

Freq. Stability NVNT ac20 5240MHz

Freq. Stability NVNT ac20 5260MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.260 00 GHz	-21.03 dBm			
2	N	1	f	5.251 12 GHz	-16.47 dBm			
3	N	1	f	5.268 88 GHz	-15.62 dBm			
4								
5								
6								

Mar 03, 2024 10:13:58 AM

Freq. Stability NVNT ac20 5320MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.320 00 GHz	-18.71 dBm			
2	N	1	f	5.311 16 GHz	-14.67 dBm			
3	N	1	f	5.328 84 GHz	-14.22 dBm			
4								
5								
6								

Mar 03, 2024 10:16:59 AM

Freq. Stability NVNT ac20 5500MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.500 02 GHz	-21.94 dBm			
2	N	1	f	5.491 16 GHz	-13.68 dBm			
3	N	1	f	5.508 88 GHz	-17.13 dBm			
4								
5								
6								

Freq. Stability NVNT ac20 5700MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.700 00 GHz	-20.08 dBm			
2	N	1	f	5.691 12 GHz	-17.36 dBm			
3	N	1	f	5.708 88 GHz	-14.93 dBm			
4								
5								
6								

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ac20 5745MHz

Freq. Stability NVNT ac20 5825MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 242 of 310

Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ac40 5190MHz

Freq. Stability NVNT ac40 5230MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306   FAX:86-755-86376605   E-mail: Fengbing.Wang@wsct-cert.com   Http:www.wsct-cert.com

Page 243 of 310

Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ac40 5270MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.270 00 GHz	-27.66 dBm			
2	N	1	f	5.251 76 GHz	-21.15 dBm			
3	N	1	f	5.288 24 GHz	-19.80 dBm			
4								
5								
6								

Freq. Stability NVNT ac40 5310MHz

|	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.310 04 GHz	-27.81 dBm			
2	N	1	f	5.291 84 GHz	-18.42 dBm			
3	N	1	f	5.328 24 GHz	-20.98 dBm			
4								
5								
6								

Freq. Stability NVNT ac40 5510MHz

Freq. Stability NVNT ac40 5670MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 245 of 310

Member of the WSCT INC

Freq. Stability NVNT ac40 5755MHz

Freq. Stability NVNT ac40 5795MHz

Member of the WSCT INC

Freq. Stability NVNT ac80 5210MHz

Freq. Stability NVNT ac80 5290MHz

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ac80 5530MHz

Freq. Stability NVNT ac80 5610MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Member of the WSCT INC

Freq. Stability NVNT ac80 5775MHz

Freq. Stability NVNT ax20 5180MHz

Freq. Stability NVNT ax20 5240MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.240 00 GHz	-24.78 dBm			
2	N	1	f	5.230 44 GHz	-17.40 dBm			
3	N	1	f	5.249 56 GHz	-17.01 dBm			
4								
5								
6								

Mar 03, 2024 11:56:37 AM

Freq. Stability NVNT ax20 5260MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.260 00 GHz	-25.29 dBm			
2	N	1	f	5.250 44 GHz	-17.03 dBm			
3	N	1	f	5.269 56 GHz	-16.82 dBm			
4								
5								
6								

Mar 03, 2024 11:59:46 AM

Freq. Stability NVNT ax20 5320MHz

Freq. Stability NVNT ax20 5500MHz

Freq. Stability NVNT ax20 5700MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.700 00 GHz	-22.40 dBm			
2	N	1	f	5.690 44 GHz	-18.06 dBm			
3	N	1	f	5.709 56 GHz	-16.52 dBm			
4								
5								
6								

Freq. Stability NVNT ax20 5745MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.745 00 GHz	-21.12 dBm			
2	N	1	f	5.735 44 GHz	-16.06 dBm			
3	N	1	f	5.754 56 GHz	-16.11 dBm			
4								
5								
6								

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ax20 5825MHz

Freq. Stability NVNT ax40 5190MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306   FAX:86-755-86376605   E-mail: Fengbing.Wang@wsct-cert.com   Http:www.wsct-cert.com

Page 253 of 310

Member of the WSCT INC

Freq. Stability NVNT ax40 5230MHz

Freq. Stability NVNT ax40 5270MHz

Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ax40 5310MHz

Freq. Stability NVNT ax40 5510MHz

Member of the WSCT INC

Freq. Stability NVNT ax40 5670MHz

Freq. Stability NVNT ax40 5755MHz

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ax40 5795MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.795 00 GHz	-27.04 dBm			
2	N	1	f	5.775 96 GHz	-17.32 dBm			
3	N	1	f	5.814 04 GHz	-19.84 dBm			
4								
5								
6								

Mar 03, 2024
12:44:42 PM

Freq. Stability NVNT ax80 5210MHz

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.210 00 GHz	-33.05 dBm			
2	N	1	f	5.170 96 GHz	-20.08 dBm			
3	N	1	f	5.249 04 GHz	-20.98 dBm			
4								
5								
6								

Mar 03, 2024
12:47:58 PM

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ax80 5290MHz

Freq. Stability NVNT ax80 5530MHz

ADD:Building A-B Baoshi Science & Technology Park, Baoshi Road, Bao'an District, Shenzhen, Guangdong, China
TEL:86-755-26996192 26992306 FAX:86-755-86376605 E-mail: Fengbing.Wang@wsct-cert.com Http:www.wsct-cert.com

Page 258 of 310

Member of the WSCT INC

Certificate #5768.01

For Question,
Please Contact with WSCT
www.wsct-cert.com

Freq. Stability NVNT ax80 5610MHz

Mkr1 5.610 00 GHz
-30.86 dBm

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.610 00 GHz	-30.86 dBm			
2	N	1	f	5.570 96 GHz	-20.47 dBm			
3	N	1	f	5.649 04 GHz	-19.49 dBm			
4								
5								
6								

Mar 03, 2024 12:59:30 PM

Freq. Stability NVNT ax80 5775MHz

Mkr1 5.775 00 GHz
-29.17 dBm

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	f	5.775 00 GHz	-29.17 dBm			
2	N	1	f	5.735 96 GHz	-20.63 dBm			
3	N	1	f	5.814 04 GHz	-20.87 dBm			
4								
5								
6								

Mar 03, 2024 1:03:10 PM

Member of the WSCT INC

## Freq. Stability NVNT ax160 5250MHz

Freq. Stability NVNT ax160 5570MHz