



















Band41-5MHz-64QAM-40640-1RB#0-Range1:30~1000MHz





Band41-5MHz-64QAM-40640-1RB#0-Range2:1000~26500MHz





Band41-5MHz-64QAM-41215-1RB#0-Range1:30~1000MHz




Band41-5MHz-64QAM-41215-1RB#0-Range2:1000~26500MHz









Band41-20MHz-16QAM-41140-1RB#0-Range1:30~1
000MHz




Band41-20MHz-16QAM-41140-1RB#0-Range2:1000
~26500MHz



Band41-20MHz-64QAM-40140-1RB#0-Range1:30~1
000MHz




Band41-20MHz-64QAM-40140-1RB#0-Range2:1000
~26500MHz




Band41-20MHz-64QAM-40640-1RB#0-Range1:30~1
000MHz


Band41-20MHz-64QAM-40640-1RB#0-Range2:1000
~26500MHz




Band41-20MHz-64QAM-41140-1RB#0-Range1:30~1
000MHz





Band41-20MHz-64QAM-41140-1RB#0-Range2:1000
~26500MHz





Band66-1.4MHz-QPSK-131979-1RB#0-Range1:30~1
000MHz





Band66-1.4MHz-QPSK-131979-1RB#0-Range2:1000
~20000MHz













Band66-20MHz-QPSK-132072-1RB#0-Range1:30~1000MHz





Band66-20MHz-QPSK-132072-1RB#0-Range2:1000~20000MHz




Band66-20MHz-QPSK-132322-1RB#0-Range1:30~1000MHz




Band66-20MHz-QPSK-132322-1RB#0-Range2:1000~20000MHz




Band66-20MHz-QPSK-132572-1RB#0-Range1:30~1
000MHz



Band66-20MHz-QPSK-132572-1RB#0-Range2:1000
~20000MHz



Band66-20MHz-16QAM-132072-1RB#0-Range1:30~
1000MHz



Band66-20MHz-16QAM-132072-1RB#0-Range2:100
0~20000MHz




Band66-20MHz-16QAM-132322-1RB#0-Range1:30~
1000MHz




Band66-20MHz-16QAM-132322-1RB#0-Range2:100
0~20000MHz







Band66-20MHz-16QAM-132572-1RB#0-Range1:30~1000MHz





Band66-20MHz-16QAM-132572-1RB#0-Range2:1000~20000MHz




Band66-20MHz-64QAM-132072-1RB#0-Range1:30~1000MHz




Band66-20MHz-64QAM-132072-1RB#0-Range2:1000~20000MHz




Band66-20MHz-64QAM-132322-1RB#0-Range1:30~
1000MHz




Band66-20MHz-64QAM-132322-1RB#0-Range2:100
0~20000MHz



Band66-20MHz-64QAM-132572-1RB#0-Range1:30~
1000MHz



Band66-20MHz-64QAM-132572-1RB#0-Range2:100
0~20000MHz



Appendix F: Frequency Stability

Test Result

LTE Band 2 part:

Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 Frequency=1880.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	12.65	0.006729	Within authorized band for Band 2	Pass
	-20	-7.74	-0.004117		
	-10	10.00	0.005319		
	0	15.39	0.008186		
	10	12.85	0.006835		
	20	10.76	0.005723		
	30	13.20	0.007021		
	40	11.39	0.006059		
	50	11.56	0.006149		
16QAM					
3.91	-30	14.42	0.007670	Within authorized band for Band 2	Pass
	-20	11.16	0.005936		
	-10	-10.23	-0.005441		
	0	4.18	0.002223		
	10	12.53	0.006665		
	20	6.95	0.003697		
	30	-10.40	-0.005532		
	40	-12.49	-0.006644		
	50	-13.10	-0.006968		
64QAM					
3.91	-30	2.70	0.001436	Within authorized band for Band 2	Pass
	-20	-10.66	-0.005670		
	-10	-8.30	-0.004415		
	0	7.28	0.003872		
	10	-4.18	-0.002223		
	20	-6.29	-0.003346		
	30	-10.76	-0.005723		
	40	-4.59	-0.002441		
	50	2.37	0.001261		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	8.50	0.004521	Within authorized band for Band 2	Pass
	3.91	-12.86	-0.006840		
	4.45	9.84	0.005234		
16QAM					
25	3.45	-6.77	-0.003601	Within authorized band for Band 2	Pass
	3.91	11.36	0.006043		
	4.45	-7.12	-0.003787		
64QAM					
25	3.45	-8.80	-0.004681	Within authorized band for Band 2	Pass
	3.91	-5.71	-0.003037		
	4.45	-11.23	-0.005973		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 4 part:

Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 Frequency=1732.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-13.63	-0.007867	Within authorized band for Band 4	Pass
	-20	-16.77	-0.009680		
	-10	-9.47	-0.005466		
	0	-3.55	-0.002049		
	10	-13.33	-0.007694		
	20	-6.19	-0.003573		
	30	-13.20	-0.007619		
	40	-18.28	-0.010551		
	50	-17.48	-0.010089		
16QAM					
3.91	-30	14.78	0.008531	Within authorized band for Band 4	Pass
	-20	10.99	0.006343		
	-10	-12.09	-0.006978		
	0	-13.99	-0.008075		
	10	-14.35	-0.008283		
	20	-13.85	-0.007994		
	30	-17.82	-0.010286		
	40	10.57	0.006101		
	50	-13.45	-0.007763		
64QAM					
3.91	-30	-9.36	-0.005403	Within authorized band for Band 4	Pass
	-20	12.36	0.007134		
	-10	-10.17	-0.005870		
	0	9.51	0.005489		
	10	5.74	0.003313		
	20	7.71	0.004450		
	30	-5.48	-0.003163		
	40	12.29	0.007094		
	50	6.32	0.003648		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-5.14	-0.002967	Within authorized band for Band 4	Pass
	3.91	-14.09	-0.008133		
	4.45	-18.25	-0.010534		
16QAM					
25	3.45	-11.39	-0.006574	Within authorized band for Band 4	Pass
	3.91	-18.87	-0.010892		
	4.45	-7.67	-0.004427		
64QAM					
25	3.45	-13.83	-0.007983	Within authorized band for Band 4	Pass
	3.91	-10.53	-0.006078		
	4.45	-14.49	-0.008364		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 5 part:

Reference Frequency: LTE Band 5(10MHz) Middle channel=20525 Frequency=836.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-7.98	-0.009540	±2.5	Pass
	-20	-9.28	-0.011094		
	-10	-3.48	-0.004160		
	0	-10.67	-0.012756		
	10	-8.73	-0.010436		
	20	-5.82	-0.006958		
	30	-4.73	-0.005655		
	40	-5.34	-0.006384		
	50	-3.92	-0.004686		
16QAM					
3.91	-30	-9.16	-0.010950	±2.5	Pass
	-20	-4.72	-0.005643		
	-10	-6.87	-0.008213		
	0	-5.24	-0.006264		
	10	-9.31	-0.011130		
	20	-5.81	-0.006946		
	30	-7.08	-0.008464		
	40	-6.59	-0.007878		
	50	-7.71	-0.009217		
64QAM					
3.91	-30	-6.75	-0.008069	±2.5	Pass
	-20	-8.91	-0.010652		
	-10	-8.50	-0.010161		
	0	-4.43	-0.005296		
	10	-7.85	-0.009384		
	20	-4.25	-0.005081		
	30	-11.23	-0.013425		
	40	-8.91	-0.010652		
	50	-4.26	-0.005093		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-4.39	-0.005248	±2.5	Pass
	3.91	-10.37	-0.012397		
	4.45	-10.64	-0.012720		
16QAM					
25	3.45	-7.90	-0.009444	±2.5	Pass
	3.91	-5.14	-0.006145		
	4.45	-9.47	-0.011321		
64QAM					
25	3.45	-6.47	-0.007735	±2.5	Pass
	3.91	-3.43	-0.004100		
	4.45	-11.44	-0.013676		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 7 part:

Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	3.63	0.001432	Within authorized band for Band 7	Pass
	-20	-14.05	-0.005542		
	-10	7.75	0.003057		
	0	-22.00	-0.008679		
	10	13.62	0.005373		
	20	7.02	0.002769		
	30	-27.24	-0.010746		
	40	-13.73	-0.005416		
	50	-17.80	-0.007022		
16QAM					
3.91	-30	-14.06	-0.005546	Within authorized band for Band 7	Pass
	-20	7.08	0.002793		
	-10	-12.92	-0.005097		
	0	-8.51	-0.003357		
	10	9.54	0.003763		
	20	3.79	0.001495		
	30	-19.23	-0.007586		
	40	-5.46	-0.002154		
	50	-26.75	-0.010552		
64QAM					
3.91	-30	-21.36	-0.008426	Within authorized band for Band 7	Pass
	-20	-17.52	-0.006911		
	-10	-19.44	-0.007669		
	0	-19.37	-0.007641		
	10	4.99	0.001968		
	20	6.18	0.002438		
	30	13.10	0.005168		
	40	-18.32	-0.007227		
	50	-13.90	-0.005483		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-10.61	-0.004185	Within authorized band for Band 7	Pass
	3.91	-16.55	-0.006529		
	4.45	-10.41	-0.004107		
16QAM					
25	3.45	12.96	0.005112	Within authorized band for Band 7	Pass
	3.91	-16.18	-0.006383		
	4.45	-7.70	-0.003037		
64QAM					
25	3.45	-12.36	-0.004876	Within authorized band for Band 7	Pass
	3.91	-17.08	-0.006738		
	4.45	-16.32	-0.006438		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 12 part:

Reference Frequency: LTE Band 12(10MHz) Middle channel=23095 Frequency=707.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-5.38	-0.007604	Within authorized band for Band 12	Pass
	-20	-4.61	-0.006516		
	-10	-5.25	-0.007420		
	0	1.46	0.002064		
	10	-4.96	-0.007011		
	20	-4.95	-0.006996		
	30	-9.04	-0.012777		
	40	-2.20	-0.003110		
	50	-5.18	-0.007322		
16QAM					
3.91	-30	-7.02	-0.009922	Within authorized band for Band 12	Pass
	-20	-8.18	-0.011562		
	-10	-5.68	-0.008028		
	0	-5.09	-0.007194		
	10	2.16	0.003053		
	20	-5.18	-0.007322		
	30	-7.51	-0.010615		
	40	-4.53	-0.006403		
	50	-4.31	-0.006092		
64QAM					
3.91	-30	4.66	0.006587	Within authorized band for Band 12	Pass
	-20	-5.82	-0.008226		
	-10	1.96	0.002770		
	0	3.86	0.005456		
	10	-9.43	-0.013329		
	20	-5.87	-0.008297		
	30	2.83	0.004000		
	40	-7.11	-0.010049		
	50	-3.58	-0.005060		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-4.68	-0.006615	Within authorized band for Band 12	Pass
	3.91	-4.48	-0.006332		
	4.45	-4.63	-0.006544		
16QAM					
25	3.45	-5.21	-0.007364	Within authorized band for Band 12	Pass
	3.91	-3.46	-0.004890		
	4.45	-6.42	-0.009074		
64QAM					
25	3.45	-5.78	-0.008170	Within authorized band for Band 12	Pass
	3.91	-5.68	-0.008028		
	4.45	-10.30	-0.014558		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 17 part:

Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 Frequency=710.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-6.18	-0.008704	Within authorized band for Band 17	Pass
	-20	-6.21	-0.008746		
	-10	-3.00	-0.004225		
	0	-4.46	-0.006282		
	10	-8.55	-0.012042		
	20	-8.37	-0.011789		
	30	-3.36	-0.004732		
	40	-8.71	-0.012268		
	50	-3.96	-0.005577		
16QAM					
3.91	-30	-5.39	-0.007592	Within authorized band for Band 17	Pass
	-20	-8.18	-0.011521		
	-10	-3.78	-0.005324		
	0	-7.30	-0.010282		
	10	-7.34	-0.010338		
	20	-7.47	-0.010521		
	30	-5.04	-0.007099		
	40	-3.98	-0.005606		
	50	-5.76	-0.008113		
64QAM					
3.91	-30	-3.12	-0.004394	Within authorized band for Band 17	Pass
	-20	-9.64	-0.013577		
	-10	-5.18	-0.007296		
	0	1.83	0.002577		
	10	-5.82	-0.008197		
	20	-5.81	-0.008183		
	30	1.80	0.002535		
	40	-6.04	-0.008507		
	50	-10.00	-0.014085		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-2.56	-0.003606	Within authorized band for Band 17	Pass
	3.91	-8.24	-0.011606		
	4.45	-2.39	-0.003366		
16QAM					
25	3.45	-3.93	-0.005535	Within authorized band for Band 17	Pass
	3.91	-4.28	-0.006028		
	4.45	-5.41	-0.007620		
64QAM					
25	3.45	-4.89	-0.006887	Within authorized band for Band 17	Pass
	3.91	3.86	0.005437		
	4.45	-5.78	-0.008141		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 38 part:

Reference Frequency: LTE Band 38(10MHz) Middle channel=38000 Frequency=2595.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-10.80	-0.004162	Within authorized band for Band 38	Pass
	-20	9.90	0.003815		
	-10	-11.06	-0.004262		
	0	-4.95	-0.001908		
	10	6.78	0.002613		
	20	-8.88	-0.003422		
	30	8.78	0.003383		
	40	-10.24	-0.003946		
	50	-13.16	-0.005071		
16QAM					
3.91	-30	-5.69	-0.002193	Within authorized band for Band 38	Pass
	-20	-8.11	-0.003125		
	-10	-13.22	-0.005094		
	0	-13.66	-0.005264		
	10	11.40	0.004393		
	20	-7.42	-0.002859		
	30	11.12	0.004285		
	40	-5.76	-0.002220		
	50	-5.59	-0.002154		
64QAM					
3.91	-30	-12.26	-0.004724	Within authorized band for Band 38	Pass
	-20	-4.84	-0.001865		
	-10	7.84	0.003021		
	0	-5.46	-0.002104		
	10	-14.59	-0.005622		
	20	-11.13	-0.004289		
	30	3.69	0.001422		
	40	11.60	0.004470		
	50	-5.79	-0.002231		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-4.86	-0.001873	Within authorized band for Band 38	Pass
	3.91	-11.19	-0.004312		
	4.45	-9.07	-0.003495		
16QAM					
25	3.45	-6.34	-0.002443	Within authorized band for Band 38	Pass
	3.91	6.09	0.002347		
	4.45	-9.30	-0.003584		
64QAM					
25	3.45	4.55	0.001753	Within authorized band for Band 38	Pass
	3.91	7.24	0.002790		
	4.45	7.93	0.003056		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 41 part:

Reference Frequency: LTE Band 41 (10MHz) Middle channel=40640 Frequency=2595.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-3.16	-0.001218	Within authorized band for Band 41	Pass
	-20	-11.56	-0.004455		
	-10	-7.37	-0.002840		
	0	-13.53	-0.005214		
	10	-9.97	-0.003842		
	20	-7.28	-0.002805		
	30	-12.00	-0.004624		
	40	9.27	0.003572		
	50	-3.48	-0.001341		
16QAM					
3.91	-30	-8.55	-0.003295	Within authorized band for Band 41	Pass
	-20	-5.64	-0.002173		
	-10	7.04	0.002713		
	0	9.73	0.003750		
	10	-10.29	-0.003965		
	20	-9.93	-0.003827		
	30	6.81	0.002624		
	40	-10.47	-0.004035		
	50	-16.92	-0.006520		
64QAM					
3.91	-30	4.19	0.001615	Within authorized band for Band 41	Pass
	-20	-7.97	-0.003071		
	-10	11.46	0.004416		
	0	-5.82	-0.002243		
	10	-7.60	-0.002929		
	20	6.38	0.002459		
	30	-7.75	-0.002987		
	40	-12.49	-0.004813		
	50	13.60	0.005241		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-10.34	-0.003985	Within authorized band for Band 41	Pass
	3.91	-3.60	-0.001387		
	4.45	-8.88	-0.003422		
16QAM					
25	3.45	-11.92	-0.004593	Within authorized band for Band41	Pass
	3.91	8.13	0.003133		
	4.45	-6.67	-0.002570		
64QAM					
25	3.45	-4.21	-0.001622	Within authorized band for Band41	Pass
	3.91	-6.98	-0.002690		
	4.45	-12.37	-0.004767		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 66 part:

Reference Frequency: LTE Band 66 (10MHz) Middle channel=132322 Frequency=1745.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-4.16	-0.002384	Within authorized band for Band 66	Pass
	-20	-9.76	-0.005593		
	-10	4.05	0.002321		
	0	-2.85	-0.001633		
	10	-12.69	-0.007272		
	20	-4.51	-0.002585		
	30	-10.00	-0.005731		
	40	7.64	0.004378		
	50	-7.88	-0.004516		
16QAM					
3.91	-30	2.55	0.001461	Within authorized band for Band 66	Pass
	-20	-11.57	-0.006630		
	-10	4.49	0.002573		
	0	-13.86	-0.007943		
	10	-9.58	-0.005490		
	20	7.32	0.004195		
	30	-6.75	-0.003868		
	40	7.74	0.004436		
	50	-8.15	-0.004670		
64QAM					
3.91	-30	-7.38	-0.004229	Within authorized band for Band 66	Pass
	-20	10.83	0.006206		
	-10	-9.78	-0.005605		
	0	4.99	0.002860		
	10	6.75	0.003868		
	20	-9.86	-0.005650		
	30	7.04	0.004034		
	40	-7.61	-0.004361		
	50	10.26	0.005880		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-5.68	-0.003255	Within authorized band for Band 66	Pass
	3.91	-12.15	-0.006963		
	4.45	-8.74	-0.005009		
16QAM					
25	3.45	8.15	0.004670	Within authorized band for Band 66	Pass
	3.91	-11.50	-0.006590		
	4.45	-13.78	-0.007897		
64QAM					
25	3.45	-7.70	-0.004413	Within authorized band for Band 66	Pass
	3.91	5.84	0.003347		
	4.45	-4.12	-0.002361		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band2	20MHz	QPSK	18900	100RB#0	PASS	PASS
Band2	20MHz	16QAM	18900	100RB#0	PASS	PASS
Band2	20MHz	64QAM	18900	100RB#0	PASS	PASS
Band4	20MHz	QPSK	20175	100RB#0	PASS	PASS
Band4	20MHz	16QAM	20175	100RB#0	PASS	PASS
Band4	20MHz	64QAM	20175	100RB#0	PASS	PASS
Band5	10MHz	QPSK	20525	50RB#0	PASS	PASS
Band5	10MHz	16QAM	20525	50RB#0	PASS	PASS
Band5	10MHz	64QAM	20525	50RB#0	PASS	PASS
Band7	20MHz	QPSK	21100	100RB#0	PASS	PASS
Band7	20MHz	16QAM	21100	100RB#0	PASS	PASS
Band7	20MHz	64QAM	21100	100RB#0	PASS	PASS
Band12	10MHz	QPSK	23095	50RB#0	PASS	PASS
Band12	10MHz	16QAM	23095	50RB#0	PASS	PASS
Band12	10MHz	64QAM	23095	50RB#0	PASS	PASS
Band17	10MHz	QPSK	23790	50RB#0	PASS	PASS
Band17	10MHz	16QAM	23790	50RB#0	PASS	PASS
Band17	10MHz	64QAM	23790	50RB#0	PASS	PASS
Band38	20MHz	QPSK	38000	100RB#0	PASS	PASS
Band38	20MHz	16QAM	38000	100RB#0	PASS	PASS
Band38	20MHz	64QAM	38000	100RB#0	PASS	PASS
Band41	20MHz	QPSK	40640	100RB#0	PASS	PASS
Band41	20MHz	16QAM	40640	100RB#0	PASS	PASS
Band41	20MHz	64QAM	40640	100RB#0	PASS	PASS
Band66	20MHz	QPSK	132322	100RB#0	PASS	PASS
Band66	20MHz	16QAM	132322	100RB#0	PASS	PASS
Band66	20MHz	64QAM	132322	100RB#0	PASS	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.