

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.09	-13	43.09	Pass	401
0.15	30	0.01	Peak	0.22	-53.48	-13	40.48	Pass	2986
30	500	0.1	Peak	495.7	-44.85	-13	31.85	Pass	4701
500	1000	0.1	Peak	824.1	32.51	-13	-45.51	NA	5001
1000	10000	1	Peak	7064	-23.59	-13	10.59	Pass	9002




1.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.83	-13	41.83	Pass	401
0.15	30	0.01	Peak	1.1	-54.12	-13	41.12	Pass	2986
30	500	0.1	Peak	475.6	-45.38	-13	32.38	Pass	4701
500	1000	0.1	Peak	836.7	32.47	-13	-45.47	NA	5001
1000	10000	1	Peak	6794	-23.96	-13	10.96	Pass	9002



1.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.24	-13	42.24	Pass	401
0.15	30	0.01	Peak	0.17	-54.05	-13	41.05	Pass	2986
30	500	0.1	Peak	383.2	-44.22	-13	31.22	Pass	4701
500	1000	0.1	Peak	848.9	32.43	-13	-45.43	NA	5001
1000	10000	1	Peak	6777	-23.81	-13	10.81	Pass	9002



2. GSM_PCS


2.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.09	-13	47.09	Pass	401
0.15	30	0.01	Peak	0.35	-60.04	-13	47.04	Pass	2986
30	1000	0.1	Peak	933.056	-50.09	-13	37.09	Pass	9701
1000	3000	1	Peak	1850	27.87	-13	-40.87	NA	2001
3000	20000	1	Peak	19424	-42.66	-13	29.66	Pass	17003




2.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.95	-13	47.95	Pass	401
0.15	30	0.01	Peak	0.21	-60.68	-13	47.68	Pass	2986
30	1000	0.1	Peak	931.755	-50.21	-13	37.21	Pass	9701
1000	3000	1	Peak	1880	28.37	-13	-41.37	NA	2001
3000	20000	1	Peak	19223	-42.27	-13	29.27	Pass	17003



2.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.41	-13	46.41	Pass	401
0.15	30	0.01	Peak	0.21	-59.98	-13	46.98	Pass	2986
30	1000	0.1	Peak	966.078	-49.84	-13	36.84	Pass	9701
1000	3000	1	Peak	1910	28.3	-13	-41.3	NA	2001
3000	20000	1	Peak	19311	-42.2	-13	29.2	Pass	17003



3. GPRS_GSM850


3.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.71	-13	41.71	Pass	401
0.15	30	0.01	Peak	0.35	-53.91	-13	40.91	Pass	2986
30	500	0.1	Peak	467.5	-45.16	-13	32.16	Pass	4701
500	1000	0.1	Peak	824.1	32.51	-13	-45.51	NA	5001
1000	10000	1	Peak	7026	-23.27	-13	10.27	Pass	9002




3.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.69	-13	42.69	Pass	401
0.15	30	0.01	Peak	0.3	-52.69	-13	39.69	Pass	2986
30	500	0.1	Peak	429.7	-45.42	-13	32.42	Pass	4701
500	1000	0.1	Peak	836.7	32.57	-13	-45.57	NA	5001
1000	10000	1	Peak	9984	-23.69	-13	10.69	Pass	9002



3.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.67	-13	41.67	Pass	401
0.15	30	0.01	Peak	0.17	-55.22	-13	42.22	Pass	2986
30	500	0.1	Peak	458.9	-44.83	-13	31.83	Pass	4701
500	1000	0.1	Peak	848.9	32.48	-13	-45.48	NA	5001
1000	10000	1	Peak	7652	-23.89	-13	10.89	Pass	9002



4. GPRS_PCS


4.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.23	-13	49.23	Pass	401
0.15	30	0.01	Peak	0.23	-60.95	-13	47.95	Pass	2986
30	1000	0.1	Peak	982.889	-50.2	-13	37.2	Pass	9701
1000	3000	1	Peak	1850	29.76	-13	-42.76	NA	2001
3000	20000	1	Peak	19580	-42.86	-13	29.86	Pass	17003




4.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.72	-13	48.72	Pass	401
0.15	30	0.01	Peak	0.15	-59.57	-13	46.57	Pass	2986
30	1000	0.1	Peak	801.6	-49.35	-13	36.35	Pass	9701
1000	3000	1	Peak	1880	29.18	-13	-42.18	NA	2001
3000	20000	1	Peak	19836	-42.04	-13	29.04	Pass	17003



4.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-61.56	-13	48.56	Pass	401
0.15	30	0.01	Peak	0.17	-60.01	-13	47.01	Pass	2986
30	1000	0.1	Peak	888.926	-50.22	-13	37.22	Pass	9701
1000	3000	1	Peak	1910	28.33	-13	-41.33	NA	2001
3000	20000	1	Peak	18243	-42.16	-13	29.16	Pass	17003



5. EGPRS_GSM850


5.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.47	-13	42.47	Pass	401
0.15	30	0.01	Peak	0.2	-54.52	-13	41.52	Pass	2986
30	500	0.1	Peak	499.2	-45.17	-13	32.17	Pass	4701
500	1000	0.1	Peak	824.2	26.82	-13	-39.82	NA	5001
1000	10000	1	Peak	7339	-24.1	-13	11.1	Pass	9002




5.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.04	-13	43.04	Pass	401
0.15	30	0.01	Peak	0.15	-53.59	-13	40.59	Pass	2986
30	500	0.1	Peak	373.2	-44.9	-13	31.9	Pass	4701
500	1000	0.1	Peak	836.7	27.13	-13	-40.13	NA	5001
1000	10000	1	Peak	9040	-23.8	-13	10.8	Pass	9002



5.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.88	-13	41.88	Pass	401
0.15	30	0.01	Peak	0.33	-54.69	-13	41.69	Pass	2986
30	500	0.1	Peak	387.6	-44.91	-13	31.91	Pass	4701
500	1000	0.1	Peak	848.7	26.97	-13	-39.97	NA	5001
1000	10000	1	Peak	6798	-24.29	-13	11.29	Pass	9002



6. EGPRS_PCS


6.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.09	-13	49.09	Pass	401
0.15	30	0.01	Peak	0.84	-60.98	-13	47.98	Pass	2986
30	1000	0.1	Peak	850.001	-50.42	-13	37.42	Pass	9701
1000	3000	1	Peak	1850	26.56	-13	-39.56	NA	2001
3000	20000	1	Peak	18935	-42.27	-13	29.27	Pass	17003




6.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-62.22	-13	49.22	Pass	401
0.15	30	0.01	Peak	0.22	-58.86	-13	45.86	Pass	2986
30	1000	0.1	Peak	975.484	-50.57	-13	37.57	Pass	9701
1000	3000	1	Peak	1880	26.42	-13	-39.42	NA	2001
3000	20000	1	Peak	19546	-42.74	-13	29.74	Pass	17003



6.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.74	-13	47.74	Pass	401
0.15	30	0.01	Peak	0.3	-59.57	-13	46.57	Pass	2986
30	1000	0.1	Peak	922.549	-50.04	-13	37.04	Pass	9701
1000	3000	1	Peak	1910	26.57	-13	-39.57	NA	2001
3000	20000	1	Peak	19436	-42.3	-13	29.3	Pass	17003



7. WCDMA_Band2

7.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.22	-13	53.22	Pass	401
0.15	30	0.01	Peak	0.15	-62.82	-13	49.82	Pass	2986
30	1000	0.1	Peak	811.1	-54.01	-13	41.01	Pass	9701
1000	3000	1	Peak	1854	23.4	-13	-36.4	NA	2001
3000	20000	1	Peak	14295	-28.49	-13	15.49	Pass	17003



7.2 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:9400)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.5	-13	52.5	Pass	401
0.15	30	0.01	Peak	0.44	-64.94	-13	51.94	Pass	2986
30	1000	0.1	Peak	989.193	-54.31	-13	41.31	Pass	9701
1000	3000	1	Peak	1881	23.3	-13	-36.3	NA	2001
3000	20000	1	Peak	17897	-28.82	-13	15.82	Pass	17003



7.3 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.51	-13	52.51	Pass	401
0.15	30	0.01	Peak	0.42	-64.28	-13	51.28	Pass	2986
30	1000	0.1	Peak	930.254	-54.6	-13	41.6	Pass	9701
1000	3000	1	Peak	1906	23.47	-13	-36.47	NA	2001
3000	20000	1	Peak	17849	-27.66	-13	14.66	Pass	17003



8. WCDMA_Band4

8.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.03	-13	53.03	Pass	401
0.15	30	0.01	Peak	0.53	-63.89	-13	50.89	Pass	2986
30	1000	0.1	Peak	977.085	-54.06	-13	41.06	Pass	9701
1000	3000	1	Peak	1714	23.94	-13	-36.94	NA	2001
3000	20000	1	Peak	13602	-28.07	-13	15.07	Pass	17003



8.2 WCDMA Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.1	-13	52.1	Pass	401
0.15	30	0.01	Peak	0.68	-65.08	-13	52.08	Pass	2986
30	1000	0.1	Peak	879.02	-53.7	-13	40.7	Pass	9701
1000	3000	1	Peak	1734	23.74	-13	-36.74	NA	2001
3000	20000	1	Peak	17387	-28.36	-13	15.36	Pass	17003



8.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.07	-13	52.07	Pass	401
0.15	30	0.01	Peak	1.19	-65.32	-13	52.32	Pass	2986
30	1000	0.1	Peak	989.193	-54.65	-13	41.65	Pass	9701
1000	3000	1	Peak	1754	23.79	-13	-36.79	NA	2001
3000	20000	1	Peak	14298	-28.01	-13	15.01	Pass	17003



9. WCDMA_Band5

9.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.7	-13	51.7	Pass	401
0.15	30	0.01	Peak	0.15	-65.06	-13	52.06	Pass	2986
30	500	0.1	Peak	423.7	-55.49	-13	42.49	Pass	4701
500	1000	0.1	Peak	825.6	18.47	-13	-31.47	NA	5001
1000	10000	1	Peak	8722	-34.24	-13	21.24	Pass	9002



9.2 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:4182)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.12	-13	53.12	Pass	401
0.15	30	0.01	Peak	0.29	-65.1	-13	52.1	Pass	2986
30	500	0.1	Peak	463.1	-54.7	-13	41.7	Pass	4701
500	1000	0.1	Peak	837.6	17.4	-13	-30.4	NA	5001
1000	10000	1	Peak	8501	-34.12	-13	21.12	Pass	9002



9.3 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.9	-13	53.9	Pass	401
0.15	30	0.01	Peak	0.15	-65.06	-13	52.06	Pass	2986
30	500	0.1	Peak	483.2	-55.71	-13	42.71	Pass	4701
500	1000	0.1	Peak	845.7	19.18	-13	-32.18	NA	5001
1000	10000	1	Peak	7273	-34.1	-13	21.1	Pass	9002



10. LTE_Band2


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.51	-13	55.51	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	838.2	-61.97	-13	48.97	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	37.48	Pass	841
1840	1920	1	RMS	1850.2	23.03	60	36.97	Pass	401
1920	3000	1	RMS	2994	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11992	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	13603	-36.47	-13	23.47	Pass	8001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.94	-13	55.94	Pass	401
0.15	30	0.01	RMS	0.15	-68.8	-13	55.8	Pass	2986
30	1000	0.1	RMS	843.9	-62	-13	49	Pass	9701
1000	1840	1	RMS	1834	-50.63	-13	37.63	Pass	841
1840	1920	1	RMS	1850.2	21.95	60	38.05	Pass	401
1920	3000	1	RMS	2993	-48.03	-13	35.03	Pass	1081
3000	12000	1	RMS	11996	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	13600	-36.54	-13	23.54	Pass	8001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.19	-69.44	-13	56.44	Pass	2986
30	1000	0.1	RMS	964.476	-61.95	-13	48.95	Pass	9701
1000	1840	1	RMS	1822	-50.65	-13	37.65	Pass	841
1840	1920	1	RMS	1879.6	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2986	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11869	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	13600	-36.43	-13	23.43	Pass	8001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.16	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	929.053	-61.9	-13	48.9	Pass	9701
1000	1840	1	RMS	1838	-50.63	-13	37.63	Pass	841
1840	1920	1	RMS	1879.6	22	60	38	Pass	401
1920	3000	1	RMS	2978	-48.08	-13	35.08	Pass	1081
3000	12000	1	RMS	12000	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13603	-36.48	-13	23.48	Pass	8001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.81	-13	55.81	Pass	401
0.15	30	0.01	RMS	0.18	-69.07	-13	56.07	Pass	2986
30	1000	0.1	RMS	980.387	-61.91	-13	48.91	Pass	9701
1000	1840	1	RMS	1839	-50.62	-13	37.62	Pass	841
1840	1920	1	RMS	1908.8	23.49	60	36.51	Pass	401
1920	3000	1	RMS	2998	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11996	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	13599	-36.5	-13	23.5	Pass	8001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	0.15	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	844.6	-61.98	-13	48.98	Pass	9701
1000	1840	1	RMS	1834	-50.63	-13	37.63	Pass	841
1840	1920	1	RMS	1908.8	22.47	60	37.53	Pass	401
1920	3000	1	RMS	3000	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11996	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13601	-36.49	-13	23.49	Pass	8001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	853.303	-62.01	-13	49.01	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	37.45	Pass	841
1840	1920	1	RMS	1850.2	22.86	60	37.14	Pass	401
1920	3000	1	RMS	2991	-48.03	-13	35.03	Pass	1081
3000	12000	1	RMS	11996	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13601	-36.39	-13	23.39	Pass	8001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	56.88	Pass	2986
30	1000	0.1	RMS	857.105	-61.97	-13	48.97	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	37.47	Pass	841
1840	1920	1	RMS	1850.2	21.96	60	38.04	Pass	401
1920	3000	1	RMS	2991	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11991	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13601	-36.55	-13	23.55	Pass	8001



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	0.25	-69.61	-13	56.61	Pass	2986
30	1000	0.1	RMS	983.589	-61.95	-13	48.95	Pass	9701
1000	1840	1	RMS	1834	-50.63	-13	37.63	Pass	841
1840	1920	1	RMS	1878.8	22.87	60	37.13	Pass	401
1920	3000	1	RMS	2995	-48.09	-13	35.09	Pass	1081
3000	12000	1	RMS	11998	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13603	-36.48	-13	23.48	Pass	8001



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.49	-13	55.49	Pass	401
0.15	30	0.01	RMS	0.17	-69.01	-13	56.01	Pass	2986
30	1000	0.1	RMS	983.389	-61.92	-13	48.92	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1878.8	21.86	60	38.14	Pass	401
1920	3000	1	RMS	2994	-48.09	-13	35.09	Pass	1081
3000	12000	1	RMS	11987	-40.88	-13	27.88	Pass	9002
12000	20000	1	RMS	13603	-36.53	-13	23.53	Pass	8001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	55.6	Pass	2986
30	1000	0.1	RMS	848.1	-61.85	-13	48.85	Pass	9701
1000	1840	1	RMS	1830	-50.61	-13	37.61	Pass	841
1840	1920	1	RMS	1907.2	23.3	60	36.7	Pass	401
1920	3000	1	RMS	2979	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11996	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13601	-36.37	-13	23.37	Pass	8001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.41	-13	55.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	979.586	-61.89	-13	48.89	Pass	9701
1000	1840	1	RMS	1833	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1907.2	22.38	60	37.62	Pass	401
1920	3000	1	RMS	2935	-48.1	-13	35.1	Pass	1081
3000	12000	1	RMS	12000	-40.86	-13	27.86	Pass	9002
12000	20000	1	RMS	13601	-36.47	-13	23.47	Pass	8001



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	0.15	-68.85	-13	55.85	Pass	2986
30	1000	0.1	RMS	859.007	-61.95	-13	48.95	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	37.55	Pass	841
1840	1920	1	RMS	1850.2	22.94	60	37.06	Pass	401
1920	3000	1	RMS	2987	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11996	-40.89	-13	27.89	Pass	9002
12000	20000	1	RMS	13600	-36.39	-13	23.39	Pass	8001



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.21	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	857.406	-61.93	-13	48.93	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	37.48	Pass	841
1840	1920	1	RMS	1850.2	21.98	60	38.02	Pass	401
1920	3000	1	RMS	2978	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11990	-40.93	-13	27.93	Pass	9002
12000	20000	1	RMS	13601	-36.5	-13	23.5	Pass	8001



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-13	55.56	Pass	2986
30	1000	0.1	RMS	847	-62.01	-13	49.01	Pass	9701
1000	1840	1	RMS	1838	-50.65	-13	37.65	Pass	841
1840	1920	1	RMS	1877.8	23.15	60	36.85	Pass	401
1920	3000	1	RMS	2987	-48.08	-13	35.08	Pass	1081
3000	12000	1	RMS	11998	-40.84	-13	27.84	Pass	9002
12000	20000	1	RMS	13601	-36.5	-13	23.5	Pass	8001



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-13	55.92	Pass	2986
30	1000	0.1	RMS	858.706	-62.06	-13	49.06	Pass	9701
1000	1840	1	RMS	1829	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1877.8	22.3	60	37.7	Pass	401
1920	3000	1	RMS	2987	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11998	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13601	-36.47	-13	23.47	Pass	8001



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.47	-13	55.47	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	930.454	-61.97	-13	48.97	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	37.62	Pass	841
1840	1920	1	RMS	1905.2	23.32	60	36.68	Pass	401
1920	3000	1	RMS	2987	-48.11	-13	35.11	Pass	1081
3000	12000	1	RMS	11994	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	13601	-36.4	-13	23.4	Pass	8001



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-13	56.04	Pass	2986
30	1000	0.1	RMS	844	-61.92	-13	48.92	Pass	9701
1000	1840	1	RMS	1823	-50.65	-13	37.65	Pass	841
1840	1920	1	RMS	1905.4	22.56	60	37.44	Pass	401
1920	3000	1	RMS	2989	-48.08	-13	35.08	Pass	1081
3000	12000	1	RMS	12000	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13602	-36.51	-13	23.51	Pass	8001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.57	-13	56.57	Pass	401
0.15	30	0.01	RMS	0.18	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	920.447	-61.93	-13	48.93	Pass	9701
1000	1840	1	RMS	1840	-48.96	-13	35.96	Pass	841
1840	1920	1	RMS	1850.6	23.15	60	36.85	Pass	401
1920	3000	1	RMS	2932	-48.1	-13	35.1	Pass	1081
3000	12000	1	RMS	11995	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13602	-36.45	-13	23.45	Pass	8001



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.83	-13	55.83	Pass	401
0.15	30	0.01	RMS	0.21	-69.14	-13	56.14	Pass	2986
30	1000	0.1	RMS	993.896	-61.97	-13	48.97	Pass	9701
1000	1840	1	RMS	1840	-49.28	-13	36.28	Pass	841
1840	1920	1	RMS	1850.6	22.22	60	37.78	Pass	401
1920	3000	1	RMS	2980	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11997	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13608	-36.53	-13	23.53	Pass	8001



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	0.18	-68.57	-13	55.57	Pass	2986
30	1000	0.1	RMS	986.791	-61.96	-13	48.96	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	37.63	Pass	841
1840	1920	1	RMS	1875.6	23.19	60	36.81	Pass	401
1920	3000	1	RMS	2952	-48.04	-13	35.04	Pass	1081
3000	12000	1	RMS	12000	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	13601	-36.47	-13	23.47	Pass	8001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.19	-69.32	-13	56.32	Pass	2986
30	1000	0.1	RMS	853.503	-61.89	-13	48.89	Pass	9701
1000	1840	1	RMS	1832	-50.64	-13	37.64	Pass	841
1840	1920	1	RMS	1875.6	22.2	60	37.8	Pass	401
1920	3000	1	RMS	2986	-48.08	-13	35.08	Pass	1081
3000	12000	1	RMS	11998	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	13600	-36.42	-13	23.42	Pass	8001



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.3	-13	56.3	Pass	401
0.15	30	0.01	RMS	0.16	-69.1	-13	56.1	Pass	2986
30	1000	0.1	RMS	980.087	-61.93	-13	48.93	Pass	9701
1000	1840	1	RMS	1834	-50.56	-13	37.56	Pass	841
1840	1920	1	RMS	1900.6	23.38	60	36.62	Pass	401
1920	3000	1	RMS	2987	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11998	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	13601	-36.53	-13	23.53	Pass	8001



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.16	-13	56.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.22	-13	55.22	Pass	2986
30	1000	0.1	RMS	961.975	-61.89	-13	48.89	Pass	9701
1000	1840	1	RMS	1831	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1900.6	22.53	60	37.47	Pass	401
1920	3000	1	RMS	2994	-48.05	-13	35.05	Pass	1081
3000	12000	1	RMS	11990	-40.85	-13	27.85	Pass	9002
12000	20000	1	RMS	13597	-36.51	-13	23.51	Pass	8001



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	0.16	-69.15	-13	56.15	Pass	2986
30	1000	0.1	RMS	843.7	-61.77	-13	48.77	Pass	9701
1000	1840	1	RMS	1840	-42.54	-13	29.54	Pass	841
1840	1920	1	RMS	1850.8	23.13	60	36.87	Pass	401
1920	3000	1	RMS	2997	-48.1	-13	35.1	Pass	1081
3000	12000	1	RMS	12000	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	13601	-36.48	-13	23.48	Pass	8001



10.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	0.15	-69.09	-13	56.09	Pass	2986
30	1000	0.1	RMS	840.8	-61.92	-13	48.92	Pass	9701
1000	1840	1	RMS	1840	-44.84	-13	31.84	Pass	841
1840	1920	1	RMS	1850.8	22.24	60	37.76	Pass	401
1920	3000	1	RMS	2985	-48.07	-13	35.07	Pass	1081
3000	12000	1	RMS	11996	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13606	-36.52	-13	23.52	Pass	8001



10.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.82	-13	55.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.92	-13	55.92	Pass	2986
30	1000	0.1	RMS	938.159	-61.95	-13	48.95	Pass	9701
1000	1840	1	RMS	1833	-50.62	-13	37.62	Pass	841
1840	1920	1	RMS	1873.4	23.02	60	36.98	Pass	401
1920	3000	1	RMS	2988	-48.1	-13	35.1	Pass	1081
3000	12000	1	RMS	12000	-40.87	-13	27.87	Pass	9002
12000	20000	1	RMS	13601	-36.46	-13	23.46	Pass	8001



10.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-13	56.18	Pass	2986
30	1000	0.1	RMS	850.801	-61.87	-13	48.87	Pass	9701
1000	1840	1	RMS	1837	-50.61	-13	37.61	Pass	841
1840	1920	1	RMS	1873.4	22.1	60	37.9	Pass	401
1920	3000	1	RMS	2928	-48.1	-13	35.1	Pass	1081
3000	12000	1	RMS	12000	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	13599	-36.49	-13	23.49	Pass	8001



10.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-13	55.89	Pass	401
0.15	30	0.01	RMS	0.18	-69.43	-13	56.43	Pass	2986
30	1000	0.1	RMS	940.36	-61.9	-13	48.9	Pass	9701
1000	1840	1	RMS	1835	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1895.8	23.31	60	36.69	Pass	401
1920	3000	1	RMS	1920	-45.15	-13	32.15	Pass	1081
3000	12000	1	RMS	11998	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	13598	-36.55	-13	23.55	Pass	8001



10.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.15	-69.24	-13	56.24	Pass	2986
30	1000	0.1	RMS	984.69	-61.98	-13	48.98	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	37.64	Pass	841
1840	1920	1	RMS	1895.8	22.44	60	37.56	Pass	401
1920	3000	1	RMS	1920	-45.49	-13	32.49	Pass	1081
3000	12000	1	RMS	11990	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	13602	-36.49	-13	23.49	Pass	8001



10.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	0.28	-69.4	-13	56.4	Pass	2986
30	1000	0.1	RMS	849.5	-61.96	-13	48.96	Pass	9701
1000	1840	1	RMS	1840	-43.67	-13	30.67	Pass	841
1840	1920	1	RMS	1851	22.99	60	37.01	Pass	401
1920	3000	1	RMS	2995	-48.09	-13	35.09	Pass	1081
3000	12000	1	RMS	11995	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	13603	-36.52	-13	23.52	Pass	8001



10.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	0.15	-69.31	-13	56.31	Pass	2986
30	1000	0.1	RMS	835.8	-62.03	-13	49.03	Pass	9701
1000	1840	1	RMS	1840	-45.82	-13	32.82	Pass	841
1840	1920	1	RMS	1851	22.13	60	37.87	Pass	401
1920	3000	1	RMS	2979	-48.06	-13	35.06	Pass	1081
3000	12000	1	RMS	11990	-40.98	-13	27.98	Pass	9002
12000	20000	1	RMS	13601	-36.46	-13	23.46	Pass	8001

