

| Mode               | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|--------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 7 (BW: 20MHz) | 1RB          | Left Cheek  | 21425 | 2567.5      | 0.140            | 0.149               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.151                |
|                    |              | Left Tilt   | 21425 | 2567.5      | -0.090           | 0.240               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.243                |
|                    |              | Right Cheek | 21425 | 2567.5      | 0.050            | 0.215               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.217                |
|                    |              | Right Tilt  | 21425 | 2567.5      | 0.040            | 0.349               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.353                |
|                    | 50%RB        | Left Cheek  | 21425 | 2567.5      | -0.090           | 0.142               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.144                |
|                    |              | Left Tilt   | 21425 | 2567.5      | -0.110           | 0.245               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.248                |
|                    |              | Right Cheek | 21425 | 2567.5      | 0.170            | 0.206               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.208                |
|                    |              | Right Tilt  | 21425 | 2567.5      | 0.030            | 0.341               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.345                |
| Mode               | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 7 (BW: 20MHz) | 1RB          | Front       | 21425 | 2567.5      | -0.030           | 0.041               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.041                |
|                    |              | Back        | 21425 | 2567.5      | -0.180           | 0.047               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.048                |
|                    |              | Left        | 21425 | 2567.5      | 0.080            | 0.036               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.036                |
|                    |              | Right       | 21425 | 2567.5      | 0.010            | 0.014               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.014                |
|                    |              | Top         | 21425 | 2567.5      | -0.020           | 0.029               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.029                |
|                    |              | Bottom      | 21425 | 2567.5      | -0.130           | 0.003               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.003                |
|                    | 50%RB        | Front       | 21425 | 2567.5      | 0.080            | 0.039               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.039                |
|                    |              | Back        | 21425 | 2567.5      | -0.020           | 0.045               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.046                |
|                    |              | Left        | 21425 | 2567.5      | 0.040            | 0.031               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.031                |
|                    |              | Right       | 21425 | 2567.5      | 0.080            | 0.010               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.010                |
|                    |              | Top         | 21425 | 2567.5      | -0.130           | 0.025               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.025                |
|                    |              | Bottom      | 21425 | 2567.5      | 0.050            | 0.004               | 100            | 1.00              | 23.45             | 23.50                    | 1.012          | 0.004                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 12 (BW: 10MHz) | 1RB          | Left Cheek  | 23035 | 701.5       | -0.010           | 0.177               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.182                |
|                     |              | Left Tilt   | 23035 | 701.5       | -0.080           | 0.046               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.047                |
|                     |              | Right Cheek | 23035 | 701.5       | 0.070            | 0.132               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.136                |
|                     |              | Right Tilt  | 23035 | 701.5       | -0.040           | 0.028               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.029                |
|                     | 50%RB        | Left Cheek  | 23035 | 701.5       | -0.050           | 0.142               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.146                |
|                     |              | Left Tilt   | 23035 | 701.5       | 0.010            | 0.034               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.035                |
|                     |              | Right Cheek | 23035 | 701.5       | -0.030           | 0.106               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.109                |
|                     |              | Right Tilt  | 23035 | 701.5       | -0.020           | 0.018               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.019                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 12 (BW: 10MHz) | 1RB          | Front       | 23035 | 701.5       | 0.030            | 0.078               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.080                |
|                     |              | Back        | 23035 | 701.5       | 0.000            | 0.124               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.127                |
|                     |              | Left        | 23035 | 701.5       | -0.020           | 0.084               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.086                |
|                     |              | Right       | 23035 | 701.5       | 0.050            | 0.019               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.020                |
|                     |              | Top         | 23035 | 701.5       | 0.070            | 0.036               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.037                |
|                     |              | Bottom      | 23035 | 701.5       | -0.010           | 0.020               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.021                |
|                     | 50%RB        | Front       | 23035 | 701.5       | 0.050            | 0.068               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.070                |
|                     |              | Back        | 23035 | 701.5       | -0.020           | 0.105               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.108                |
|                     |              | Left        | 23035 | 701.5       | -0.080           | 0.071               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.073                |
|                     |              | Right       | 23035 | 701.5       | 0.010            | 0.016               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.016                |
|                     |              | Top         | 23035 | 701.5       | 0.030            | 0.025               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.026                |
|                     |              | Bottom      | 23035 | 701.5       | 0.040            | 0.018               | 100            | 1.00              | 24.38             | 24.50                    | 1.028          | 0.019                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 17 (BW: 10MHz) | 1RB          | Left Cheek  | 23755 | 706.5       | 0.070            | 0.219               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.231                |
|                     |              | Left Tilt   | 23755 | 706.5       | -0.020           | 0.113               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.119                |
|                     |              | Right Cheek | 23755 | 706.5       | 0.050            | 0.143               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.151                |
|                     |              | Right Tilt  | 23755 | 706.5       | 0.060            | 0.044               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.046                |
|                     | 50%RB        | Left Cheek  | 23755 | 706.5       | -0.020           | 0.186               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.197                |
|                     |              | Left Tilt   | 23755 | 706.5       | -0.050           | 0.083               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.088                |
|                     |              | Right Cheek | 23755 | 706.5       | 0.010            | 0.122               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.129                |
|                     |              | Right Tilt  | 23755 | 706.5       | -0.030           | 0.031               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.033                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 17 (BW: 10MHz) | 1RB          | Front       | 23755 | 706.5       | 0.010            | 0.098               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.104                |
|                     |              | Back        | 23755 | 706.5       | -0.050           | 0.136               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.144                |
|                     |              | Left        | 23755 | 706.5       | 0.050            | 0.103               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.109                |
|                     |              | Right       | 23755 | 706.5       | 0.020            | 0.032               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.034                |
|                     |              | Top         | 23755 | 706.5       | -0.060           | 0.047               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.050                |
|                     |              | Bottom      | 23755 | 706.5       | -0.080           | 0.035               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.037                |
|                     | 50%RB        | Front       | 23755 | 706.5       | -0.020           | 0.086               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.091                |
|                     |              | Back        | 23755 | 706.5       | 0.030            | 0.122               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.129                |
|                     |              | Left        | 23755 | 706.5       | 0.050            | 0.092               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.097                |
|                     |              | Right       | 23755 | 706.5       | -0.010           | 0.025               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.026                |
|                     |              | Top         | 23755 | 706.5       | 0.020            | 0.039               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.041                |
|                     |              | Bottom      | 23755 | 706.5       | -0.090           | 0.025               | 100            | 1.00              | 24.26             | 24.50                    | 1.057          | 0.026                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 38 (BW: 20MHz) | 1RB          | Left Cheek  | 37775 | 2572.5      | 0.090            | 0.088               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.095                |
|                     |              | Left Tilt   | 37775 | 2572.5      | 0.020            | 0.175               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.188                |
|                     |              | Right Cheek | 37775 | 2572.5      | -0.010           | 0.205               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.221                |
|                     |              | Right Tilt  | 37775 | 2572.5      | -0.030           | 0.291               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.313                |
|                     | 50%RB        | Left Cheek  | 37775 | 2572.5      | -0.010           | 0.081               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.087                |
|                     |              | Left Tilt   | 37775 | 2572.5      | 0.050            | 0.169               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.182                |
|                     |              | Right Cheek | 37775 | 2572.5      | 0.030            | 0.211               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.227                |
|                     |              | Right Tilt  | 37775 | 2572.5      | -0.070           | 0.287               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.309                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 38 (BW: 20MHz) | 1RB          | Front       | 37775 | 2572.5      | -0.030           | 0.046               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.050                |
|                     |              | Back        | 37775 | 2572.5      | -0.030           | 0.049               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.053                |
|                     |              | Left        | 37775 | 2572.5      | 0.010            | 0.026               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.028                |
|                     |              | Right       | 37775 | 2572.5      | 0.030            | 0.015               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.016                |
|                     |              | Top         | 37775 | 2572.5      | -0.050           | 0.018               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.019                |
|                     |              | Bottom      | 37775 | 2572.5      | -0.150           | 0.005               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.005                |
|                     | 50%RB        | Front       | 37775 | 2572.5      | 0.150            | 0.042               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.045                |
|                     |              | Back        | 37775 | 2572.5      | -0.010           | 0.047               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.051                |
|                     |              | Left        | 37775 | 2572.5      | 0.040            | 0.024               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.026                |
|                     |              | Right       | 37775 | 2572.5      | 0.090            | 0.013               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.014                |
|                     |              | Top         | 37775 | 2572.5      | -0.070           | 0.016               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.017                |
|                     |              | Bottom      | 37775 | 2572.5      | 0.030            | 0.004               | 100            | 1.00              | 23.68             | 24.00                    | 1.076          | 0.004                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 41 (BW: 20MHz) | 1RB          | Left Cheek  | 40620 | 2593.0      | -0.190           | 0.099               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.101                |
|                     |              | Left Tilt   | 40620 | 2593.0      | 0.060            | 0.154               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.157                |
|                     |              | Right Cheek | 40620 | 2593.0      | -0.150           | 0.191               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.195                |
|                     |              | Right Tilt  | 40620 | 2593.0      | 0.080            | 0.277               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.282                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.110            | 0.231               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.235                |
|                     |              | Left Cheek  | 40620 | 2593.0      | -0.050           | 0.252               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.257                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.080            | 0.228               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.232                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.060            | 0.221               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.225                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 41 (BW: 20MHz) | 1RB          | Front       | 40620 | 2593.0      | -0.090           | 0.027               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.028                |
|                     |              | Back        | 40620 | 2593.0      | -0.050           | 0.033               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.034                |
|                     |              | Left        | 40620 | 2593.0      | -0.030           | 0.022               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.022                |
|                     |              | Right       | 40620 | 2593.0      | 0.020            | 0.006               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.006                |
|                     |              | Top         | 40620 | 2593.0      | -0.010           | 0.021               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.021                |
|                     |              | Bottom      | 40620 | 2593.0      | -0.050           | 0.002               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.002                |
|                     |              | Back        | 40620 | 2593.0      | 0.000            | 0.028               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.029                |
|                     |              | Back        | 40620 | 2593.0      | -0.160           | 0.032               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.033                |
|                     |              | Back        | 40620 | 2593.0      | -0.050           | 0.034               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.035                |
|                     |              | Back        | 40620 | 2593.0      | -0.160           | 0.030               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.031                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 41 (BW: 20MHz) | 50%RB        | Left Cheek  | 40620 | 2593.0      | -0.050           | 0.096               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.098                |
|                     |              | Left Tilt   | 40620 | 2593.0      | 0.070            | 0.152               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.155                |
|                     |              | Right Cheek | 40620 | 2593.0      | -0.030           | 0.183               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.186                |
|                     |              | Right Tilt  | 40620 | 2593.0      | 0.080            | 0.275               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.280                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.130            | 0.226               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.230                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.140            | 0.247               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.252                |
|                     |              | Left Cheek  | 40620 | 2593.0      | -0.040           | 0.223               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.227                |
|                     |              | Left Cheek  | 40620 | 2593.0      | 0.080            | 0.214               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.218                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 41 (BW: 20MHz) | 50%RB        | Front       | 40620 | 2593.0      | -0.060           | 0.024               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.024                |
|                     |              | Back        | 40620 | 2593.0      | -0.140           | 0.032               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.033                |
|                     |              | Left        | 40620 | 2593.0      | -0.010           | 0.020               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.020                |
|                     |              | Right       | 40620 | 2593.0      | 0.080            | 0.006               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.006                |
|                     |              | Top         | 40620 | 2593.0      | -0.060           | 0.019               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.019                |
|                     |              | Bottom      | 40620 | 2593.0      | -0.080           | 0.002               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.002                |
|                     |              | Back        | 40620 | 2593.0      | 0.040            | 0.028               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.029                |
|                     |              | Back        | 40620 | 2593.0      | 0.130            | 0.031               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.032                |
|                     |              | Back        | 40620 | 2593.0      | 0.020            | 0.033               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.034                |
|                     |              | Back        | 40620 | 2593.0      | 0.080            | 0.029               | 100            | 1.00              | 24.42             | 24.50                    | 1.019          | 0.030                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 42 (BW: 20MHz) | 1RB          | Left Cheek  | 43015 | 3542.5      | 0.010            | 0.105               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.111                |
|                     |              | Left Tilt   | 43015 | 3542.5      | -0.030           | 0.180               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.190                |
|                     |              | Right Cheek | 43015 | 3542.5      | 0.040            | 0.324               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.342                |
|                     |              | Right Tilt  | 43015 | 3542.5      | 0.100            | 0.486               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.512                |
|                     | 50%RB        | Left Cheek  | 43015 | 3542.5      | 0.080            | 0.103               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.109                |
|                     |              | Left Tilt   | 43015 | 3542.5      | -0.010           | 0.172               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.181                |
|                     |              | Right Cheek | 43015 | 3542.5      | 0.090            | 0.309               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.326                |
|                     |              | Right Tilt  | 43015 | 3542.5      | 0.020            | 0.461               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.486                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 42 (BW: 20MHz) | 1RB          | Front       | 43015 | 3542.5      | 0.000            | 0.133               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.140                |
|                     |              | Back        | 43015 | 3542.5      | -0.160           | 0.148               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.156                |
|                     |              | Left        | 43015 | 3542.5      | -0.060           | 0.072               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.076                |
|                     |              | Right       | 43015 | 3542.5      | 0.040            | 0.029               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.031                |
|                     |              | Top         | 43015 | 3542.5      | -0.080           | 0.064               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.067                |
|                     |              | Bottom      | 43015 | 3542.5      | 0.120            | 0.004               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.004                |
|                     | 50%RB        | Front       | 43015 | 3542.5      | 0.040            | 0.130               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.137                |
|                     |              | Back        | 43015 | 3542.5      | -0.130           | 0.142               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.150                |
|                     |              | Left        | 43015 | 3542.5      | 0.140            | 0.065               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.069                |
|                     |              | Right       | 43015 | 3542.5      | 0.060            | 0.030               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.032                |
|                     |              | Top         | 43015 | 3542.5      | 0.020            | 0.060               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.063                |
|                     |              | Bottom      | 43015 | 3542.5      | -0.070           | 0.003               | 100            | 1.00              | 20.27             | 20.50                    | 1.054          | 0.003                |

| Mode                | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| Band 66 (BW: 20MHz) | 1RB          | Left Cheek  | 132322 | 1745.0      | 0.120            | 0.087               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.093                |
|                     |              | Left Tilt   | 132322 | 1745.0      | -0.160           | 0.179               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.191                |
|                     |              | Right Cheek | 132322 | 1745.0      | 0.030            | 0.136               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.145                |
|                     |              | Right Tilt  | 132322 | 1745.0      | 0.010            | 0.317               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.339                |
|                     | 50%RB        | Left Cheek  | 132322 | 1745.0      | 0.030            | 0.083               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.089                |
|                     |              | Left Tilt   | 132322 | 1745.0      | -0.050           | 0.176               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.188                |
|                     |              | Right Cheek | 132322 | 1745.0      | 0.080            | 0.133               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.142                |
|                     |              | Right Tilt  | 132322 | 1745.0      | 0.010            | 0.308               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.329                |
| Mode                | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| Band 66 (BW: 20MHz) | 1RB          | Front       | 132322 | 1745.0      | -0.060           | 0.045               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.048                |
|                     |              | Back        | 132322 | 1745.0      | 0.020            | 0.052               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.056                |
|                     |              | Left        | 132322 | 1745.0      | 0.040            | 0.036               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.038                |
|                     |              | Right       | 132322 | 1745.0      | -0.020           | 0.014               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.015                |
|                     |              | Top         | 132322 | 1745.0      | 0.070            | 0.033               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.035                |
|                     |              | Bottom      | 132322 | 1745.0      | -0.090           | 0.003               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.003                |
|                     | 50%RB        | Front       | 132322 | 1745.0      | -0.090           | 0.042               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.045                |
|                     |              | Back        | 132322 | 1745.0      | -0.030           | 0.050               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.053                |
|                     |              | Left        | 132322 | 1745.0      | 0.000            | 0.033               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.035                |
|                     |              | Right       | 132322 | 1745.0      | 0.014            | 0.011               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.012                |
|                     |              | Top         | 132322 | 1745.0      | 0.010            | 0.032               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.034                |
|                     |              | Bottom      | 132322 | 1745.0      | 0.080            | 0.005               | 100            | 1.00              | 23.71             | 24.00                    | 1.069          | 0.005                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n5 (BW: 20MHz) | 1RB          | Left Cheek  | 168800 | 844.0       | -0.160           | 0.743               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.748                |
|                   |              | Left Tilt   | 168800 | 844.0       | 0.070            | 0.146               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.147                |
|                   |              | Right Cheek | 168800 | 844.0       | -0.060           | 0.375               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.378                |
|                   |              | Right Tilt  | 168800 | 844.0       | 0.150            | 0.093               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.094                |
|                   | 50%RB        | Left Cheek  | 168800 | 844.0       | 0.130            | 0.513               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.517                |
|                   |              | Left Tilt   | 168800 | 844.0       | -0.190           | 0.079               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.080                |
|                   |              | Right Cheek | 168800 | 844.0       | 0.070            | 0.208               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.209                |
|                   |              | Right Tilt  | 168800 | 844.0       | -0.020           | 0.051               | 100            | 1.00              | 23.97             | 24.00                    | 1.007          | 0.051                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n5 (BW: 20MHz) | 1RB          | Front       | 168800 | 844.0       | 0.120            | 0.294               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.302                |
|                   |              | Back        | 168800 | 844.0       | -0.130           | 0.421               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.433                |
|                   |              | Left        | 168800 | 844.0       | -0.030           | 0.172               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.177                |
|                   |              | Right       | 168800 | 844.0       | 0.080            | 0.043               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.044                |
|                   |              | Top         | 168800 | 844.0       | -0.140           | 0.145               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.149                |
|                   |              | Bottom      | 168800 | 844.0       | 0.190            | 0.086               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.088                |
|                   | 50%RB        | Front       | 168800 | 844.0       | 0.130            | 0.168               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.173                |
|                   |              | Back        | 168800 | 844.0       | -0.170           | 0.275               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.283                |
|                   |              | Left        | 168800 | 844.0       | 0.090            | 0.079               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.081                |
|                   |              | 167300      | 168800 | 844.0       | -0.120           | 0.016               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.016                |
|                   |              | 167300      | 168800 | 844.0       | 0.090            | 0.065               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.067                |
|                   |              | 167300      | 168800 | 844.0       | -0.180           | 0.051               | 100            | 1.00              | 23.88             | 24.00                    | 1.028          | 0.052                |

| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n7<br>(BW: 20MHz) | 1RB          | Left Cheek  | 512500 | 2562.5      | -0.060           | 0.257               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.286                |
|                      |              | Left Tilt   | 512500 | 2562.5      | -0.070           | 0.469               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.521                |
|                      |              | Right Cheek | 512500 | 2562.5      | 0.110            | 0.413               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.459                |
|                      |              | Right Tilt  | 512500 | 2562.5      | -0.190           | 0.928               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 1.032                |
|                      | 50%RB        | Left Cheek  | 512500 | 2562.5      | 0.050            | 0.192               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.213                |
|                      |              | Left Tilt   | 512500 | 2562.5      | -0.130           | 0.289               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.321                |
|                      |              | Right Cheek | 512500 | 2562.5      | 0.070            | 0.243               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.270                |
|                      |              | Right Tilt  | 512500 | 2562.5      | 0.120            | 0.492               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.547                |
| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n7<br>(BW: 20MHz) | 1RB          | Front       | 512500 | 2562.5      | 0.130            | 0.063               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.070                |
|                      |              | Back        | 512500 | 2562.5      | 0.010            | 0.102               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.113                |
|                      |              | Left        | 512500 | 2562.5      | -0.110           | 0.048               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.053                |
|                      |              | Right       | 512500 | 2562.5      | 0.070            | 0.020               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.022                |
|                      |              | Top         | 512500 | 2562.5      | -0.160           | 0.035               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.039                |
|                      |              | Bottom      | 512500 | 2562.5      | -0.050           | 0.027               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.030                |
|                      | 50%RB        | Front       | 512500 | 2562.5      | 0.070            | 0.043               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.048                |
|                      |              | Back        | 512500 | 2562.5      | -0.130           | 0.060               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.067                |
|                      |              | Left        | 512500 | 2562.5      | 0.080            | 0.029               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.032                |
|                      |              | Right       | 512500 | 2562.5      | -0.150           | 0.012               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.013                |
|                      |              | Top         | 512500 | 2562.5      | 0.040            | 0.024               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.027                |
|                      |              | Bottom      | 512500 | 2562.5      | -0.160           | 0.018               | 100            | 1.00              | 23.04             | 23.50                    | 1.112          | 0.020                |

| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n12<br>(BW: 15MHz) | 1RB          | Left Cheek  | 142200 | 711.0       | -0.200           | 0.305               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.331                |
|                       |              | Left Tilt   | 142200 | 711.0       | 0.150            | 0.207               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.224                |
|                       |              | Right Cheek | 142200 | 711.0       | -0.130           | 0.152               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.165                |
|                       |              | Right Tilt  | 142200 | 711.0       | 0.060            | 0.053               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.057                |
|                       | 50%RB        | Left Cheek  | 142200 | 711.0       | 0.150            | 0.221               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.240                |
|                       |              | Left Tilt   | 142200 | 711.0       | 0.130            | 0.153               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.166                |
|                       |              | Right Cheek | 142200 | 711.0       | 0.070            | 0.089               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.096                |
|                       |              | Right Tilt  | 142200 | 711.0       | -0.160           | 0.045               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.049                |
| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n12<br>(BW: 15MHz) | 1RB          | Front       | 142200 | 711.0       | 0.110            | 0.137               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.148                |
|                       |              | Back        | 142200 | 711.0       | -0.130           | 0.182               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.197                |
|                       |              | Left        | 142200 | 711.0       | -0.190           | 0.082               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.089                |
|                       |              | Right       | 142200 | 711.0       | 0.120            | 0.022               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.024                |
|                       |              | Top         | 142200 | 711.0       | 0.040            | 0.068               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.074                |
|                       |              | Bottom      | 142200 | 711.0       | -0.190           | 0.043               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.047                |
|                       | 50%RB        | Front       | 142200 | 711.0       | 0.140            | 0.079               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.086                |
|                       |              | Back        | 142200 | 711.0       | -0.190           | 0.105               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.114                |
|                       |              | Left        | 142200 | 711.0       | 0.070            | 0.047               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.051                |
|                       |              | Right       | 142200 | 711.0       | 0.040            | 0.011               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.012                |
|                       |              | Top         | 142200 | 711.0       | -0.080           | 0.035               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.038                |
|                       |              | Bottom      | 142200 | 711.0       | 0.160            | 0.020               | 100            | 1.00              | 24.15             | 24.50                    | 1.084          | 0.022                |

| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n38<br>(BW: 20MHz) | 1RB          | Left Cheek  | 515500 | 2577.5      | 0.080            | 0.386               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.419                |
|                       |              | Left Tilt   | 515500 | 2577.5      | -0.120           | 0.710               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.771                |
|                       |              | Right Cheek | 515500 | 2577.5      | -0.110           | 0.402               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.437                |
|                       |              | Right Tilt  | 515500 | 2577.5      | 0.110            | 0.752               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.817                |
|                       | 50%RB        | Left Cheek  | 515500 | 2577.5      | 0.090            | 0.209               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.227                |
|                       |              | Left Tilt   | 515500 | 2577.5      | -0.130           | 0.357               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.388                |
|                       |              | Right Cheek | 515500 | 2577.5      | 0.050            | 0.243               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.264                |
|                       |              | Right Tilt  | 515500 | 2577.5      | -0.140           | 0.398               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.432                |
| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n38<br>(BW: 20MHz) | 1RB          | Front       | 515500 | 2577.5      | 0.090            | 0.107               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.116                |
|                       |              | Back        | 515500 | 2577.5      | -0.110           | 0.165               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.179                |
|                       |              | Left        | 515500 | 2577.5      | -0.130           | 0.075               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.081                |
|                       |              | Right       | 515500 | 2577.5      | -0.180           | 0.020               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.022                |
|                       |              | Top         | 515500 | 2577.5      | 0.170            | 0.053               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.058                |
|                       |              | Bottom      | 515500 | 2577.5      | 0.150            | 0.031               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.034                |
|                       | 50%RB        | Front       | 515500 | 2577.5      | 0.130            | 0.086               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.093                |
|                       |              | Back        | 515500 | 2577.5      | 0.050            | 0.118               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.128                |
|                       |              | Left        | 515500 | 2577.5      | -0.060           | 0.049               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.053                |
|                       |              | Right       | 515500 | 2577.5      | 0.080            | 0.019               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.021                |
|                       |              | Top         | 515500 | 2577.5      | -0.170           | 0.037               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.040                |
|                       |              | Bottom      | 515500 | 2577.5      | 0.040            | 0.025               | 100            | 1.00              | 23.14             | 23.50                    | 1.086          | 0.027                |

| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n41<br>(BW:100MHz) | 1RB          | Left Cheek  | 504204 | 2521.0      | 0.030            | 0.159               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.167                |
|                       |              | Left Tilt   | 504204 | 2521.0      | -0.190           | 0.248               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.261                |
|                       |              | Right Cheek | 504204 | 2521.0      | 0.060            | 0.327               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.344                |
|                       |              | Right Tilt  | 504204 | 2521.0      | -0.130           | 0.622               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.654                |
|                       | 50%RB        | Left Cheek  | 504204 | 2521.0      | 0.060            | 0.087               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.092                |
|                       |              | Left Tilt   | 504204 | 2521.0      | -0.130           | 0.119               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.125                |
|                       |              | Right Cheek | 504204 | 2521.0      | 0.040            | 0.193               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.203                |
|                       |              | Right Tilt  | 504204 | 2521.0      | -0.120           | 0.291               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.306                |
| Mode                  | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n41<br>(BW:100MHz) | 1RB          | Front       | 504204 | 2521.0      | 0.070            | 0.049               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.052                |
|                       |              | Back        | 504204 | 2521.0      | 0.080            | 0.074               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.078                |
|                       |              | Left        | 504204 | 2521.0      | -0.150           | 0.038               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.040                |
|                       |              | Right       | 504204 | 2521.0      | -0.190           | 0.014               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.015                |
|                       |              | Top         | 504204 | 2521.0      | 0.040            | 0.029               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.031                |
|                       |              | Bottom      | 504204 | 2521.0      | -0.120           | 0.019               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.020                |
|                       | 50%RB        | Front       | 504204 | 2521.0      | 0.070            | 0.028               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.029                |
|                       |              | Back        | 504204 | 2521.0      | -0.190           | 0.043               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.045                |
|                       |              | Left        | 504204 | 2521.0      | 0.040            | 0.022               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.023                |
|                       |              | Right       | 504204 | 2521.0      | -0.180           | 0.009               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.009                |
|                       |              | Top         | 504204 | 2521.0      | 0.050            | 0.020               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.021                |
|                       |              | Bottom      | 504204 | 2521.0      | -0.160           | 0.011               | 100            | 1.00              | 22.78             | 23.00                    | 1.052          | 0.012                |

| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n66<br>(BW:40MHz) | 1RB          | Left Cheek  | 349000 | 1745.0      | -0.160           | 0.153               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.155                |
|                      |              | Left Tilt   | 349000 | 1745.0      | 0.070            | 0.241               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.244                |
|                      |              | Right Cheek | 349000 | 1745.0      | -0.130           | 0.314               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.318                |
|                      |              | Right Tilt  | 349000 | 1745.0      | -0.180           | 0.521               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.527                |
|                      | 50%RB        | Left Cheek  | 349000 | 1745.0      | 0.070            | 0.095               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.096                |
|                      |              | Left Tilt   | 349000 | 1745.0      | -0.120           | 0.137               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.139                |
|                      |              | Right Cheek | 349000 | 1745.0      | 0.060            | 0.196               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.198                |
|                      |              | Right Tilt  | 349000 | 1745.0      | -0.130           | 0.304               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.308                |
| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n66<br>(BW:40MHz) | 1RB          | Front       | 349000 | 1745.0      | 0.030            | 0.052               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.053                |
|                      |              | Back        | 349000 | 1745.0      | -0.110           | 0.082               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.083                |
|                      |              | Left        | 349000 | 1745.0      | -0.120           | 0.037               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.037                |
|                      |              | Right       | 349000 | 1745.0      | -0.090           | 0.013               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.013                |
|                      |              | Top         | 349000 | 1745.0      | 0.080            | 0.030               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.030                |
|                      |              | Bottom      | 349000 | 1745.0      | -0.160           | 0.020               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.020                |
|                      | 50%RB        | Front       | 349000 | 1745.0      | 0.060            | 0.029               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.029                |
|                      |              | Back        | 349000 | 1745.0      | -0.130           | 0.049               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.050                |
|                      |              | Left        | 349000 | 1745.0      | -0.050           | 0.021               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.021                |
|                      |              | Right       | 349000 | 1745.0      | 0.190            | 0.006               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.006                |
|                      |              | Top         | 349000 | 1745.0      | -0.040           | 0.017               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.017                |
|                      |              | Bottom      | 349000 | 1745.0      | 0.080            | 0.010               | 100            | 1.00              | 23.95             | 24.00                    | 1.012          | 0.010                |

| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n71<br>(BW:15MHz) | 1RB          | Left Cheek  | 133100 | 665.5       | -0.040           | 0.121               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.130                |
|                      |              | Left Tilt   | 133100 | 665.5       | 0.150            | 0.027               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.029                |
|                      |              | Right Cheek | 133100 | 665.5       | -0.190           | 0.080               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.086                |
|                      |              | Right Tilt  | 133100 | 665.5       | 0.080            | 0.016               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.017                |
|                      | 50%RB        | Left Cheek  | 133100 | 665.5       | 0.130            | 0.079               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.085                |
|                      |              | Left Tilt   | 133100 | 665.5       | -0.120           | 0.020               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.021                |
|                      |              | Right Cheek | 133100 | 665.5       | -0.050           | 0.059               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.063                |
|                      |              | Right Tilt  | 133100 | 665.5       | 0.090            | 0.014               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.015                |
| Mode                 | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n71<br>(BW:15MHz) | 1RB          | Front       | 133100 | 665.5       | 0.070            | 0.075               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.081                |
|                      |              | Back        | 133100 | 665.5       | -0.050           | 0.101               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.108                |
|                      |              | Left        | 133100 | 665.5       | -0.060           | 0.056               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.060                |
|                      |              | Right       | 133100 | 665.5       | -0.180           | 0.013               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.014                |
|                      |              | Top         | 133100 | 665.5       | -0.140           | 0.047               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.050                |
|                      |              | Bottom      | 133100 | 665.5       | 0.190            | 0.021               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.023                |
|                      | 50%RB        | Front       | 133100 | 665.5       | 0.130            | 0.053               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.057                |
|                      |              | Back        | 133100 | 665.5       | -0.180           | 0.073               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.078                |
|                      |              | Left        | 133100 | 665.5       | 0.190            | 0.037               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.040                |
|                      |              | Right       | 133100 | 665.5       | 0.060            | 0.008               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.009                |
|                      |              | Top         | 133100 | 665.5       | -0.070           | 0.029               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.031                |
|                      |              | Bottom      | 133100 | 665.5       | 0.140            | 0.011               | 100            | 1.00              | 25.19             | 25.50                    | 1.074          | 0.012                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n77 (BW:50MHz) | 1RB          | Left Cheek  | 631668 | 3475.0      | 0.170            | 0.075               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.076                |
|                   |              | Left Tilt   | 631668 | 3475.0      | 0.000            | 0.114               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.115                |
|                   |              | Right Cheek | 631668 | 3475.0      | -0.050           | 0.308               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.312                |
|                   |              | Right Tilt  | 631668 | 3475.0      | -0.130           | 0.528               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.534                |
|                   | 50%RB        | Left Cheek  | 631668 | 3475.0      | 0.070            | 0.044               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.045                |
|                   |              | Left Tilt   | 631668 | 3475.0      | -0.160           | 0.073               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.074                |
|                   |              | Right Cheek | 631668 | 3475.0      | 0.080            | 0.196               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.198                |
|                   |              | Right Tilt  | 631668 | 3475.0      | -0.190           | 0.309               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.313                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n77 (BW:50MHz) | 1RB          | Front       | 631668 | 3475.0      | 0.130            | 0.086               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.087                |
|                   |              | Back        | 631668 | 3475.0      | 0.070            | 0.125               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.126                |
|                   |              | Left        | 631668 | 3475.0      | -0.070           | 0.053               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.054                |
|                   |              | Right       | 631668 | 3475.0      | 0.060            | 0.024               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.024                |
|                   |              | Top         | 631668 | 3475.0      | -0.190           | 0.048               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.049                |
|                   |              | Bottom      | 631668 | 3475.0      | 0.080            | 0.030               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.030                |
|                   | 50%RB        | Front       | 631668 | 3475.0      | 0.140            | 0.050               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.051                |
|                   |              | Back        | 631668 | 3475.0      | -0.150           | 0.079               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.080                |
|                   |              | Left        | 631668 | 3475.0      | 0.060            | 0.043               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.043                |
|                   |              | Right       | 631668 | 3475.0      | 0.190            | 0.015               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.015                |
|                   |              | Top         | 631668 | 3475.0      | -0.030           | 0.033               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.033                |
|                   |              | Bottom      | 631668 | 3475.0      | 0.120            | 0.022               | 100            | 1.00              | 22.45             | 22.50                    | 1.012          | 0.022                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n77 (BW:50MHz) | 1RB          | Left Cheek  | 638334 | 3575.0      | 0.090            | 0.127               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.137                |
|                   |              | Left Tilt   | 638334 | 3575.0      | 0.000            | 0.186               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.200                |
|                   |              | Right Cheek | 638334 | 3575.0      | -0.050           | 0.375               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.404                |
|                   |              | Right Tilt  | 638334 | 3575.0      | -0.150           | 0.572               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.616                |
|                   | 50%RB        | Left Cheek  | 638334 | 3575.0      | 0.080            | 0.075               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.081                |
|                   |              | Left Tilt   | 638334 | 3575.0      | -0.130           | 0.127               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.137                |
|                   |              | Right Cheek | 638334 | 3575.0      | 0.110            | 0.229               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.247                |
|                   |              | Right Tilt  | 638334 | 3575.0      | -0.020           | 0.329               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.354                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n77 (BW:50MHz) | 1RB          | Front       | 638334 | 3575.0      | -0.090           | 0.095               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.102                |
|                   |              | Back        | 638334 | 3575.0      | -0.180           | 0.144               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.155                |
|                   |              | Left        | 638334 | 3575.0      | 0.150            | 0.072               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.078                |
|                   |              | Right       | 638334 | 3575.0      | 0.040            | 0.019               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.020                |
|                   |              | Top         | 638334 | 3575.0      | -0.170           | 0.056               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.060                |
|                   |              | Bottom      | 638334 | 3575.0      | 0.130            | 0.038               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.041                |
|                   | 50%RB        | Front       | 638334 | 3575.0      | -0.070           | 0.071               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.076                |
|                   |              | Back        | 638334 | 3575.0      | -0.190           | 0.096               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.103                |
|                   |              | Left        | 638334 | 3575.0      | -0.020           | 0.046               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.050                |
|                   |              | Right       | 638334 | 3575.0      | 0.080            | 0.012               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.013                |
|                   |              | Top         | 638334 | 3575.0      | -0.140           | 0.031               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.033                |
|                   |              | Bottom      | 638334 | 3575.0      | 0.050            | 0.020               | 100            | 1.00              | 25.68             | 26.00                    | 1.076          | 0.022                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n77 (BW:50MHz) | 1RB          | Left Cheek  | 662000 | 3930.0      | 0.170            | 0.132               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.141                |
|                   |              | Left Tilt   | 662000 | 3930.0      | -0.030           | 0.219               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.234                |
|                   |              | Right Cheek | 662000 | 3930.0      | -0.010           | 0.304               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.324                |
|                   |              | Right Tilt  | 662000 | 3930.0      | -0.140           | 0.451               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.481                |
|                   | 50%RB        | Left Cheek  | 662000 | 3930.0      | 0.090            | 0.085               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.091                |
|                   |              | Left Tilt   | 662000 | 3930.0      | -0.010           | 0.121               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.129                |
|                   |              | Right Cheek | 662000 | 3930.0      | -0.050           | 0.154               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.164                |
|                   |              | Right Tilt  | 662000 | 3930.0      | 0.160            | 0.239               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.255                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n77 (BW:50MHz) | 1RB          | Front       | 662000 | 3930.0      | 0.130            | 0.068               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.073                |
|                   |              | Back        | 662000 | 3930.0      | -0.090           | 0.097               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.103                |
|                   |              | Left        | 662000 | 3930.0      | -0.040           | 0.049               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.052                |
|                   |              | Right       | 662000 | 3930.0      | 0.080            | 0.018               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.019                |
|                   |              | Top         | 662000 | 3930.0      | -0.150           | 0.042               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.045                |
|                   |              | Bottom      | 662000 | 3930.0      | 0.070            | 0.029               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.031                |
|                   | 50%RB        | Front       | 662000 | 3930.0      | 0.190            | 0.049               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.052                |
|                   |              | Back        | 662000 | 3930.0      | -0.100           | 0.063               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.067                |
|                   |              | Left        | 662000 | 3930.0      | 0.040            | 0.034               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.036                |
|                   |              | Right       | 662000 | 3930.0      | -0.030           | 0.010               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.011                |
|                   |              | Top         | 662000 | 3930.0      | 0.180            | 0.029               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.031                |
|                   |              | Bottom      | 662000 | 3930.0      | -0.070           | 0.018               | 100            | 1.00              | 25.72             | 26.00                    | 1.067          | 0.019                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n78 (BW:50MHz) | 1RB          | Left Cheek  | 630334 | 3455.0      | 0.060            | 0.107               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.120                |
|                   |              | Left Tilt   | 630334 | 3455.0      | 0.040            | 0.134               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.150                |
|                   |              | Right Cheek | 630334 | 3455.0      | -0.050           | 0.389               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.435                |
|                   |              | Right Tilt  | 630334 | 3455.0      | -0.090           | 0.534               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.598                |
|                   | 50%RB        | Left Cheek  | 630334 | 3455.0      | 0.070            | 0.079               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.088                |
|                   |              | Left Tilt   | 630334 | 3455.0      | -0.130           | 0.086               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.096                |
|                   |              | Right Cheek | 630334 | 3455.0      | 0.020            | 0.248               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.278                |
|                   |              | Right Tilt  | 630334 | 3455.0      | -0.140           | 0.329               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.368                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n78 (BW:50MHz) | 1RB          | Front       | 630334 | 3455.0      | 0.110            | 0.119               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.133                |
|                   |              | Back        | 630334 | 3455.0      | 0.070            | 0.138               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.154                |
|                   |              | Left        | 630334 | 3455.0      | -0.090           | 0.085               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.095                |
|                   |              | Right       | 630334 | 3455.0      | 0.050            | 0.029               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.032                |
|                   |              | Top         | 630334 | 3455.0      | 0.040            | 0.074               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.083                |
|                   |              | Bottom      | 630334 | 3455.0      | -0.180           | 0.049               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.055                |
|                   | 50%RB        | Front       | 630334 | 3455.0      | 0.120            | 0.074               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.083                |
|                   |              | Back        | 630334 | 3455.0      | 0.030            | 0.083               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.093                |
|                   |              | Left        | 630334 | 3455.0      | -0.170           | 0.049               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.055                |
|                   |              | Right       | 630334 | 3455.0      | 0.190            | 0.019               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.021                |
|                   |              | Top         | 630334 | 3455.0      | -0.180           | 0.037               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.041                |
|                   |              | Bottom      | 630334 | 3455.0      | 0.060            | 0.025               | 100            | 1.00              | 22.51             | 23.00                    | 1.119          | 0.028                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n78 (BW:50MHz) | 1RB          | Left Cheek  | 641666 | 3625.0      | 0.020            | 0.057               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.061                |
|                   |              | Left Tilt   | 641666 | 3625.0      | 0.100            | 0.106               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.113                |
|                   |              | Right Cheek | 641666 | 3625.0      | 0.010            | 0.409               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.436                |
|                   |              | Right Tilt  | 641666 | 3625.0      | -0.090           | 0.568               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.606                |
|                   | 50%RB        | Left Cheek  | 641666 | 3625.0      | 0.070            | 0.033               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.035                |
|                   |              | Left Tilt   | 641666 | 3625.0      | -0.040           | 0.059               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.063                |
|                   |              | Right Cheek | 641666 | 3625.0      | -0.130           | 0.286               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.305                |
|                   |              | Right Tilt  | 641666 | 3625.0      | 0.090            | 0.365               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.389                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n78 (BW:50MHz) | 1RB          | Front       | 641666 | 3625.0      | -0.110           | 0.089               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.095                |
|                   |              | Back        | 641666 | 3625.0      | -0.100           | 0.141               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.150                |
|                   |              | Left        | 641666 | 3625.0      | 0.080            | 0.067               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.071                |
|                   |              | Right       | 641666 | 3625.0      | -0.060           | 0.024               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.026                |
|                   |              | Top         | 641666 | 3625.0      | 0.070            | 0.049               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.052                |
|                   |              | Bottom      | 641666 | 3625.0      | 0.120            | 0.035               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.037                |
|                   | 50%RB        | Front       | 641666 | 3625.0      | 0.130            | 0.071               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.076                |
|                   |              | Back        | 641666 | 3625.0      | -0.180           | 0.089               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.095                |
|                   |              | Left        | 641666 | 3625.0      | 0.060            | 0.049               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.052                |
|                   |              | Right       | 641666 | 3625.0      | -0.070           | 0.018               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.019                |
|                   |              | Top         | 641666 | 3625.0      | 0.050            | 0.040               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.043                |
|                   |              | Bottom      | 641666 | 3625.0      | -0.140           | 0.027               | 100            | 1.00              | 22.22             | 22.50                    | 1.067          | 0.029                |

| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|-------------------|--------------|-------------|--------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| NR n78 (BW:50MHz) | 1RB          | Left Cheek  | 647000 | 3705.0      | 0.120            | 0.067               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.068                |
|                   |              | Left Tilt   | 647000 | 3705.0      | 0.030            | 0.091               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.092                |
|                   |              | Right Cheek | 647000 | 3705.0      | 0.010            | 0.298               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.301                |
|                   |              | Right Tilt  | 647000 | 3705.0      | -0.120           | 0.454               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.459                |
|                   | 50%RB        | Left Cheek  | 647000 | 3705.0      | 0.070            | 0.041               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.041                |
|                   |              | Left Tilt   | 647000 | 3705.0      | -0.130           | 0.058               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.059                |
|                   |              | Right Cheek | 647000 | 3705.0      | 0.090            | 0.193               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.195                |
|                   |              | Right Tilt  | 647000 | 3705.0      | -0.110           | 0.259               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.262                |
| Mode              | Channel Type | Position    | Ch.    | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| NR n78 (BW:50MHz) | 1RB          | Front       | 647000 | 3705.0      | -0.160           | 0.053               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.054                |
|                   |              | Back        | 647000 | 3705.0      | -0.190           | 0.080               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.081                |
|                   |              | Left        | 647000 | 3705.0      | 0.090            | 0.040               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.040                |
|                   |              | Right       | 647000 | 3705.0      | 0.050            | 0.010               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.010                |
|                   |              | Top         | 647000 | 3705.0      | -0.120           | 0.029               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.029                |
|                   |              | Bottom      | 647000 | 3705.0      | 0.200            | 0.023               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.023                |
|                   | 50%RB        | Front       | 647000 | 3705.0      | 0.190            | 0.029               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.029                |
|                   |              | Back        | 647000 | 3705.0      | -0.130           | 0.052               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.053                |
|                   |              | Left        | 647000 | 3705.0      | 0.040            | 0.022               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.022                |
|                   |              | Right       | 647000 | 3705.0      | -0.170           | 0.005               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.005                |
|                   |              | Top         | 647000 | 3705.0      | 0.120            | 0.019               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.019                |
|                   |              | Bottom      | 647000 | 3705.0      | 0.030            | 0.011               | 100            | 1.00              | 21.95             | 22.00                    | 1.012          | 0.011                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Ch.                      | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 2-n7<br>(BW: 20MHz) | 1RB          | Left Cheek  | 19175 | 1907.5      | 4.900            | 0.186               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.188                |
|                     |              | Left Tilt   | 19175 | 1907.5      | 1.130            | 0.215               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.217                |
|                     |              | Right Cheek | 19175 | 1907.5      | -1.050           | 0.275               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.278                |
|                     |              | Right Tilt  | 19175 | 1907.5      | 4.770            | 0.305               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.308                |
|                     | 50%RB        | Left Cheek  | 19175 | 1907.5      | -1.140           | 0.081               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.082                |
|                     |              | Left Tilt   | 19175 | 1907.5      | -3.200           | 0.098               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.099                |
|                     |              | Right Cheek | 19175 | 1907.5      | -0.680           | 0.124               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.125                |
|                     |              | Right Tilt  | 19175 | 1907.5      | 4.030            | 0.186               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.188                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 2-n7<br>(BW: 20MHz) | 1RB          | Front       | 19175 | 1907.5      | 0.750            | 0.274               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.277                |
|                     |              | Back        | 19175 | 1907.5      | 3.500            | 0.395               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.399                |
|                     |              | Left        | 19175 | 1907.5      | -0.710           | 0.204               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.206                |
|                     |              | Right       | 19175 | 1907.5      | 1.470            | 0.037               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.037                |
|                     |              | Top         | 19175 | 1907.5      | -3.100           | 0.132               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.133                |
|                     |              | Bottom      | 19175 | 1907.5      | 0.630            | 0.061               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.062                |
|                     | 50%RB        | Front       | 19175 | 1907.5      | -3.590           | 0.134               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.135                |
|                     |              | Back        | 19175 | 1907.5      | 2.530            | 0.213               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.215                |
|                     |              | Left        | 19175 | 1907.5      | -3.720           | 0.102               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.103                |
|                     |              | Right       | 19175 | 1907.5      | 1.080            | 0.017               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.017                |
|                     |              | Top         | 19175 | 1907.5      | -0.960           | 0.086               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.087                |
|                     |              | Bottom      | 19175 | 1907.5      | 4.550            | 0.031               | 100            | 1.00              | 22.96             | 23.00                    | 1.009          | 0.031                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 2-n66<br>(BW: 20MHz) | 1RB          | Left Cheek  | 18900 | 1880.0      | -3.910           | 0.276               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.277                |
|                      |              | Left Tilt   | 18900 | 1880.0      | 0.150            | 0.358               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.359                |
|                      |              | Right Cheek | 18900 | 1880.0      | -3.000           | 0.336               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.337                |
|                      |              | Right Tilt  | 18900 | 1880.0      | -0.330           | 0.371               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.372                |
|                      | 50%RB        | Left Cheek  | 18900 | 1880.0      | -1.800           | 0.158               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.158                |
|                      |              | Left Tilt   | 18900 | 1880.0      | -4.870           | 0.210               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.210                |
|                      |              | Right Cheek | 18900 | 1880.0      | 2.710            | 0.193               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.193                |
|                      |              | Right Tilt  | 18900 | 1880.0      | 4.840            | 0.224               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.225                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 2-n66<br>(BW: 20MHz) | 1RB          | Front       | 18900 | 1880.0      | 4.820            | 0.352               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.353                |
|                      |              | Back        | 18900 | 1880.0      | -2.310           | 0.430               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.431                |
|                      |              | Left        | 18900 | 1880.0      | -2.620           | 0.207               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.207                |
|                      |              | Right       | 18900 | 1880.0      | 1.680            | 0.058               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.058                |
|                      |              | Top         | 18900 | 1880.0      | 4.220            | 0.166               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.166                |
|                      |              | Bottom      | 18900 | 1880.0      | 2.130            | 0.092               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.092                |
|                      | 50%RB        | Front       | 18900 | 1880.0      | -3.700           | 0.186               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.186                |
|                      |              | Back        | 18900 | 1880.0      | 3.610            | 0.275               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.276                |
|                      |              | Left        | 18900 | 1880.0      | -1.180           | 0.143               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.143                |
|                      |              | Right       | 18900 | 1880.0      | 1.320            | 0.032               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.032                |
|                      |              | Top         | 18900 | 1880.0      | -1.940           | 0.101               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.101                |
|                      |              | Bottom      | 18900 | 1880.0      | 1.820            | 0.037               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.037                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 2-n78<br>(BW: 20MHz) | 1RB          | Left Cheek  | 18900 | 1880.0      | -4.810           | 0.624               | 100            | 1.00              | 21.31             | 21.50                    | 1.045          | 0.652                |
|                      |              | Left Tilt   | 18900 | 1880.0      | 4.870            | 0.475               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.476                |
|                      |              | Right Cheek | 18900 | 1880.0      | 1.390            | 0.933               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.935                |
|                      |              | Right Tilt  | 18900 | 1880.0      | -3.420           | 0.701               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.703                |
|                      | 50%RB        | Left Cheek  | 18900 | 1880.0      | 4.010            | 0.289               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.290                |
|                      |              | Left Tilt   | 18900 | 1880.0      | -2.710           | 0.241               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.242                |
|                      |              | Right Cheek | 18900 | 1880.0      | 1.580            | 0.632               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.633                |
|                      |              | Right Tilt  | 18900 | 1880.0      | -4.000           | 0.349               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.350                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 2-n78<br>(BW: 20MHz) | 1RB          | Front       | 18900 | 1880.0      | -1.420           | 0.248               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.249                |
|                      |              | Back        | 18900 | 1880.0      | 4.590            | 0.307               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.308                |
|                      |              | Left        | 18900 | 1880.0      | -3.750           | 0.109               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.109                |
|                      |              | Right       | 18900 | 1880.0      | 4.650            | 0.022               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.022                |
|                      |              | Top         | 18900 | 1880.0      | -3.640           | 0.076               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.076                |
|                      |              | Bottom      | 18900 | 1880.0      | -2.010           | 0.040               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.040                |
|                      | 50%RB        | Front       | 18900 | 1880.0      | 2.630            | 0.142               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.142                |
|                      |              | Back        | 18900 | 1880.0      | 4.490            | 0.179               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.179                |
|                      |              | Left        | 18900 | 1880.0      | -1.200           | 0.059               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.059                |
|                      |              | Right       | 18900 | 1880.0      | 4.220            | 0.015               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.015                |
|                      |              | Top         | 18900 | 1880.0      | -1.580           | 0.060               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.060                |
|                      |              | Bottom      | 18900 | 1880.0      | 4.640            | 0.027               | 100            | 1.00              | 21.99             | 22.00                    | 1.002          | 0.027                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 4-n7<br>(BW: 20MHz) | 1RB          | Left Cheek  | 20375 | 1752.5      | 3.860            | 0.124               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.125                |
|                     |              | Left Tilt   | 20375 | 1752.5      | -0.570           | 0.176               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.177                |
|                     |              | Right Cheek | 20375 | 1752.5      | 3.300            | 0.285               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.286                |
|                     |              | Right Tilt  | 20375 | 1752.5      | 4.360            | 0.365               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.367                |
|                     | 50%RB        | Left Cheek  | 20375 | 1752.5      | 0.270            | 0.079               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.079                |
|                     |              | Left Tilt   | 20375 | 1752.5      | 2.970            | 0.113               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.114                |
|                     |              | Right Cheek | 20375 | 1752.5      | -2.030           | 0.159               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.160                |
|                     |              | Right Tilt  | 20375 | 1752.5      | 1.950            | 0.196               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.197                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 4-n7<br>(BW: 20MHz) | 1RB          | Front       | 20375 | 1752.5      | 3.180            | 0.259               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.260                |
|                     |              | Back        | 20375 | 1752.5      | -0.700           | 0.338               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.340                |
|                     |              | Left        | 20375 | 1752.5      | 2.770            | 0.204               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.205                |
|                     |              | Right       | 20375 | 1752.5      | 2.560            | 0.049               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.049                |
|                     |              | Top         | 20375 | 1752.5      | -1.500           | 0.183               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.184                |
|                     |              | Bottom      | 20375 | 1752.5      | -3.010           | 0.072               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.072                |
|                     | 50%RB        | Front       | 20375 | 1752.5      | 3.460            | 0.141               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.142                |
|                     |              | Back        | 20375 | 1752.5      | 3.670            | 0.194               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.195                |
|                     |              | Left        | 20375 | 1752.5      | -1.840           | 0.085               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.085                |
|                     |              | Right       | 20375 | 1752.5      | -1.820           | 0.029               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.029                |
|                     |              | Top         | 20375 | 1752.5      | -4.920           | 0.070               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.070                |
|                     |              | Bottom      | 20375 | 1752.5      | 0.580            | 0.038               | 100            | 1.00              | 21.48             | 21.50                    | 1.005          | 0.038                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 4-n41<br>(BW: 20MHz) | 1RB          | Left Cheek  | 20175 | 1732.5      | -2.400           | 0.406               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.422                |
|                      |              | Left Tilt   | 20175 | 1732.5      | 0.950            | 0.241               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.251                |
|                      |              | Right Cheek | 20175 | 1732.5      | 1.430            | 0.866               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.901                |
|                      |              | Right Tilt  | 20175 | 1732.5      | -1.150           | 0.364               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.379                |
|                      | 50%RB        | Left Cheek  | 20175 | 1732.5      | 4.090            | 0.249               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.259                |
|                      |              | Left Tilt   | 20175 | 1732.5      | -4.260           | 0.148               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.154                |
|                      |              | Right Cheek | 20175 | 1732.5      | -0.840           | 0.593               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.617                |
|                      |              | Right Tilt  | 20175 | 1732.5      | 2.980            | 0.207               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.215                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 4-n41<br>(BW: 20MHz) | 1RB          | Front       | 20175 | 1732.5      | -0.870           | 0.135               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.140                |
|                      |              | Back        | 20175 | 1732.5      | -4.380           | 0.196               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.204                |
|                      |              | Left        | 20175 | 1732.5      | 0.940            | 0.098               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.102                |
|                      |              | Right       | 20175 | 1732.5      | 4.140            | 0.032               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.033                |
|                      |              | Top         | 20175 | 1732.5      | 3.310            | 0.076               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.079                |
|                      |              | Bottom      | 20175 | 1732.5      | -3.640           | 0.034               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.035                |
|                      | 50%RB        | Front       | 20175 | 1732.5      | -0.930           | 0.073               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.076                |
|                      |              | Back        | 20175 | 1732.5      | -2.480           | 0.110               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.114                |
|                      |              | Left        | 20175 | 1732.5      | 0.310            | 0.045               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.047                |
|                      |              | Right       | 20175 | 1732.5      | 3.240            | 0.019               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.020                |
|                      |              | Top         | 20175 | 1732.5      | -0.510           | 0.036               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.037                |
|                      |              | Bottom      | 20175 | 1732.5      | 0.400            | 0.021               | 100            | 1.00              | 21.33             | 21.50                    | 1.040          | 0.022                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 4-n78<br>(BW: 20MHz) | 1RB          | Left Cheek  | 20175 | 1732.5      | -0.180           | 0.782               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.784                |
|                      |              | Left Tilt   | 20175 | 1732.5      | 4.380            | 0.581               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.582                |
|                      |              | Right Cheek | 20175 | 1732.5      | 1.080            | 0.821               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.823                |
|                      |              | Right Tilt  | 20175 | 1732.5      | 3.410            | 0.724               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.726                |
|                      | 50%RB        | Left Cheek  | 20175 | 1732.5      | 1.720            | 0.309               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.310                |
|                      |              | Left Tilt   | 20175 | 1732.5      | 0.240            | 0.226               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.227                |
|                      |              | Right Cheek | 20175 | 1732.5      | -4.720           | 0.495               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.496                |
|                      |              | Right Tilt  | 20175 | 1732.5      | -3.950           | 0.287               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.288                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 4-n78<br>(BW: 20MHz) | 1RB          | Front       | 20175 | 1732.5      | -0.940           | 0.151               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.151                |
|                      |              | Back        | 20175 | 1732.5      | 4.430            | 0.186               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.186                |
|                      |              | Left        | 20175 | 1732.5      | 4.490            | 0.089               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.089                |
|                      |              | Right       | 20175 | 1732.5      | -2.340           | 0.027               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.027                |
|                      |              | Top         | 20175 | 1732.5      | 4.780            | 0.076               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.076                |
|                      |              | Bottom      | 20175 | 1732.5      | -4.910           | 0.048               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.048                |
|                      | 50%RB        | Front       | 20175 | 1732.5      | 3.570            | 0.093               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.093                |
|                      |              | Back        | 20175 | 1732.5      | 4.480            | 0.129               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.129                |
|                      |              | Left        | 20175 | 1732.5      | -0.340           | 0.067               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.067                |
|                      |              | Right       | 20175 | 1732.5      | 4.670            | 0.019               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.019                |
|                      |              | Top         | 20175 | 1732.5      | -4.880           | 0.048               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.048                |
|                      |              | Bottom      | 20175 | 1732.5      | -2.000           | 0.029               | 100            | 1.00              | 20.99             | 21.00                    | 1.002          | 0.029                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n7<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20625 | 846.5       | -0.440           | 0.543               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.573                |
|                     |              | Left Tilt   | 20625 | 846.5       | -1.270           | 0.605               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.638                |
|                     |              | Right Cheek | 20625 | 846.5       | 1.390            | 0.379               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.400                |
|                     |              | Right Tilt  | 20625 | 846.5       | 0.910            | 0.502               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.529                |
|                     | 50%RB        | Left Cheek  | 20625 | 846.5       | 2.140            | 0.402               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.424                |
|                     |              | Left Tilt   | 20625 | 846.5       | -4.500           | 0.469               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.495                |
|                     |              | Right Cheek | 20625 | 846.5       | -1.420           | 0.342               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.361                |
|                     |              | Right Tilt  | 20625 | 846.5       | 0.610            | 0.289               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.305                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n7<br>(BW: 10MHz) | 1RB          | Front       | 20625 | 846.5       | 1.960            | 0.165               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.174                |
|                     |              | Back        | 20625 | 846.5       | -4.430           | 0.226               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.238                |
|                     |              | Left        | 20625 | 846.5       | 2.290            | 0.121               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.128                |
|                     |              | Right       | 20625 | 846.5       | -1.250           | 0.032               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.034                |
|                     |              | Top         | 20625 | 846.5       | -0.430           | 0.104               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.110                |
|                     |              | Bottom      | 20625 | 846.5       | 4.620            | 0.064               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.067                |
|                     | 50%RB        | Front       | 20625 | 846.5       | -3.040           | 0.129               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.136                |
|                     |              | Back        | 20625 | 846.5       | -4.450           | 0.201               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.212                |
|                     |              | Left        | 20625 | 846.5       | -0.800           | 0.102               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.108                |
|                     |              | Right       | 20625 | 846.5       | -0.410           | 0.027               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.028                |
|                     |              | Top         | 20625 | 846.5       | 4.020            | 0.076               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.080                |
|                     |              | Bottom      | 20625 | 846.5       | 0.010            | 0.048               | 100            | 1.00              | 21.27             | 21.50                    | 1.054          | 0.051                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n38<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20625 | 846.5       | 1.710            | 0.523               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.571                |
|                      |              | Left Tilt   | 20625 | 846.5       | -0.820           | 0.115               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.126                |
|                      |              | Right Cheek | 20625 | 846.5       | 2.190            | 0.472               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.515                |
|                      |              | Right Tilt  | 20625 | 846.5       | -3.550           | 0.097               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.106                |
|                      | 50%RB        | Left Cheek  | 20625 | 846.5       | 4.770            | 0.406               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.443                |
|                      |              | Left Tilt   | 20625 | 846.5       | -2.660           | 0.092               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.100                |
|                      |              | Right Cheek | 20625 | 846.5       | -2.610           | 0.365               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.398                |
|                      |              | Right Tilt  | 20625 | 846.5       | 2.250            | 0.067               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.073                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n38<br>(BW: 10MHz) | 1RB          | Front       | 20625 | 846.5       | -0.370           | 0.175               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.191                |
|                      |              | Back        | 20625 | 846.5       | 1.720            | 0.225               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.246                |
|                      |              | Left        | 20625 | 846.5       | -4.030           | 0.126               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.138                |
|                      |              | Right       | 20625 | 846.5       | 2.860            | 0.037               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.040                |
|                      |              | Top         | 20625 | 846.5       | -4.890           | 0.083               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.091                |
|                      |              | Bottom      | 20625 | 846.5       | 4.460            | 0.054               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.059                |
|                      | 50%RB        | Front       | 20625 | 846.5       | 0.230            | 0.142               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.155                |
|                      |              | Back        | 20625 | 846.5       | -4.430           | 0.201               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.219                |
|                      |              | Left        | 20625 | 846.5       | -1.120           | 0.106               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.116                |
|                      |              | Right       | 20625 | 846.5       | -1.550           | 0.024               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.026                |
|                      |              | Top         | 20625 | 846.5       | 2.800            | 0.062               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.068                |
|                      |              | Bottom      | 20625 | 846.5       | 1.430            | 0.037               | 100            | 1.00              | 21.12             | 21.50                    | 1.091          | 0.040                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n41<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20525 | 836.5       | -4.170           | 0.489               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.491                |
|                      |              | Left Tilt   | 20525 | 836.5       | 2.800            | 0.169               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.170                |
|                      |              | Right Cheek | 20525 | 836.5       | 2.710            | 0.418               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.420                |
|                      |              | Right Tilt  | 20525 | 836.5       | 0.170            | 0.134               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.135                |
|                      | 50%RB        | Left Cheek  | 20525 | 836.5       | -4.150           | 0.396               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.398                |
|                      |              | Left Tilt   | 20525 | 836.5       | -3.530           | 0.124               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.125                |
|                      |              | Right Cheek | 20525 | 836.5       | -2.640           | 0.311               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.312                |
|                      |              | Right Tilt  | 20525 | 836.5       | -4.940           | 0.102               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.102                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n41<br>(BW: 10MHz) | 1RB          | Front       | 20525 | 836.5       | 1.400            | 0.152               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.153                |
|                      |              | Back        | 20525 | 836.5       | -4.390           | 0.220               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.221                |
|                      |              | Left        | 20525 | 836.5       | 1.710            | 0.098               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.098                |
|                      |              | Right       | 20525 | 836.5       | 0.090            | 0.021               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.021                |
|                      |              | Top         | 20525 | 836.5       | -0.940           | 0.073               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.073                |
|                      |              | Bottom      | 20525 | 836.5       | 1.700            | 0.059               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.059                |
|                      | 50%RB        | Front       | 20525 | 836.5       | -0.390           | 0.129               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.130                |
|                      |              | Back        | 20525 | 836.5       | -2.500           | 0.206               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.207                |
|                      |              | Left        | 20525 | 836.5       | 2.640            | 0.072               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.072                |
|                      |              | Right       | 20525 | 836.5       | 1.480            | 0.014               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.014                |
|                      |              | Top         | 20525 | 836.5       | -4.200           | 0.058               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.058                |
|                      |              | Bottom      | 20525 | 836.5       | 1.980            | 0.039               | 100            | 1.00              | 20.98             | 21.00                    | 1.005          | 0.039                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n66<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20525 | 836.5       | -0.690           | 0.734               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.769                |
|                      |              | Left Tilt   | 20525 | 836.5       | 4.600            | 0.689               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.721                |
|                      |              | Right Cheek | 20525 | 836.5       | 0.720            | 0.528               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.553                |
|                      |              | Right Tilt  | 20525 | 836.5       | 3.310            | 0.507               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.531                |
|                      | 50%RB        | Left Cheek  | 20525 | 836.5       | -4.970           | 0.601               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.629                |
|                      |              | Left Tilt   | 20525 | 836.5       | -0.350           | 0.514               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.538                |
|                      |              | Right Cheek | 20525 | 836.5       | -2.110           | 0.473               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.495                |
|                      |              | Right Tilt  | 20525 | 836.5       | -4.590           | 0.402               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.421                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n66<br>(BW: 10MHz) | 1RB          | Front       | 20525 | 836.5       | -4.120           | 0.203               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.213                |
|                      |              | Back        | 20525 | 836.5       | -2.790           | 0.289               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.303                |
|                      |              | Left        | 20525 | 836.5       | 1.440            | 0.147               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.154                |
|                      |              | Right       | 20525 | 836.5       | -3.880           | 0.043               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.045                |
|                      |              | Top         | 20525 | 836.5       | 2.510            | 0.108               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.113                |
|                      |              | Bottom      | 20525 | 836.5       | 1.470            | 0.087               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.091                |
|                      | 50%RB        | Front       | 20525 | 836.5       | -2.610           | 0.162               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.170                |
|                      |              | Back        | 20525 | 836.5       | 4.720            | 0.204               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.214                |
|                      |              | Left        | 20525 | 836.5       | 4.000            | 0.113               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.118                |
|                      |              | Right       | 20525 | 836.5       | -3.410           | 0.030               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.031                |
|                      |              | Top         | 20525 | 836.5       | -0.360           | 0.084               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.088                |
|                      |              | Bottom      | 20525 | 836.5       | 3.070            | 0.052               | 100            | 1.00              | 21.30             | 21.50                    | 1.047          | 0.054                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n77<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20450 | 829.0       | -1.310           | 0.658               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.686                |
|                      |              | Left Tilt   | 20450 | 829.0       | 1.410            | 0.469               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.489                |
|                      |              | Right Cheek | 20450 | 829.0       | -0.320           | 0.411               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.428                |
|                      |              | Right Tilt  | 20450 | 829.0       | -0.120           | 0.148               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.154                |
|                      | 50%RB        | Left Cheek  | 20450 | 829.0       | -0.380           | 0.417               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.435                |
|                      |              | Left Tilt   | 20450 | 829.0       | -2.680           | 0.296               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.309                |
|                      |              | Right Cheek | 20450 | 829.0       | -0.360           | 0.205               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.214                |
|                      |              | Right Tilt  | 20450 | 829.0       | 1.460            | 0.102               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.106                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n77<br>(BW: 10MHz) | 1RB          | Front       | 20450 | 829.0       | 2.990            | 0.176               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.183                |
|                      |              | Back        | 20450 | 829.0       | 1.000            | 0.253               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.264                |
|                      |              | Left        | 20450 | 829.0       | 4.320            | 0.118               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.123                |
|                      |              | Right       | 20450 | 829.0       | -1.540           | 0.036               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.038                |
|                      |              | Top         | 20450 | 829.0       | -4.910           | 0.102               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.106                |
|                      |              | Bottom      | 20450 | 829.0       | 2.860            | 0.071               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.074                |
|                      | 50%RB        | Front       | 20450 | 829.0       | -3.810           | 0.115               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.120                |
|                      |              | Back        | 20450 | 829.0       | 2.540            | 0.206               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.215                |
|                      |              | Left        | 20450 | 829.0       | -0.480           | 0.083               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.087                |
|                      |              | Right       | 20450 | 829.0       | -4.770           | 0.024               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.025                |
|                      |              | Top         | 20450 | 829.0       | 2.170            | 0.064               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.067                |
|                      |              | Bottom      | 20450 | 829.0       | -3.090           | 0.036               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.038                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (db) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 5-n78<br>(BW: 10MHz) | 1RB          | Left Cheek  | 20450 | 829.0       | -0.990           | 0.658               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.686                |
|                      |              | Left Tilt   | 20450 | 829.0       | -0.170           | 0.436               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.454                |
|                      |              | Right Cheek | 20450 | 829.0       | 1.880            | 0.397               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.414                |
|                      |              | Right Tilt  | 20450 | 829.0       | 2.490            | 0.173               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.180                |
|                      | 50%RB        | Left Cheek  | 20450 | 829.0       | 2.590            | 0.482               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.502                |
|                      |              | Left Tilt   | 20450 | 829.0       | -3.480           | 0.397               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.414                |
|                      |              | Right Cheek | 20450 | 829.0       | -0.280           | 0.312               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.325                |
|                      |              | Right Tilt  | 20450 | 829.0       | -0.830           | 0.125               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.130                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 5-n78<br>(BW: 10MHz) | 1RB          | Front       | 20450 | 829.0       | -4.790           | 0.183               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.191                |
|                      |              | Back        | 20450 | 829.0       | -4.310           | 0.263               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.274                |
|                      |              | Left        | 20450 | 829.0       | 1.520            | 0.159               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.166                |
|                      |              | Right       | 20450 | 829.0       | -2.480           | 0.024               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.025                |
|                      |              | Top         | 20450 | 829.0       | -2.380           | 0.116               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.121                |
|                      |              | Bottom      | 20450 | 829.0       | 1.850            | 0.073               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.076                |
|                      | 50%RB        | Front       | 20450 | 829.0       | 4.280            | 0.152               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.158                |
|                      |              | Back        | 20450 | 829.0       | 4.440            | 0.224               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.233                |
|                      |              | Left        | 20450 | 829.0       | 2.100            | 0.117               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.122                |
|                      |              | Right       | 20450 | 829.0       | -3.750           | 0.016               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.017                |
|                      |              | Top         | 20450 | 829.0       | -4.770           | 0.082               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.085                |
|                      |              | Bottom      | 20450 | 829.0       | 1.620            | 0.041               | 100            | 1.00              | 20.82             | 21.00                    | 1.042          | 0.043                |

| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|---------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 7-n7<br>(BW: 20MHz) | 1RB          | Left Cheek  | 21425 | 2567.5      | -2.640           | 0.697               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.755                |
|                     |              | Left Tilt   | 21425 | 2567.5      | -2.800           | 0.285               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.309                |
|                     |              | Right Cheek | 21425 | 2567.5      | 3.340            | 0.863               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.935                |
|                     |              | Right Tilt  | 21425 | 2567.5      | 3.100            | 0.419               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.454                |
|                     | 50%RB        | Left Cheek  | 21425 | 2567.5      | 3.140            | 0.398               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.431                |
|                     |              | Left Tilt   | 21425 | 2567.5      | 0.450            | 0.186               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.202                |
|                     |              | Right Cheek | 21425 | 2567.5      | -4.620           | 0.489               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.530                |
|                     |              | Right Tilt  | 21425 | 2567.5      | -0.730           | 0.243               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.263                |
| Mode                | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 7-n7<br>(BW: 20MHz) | 1RB          | Front       | 21425 | 2567.5      | 4.020            | 0.158               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.171                |
|                     |              | Back        | 21425 | 2567.5      | 2.730            | 0.216               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.234                |
|                     |              | Left        | 21425 | 2567.5      | -3.830           | 0.093               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.101                |
|                     |              | Right       | 21425 | 2567.5      | 3.930            | 0.029               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.031                |
|                     |              | Top         | 21425 | 2567.5      | -2.400           | 0.082               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.089                |
|                     |              | Bottom      | 21425 | 2567.5      | 4.750            | 0.018               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.020                |
|                     | 50%RB        | Front       | 21425 | 2567.5      | 4.610            | 0.093               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.101                |
|                     |              | Back        | 21425 | 2567.5      | -0.400           | 0.158               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.171                |
|                     |              | Left        | 21425 | 2567.5      | -3.090           | 0.067               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.073                |
|                     |              | Right       | 21425 | 2567.5      | 3.480            | 0.019               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.021                |
|                     |              | Top         | 21425 | 2567.5      | -0.840           | 0.048               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.052                |
|                     |              | Bottom      | 21425 | 2567.5      | 1.640            | 0.014               | 100            | 1.00              | 22.15             | 22.50                    | 1.084          | 0.015                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 7-n66<br>(BW: 20MHz) | 1RB          | Left Cheek  | 21100 | 2535.0      | 0.260            | 0.643               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.653                |
|                      |              | Left Tilt   | 21100 | 2535.0      | -1.100           | 0.602               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.612                |
|                      |              | Right Cheek | 21100 | 2535.0      | 2.110            | 0.901               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.916                |
|                      |              | Right Tilt  | 21100 | 2535.0      | 2.680            | 0.697               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.708                |
|                      | 50%RB        | Left Cheek  | 21100 | 2535.0      | 1.950            | 0.318               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.323                |
|                      |              | Left Tilt   | 21100 | 2535.0      | 1.260            | 0.279               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.284                |
|                      |              | Right Cheek | 21100 | 2535.0      | -3.450           | 0.485               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.493                |
|                      |              | Right Tilt  | 21100 | 2535.0      | 4.430            | 0.364               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.370                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 7-n66<br>(BW: 20MHz) | 1RB          | Front       | 21100 | 2535.0      | 3.160            | 0.402               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.409                |
|                      |              | Back        | 21100 | 2535.0      | -1.000           | 0.492               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.500                |
|                      |              | Left        | 21100 | 2535.0      | -3.100           | 0.351               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.357                |
|                      |              | Right       | 21100 | 2535.0      | 3.030            | 0.027               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.027                |
|                      |              | Top         | 21100 | 2535.0      | 0.880            | 0.306               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.311                |
|                      |              | Bottom      | 21100 | 2535.0      | -3.580           | 0.014               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.014                |
|                      | 50%RB        | Front       | 21100 | 2535.0      | -1.810           | 0.298               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.303                |
|                      |              | Back        | 21100 | 2535.0      | 3.910            | 0.367               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.373                |
|                      |              | Left        | 21100 | 2535.0      | 0.970            | 0.242               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.246                |
|                      |              | Right       | 21100 | 2535.0      | -1.130           | 0.019               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.019                |
|                      |              | Top         | 21100 | 2535.0      | 3.140            | 0.198               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.201                |
|                      |              | Bottom      | 21100 | 2535.0      | 1.780            | 0.012               | 100            | 1.00              | 20.93             | 21.00                    | 1.016          | 0.012                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 7-n77<br>(BW: 20MHz) | 1RB          | Left Cheek  | 21100 | 2535.0      | 3.460            | 0.585               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.596                |
|                      |              | Left Tilt   | 21100 | 2535.0      | -4.450           | 0.168               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.171                |
|                      |              | Right Cheek | 21100 | 2535.0      | 0.810            | 0.372               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.379                |
|                      |              | Right Tilt  | 21100 | 2535.0      | -1.980           | 0.098               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.100                |
|                      | 50%RB        | Left Cheek  | 21100 | 2535.0      | -4.910           | 0.289               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.294                |
|                      |              | Left Tilt   | 21100 | 2535.0      | -1.960           | 0.097               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.099                |
|                      |              | Right Cheek | 21100 | 2535.0      | 3.370            | 0.224               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.228                |
|                      |              | Right Tilt  | 21100 | 2535.0      | 3.710            | 0.073               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.074                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 7-n77<br>(BW: 20MHz) | 1RB          | Front       | 21100 | 2535.0      | 4.850            | 0.079               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.080                |
|                      |              | Back        | 21100 | 2535.0      | -4.420           | 0.093               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.095                |
|                      |              | Left        | 21100 | 2535.0      | -4.440           | 0.043               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.044                |
|                      |              | Right       | 21100 | 2535.0      | 3.770            | 0.019               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.019                |
|                      |              | Top         | 21100 | 2535.0      | -0.060           | 0.037               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.038                |
|                      |              | Bottom      | 21100 | 2535.0      | 0.210            | 0.010               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.010                |
|                      | 50%RB        | Front       | 21100 | 2535.0      | -1.120           | 0.049               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.050                |
|                      |              | Back        | 21100 | 2535.0      | 1.610            | 0.072               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.073                |
|                      |              | Left        | 21100 | 2535.0      | -2.140           | 0.025               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.025                |
|                      |              | Right       | 21100 | 2535.0      | 4.270            | 0.009               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.009                |
|                      |              | Top         | 21100 | 2535.0      | 2.610            | 0.025               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.025                |
|                      |              | Bottom      | 21100 | 2535.0      | 0.760            | 0.005               | 100            | 1.00              | 21.42             | 21.50                    | 1.019          | 0.005                |

| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
|----------------------|--------------|-------------|-------|-------------|------------------|---------------------|----------------|-------------------|-------------------|--------------------------|----------------|----------------------|
| 7-n78<br>(BW: 20MHz) | 1RB          | Left Cheek  | 20775 | 2502.5      | -0.830           | 0.776               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.813                |
|                      |              | Left Tilt   | 20775 | 2502.5      | -0.080           | 0.502               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.526                |
|                      |              | Right Cheek | 20775 | 2502.5      | -1.880           | 0.914               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.957                |
|                      |              | Right Tilt  | 20775 | 2502.5      | -1.540           | 0.706               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.739                |
|                      | 50%RB        | Left Cheek  | 20775 | 2502.5      | -1.110           | 0.382               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.400                |
|                      |              | Left Tilt   | 20775 | 2502.5      | 2.900            | 0.187               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.196                |
|                      |              | Right Cheek | 20775 | 2502.5      | 1.580            | 0.443               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.464                |
|                      |              | Right Tilt  | 20775 | 2502.5      | -2.960           | 0.296               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.310                |
| Mode                 | Channel Type | Position    | Ch.   | Freq. (MHz) | Power Drift (dB) | 1g Meas. SAR (W/kg) | Duty cycle (%) | Duty cycle Factor | Meas. Power (dBm) | Max. tune-up power (dBm) | Scaling Factor | 1g Scaled SAR (W/kg) |
| 7-n78<br>(BW: 20MHz) | 1RB          | Front       | 20775 | 2502.5      | -4.320           | 0.143               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.150                |
|                      |              | Back        | 20775 | 2502.5      | -4.230           | 0.182               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.191                |
|                      |              | Left        | 20775 | 2502.5      | 4.530            | 0.126               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.132                |
|                      |              | Right       | 20775 | 2502.5      | 1.420            | 0.024               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.025                |
|                      |              | Top         | 20775 | 2502.5      | -0.160           | 0.106               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.111                |
|                      |              | Bottom      | 20775 | 2502.5      | -3.950           | 0.018               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.019                |
|                      | 50%RB        | Front       | 20775 | 2502.5      | 3.670            | 0.079               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.083                |
|                      |              | Back        | 20775 | 2502.5      | -0.290           | 0.118               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.124                |
|                      |              | Left        | 20775 | 2502.5      | -2.810           | 0.066               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.069                |
|                      |              | Right       | 20775 | 2502.5      | 4.080            | 0.012               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.013                |
|                      |              | Top         | 20775 | 2502.5      | 2.420            | 0.059               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.062                |
|                      |              | Bottom      | 20775 | 2502.5      | -1.530           | 0.005               | 100            | 1.00              | 21.80             | 22.00                    | 1.047          | 0.005                |