



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2



-6dB Bandwidth NVNT n40 5755MHz Ant1



-6dB Bandwidth NVNT n40 5795MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

-6dB Bandwidth NVNT ac80 5775MHz Ant1




-6dB Bandwidth NVNT ax20 5745MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2



-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant1



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

7.5 MAXIMUM CONDUCTED (AVERAGE) OUTPUT POWER

Product	: EUT-Sample	Test Mode	: See Section 3.4
Test Item	: Average Power	Temperature	: 25 °C
Test Voltage	: DC 11.55V	Humidity	: 56%RH
Test Result	: PASS		

MAIN Ant1

Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	20	24	Pass
a	5240	20.6	24	Pass
a	5260	20.05	24	Pass
a	5320	19.84	24	Pass
a	5500	19.31	24	Pass
a	5700	19.75	24	Pass
a	5745	20.13	30	Pass
a	5825	19.72	30	Pass
n20	5180	19.01	24	Pass
n20	5240	19.5	24	Pass
n20	5260	19.5	24	Pass
n20	5320	18.66	24	Pass
n20	5500	18.28	24	Pass
n20	5700	18.42	24	Pass
n20	5745	18.74	30	Pass
n20	5825	18.12	30	Pass
n40	5190	20.54	24	Pass
n40	5230	20.35	24	Pass
n40	5270	20.39	24	Pass
n40	5310	19.89	24	Pass
n40	5510	11.94	24	Pass
n40	5670	19.74	24	Pass
n40	5755	19.51	30	Pass
n40	5795	20.03	30	Pass
ac20	5180	19.39	24	Pass
ac20	5240	19.5	24	Pass
ac20	5260	19.59	24	Pass
ac20	5320	18.59	24	Pass
ac20	5500	18.02	24	Pass
ac20	5700	18.72	24	Pass
ac20	5745	18.62	30	Pass
ac20	5825	18.34	30	Pass
ac40	5190	20.36	24	Pass
ac40	5230	20.22	24	Pass
ac40	5270	12.31	24	Pass
ac40	5310	19.86	24	Pass
ac40	5510	18.8	24	Pass
ac40	5670	19.47	24	Pass
ac40	5755	19.07	30	Pass
ac40	5795	19.85	30	Pass
ac80	5210	18.59	24	Pass
ac80	5290	18.44	24	Pass
ac80	5530	16.59	24	Pass
ac80	5610	19.31	24	Pass
ac80	5775	21.81	30	Pass
ax20	5180	14.94	24	Pass
ax20	5240	14.9	24	Pass
ax20	5260	15.05	24	Pass
ax20	5320	14.18	24	Pass
ax20	5500	13.94	24	Pass
ax20	5700	14.45	24	Pass
ax20	5745	14.26	30	Pass
ax20	5825	14.06	30	Pass
ax40	5190	15.83	24	Pass
ax40	5230	15.93	24	Pass
ax40	5270	15.85	24	Pass
ax40	5310	15.16	24	Pass
ax40	5510	14.23	24	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

ax40	5670	14.85	24	Pass
ax40	5755	14.52	30	Pass
ax40	5795	15.08	30	Pass
ax80	5210	16.22	24	Pass
ax80	5290	15.48	24	Pass
ax80	5530	14.57	24	Pass
ax80	5610	15.2	24	Pass
ax80	5775	15.43	30	Pass
ax160	5250	15.31	24	Pass
ax160	5570	15.24	24	Pass

AUX Ant2

Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	16.95	24	Pass
a	5240	17.14	24	Pass
a	5260	17.65	24	Pass
a	5320	16.81	24	Pass
a	5500	16.34	24	Pass
a	5700	17.25	24	Pass
a	5745	16.98	30	Pass
a	5825	16.65	30	Pass
n20	5180	16.48	24	Pass
n20	5240	16.67	24	Pass
n20	5260	16.43	24	Pass
n20	5320	15.91	24	Pass
n20	5500	15.29	24	Pass
n20	5700	15.93	24	Pass
n20	5745	16.02	30	Pass
n20	5825	15.78	30	Pass
n40	5190	16.77	24	Pass
n40	5230	16.5	24	Pass
n40	5270	16.05	24	Pass
n40	5310	15.35	24	Pass
n40	5510	14.64	24	Pass
n40	5670	15.24	24	Pass
n40	5755	15.37	30	Pass
n40	5795	16.03	30	Pass
ac20	5180	15.48	24	Pass
ac20	5240	15.26	24	Pass
ac20	5260	15.69	24	Pass
ac20	5320	14.84	24	Pass
ac20	5500	14.51	24	Pass
ac20	5700	15.01	24	Pass
ac20	5745	15.53	30	Pass
ac20	5825	14.75	30	Pass
ac40	5190	14.47	24	Pass
ac40	5230	15.16	24	Pass
ac40	5270	14.5	24	Pass
ac40	5310	14.36	24	Pass
ac40	5510	13.77	24	Pass
ac40	5670	13.94	24	Pass
ac40	5755	14.08	30	Pass
ac40	5795	14.54	30	Pass
ac80	5210	12.82	24	Pass
ac80	5290	12.24	24	Pass
ac80	5530	11.56	24	Pass
ac80	5610	12.39	24	Pass
ac80	5775	12.12	30	Pass
ax20	5180	12.66	24	Pass
ax20	5240	12.64	24	Pass
ax20	5260	12.74	24	Pass
ax20	5320	12.11	24	Pass
ax20	5500	11.98	24	Pass
ax20	5700	12.09	24	Pass
ax20	5745	12.35	30	Pass
ax20	5825	12.28	30	Pass
ax40	5190	13.42	24	Pass
ax40	5230	13.38	24	Pass
ax40	5270	13.19	24	Pass
ax40	5310	13.31	24	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

ax40	5510	12.21	24	Pass
ax40	5670	12.62	24	Pass
ax40	5755	13.02	30	Pass
ax40	5795	13.25	30	Pass
ax80	5210	13.12	24	Pass
ax80	5290	12.94	24	Pass
ax80	5530	11.36	24	Pass
ax80	5610	12.86	24	Pass
ax80	5775	12.46	30	Pass
ax160	5250	11.64	24	Pass
ax160	5570	11.32	24	Pass

MiMO Mode



Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
n20	5180	20.94	24	Pass
n20	5240	21.32	24	Pass
n20	5260	21.24	24	Pass
n20	5320	20.51	24	Pass
n20	5500	20.05	24	Pass
n20	5700	20.36	24	Pass
n20	5745	20.60	30	Pass
n20	5825	20.12	30	Pass
n40	5190	22.06	24	Pass
n40	5230	21.85	24	Pass
n40	5270	21.75	24	Pass
n40	5310	21.20	24	Pass
n40	5510	16.51	24	Pass
n40	5670	21.06	24	Pass
n40	5755	20.93	30	Pass
n40	5795	21.49	30	Pass
ac20	5180	20.87	24	Pass
ac20	5240	20.89	24	Pass
ac20	5260	21.07	24	Pass
ac20	5320	20.12	24	Pass
ac20	5500	19.62	24	Pass
ac20	5700	20.26	24	Pass
ac20	5745	20.35	30	Pass
ac20	5825	19.92	30	Pass
ac40	5190	21.36	24	Pass
ac40	5230	21.40	24	Pass
ac40	5270	16.55	24	Pass
ac40	5310	20.94	24	Pass
ac40	5510	19.99	24	Pass
ac40	5670	20.54	24	Pass
ac40	5755	20.27	30	Pass
ac40	5795	20.97	30	Pass
ac80	5210	19.61	24	Pass
ac80	5290	19.37	24	Pass
ac80	5530	17.78	24	Pass
ac80	5610	20.11	24	Pass
ac80	5775	22.25	30	Pass
ax20	5180	16.96	24	Pass
ax20	5240	16.93	24	Pass
ax20	5260	17.06	24	Pass
ax20	5320	16.28	24	Pass
ax20	5500	16.08	24	Pass
ax20	5700	16.44	24	Pass
ax20	5745	16.42	30	Pass
ax20	5825	16.27	30	Pass
ax40	5190	17.80	24	Pass
ax40	5230	17.85	24	Pass
ax40	5270	17.73	24	Pass
ax40	5310	17.34	24	Pass
ax40	5510	16.35	24	Pass
ax40	5670	16.89	24	Pass
ax40	5755	16.84	30	Pass
ax40	5795	17.27	30	Pass
ax80	5210	17.95	24	Pass
ax80	5290	17.40	24	Pass
ax80	5530	16.27	24	Pass
ax80	5610	17.20	24	Pass
ax80	5775	17.20	30	Pass

Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

ax160	5250	16.86	24	Pass
ax160	5570	16.72	24	Pass


Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

MAIN Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT a 5260MHz Ant1




Power NVNT a 5320MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT a 5500MHz Ant1




Power NVNT a 5700MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT a 5745MHz Ant1




Power NVNT a 5825MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n20 5180MHz Ant1




Power NVNT n20 5240MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n20 5260MHz Ant1




Power NVNT n20 5320MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n20 5500MHz Ant1




Power NVNT n20 5700MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n20 5745MHz Ant1




Power NVNT n20 5825MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n40 5190MHz Ant1




Power NVNT n40 5230MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n40 5270MHz Ant1




Power NVNT n40 5310MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n40 5510MHz Ant1




Power NVNT n40 5670MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT n40 5755MHz Ant1




Power NVNT n40 5795MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac20 5180MHz Ant1




Power NVNT ac20 5240MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac20 5260MHz Ant1




Power NVNT ac20 5320MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac20 5500MHz Ant1




Power NVNT ac20 5700MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac20 5745MHz Ant1




Power NVNT ac20 5825MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac40 5190MHz Ant1




Power NVNT ac40 5230MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac40 5270MHz Ant1




Power NVNT ac40 5310MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2



Power NVNT ac40 5510MHz Ant1



Power NVNT ac40 5670MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac80 5210MHz Ant1




Power NVNT ac80 5290MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac80 5530MHz Ant1




Power NVNT ac80 5610MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ac80 5775MHz Ant1




Power NVNT ax20 5180MHz Ant1




Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ax20 5240MHz Ant1




Power NVNT ax20 5260MHz Ant1



Report No.: WSCT-ANAB-R&E240900045A-Wi-Fi2

Power NVNT ax20 5320MHz Ant1



Power NVNT ax20 5500MHz Ant1

