














-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	n20	5180	Ant1	22.61
NVNT	n20	5180	Ant2	23.01
NVNT	n20	5180	Ant3	23.4
NVNT	n20	5180	Ant4	22.74
NVNT	n20	5200	Ant1	22.54
NVNT	n20	5200	Ant2	22.74
NVNT	n20	5200	Ant3	23.72
NVNT	n20	5200	Ant4	22.77
NVNT	n20	5240	Ant1	22.82
NVNT	n20	5240	Ant2	22.85
NVNT	n20	5240	Ant3	23.64
NVNT	n20	5240	Ant4	22.64
NVNT	n20	5500	Ant1	21.98
NVNT	n20	5500	Ant2	22.36
NVNT	n20	5500	Ant3	22.71
NVNT	n20	5500	Ant4	23.13
NVNT	n20	5580	Ant1	22.75
NVNT	n20	5580	Ant2	22.44
NVNT	n20	5580	Ant3	22.49
NVNT	n20	5580	Ant4	23.28
NVNT	n20	5700	Ant1	22.49
NVNT	n20	5700	Ant2	22.3
NVNT	n20	5700	Ant3	22.49
NVNT	n20	5700	Ant4	23.13
NVNT	ac20	5180	Ant1	23.52
NVNT	ac20	5180	Ant2	22.95
NVNT	ac20	5180	Ant3	23.52
NVNT	ac20	5180	Ant4	22.66
NVNT	ac20	5200	Ant1	23.02
NVNT	ac20	5200	Ant2	22.53
NVNT	ac20	5200	Ant3	22.72
NVNT	ac20	5200	Ant4	23.01
NVNT	ac20	5240	Ant1	23.07
NVNT	ac20	5240	Ant2	22.59
NVNT	ac20	5240	Ant3	22.72
NVNT	ac20	5240	Ant4	23.12
NVNT	ac20	5500	Ant1	23.66
NVNT	ac20	5500	Ant2	23.73
NVNT	ac20	5500	Ant3	23.09
NVNT	ac20	5500	Ant4	22.86
NVNT	ac20	5580	Ant1	23.15
NVNT	ac20	5580	Ant2	22.99
NVNT	ac20	5580	Ant3	21.71
NVNT	ac20	5580	Ant4	23.02
NVNT	ac20	5700	Ant1	23.67
NVNT	ac20	5700	Ant2	23.51
NVNT	ac20	5700	Ant3	23.26
NVNT	ac20	5700	Ant4	23.28

















-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	n20	5745	Ant1	17.74	0.5	Pass
NVNT	n20	5745	Ant2	17.73	0.5	Pass
NVNT	n20	5745	Ant3	17.68	0.5	Pass
NVNT	n20	5745	Ant4	17.64	0.5	Pass
NVNT	n20	5785	Ant1	17.75	0.5	Pass
NVNT	n20	5785	Ant2	17.7	0.5	Pass
NVNT	n20	5785	Ant3	17.69	0.5	Pass
NVNT	n20	5785	Ant4	17.63	0.5	Pass
NVNT	n20	5825	Ant1	17.74	0.5	Pass
NVNT	n20	5825	Ant2	17.71	0.5	Pass
NVNT	n20	5825	Ant3	17.69	0.5	Pass
NVNT	n20	5825	Ant4	17.71	0.5	Pass
NVNT	ac20	5745	Ant1	17.66	0.5	Pass
NVNT	ac20	5745	Ant2	17.71	0.5	Pass
NVNT	ac20	5745	Ant3	17.71	0.5	Pass
NVNT	ac20	5745	Ant4	17.63	0.5	Pass
NVNT	ac20	5785	Ant1	17.02	0.5	Pass
NVNT	ac20	5785	Ant2	17.69	0.5	Pass
NVNT	ac20	5785	Ant3	17.69	0.5	Pass
NVNT	ac20	5785	Ant4	17.63	0.5	Pass
NVNT	ac20	5825	Ant1	17.7	0.5	Pass
NVNT	ac20	5825	Ant2	16.94	0.5	Pass
NVNT	ac20	5825	Ant3	17.66	0.5	Pass
NVNT	ac20	5825	Ant4	17.55	0.5	Pass







Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	Ant1	4500	-56.2	3.49	42.52	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-64.61	3.49	34.11	Average	54	Pass
NVNT	n20	5180	Ant1	5140.5	-47.27	3.49	51.45	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5135.6	-56.59	3.49	42.13	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-48.31	3.49	50.41	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-57.49	3.49	41.23	Average	54	Pass
NVNT	n20	5180	Ant2	4500	-55.2	3.49	43.52	Peak	68.2	Pass
NVNT	n20	5180	Ant2	4500	-64.57	3.49	34.15	Average	54	Pass
NVNT	n20	5180	Ant2	5146.8	-46.83	3.49	51.89	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5146.1	-56.21	3.49	42.51	Average	54	Pass
NVNT	n20	5180	Ant2	5150	-48.93	3.49	49.79	Peak	68.2	Pass
NVNT	n20	5180	Ant2	5150	-56.69	3.49	42.03	Average	54	Pass
NVNT	n20	5180	Ant3	4500	-55.08	3.49	43.64	Peak	68.2	Pass
NVNT	n20	5180	Ant3	4500	-64.67	3.49	34.05	Average	54	Pass
NVNT	n20	5180	Ant3	5147.5	-47.94	3.49	50.78	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5146.1	-57.4	3.49	41.32	Average	54	Pass
NVNT	n20	5180	Ant3	5150	-49.28	3.49	49.44	Peak	68.2	Pass
NVNT	n20	5180	Ant3	5150	-58.46	3.49	40.26	Average	54	Pass
NVNT	n20	5180	Ant4	4500	-55.35	3.49	43.37	Peak	68.2	Pass
NVNT	n20	5180	Ant4	4500	-64.73	3.49	33.99	Average	54	Pass
NVNT	n20	5180	Ant4	5144.7	-47.34	3.49	51.38	Peak	68.2	Pass
NVNT	n20	5180	Ant4	4999.8	-56.17	3.49	42.55	Average	54	Pass
NVNT	n20	5180	Ant4	5150	-49.34	3.49	49.38	Peak	68.2	Pass
NVNT	n20	5180	Ant4	5150	-57.34	3.49	41.38	Average	54	Pass
NVNT	n20	5180	Sum	4500	-49.42	9.51	55.32	Peak	68.2	Pass
NVNT	n20	5180	Sum	4500	-58.62	9.51	46.12	Average	54	Pass
NVNT	n20	5180	Sum	5143.3	-42.11	9.51	62.63	Peak	68.2	Pass
NVNT	n20	5180	Sum	5146.1	-50.77	9.51	53.97	Average	54	Pass
NVNT	n20	5180	Sum	5150	-42.92	9.51	61.82	Peak	68.2	Pass
NVNT	n20	5180	Sum	5150	-51.43	9.51	53.31	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-51.68	3.49	47.04	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-60.25	3.49	38.47	Average	54	Pass
NVNT	n20	5240	Ant1	5358.48	-49.09	3.49	49.63	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5376	-58.4	3.49	40.32	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-52.43	3.49	46.29	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-61.64	3.49	37.08	Average	54	Pass
NVNT	n20	5240	Ant2	5350	-52.19	3.49	46.53	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5350	-61.4	3.49	37.32	Average	54	Pass
NVNT	n20	5240	Ant2	5357.04	-49.77	3.49	48.95	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5353.68	-60.96	3.49	37.76	Average	54	Pass
NVNT	n20	5240	Ant2	5460	-52.92	3.49	45.8	Peak	68.2	Pass
NVNT	n20	5240	Ant2	5460	-61.95	3.49	36.77	Average	54	Pass
NVNT	n20	5240	Ant3	5350	-52.74	3.49	45.98	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5350	-60.79	3.49	37.93	Average	54	Pass
NVNT	n20	5240	Ant3	5374.8	-48.96	3.49	49.76	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5375.76	-60.19	3.49	38.53	Average	54	Pass
NVNT	n20	5240	Ant3	5460	-52.51	3.49	46.21	Peak	68.2	Pass
NVNT	n20	5240	Ant3	5460	-61.28	3.49	37.44	Average	54	Pass
NVNT	n20	5240	Ant4	5350	-50.75	3.49	47.97	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5350	-60.3	3.49	38.42	Average	54	Pass
NVNT	n20	5240	Ant4	5432.64	-48.58	3.49	50.14	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5351.52	-59.86	3.49	38.86	Average	54	Pass
NVNT	n20	5240	Ant4	5460	-52.51	3.49	46.21	Peak	68.2	Pass
NVNT	n20	5240	Ant4	5460	-61.54	3.49	37.18	Average	54	Pass
NVNT	n20	5240	Sum	5350	-45.76	3.49	52.99	Peak	68.2	Pass
NVNT	n20	5240	Sum	5350	-54.64	3.49	44.11	Average	54	Pass
NVNT	n20	5240	Sum	5376.48	-44.41	3.49	54.34	Peak	68.2	Pass
NVNT	n20	5240	Sum	5376	-54.03	3.49	44.72	Average	54	Pass
NVNT	n20	5240	Sum	5460	-46.57	3.49	52.18	Peak	68.2	Pass
NVNT	n20	5240	Sum	5460	-55.58	3.49	43.17	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-52.36	4.91	47.78	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-61.17	4.91	38.97	Average	54	Pass
NVNT	n20	5500	Ant1	5463.8	-48.05	4.91	52.09	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5468	-60.81	4.91	39.33	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-52.48	4.91	47.66	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-62.06	4.91	38.08	Average	54	Pass
NVNT	n20	5500	Ant2	5460	-50.4	4.91	49.74	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5460	-59.34	4.91	40.8	Average	54	Pass
NVNT	n20	5500	Ant2	5470	-48.15	4.91	51.99	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5468.8	-58.89	4.91	41.25	Average	54	Pass
NVNT	n20	5500	Ant2	5470	-48.15	4.91	51.99	Peak	68.2	Pass
NVNT	n20	5500	Ant2	5470	-59.54	4.91	40.6	Average	54	Pass

NVNT	n20	5500	Ant3	5460	-47.55	4.91	52.59	Peak	68.2	Pass
NVNT	n20	5500	Ant3	5460	-58.39	4.91	41.75	Average	54	Pass
NVNT	n20	5500	Ant3	5466	-44.95	4.91	55.19	Peak	68.2	Pass
NVNT	n20	5500	Ant3	5461.8	-57.54	4.91	42.6	Average	54	Pass
NVNT	n20	5500	Ant3	5470	-49.83	4.91	50.31	Peak	68.2	Pass
NVNT	n20	5500	Ant3	5470	-58.42	4.91	41.72	Average	54	Pass
NVNT	n20	5500	Ant4	5460	-48.43	4.91	51.71	Peak	68.2	Pass
NVNT	n20	5500	Ant4	5460	-58.7	4.91	41.44	Average	54	Pass
NVNT	n20	5500	Ant4	5468.6	-46.52	4.91	53.62	Peak	68.2	Pass
NVNT	n20	5500	Ant4	5461.6	-57.86	4.91	42.28	Average	54	Pass
NVNT	n20	5500	Ant4	5470	-46.75	4.91	53.39	Peak	68.2	Pass
NVNT	n20	5500	Ant4	5470	-58.82	4.91	41.32	Average	54	Pass
NVNT	n20	5500	Sum	5460	-43.29	4.91	56.88	Peak	68.2	Pass
NVNT	n20	5500	Sum	5460	-53.26	4.91	46.91	Average	54	Pass
NVNT	n20	5500	Sum	5466	-41.8	4.91	58.37	Peak	68.2	Pass
NVNT	n20	5500	Sum	5461.6	-52.76	4.91	47.41	Average	54	Pass
NVNT	n20	5500	Sum	5470	-42.8	4.91	57.37	Peak	68.2	Pass
NVNT	n20	5500	Sum	5470	-53.48	4.91	46.69	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-49.42	4.91	50.72	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-58.65	4.91	41.49	Average	54	Pass
NVNT	n20	5700	Ant1	5730.2	-47.86	4.91	52.28	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5731.8	-58.64	4.91	41.5	Average	54	Pass
NVNT	n20	5700	Ant1	5735	-50.05	4.91	50.09	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-59.18	4.91	40.96	Average	54	Pass
NVNT	n20	5700	Ant2	5725	-48.59	4.91	51.55	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5725	-58.36	4.91	41.78	Average	54	Pass
NVNT	n20	5700	Ant2	5725.2	-47.22	4.91	52.92	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5725	-58.36	4.91	41.78	Average	54	Pass
NVNT	n20	5700	Ant2	5735	-49.54	4.91	50.6	Peak	68.2	Pass
NVNT	n20	5700	Ant2	5735	-58.77	4.91	41.37	Average	54	Pass
NVNT	n20	5700	Ant3	5725	-47.05	4.91	53.09	Peak	68.2	Pass
NVNT	n20	5700	Ant3	5725	-58.74	4.91	41.4	Average	54	Pass
NVNT	n20	5700	Ant3	5733.6	-46.2	4.91	53.94	Peak	68.2	Pass
NVNT	n20	5700	Ant3	5734	-57.91	4.91	42.23	Average	54	Pass
NVNT	n20	5700	Ant3	5735	-47.07	4.91	53.07	Peak	68.2	Pass
NVNT	n20	5700	Ant3	5735	-58.36	4.91	41.78	Average	54	Pass
NVNT	n20	5700	Ant4	5725	-50.19	4.91	49.95	Peak	68.2	Pass
NVNT	n20	5700	Ant4	5725	-59.18	4.91	40.96	Average	54	Pass
NVNT	n20	5700	Ant4	5733.4	-47.54	4.91	52.6	Peak	68.2	Pass
NVNT	n20	5700	Ant4	5732.2	-58.7	4.91	41.44	Average	54	Pass
NVNT	n20	5700	Ant4	5735	-49.87	4.91	50.27	Peak	68.2	Pass
NVNT	n20	5700	Ant4	5735	-59	4.91	41.14	Average	54	Pass
NVNT	n20	5700	Sum	5725	-42.63	4.91	57.54	Peak	68.2	Pass
NVNT	n20	5700	Sum	5725	-52.7	4.91	47.47	Average	54	Pass
NVNT	n20	5700	Sum	5732.8	-41.77	4.91	58.4	Peak	68.2	Pass
NVNT	n20	5700	Sum	5733.8	-52.54	4.91	47.63	Average	54	Pass
NVNT	n20	5700	Sum	5735	-42.93	4.91	57.24	Peak	68.2	Pass
NVNT	n20	5700	Sum	5735	-52.8	4.91	47.37	Average	54	Pass
NVNT	n20	5745	Ant1	5650	-43.75	4.38	-39.37	Peak	-27	Pass
NVNT	n20	5745	Ant1	5650	-53.32	4.38	-48.94	Average	-27	Pass
NVNT	n20	5745	Ant1	5700	-43.55	4.38	-39.17	Peak	10	Pass
NVNT	n20	5745	Ant1	5700	-52.4	4.38	-48.02	Average	10	Pass
NVNT	n20	5745	Ant1	5720	-42.73	4.38	-38.35	Peak	15.6	Pass
NVNT	n20	5745	Ant1	5720	-51.15	4.38	-46.77	Average	15.6	Pass
NVNT	n20	5745	Ant1	5725	-41.57	4.38	-37.19	Peak	27	Pass
NVNT	n20	5745	Ant1	5725	-50.94	4.38	-46.56	Average	27	Pass
NVNT	n20	5745	Ant2	5650	-44.33	4.38	-39.95	Peak	-27	Pass
NVNT	n20	5745	Ant2	5650	-53.12	4.38	-48.74	Average	-27	Pass
NVNT	n20	5745	Ant2	5700	-43.53	4.38	-39.15	Peak	10	Pass
NVNT	n20	5745	Ant2	5700	-51.86	4.38	-47.48	Average	10	Pass
NVNT	n20	5745	Ant2	5720	-41.3	4.38	-36.92	Peak	15.6	Pass
NVNT	n20	5745	Ant2	5720	-51.34	4.38	-46.96	Average	15.6	Pass
NVNT	n20	5745	Ant2	5725	-42.13	4.38	-37.75	Peak	27	Pass
NVNT	n20	5745	Ant2	5725	-50.26	4.38	-45.88	Average	27	Pass
NVNT	n20	5745	Ant3	5650	-44.31	4.38	-39.93	Peak	-27	Pass
NVNT	n20	5745	Ant3	5650	-52.46	4.38	-48.08	Average	-27	Pass
NVNT	n20	5745	Ant3	5700	-41.81	4.38	-37.43	Peak	10	Pass
NVNT	n20	5745	Ant3	5700	-51.52	4.38	-47.14	Average	10	Pass
NVNT	n20	5745	Ant3	5720	-41.8	4.38	-37.42	Peak	15.6	Pass
NVNT	n20	5745	Ant3	5720	-51.3	4.38	-46.92	Average	15.6	Pass
NVNT	n20	5745	Ant3	5725	-40.08	4.38	-35.7	Peak	27	Pass
NVNT	n20	5745	Ant3	5725	-50.18	4.38	-45.8	Average	27	Pass
NVNT	n20	5745	Ant4	5650	-42.77	4.38	-38.39	Peak	-27	Pass
NVNT	n20	5745	Ant4	5650	-52.67	4.38	-48.29	Average	-27	Pass
NVNT	n20	5745	Ant4	5700	-41.91	4.38	-37.53	Peak	10	Pass
NVNT	n20	5745	Ant4	5700	-51.32	4.38	-46.94	Average	10	Pass
NVNT	n20	5745	Ant4	5720	-42.44	4.38	-38.06	Peak	15.6	Pass

NVNT	n20	5745	Ant4	5720	-50.69	4.38	-46.31	Average	15.6	Pass
NVNT	n20	5745	Ant4	5725	-40.22	4.38	-35.84	Peak	27	Pass
NVNT	n20	5745	Ant4	5725	-49.45	4.38	-45.07	Average	27	Pass
NVNT	n20	5745	Sum	5650	-37.72	4.38	-33.34	Peak	-27	Pass
NVNT	n20	5745	Sum	5650	-46.86	4.38	-42.48	Average	-27	Pass
NVNT	n20	5745	Sum	5700	-36.6	4.38	-32.22	Peak	10	Pass
NVNT	n20	5745	Sum	5700	-45.74	4.38	-41.36	Average	10	Pass
NVNT	n20	5745	Sum	5720	-36.01	4.38	-31.63	Peak	15.6	Pass
NVNT	n20	5745	Sum	5720	-45.09	4.38	-40.71	Average	15.6	Pass
NVNT	n20	5745	Sum	5725	-34.89	4.38	-30.51	Peak	27	Pass
NVNT	n20	5745	Sum	5725	-44.15	4.38	-39.77	Average	27	Pass
NVNT	n20	5825	Ant1	5850	-41.5	4.38	-37.12	Peak	27	Pass
NVNT	n20	5825	Ant1	5850	-54.91	4.38	-50.53	Average	27	Pass
NVNT	n20	5825	Ant1	5855	-43.91	4.38	-39.53	Peak	15.6	Pass
NVNT	n20	5825	Ant1	5855	-56.02	4.38	-51.64	Average	15.6	Pass
NVNT	n20	5825	Ant1	5875	-47.06	4.38	-42.68	Peak	10	Pass
NVNT	n20	5825	Ant1	5875	-57.38	4.38	-53	Average	10	Pass
NVNT	n20	5825	Ant1	5925	-49.5	4.38	-45.12	Peak	-27	Pass
NVNT	n20	5825	Ant1	5925	-58.46	4.38	-54.08	Average	-27	Pass
NVNT	n20	5825	Ant2	5850	-47.53	4.38	-43.15	Peak	27	Pass
NVNT	n20	5825	Ant2	5850	-56.54	4.38	-52.16	Average	27	Pass
NVNT	n20	5825	Ant2	5855	-48.3	4.38	-43.92	Peak	15.6	Pass
NVNT	n20	5825	Ant2	5855	-57.25	4.38	-52.87	Average	15.6	Pass
NVNT	n20	5825	Ant2	5875	-49.28	4.38	-44.9	Peak	10	Pass
NVNT	n20	5825	Ant2	5875	-58.32	4.38	-53.94	Average	10	Pass
NVNT	n20	5825	Ant2	5925	-50.03	4.38	-45.65	Peak	-27	Pass
NVNT	n20	5825	Ant2	5925	-59.53	4.38	-55.15	Average	-27	Pass
NVNT	n20	5825	Ant3	5850	-41.59	4.38	-37.21	Peak	27	Pass
NVNT	n20	5825	Ant3	5850	-52.8	4.38	-48.42	Average	27	Pass
NVNT	n20	5825	Ant3	5855	-43.7	4.38	-39.32	Peak	15.6	Pass
NVNT	n20	5825	Ant3	5855	-53.81	4.38	-49.43	Average	15.6	Pass
NVNT	n20	5825	Ant3	5875	-46.11	4.38	-41.73	Peak	10	Pass
NVNT	n20	5825	Ant3	5875	-55.69	4.38	-51.31	Average	10	Pass
NVNT	n20	5825	Ant3	5925	-46.96	4.38	-42.58	Peak	-27	Pass
NVNT	n20	5825	Ant3	5925	-56.86	4.38	-52.48	Average	-27	Pass
NVNT	n20	5825	Ant4	5850	-42.72	4.38	-38.34	Peak	27	Pass
NVNT	n20	5825	Ant4	5850	-52.52	4.38	-48.14	Average	27	Pass
NVNT	n20	5825	Ant4	5855	-43.52	4.38	-39.14	Peak	15.6	Pass
NVNT	n20	5825	Ant4	5855	-54.01	4.38	-49.63	Average	15.6	Pass
NVNT	n20	5825	Ant4	5875	-46.79	4.38	-42.41	Peak	10	Pass
NVNT	n20	5825	Ant4	5875	-56.04	4.38	-51.66	Average	10	Pass
NVNT	n20	5825	Ant4	5925	-46.21	4.38	-41.83	Peak	-27	Pass
NVNT	n20	5825	Ant4	5925	-56.44	4.38	-52.06	Average	-27	Pass
NVNT	n20	5825	Sum	5850	-36.75	4.38	-32.37	Peak	27	Pass
NVNT	n20	5825	Sum	5850	-47.88	4.38	-43.5	Average	27	Pass
NVNT	n20	5825	Sum	5855	-38.46	4.38	-34.08	Peak	15.6	Pass
NVNT	n20	5825	Sum	5855	-49.03	4.38	-44.65	Average	15.6	Pass
NVNT	n20	5825	Sum	5875	-41.14	4.38	-36.76	Peak	10	Pass
NVNT	n20	5825	Sum	5875	-50.71	4.38	-46.33	Average	10	Pass
NVNT	n20	5825	Sum	5925	-41.86	4.38	-37.48	Peak	-27	Pass
NVNT	n20	5825	Sum	5925	-51.63	4.38	-47.25	Average	-27	Pass
NVNT	ac20	5180	Ant1	4500	-55.53	3.49	43.19	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-65.14	3.49	33.58	Average	54	Pass
NVNT	ac20	5180	Ant1	5139.1	-49.74	3.49	48.98	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4992.1	-59.19	3.49	39.53	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-52.4	3.49	46.32	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-60.58	3.49	38.14	Average	54	Pass
NVNT	ac20	5180	Ant2	4500	-52.69	3.49	46.03	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	4500	-64.81	3.49	33.91	Average	54	Pass
NVNT	ac20	5180	Ant2	5139.8	-46.2	3.49	52.52	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5000.5	-56.2	3.49	42.52	Average	54	Pass
NVNT	ac20	5180	Ant2	5150	-49.77	3.49	48.95	Peak	68.2	Pass
NVNT	ac20	5180	Ant2	5150	-57.03	3.49	41.69	Average	54	Pass
NVNT	ac20	5180	Ant3	4500	-56.14	3.49	42.58	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	4500	-65.02	3.49	33.7	Average	54	Pass
NVNT	ac20	5180	Ant3	5136.3	-47.54	3.49	51.18	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5147.5	-57.86	3.49	40.86	Average	54	Pass
NVNT	ac20	5180	Ant3	5150	-51.4	3.49	47.32	Peak	68.2	Pass
NVNT	ac20	5180	Ant3	5150	-58.99	3.49	39.73	Average	54	Pass
NVNT	ac20	5180	Ant4	4500	-55.18	3.49	43.54	Peak	68.2	Pass
NVNT	ac20	5180	Ant4	4500	-64.98	3.49	33.74	Average	54	Pass
NVNT	ac20	5180	Ant4	5134.9	-47.4	3.49	51.32	Peak	68.2	Pass
NVNT	ac20	5180	Ant4	5000.5	-56.86	3.49	41.86	Average	54	Pass
NVNT	ac20	5180	Ant4	5150	-48.76	3.49	49.96	Peak	68.2	Pass
NVNT	ac20	5180	Ant4	5150	-57.81	3.49	40.91	Average	54	Pass
NVNT	ac20	5180	Sum	4500	-48.65	3.49	50.1	Peak	68.2	Pass
NVNT	ac20	5180	Sum	4500	-58.97	3.49	39.78	Average	54	Pass