

昊一源科技有限公司

编号: _____

版本: _____

Component Approval Sheet

Product Name: _____

Part Number: 3002040263

Product Model: _____

Vendor: SPEED

P/N: F-KA-N2-0004-000-K0

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

SPEED TECHNOLOGY

Manufacturer: SPEED Communication Technology Limited

Address: Room 202, 1F, Building A, Guoren Building,

No. 5 Keji Middle Third Road, Science Park, Yuehai Street, Nanshan District, Shenzhen.

Approval sheet of A6701-RX CAM Internal Antenna

Customer/Project	A6701-RX CAM	Frequency Band	BT		
3002040261	3002040263	Version	T6.2		
Date	12/12/2024				
Material Code	F-KA-N2-0004-000-K0				
SPEED					
Checked by	RF	ERICGUO	Design by	RF	LIZHENGQUAN
	ME	ERICGUO		ME	QIUHONG
	QC	JINGCHUNMEI	Remark	ERICGUO	
Customer					
Date					
Confirmed by	RF				
	ME				
Remark					

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

Index

1. Indication.....	2
2.1 Matching Circuit Description	3
2.2.1 VSWR.....	3
2.2.2 Gain & Radiation Patterns.....	4
3. Suggestion and Conclusion	5
4. Attachment	6
4.1 Appearance drawing(2D).....	6
4.2 Appearance drawing(2D&3D).....	7

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

1. Indication



This report summarizes the electrical performance structure diagram confirmed by the user of the lower antenna of the M71R2 CAM project. The antenna bracket is a component inside the microphone (see Figure 1).



Figure 1: Proposed Antenn

2. Matching Circuit Description

Matching circuit provided by customers.




www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

2.2.1 VSWR


Use Agilent 5071C network analyzer and the described test fixture to measure VSWR (S11).
Testing in frees pace.



S11 :RX0

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.



S11: RX1

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

2.2.2 Gain & Radiation Patterns

The gain and efficiency of the antenna are measured in a microwave anechoic room system. The measurement range from 600MHz to 6GHz can be provided. The measurement results are calibrated by dipole and horn standards.

Antenn 1

Frequency(MHZ)	Efficiency(db)	Efficiency(%)	Peak Gain (dbi)
2400	-4.82	33	2.32
2410	-4.77	33.4	2.02
2420	-4.78	33.3	1.78
2430	-4.84	32.8	2.95
2440	-5.09	31	2.10
2450	-5.01	31.5	2.23
2460	-4.92	32.2	1.89
2470	-4.69	33.9	2.57
2480	-4.51	35.4	2.25
2490	-4.82	33	1.98
2500	-4.77	33.4	2.46


TABLE: RX0

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

Antenna 2


Frequency(MHZ)	Efficiency(db)	Efficiency(%)	Peak Gain (dbi)
2400	-3.99	39.9	3.68
2410	-3.94	40.4	3.02
2420	-3.75	42.1	3.33
2430	-3.73	42.4	3.54
2440	-3.88	40.9	3.38
2450	-3.81	41.6	3.36
2460	-3.71	42.6	3.76
2470	-3.74	42.2	3.56
2480	-3.71	42.6	3.26
2490	-3.99	39.9	3.42
2500	-3.94	40.4	3.33

TABLE: RX1


RX0: Phi=0

www.speed-hz.com


SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.



RX0: $\Phi=90^\circ$




RX0: $\Theta=90^\circ$




RX1: $\Phi=0$

www.speed-hz.com


SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.



RX1: $\Phi = 90^\circ$




RX1: $\Theta = 90^\circ$




RX0 3D:XOZ

www.speed-hz.com


SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.



RX0 3D:YOZ




RX0 3D:XOY




RX1 3D:XOZ

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.



RX1 3D:YOZ



RX1 3D:XOY

3. Suggestions and Conclusion

This paper summarizes the electrical performance and structure diagram of the antenna confirmed by the customer, and tests the antenna with the prototype microphone test fixture provided by the customer.

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.

4.2 Appearance drawing(2D/3D)



A6701 RX CAM F-KA-N2-0004-
ASM 1010.stp 000-K0 A6701 f

www.speed-hz.com

SPEED has possession of proprietary information provided in this presentation and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of SPEED Communication Technology.