








Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.89</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>49.42</td><td>35.00</td><td>11.19</td><td>37.40</td><td>0.00</td><td>289</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.89	58.21	68.20	-9.99	49.42	35.00	11.19	37.40	0.00	289	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.89	58.21	68.20	-9.99	49.42	35.00	11.19	37.40	0.00	289	0	PEAK																																												




Mode	33																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>66.32</td><td>37.91</td><td>16.11</td><td>66.55</td><td>0.00</td><td>204</td><td>31</td><td>0</td><td>100</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>11100.00</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>54.54</td><td>37.91</td><td>16.11</td><td>66.55</td><td>0.00</td><td>204</td><td>31</td><td>0</td><td>100</td><td>0</td><td>AVERAGE</td><td></td></tr><tr><td>3</td><td>16650.00</td><td>50.20</td><td>68.20</td><td>-18.00</td><td>52.47</td><td>42.02</td><td>19.77</td><td>64.06</td><td>0.00</td><td>---</td><td>---</td><td>0</td><td>100</td><td>0</td><td>PEAK</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg							1	11100.00	53.79	74.00	-20.21	66.32	37.91	16.11	66.55	0.00	204	31	0	100	0	PEAK		2	11100.00	42.01	54.00	-11.99	54.54	37.91	16.11	66.55	0.00	204	31	0	100	0	AVERAGE		3	16650.00	50.20	68.20	-18.00	52.47	42.02	19.77	64.06	0.00	---	---	0	100	0	PEAK		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>65.32</td><td>37.91</td><td>16.11</td><td>66.55</td><td>0.00</td><td>100</td><td>0</td><td>100</td><td>0</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>11100.00</td><td>41.87</td><td>54.00</td><td>-12.13</td><td>54.40</td><td>37.91</td><td>16.11</td><td>66.55</td><td>0.00</td><td>100</td><td>0</td><td>100</td><td>0</td><td>0</td><td>AVERAGE</td><td></td></tr><tr><td>3</td><td>16650.00</td><td>49.45</td><td>68.20</td><td>-18.75</td><td>51.72</td><td>42.02</td><td>19.77</td><td>64.06</td><td>0.00</td><td>---</td><td>---</td><td>0</td><td>100</td><td>0</td><td>PEAK</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg							1	11100.00	52.79	74.00	-21.21	65.32	37.91	16.11	66.55	0.00	100	0	100	0	0	PEAK		2	11100.00	41.87	54.00	-12.13	54.40	37.91	16.11	66.55	0.00	100	0	100	0	0	AVERAGE		3	16650.00	49.45	68.20	-18.75	51.72	42.02	19.77	64.06	0.00	---	---	0	100	0	PEAK
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	11100.00	53.79	74.00	-20.21	66.32	37.91	16.11	66.55	0.00	204	31	0	100	0	PEAK																																																																																																																																																																																																												
2	11100.00	42.01	54.00	-11.99	54.54	37.91	16.11	66.55	0.00	204	31	0	100	0	AVERAGE																																																																																																																																																																																																												
3	16650.00	50.20	68.20	-18.00	52.47	42.02	19.77	64.06	0.00	---	---	0	100	0	PEAK																																																																																																																																																																																																												
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	11100.00	52.79	74.00	-21.21	65.32	37.91	16.11	66.55	0.00	100	0	100	0	0	PEAK																																																																																																																																																																																																												
2	11100.00	41.87	54.00	-12.13	54.40	37.91	16.11	66.55	0.00	100	0	100	0	0	AVERAGE																																																																																																																																																																																																												
3	16650.00	49.45	68.20	-18.75	51.72	42.02	19.77	64.06	0.00	---	---	0	100	0	PEAK																																																																																																																																																																																																												







Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.28</td><td>59.64</td><td>74.00</td><td>-14.36</td><td>50.06</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>334</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>58.01</td><td>68.20</td><td>-10.19</td><td>48.34</td><td>35.03</td><td>10.85</td><td>36.21</td><td>0.00</td><td>334</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.28	59.64	74.00	-14.36	50.06	35.20	10.75	36.37	0.00	334	206	PEAK	2	5466.64	58.01	68.20	-10.19	48.34	35.03	10.85	36.21	0.00	334	206	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>120.01</td><td>-----</td><td>-----</td><td>110.49</td><td>34.90</td><td>11.11</td><td>36.49</td><td>0.00</td><td>334</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	120.01	-----	-----	110.49	34.90	11.11	36.49	0.00	334	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5351.28	59.64	74.00	-14.36	50.06	35.20	10.75	36.37	0.00	334	206	PEAK																																																																																																				
2	5466.64	58.01	68.20	-10.19	48.34	35.03	10.85	36.21	0.00	334	206	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	120.01	-----	-----	110.49	34.90	11.11	36.49	0.00	334	206	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5365.52</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>37.52</td><td>35.23</td><td>10.76</td><td>36.35</td><td>0.00</td><td>334</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.52	47.16	54.00	-6.84	37.52	35.23	10.76	36.35	0.00	334	206	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.76</td><td>-----</td><td>-----</td><td>99.99</td><td>34.90</td><td>11.08</td><td>36.21</td><td>0.00</td><td>334</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.76	-----	-----	99.99	34.90	11.08	36.21	0.00	334	206	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5365.52	47.16	54.00	-6.84	37.52	35.23	10.76	36.35	0.00	334	206	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	109.76	-----	-----	99.99	34.90	11.08	36.21	0.00	334	206	AVERAGE																																																																																																				




Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.56</td><td>65.92</td><td>68.20</td><td>-2.28</td><td>57.18</td><td>35.01</td><td>11.19</td><td>37.46</td><td>0.00</td><td>334</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.56	65.92	68.20	-2.28	57.18	35.01	11.19	37.46	0.00	334	206	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.56	65.92	68.20	-2.28	57.18	35.01	11.19	37.46	0.00	334	206	PEAK																																												





Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5377.68</td><td>58.91</td><td>74.00</td><td>-15.09</td><td>49.22</td><td>35.26</td><td>10.76</td><td>36.33</td><td>0.00</td><td>260</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>47.36</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>260</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.68	58.91	74.00	-15.09	49.22	35.26	10.76	36.33	0.00	260	244	PEAK	2	5469.84	57.03	68.20	-11.17	47.36	35.02	10.85	36.20	0.00	260	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>116.74</td><td>-----</td><td>-----</td><td>106.89</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>260</td><td>244</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	116.74	-----	-----	106.89	34.90	11.07	36.12	0.00	260	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5377.68	58.91	74.00	-15.09	49.22	35.26	10.76	36.33	0.00	260	244	PEAK																																																																																																				
2	5469.84	57.03	68.20	-11.17	47.36	35.02	10.85	36.20	0.00	260	244	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	116.74	-----	-----	106.89	34.90	11.07	36.12	0.00	260	244	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.04</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>37.24</td><td>35.25</td><td>10.76</td><td>36.34</td><td>0.00</td><td>260</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.04	46.91	54.00	-7.09	37.24	35.25	10.76	36.34	0.00	260	244	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>106.87</td><td>-----</td><td>-----</td><td>97.02</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>260</td><td>244</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.87	-----	-----	97.02	34.90	11.07	36.12	0.00	260	244	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5373.04	46.91	54.00	-7.09	37.24	35.25	10.76	36.34	0.00	260	244	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	106.87	-----	-----	97.02	34.90	11.07	36.12	0.00	260	244	AVERAGE																																																																																																				







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.36</td><td>61.91</td><td>68.20</td><td>-6.29</td><td>53.13</td><td>35.00</td><td>11.19</td><td>37.41</td><td>0.00</td><td>260</td><td>244</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.36	61.91	68.20	-6.29	53.13	35.00	11.19	37.41	0.00	260	244	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.36	61.91	68.20	-6.29	53.13	35.00	11.19	37.41	0.00	260	244	PEAK																																												




Mode	34																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																																																								
Pol.	Horizontal								Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11340.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>66.04</td><td>38.17</td><td>16.26</td><td>66.42</td><td>0.00</td><td>280</td><td>151</td><td>0</td><td>PEAK</td></tr><tr><td>2 11340.00</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>55.74</td><td>38.17</td><td>16.26</td><td>66.42</td><td>0.00</td><td>280</td><td>151</td><td>0</td><td>AVERAGE</td></tr><tr><td>3 17010.00</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>51.83</td><td>42.29</td><td>20.01</td><td>64.09</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	54.05	74.00	-19.95	66.04	38.17	16.26	66.42	0.00	280	151	0	PEAK	2 11340.00	43.75	54.00	-10.25	55.74	38.17	16.26	66.42	0.00	280	151	0	AVERAGE	3 17010.00	50.04	68.20	-18.16	51.83	42.29	20.01	64.09	0.00	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11340.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>62.51</td><td>38.17</td><td>16.26</td><td>66.42</td><td>0.00</td><td>100</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>2 11340.00</td><td>39.55</td><td>54.00</td><td>-14.45</td><td>51.54</td><td>38.17</td><td>16.26</td><td>66.42</td><td>0.00</td><td>100</td><td>0</td><td>0</td><td>AVERAGE</td></tr><tr><td>3 17010.00</td><td>50.48</td><td>68.20</td><td>-17.72</td><td>52.27</td><td>42.29</td><td>20.01</td><td>64.09</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	50.52	74.00	-23.48	62.51	38.17	16.26	66.42	0.00	100	0	0	PEAK	2 11340.00	39.55	54.00	-14.45	51.54	38.17	16.26	66.42	0.00	100	0	0	AVERAGE	3 17010.00	50.48	68.20	-17.72	52.27	42.29	20.01	64.09	0.00	---	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1 11340.00	54.05	74.00	-19.95	66.04	38.17	16.26	66.42	0.00	280	151	0	PEAK																																																																																																																																																													
2 11340.00	43.75	54.00	-10.25	55.74	38.17	16.26	66.42	0.00	280	151	0	AVERAGE																																																																																																																																																													
3 17010.00	50.04	68.20	-18.16	51.83	42.29	20.01	64.09	0.00	---	---	---	PEAK																																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1 11340.00	50.52	74.00	-23.48	62.51	38.17	16.26	66.42	0.00	100	0	0	PEAK																																																																																																																																																													
2 11340.00	39.55	54.00	-14.45	51.54	38.17	16.26	66.42	0.00	100	0	0	AVERAGE																																																																																																																																																													
3 17010.00	50.48	68.20	-17.72	52.27	42.29	20.01	64.09	0.00	---	---	---	PEAK																																																																																																																																																													







		35																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																									
ANT		CDD 1S4T																																																																																																																									
Pol.	Horizontal											Fundamental																																																																																																															
Peak																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>65.06</td><td>74.00</td><td>-8.94</td><td>55.37</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>289</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>66.31</td><td>68.20</td><td>-1.89</td><td>56.63</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>289</td><td>311</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	65.06	74.00	-8.94	55.37	35.07	10.84	36.22	0.00	289	311	PEAK	2	5462.32	66.31	68.20	-1.89	56.63	35.05	10.84	36.21	0.00	289	311	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>114.03</td><td>-----</td><td>-----</td><td>104.23</td><td>34.90</td><td>10.96</td><td>36.06</td><td>0.00</td><td>289</td><td>311</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	114.03	-----	-----	104.23	34.90	10.96	36.06	0.00	289	311	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5458.32	65.06	74.00	-8.94	55.37	35.07	10.84	36.22	0.00	289	311	PEAK																																																																																																															
2	5462.32	66.31	68.20	-1.89	56.63	35.05	10.84	36.21	0.00	289	311	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5530.00	114.03	-----	-----	104.23	34.90	10.96	36.06	0.00	289	311	PEAK																																																																																																															
Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>52.57</td><td>54.00</td><td>-1.43</td><td>42.88</td><td>35.06</td><td>10.84</td><td>36.21</td><td>0.00</td><td>289</td><td>311</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.57	54.00	-1.43	42.88	35.06	10.84	36.21	0.00	289	311	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>104.62</td><td>-----</td><td>-----</td><td>94.82</td><td>34.90</td><td>10.96</td><td>36.06</td><td>0.00</td><td>289</td><td>311</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.62	-----	-----	94.82	34.90	10.96	36.06	0.00	289	311	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5459.92	52.57	54.00	-1.43	42.88	35.06	10.84	36.21	0.00	289	311	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5530.00	104.62	-----	-----	94.82	34.90	10.96	36.06	0.00	289	311	AVERAGE																																																																																																															




Mode	35																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																				
ANT	CDD 1S4T																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.68</td><td>59.89</td><td>68.20</td><td>-8.31</td><td>51.05</td><td>34.98</td><td>11.18</td><td>37.32</td><td>0.00</td><td>289 311 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.68	59.89	68.20	-8.31	51.05	34.98	11.18	37.32	0.00	289 311 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5726.68	59.89	68.20	-8.31	51.05	34.98	11.18	37.32	0.00	289 311 PEAK																																											





		35																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																
ANT		CDD 1S4T																																																																																																
Pol.		Vertical					Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.84	59.67	74.00	-14.33	49.93	35.20	10.80	36.26	0.00	289	0 PEAK	2	5466.48	59.29	68.20	-8.91	49.62	35.03	10.85	36.21	0.00	289	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>110.56</td><td>-----</td><td>-----</td><td>100.76</td><td>34.90</td><td>10.96</td><td>36.06</td><td>0.00</td><td>289</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	110.56	-----	-----	100.76	34.90	10.96	36.06	0.00	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5425.84	59.67	74.00	-14.33	49.93	35.20	10.80	36.26	0.00	289	0 PEAK																																																																																							
2	5466.48	59.29	68.20	-8.91	49.62	35.03	10.85	36.21	0.00	289	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	110.56	-----	-----	100.76	34.90	10.96	36.06	0.00	289	0 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.16	48.72	54.00	-5.28	39.01	35.12	10.82	36.23	0.00	289	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.17</td><td>-----</td><td>-----</td><td>91.37</td><td>34.90</td><td>10.96</td><td>36.06</td><td>0.00</td><td>289</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.17	-----	-----	91.37	34.90	10.96	36.06	0.00	289	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5446.16	48.72	54.00	-5.28	39.01	35.12	10.82	36.23	0.00	289	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	101.17	-----	-----	91.37	34.90	10.96	36.06	0.00	289	0 AVERAGE																																																																																							



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.76</td><td>59.03</td><td>68.20</td><td>-9.17</td><td>50.31</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>289</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.76	59.03	68.20	-9.17	50.31	35.01	11.19	37.48	0.00	289	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.76	59.03	68.20	-9.17	50.31	35.01	11.19	37.48	0.00	289	0	PEAK																																												




Mode	35																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																					
ANT	CDD 1S4T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>58.34</td><td>37.87</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.72	74.00	-28.28	58.34	37.87	16.08	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>60.08</td><td>37.87</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	47.46	74.00	-26.54	60.08	37.87	16.08	66.57	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11060.00	45.72	74.00	-28.28	58.34	37.87	16.08	66.57	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11060.00	47.46	74.00	-26.54	60.08	37.87	16.08	66.57	0.00	---	---	PEAK																																																																																										







		36																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																		
ANT		CDD 1S4T																																																																		
Pol.		Fundamental																																																																		
Peak	Horizontal	Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.13</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>49.34</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>334</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>49.93</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>334</td><td>316</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.13	59.03	74.00	-14.97	49.34	35.07	10.84	36.22	0.00	334	316	PEAK	2	5469.13	59.60	68.20	-8.60	49.93	35.02	10.85	36.20	0.00	334	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5457.13	59.03	74.00	-14.97	49.34	35.07	10.84	36.22	0.00	334	316	PEAK																																																								
2	5469.13	59.60	68.20	-8.60	49.93	35.02	10.85	36.20	0.00	334	316	PEAK																																																								
Avg	Horizontal	Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.68</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>37.30</td><td>35.06</td><td>10.84</td><td>36.22</td><td>0.00</td><td>334</td><td>316</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.68	46.98	54.00	-7.02	37.30	35.06	10.84	36.22	0.00	334	316	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5459.68	46.98	54.00	-7.02	37.30	35.06	10.84	36.22	0.00	334	316	AVERAGE																																																								
Peak	Fundamental	Horizontal																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>111.64</td><td>-----</td><td>-----</td><td>101.91</td><td>34.90</td><td>10.93</td><td>36.10</td><td>0.00</td><td>334</td><td>316</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	111.64	-----	-----	101.91	34.90	10.93	36.10	0.00	334	316	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5530.00	111.64	-----	-----	101.91	34.90	10.93	36.10	0.00	334	316	PEAK																																																								
Avg	Fundamental	Horizontal																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.18</td><td>-----</td><td>-----</td><td>92.45</td><td>34.90</td><td>10.93</td><td>36.10</td><td>0.00</td><td>334</td><td>316</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	102.18	-----	-----	92.45	34.90	10.93	36.10	0.00	334	316	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5530.00	102.18	-----	-----	92.45	34.90	10.93	36.10	0.00	334	316	AVERAGE																																																								




Mode	36																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.08</td><td>58.36</td><td>68.20</td><td>-9.84</td><td>49.81</td><td>35.06</td><td>11.21</td><td>37.72</td><td>0.00</td><td>334</td><td>316</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.08	58.36	68.20	-9.84	49.81	35.06	11.21	37.72	0.00	334	316	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5752.08	58.36	68.20	-9.84	49.81	35.06	11.21	37.72	0.00	334	316	PEAK																																		







Mode	36																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.52</td><td>58.35</td><td>74.00</td><td>-15.65</td><td>48.67</td><td>35.06</td><td>10.84</td><td>36.22</td><td>0.00</td><td>260</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5467.68</td><td>58.22</td><td>68.20</td><td>-9.98</td><td>48.54</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>260</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.52	58.35	74.00	-15.65	48.67	35.06	10.84	36.22	0.00	260	242	PEAK	2	5467.68	58.22	68.20	-9.98	48.54	35.03	10.85	36.20	0.00	260	242	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>110.69</td><td>-----</td><td>-----</td><td>100.96</td><td>34.90</td><td>10.93</td><td>36.10</td><td>0.00</td><td>260</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	110.69	-----	-----	100.96	34.90	10.93	36.10	0.00	260	242	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.52	58.35	74.00	-15.65	48.67	35.06	10.84	36.22	0.00	260	242	PEAK																																																																																																					
2	5467.68	58.22	68.20	-9.98	48.54	35.03	10.85	36.20	0.00	260	242	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	110.69	-----	-----	100.96	34.90	10.93	36.10	0.00	260	242	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.84</td><td>46.94</td><td>54.00</td><td>-7.06</td><td>37.26</td><td>35.06</td><td>10.84</td><td>36.22</td><td>0.00</td><td>260</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.84	46.94	54.00	-7.06	37.26	35.06	10.84	36.22	0.00	260	242	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.97</td><td>-----</td><td>-----</td><td>90.29</td><td>34.90</td><td>10.91</td><td>36.13</td><td>0.00</td><td>260</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.97	-----	-----	90.29	34.90	10.91	36.13	0.00	260	242	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.84	46.94	54.00	-7.06	37.26	35.06	10.84	36.22	0.00	260	242	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	99.97	-----	-----	90.29	34.90	10.91	36.13	0.00	260	242	AVERAGE																																																																																																					




Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.48</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>47.87</td><td>34.98</td><td>11.18</td><td>37.32</td><td>0.00</td><td>260</td><td>242</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.48	56.71	68.20	-11.49	47.87	34.98	11.18	37.32	0.00	260	242	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.48	56.71	68.20	-11.49	47.87	34.98	11.18	37.32	0.00	260	242	PEAK																																												







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.40</td><td>62.98</td><td>74.00</td><td>-11.02</td><td>53.29</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>241</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>50.72</td><td>35.04</td><td>10.85</td><td>36.21</td><td>0.00</td><td>241</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	62.98	74.00	-11.02	53.29	35.07	10.84	36.22	0.00	241	316	PEAK	2	5465.52	60.40	68.20	-7.80	50.72	35.04	10.85	36.21	0.00	241	316	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>117.32</td><td>-----</td><td>-----</td><td>107.38</td><td>34.90</td><td>11.06</td><td>36.02</td><td>0.00</td><td>241</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	117.32	-----	-----	107.38	34.90	11.06	36.02	0.00	241	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.40	62.98	74.00	-11.02	53.29	35.07	10.84	36.22	0.00	241	316	PEAK																																																																																																				
2	5465.52	60.40	68.20	-7.80	50.72	35.04	10.85	36.21	0.00	241	316	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	117.32	-----	-----	107.38	34.90	11.06	36.02	0.00	241	316	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.44</td><td>49.50</td><td>54.00</td><td>-4.50</td><td>39.81</td><td>35.08</td><td>10.83</td><td>36.22</td><td>0.00</td><td>241</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.44	49.50	54.00	-4.50	39.81	35.08	10.83	36.22	0.00	241	316	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>108.02</td><td>-----</td><td>-----</td><td>98.00</td><td>34.90</td><td>11.06</td><td>36.02</td><td>0.00</td><td>241</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	108.02	-----	-----	98.00	34.90	11.06	36.02	0.00	241	316	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.44	49.50	54.00	-4.50	39.81	35.08	10.83	36.22	0.00	241	316	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	108.02	-----	-----	98.00	34.90	11.06	36.02	0.00	241	316	AVERAGE																																																																																																				




Mode	37																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																												
ANT	CDD 1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.56</td><td>65.98</td><td>68.20</td><td>-2.22</td><td>57.15</td><td>34.98</td><td>11.18</td><td>37.33</td><td>0.00</td><td>241</td><td>316 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	65.98	68.20	-2.22	57.15	34.98	11.18	37.33	0.00	241	316 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5727.56	65.98	68.20	-2.22	57.15	34.98	11.18	37.33	0.00	241	316 PEAK																																		





		37																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																															
ANT		CDD 1S4T																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.48</td><td>58.64</td><td>74.00</td><td>-15.36</td><td>48.94</td><td>35.11</td><td>10.82</td><td>36.23</td><td>0.00</td><td>300</td><td>3 PEAK</td></tr><tr><td>2</td><td>5466.32</td><td>60.94</td><td>68.20</td><td>-7.26</td><td>51.27</td><td>35.03</td><td>10.85</td><td>36.21</td><td>0.00</td><td>300</td><td>3 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.48	58.64	74.00	-15.36	48.94	35.11	10.82	36.23	0.00	300	3 PEAK	2	5466.32	60.94	68.20	-7.26	51.27	35.03	10.85	36.21	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5446.48	58.64	74.00	-15.36	48.94	35.11	10.82	36.23	0.00	300	3 PEAK																																																						
2	5466.32	60.94	68.20	-7.26	51.27	35.03	10.85	36.21	0.00	300	3 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.12</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>37.84</td><td>35.11</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300</td><td>3 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5447.12	47.55	54.00	-6.45	37.84	35.11	10.83	36.23	0.00	300	3 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5447.12	47.55	54.00	-6.45	37.84	35.11	10.83	36.23	0.00	300	3 AVERAGE																																																						
Peak																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>113.66</td><td>-----</td><td>-----</td><td>103.82</td><td>34.90</td><td>10.98</td><td>36.04</td><td>0.00</td><td>300</td><td>3 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	113.66	-----	-----	103.82	34.90	10.98	36.04	0.00	300	3 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5610.00	113.66	-----	-----	103.82	34.90	10.98	36.04	0.00	300	3 PEAK																																																						
Avg																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.96</td><td>-----</td><td>-----</td><td>94.06</td><td>34.90</td><td>11.01</td><td>36.01</td><td>0.00</td><td>300</td><td>3 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	103.96	-----	-----	94.06	34.90	11.01	36.01	0.00	300	3 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5610.00	103.96	-----	-----	94.06	34.90	11.01	36.01	0.00	300	3 AVERAGE																																																						







Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.44</td><td>61.62</td><td>68.20</td><td>-6.58</td><td>53.18</td><td>35.09</td><td>11.23</td><td>37.88</td><td>0.00</td><td>300</td><td>3</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.44	61.62	68.20	-6.58	53.18	35.09	11.23	37.88	0.00	300	3	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5762.44	61.62	68.20	-6.58	53.18	35.09	11.23	37.88	0.00	300	3	PEAK																																												




Mode	37																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>58.68</td><td>38.04</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.42	74.00	-27.58	58.68	38.04	16.18	66.48	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>62.62</td><td>38.04</td><td>16.18</td><td>66.48</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>50.41</td><td>38.03</td><td>16.17</td><td>66.49</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	50.36	74.00	-23.64	62.62	38.04	16.18	66.48	0.00	100	0	PEAK	2	11220.00	38.12	54.00	-15.88	50.41	38.03	16.17	66.49	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11220.00	46.42	74.00	-27.58	58.68	38.04	16.18	66.48	0.00	---	---	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11220.00	50.36	74.00	-23.64	62.62	38.04	16.18	66.48	0.00	100	0	PEAK																																																																																																					
2	11220.00	38.12	54.00	-15.88	50.41	38.03	16.17	66.49	0.00	100	0	AVERAGE																																																																																																					



	38																																																																																																														
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5385.13</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>47.77</td><td>35.27</td><td>10.77</td><td>36.32</td><td>0.00</td><td>300 317 PEAK</td></tr><tr><td>2</td><td>5466.72</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>48.03</td><td>35.03</td><td>10.85</td><td>36.21</td><td>0.00</td><td>300 317 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.13	57.49	74.00	-16.51	47.77	35.27	10.77	36.32	0.00	300 317 PEAK	2	5466.72	57.70	68.20	-10.50	48.03	35.03	10.85	36.21	0.00	300 317 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>112.67</td><td>68.20</td><td>44.47</td><td>102.79</td><td>34.90</td><td>11.00</td><td>36.02</td><td>0.00</td><td>300 317 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	112.67	68.20	44.47	102.79	34.90	11.00	36.02	0.00	300 317 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5385.13	57.49	74.00	-16.51	47.77	35.27	10.77	36.32	0.00	300 317 PEAK																																																																																																					
2	5466.72	57.70	68.20	-10.50	48.03	35.03	10.85	36.21	0.00	300 317 PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5610.00	112.67	68.20	44.47	102.79	34.90	11.00	36.02	0.00	300 317 PEAK																																																																																																					
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>36.61</td><td>35.09</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300 317 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.00	46.30	54.00	-7.70	36.61	35.09	10.83	36.23	0.00	300 317 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.83</td><td>68.20</td><td>34.63</td><td>92.95</td><td>34.90</td><td>11.00</td><td>36.02</td><td>0.00</td><td>300 317 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	102.83	68.20	34.63	92.95	34.90	11.00	36.02	0.00	300 317 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5452.00	46.30	54.00	-7.70	36.61	35.09	10.83	36.23	0.00	300 317 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5610.00	102.83	68.20	34.63	92.95	34.90	11.00	36.02	0.00	300 317 AVERAGE																																																																																																					



Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.76</td><td>61.52</td><td>68.20</td><td>-6.68</td><td>52.85</td><td>35.03</td><td>11.20</td><td>37.56</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.76	61.52	68.20	-6.68	52.85	35.03	11.20	37.56	0.00	300	317	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.76	61.52	68.20	-6.68	52.85	35.03	11.20	37.56	0.00	300	317	PEAK																																												







Mode	38																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																													
ANT	CDD 1S4T																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.00</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>47.79</td><td>35.20</td><td>10.80</td><td>36.26</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr><tr><td>2</td><td>5461.29</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>47.34</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.00	57.53	74.00	-16.47	47.79	35.20	10.80	36.26	0.00	250	0 PEAK	2	5461.29	57.02	68.20	-11.18	47.34	35.05	10.84	36.21	0.00	250	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>109.35</td><td>68.20</td><td>41.15</td><td>99.37</td><td>34.90</td><td>11.06</td><td>35.98</td><td>0.00</td><td>250</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	109.35	68.20	41.15	99.37	34.90	11.06	35.98	0.00	250	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5424.00	57.53	74.00	-16.47	47.79	35.20	10.80	36.26	0.00	250	0 PEAK																																																																																																			
2	5461.29	57.02	68.20	-11.18	47.34	35.05	10.84	36.21	0.00	250	0 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	109.35	68.20	41.15	99.37	34.90	11.06	35.98	0.00	250	0 PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.21</td><td>45.51</td><td>54.00</td><td>-8.49</td><td>35.82</td><td>35.00</td><td>10.83</td><td>36.22</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.21	45.51	54.00	-8.49	35.82	35.00	10.83	36.22	0.00	250	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.16</td><td>68.20</td><td>31.96</td><td>90.18</td><td>34.90</td><td>11.06</td><td>35.98</td><td>0.00</td><td>250</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.16	68.20	31.96	90.18	34.90	11.06	35.98	0.00	250	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5455.21	45.51	54.00	-8.49	35.82	35.00	10.83	36.22	0.00	250	0 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	100.16	68.20	31.96	90.18	34.90	11.06	35.98	0.00	250	0 AVERAGE																																																																																																			




Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.56</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>48.26</td><td>35.05</td><td>11.21</td><td>37.66</td><td>0.00</td><td>250</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.56	56.86	68.20	-11.34	48.26	35.05	11.21	37.66	0.00	250	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.56	56.86	68.20	-11.34	48.26	35.05	11.21	37.66	0.00	250	0	PEAK																																												







		39																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																													
ANT		CDD 1S4T																																																																																																													
Pol.	Horizontal											Fundamental																																																																																																			
Peak																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.26	64.38	74.00	-9.62	54.64	35.21	10.80	36.27	0.00	237	316	PEAK	2	5463.52	63.05	68.20	-5.15	53.37	35.05	10.84	36.21	0.00	237	316	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	109.55	-----	-----	99.61	34.90	11.06	36.02	0.00	237	316	PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5423.26	64.38	74.00	-9.62	54.64	35.21	10.80	36.27	0.00	237	316	PEAK																																																																																																			
2	5463.52	63.05	68.20	-5.15	53.37	35.05	10.84	36.21	0.00	237	316	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	109.55	-----	-----	99.61	34.90	11.06	36.02	0.00	237	316	PEAK																																																																																																			
Avg																																																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.50	52.57	54.00	-1.43	42.86	35.13	10.82	36.24	0.00	237	316	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.57	-----	-----	89.63	34.90	11.06	36.02	0.00	237	316	AVERAGE																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5443.50	52.57	54.00	-1.43	42.86	35.13	10.82	36.24	0.00	237	316	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	99.57	-----	-----	89.63	34.90	11.06	36.02	0.00	237	316	AVERAGE																																																																																																			




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.80</td><td>66.85</td><td>68.20</td><td>-1.35</td><td>58.18</td><td>35.03</td><td>11.20</td><td>37.56</td><td>0.00</td><td>237</td><td>316</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.80	66.85	68.20	-1.35	58.18	35.03	11.20	37.56	0.00	237	316	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.80	66.85	68.20	-1.35	58.18	35.03	11.20	37.56	0.00	237	316	PEAK																																												





		39																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																																																																																																							
ANT		CDD 1S4T																																																																																																																							
Pol.		Vertical					Fundamental																																																																																																																		
Peak																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5407.64</td><td>61.38</td><td>74.00</td><td>-12.62</td><td>51.62</td><td>35.27</td><td>10.78</td><td>36.29</td><td>0.00</td><td>309</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>5467.26</td><td>60.17</td><td>68.20</td><td>-8.03</td><td>50.49</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>309</td><td>352</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.64	61.38	74.00	-12.62	51.62	35.27	10.78	36.29	0.00	309	352	PEAK	2	5467.26	60.17	68.20	-8.03	50.49	35.03	10.85	36.20	0.00	309	352	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>105.37</td><td>-----</td><td>-----</td><td>95.52</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>309</td><td>352</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.37	-----	-----	95.52	34.90	11.07	36.12	0.00	309	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5407.64	61.38	74.00	-12.62	51.62	35.27	10.78	36.29	0.00	309	352	PEAK																																																																																																													
2	5467.26	60.17	68.20	-8.03	50.49	35.03	10.85	36.20	0.00	309	352	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5570.00	105.37	-----	-----	95.52	34.90	11.07	36.12	0.00	309	352	PEAK																																																																																																													
Avg																																																																																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5407.20</td><td>50.89</td><td>54.00</td><td>-3.11</td><td>41.13</td><td>35.27</td><td>10.78</td><td>36.29</td><td>0.00</td><td>309</td><td>352</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.20	50.89	54.00	-3.11	41.13	35.27	10.78	36.29	0.00	309	352	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.83</td><td>-----</td><td>-----</td><td>85.89</td><td>34.90</td><td>11.06</td><td>36.02</td><td>0.00</td><td>309</td><td>352</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.83	-----	-----	85.89	34.90	11.06	36.02	0.00	309	352	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5407.20	50.89	54.00	-3.11	41.13	35.27	10.78	36.29	0.00	309	352	AVERAGE																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5570.00	95.83	-----	-----	85.89	34.90	11.06	36.02	0.00	309	352	AVERAGE																																																																																																													







Mode	39																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																								
ANT	CDD 1S4T																																								
Pol.	Vertical	Fundamental																																							
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.93</td><td>63.62</td><td>68.20</td><td>-4.58</td><td>54.81</td><td>34.99</td><td>11.18</td><td>37.36</td><td>0.00</td><td>309</td><td>352</td><td>PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.93	63.62	68.20	-4.58	54.81	34.99	11.18	37.36	0.00	309	352	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5728.93	63.62	68.20	-4.58	54.81	34.99	11.18	37.36	0.00	309	352	PEAK																													




		39																																												
Mode		Harmonic																																												
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_Full_5570MHz																																												
ANT		CDD 1S4T																																												
Pol.		Horizontal																																												
Peak Avg																																														
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11140.00	45.67	74.00	-28.33	58.12	37.95	16.13	66.53	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 11140.00	45.67	74.00	-28.33	58.12	37.95	16.13	66.53	0.00	---	---	PEAK																																			
		Vertical																																												
Peak Avg																																														
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11140.00	46.48	74.00	-27.52	58.93	37.95	16.13	66.53	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1 11140.00	46.48	74.00	-27.52	58.93	37.95	16.13	66.53	0.00	---	---	PEAK																																			







Mode	40																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																			
ANT	CDD 1S4T																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.58</td><td>63.51</td><td>74.00</td><td>-10.49</td><td>53.77</td><td>35.20</td><td>10.80</td><td>36.26</td><td>0.00</td><td>247</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5466.38</td><td>65.17</td><td>68.20</td><td>-3.03</td><td>55.50</td><td>35.03</td><td>10.85</td><td>36.21</td><td>0.00</td><td>247</td><td>320</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5424.58	63.51	74.00	-10.49	53.77	35.20	10.80	36.26	0.00	247	320	PEAK	2	5466.38	65.17	68.20	-3.03	55.50	35.03	10.85	36.21	0.00	247	320	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5424.58	63.51	74.00	-10.49	53.77	35.20	10.80	36.26	0.00	247	320	PEAK																																																								
2	5466.38	65.17	68.20	-3.03	55.50	35.03	10.85	36.21	0.00	247	320	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.94</td><td>51.41</td><td>54.00</td><td>-2.59</td><td>41.71</td><td>35.12</td><td>10.82</td><td>36.24</td><td>0.00</td><td>247</td><td>320</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.94	51.41	54.00	-2.59	41.71	35.12	10.82	36.24	0.00	247	320	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5443.94	51.41	54.00	-2.59	41.71	35.12	10.82	36.24	0.00	247	320	AVERAGE																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>109.52</td><td>-----</td><td>-----</td><td>99.72</td><td>34.90</td><td>10.96</td><td>36.06</td><td>0.00</td><td>247</td><td>320</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	109.52	-----	-----	99.72	34.90	10.96	36.06	0.00	247	320	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	109.52	-----	-----	99.72	34.90	10.96	36.06	0.00	247	320	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.62</td><td>-----</td><td>-----</td><td>89.68</td><td>34.90</td><td>11.06</td><td>36.02</td><td>0.00</td><td>247</td><td>320</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	99.62	-----	-----	89.68	34.90	11.06	36.02	0.00	247	320	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	99.62	-----	-----	89.68	34.90	11.06	36.02	0.00	247	320	AVERAGE																																																								




Mode	40																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.19</td><td>66.15</td><td>68.20</td><td>-2.05</td><td>57.48</td><td>35.03</td><td>11.20</td><td>37.56</td><td>0.00</td><td>247</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5742.19	66.15	68.20	-2.05	57.48	35.03	11.20	37.56	0.00	247	320	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																														
1	5742.19	66.15	68.20	-2.05	57.48	35.03	11.20	37.56	0.00	247	320	PEAK																																											







Mode	40																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																	
ANT	CDD 1S4T																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.32</td><td>62.18</td><td>74.00</td><td>-11.82</td><td>52.45</td><td>35.19</td><td>10.80</td><td>36.26</td><td>0.00</td><td>294</td><td>32 PEAK</td></tr><tr><td>2</td><td>5468.58</td><td>62.17</td><td>68.20</td><td>-6.03</td><td>52.49</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>294</td><td>32 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.32	62.18	74.00	-11.82	52.45	35.19	10.80	36.26	0.00	294	32 PEAK	2	5468.58	62.17	68.20	-6.03	52.49	35.03	10.85	36.20	0.00	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5428.32	62.18	74.00	-11.82	52.45	35.19	10.80	36.26	0.00	294	32 PEAK																																																							
2	5468.58	62.17	68.20	-6.03	52.49	35.03	10.85	36.20	0.00	294	32 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.56</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>41.05</td><td>35.11</td><td>10.83</td><td>36.23</td><td>0.00</td><td>294</td><td>32 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.56	50.76	54.00	-3.24	41.05	35.11	10.83	36.23	0.00	294	32 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5448.56	50.76	54.00	-3.24	41.05	35.11	10.83	36.23	0.00	294	32 AVERAGE																																																							
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>105.95</td><td>-----</td><td>-----</td><td>95.99</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>294</td><td>32 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.95	-----	-----	95.99	34.90	11.04	35.98	0.00	294	32 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5570.00	105.95	-----	-----	95.99	34.90	11.04	35.98	0.00	294	32 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>96.16</td><td>-----</td><td>-----</td><td>86.20</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>294</td><td>32 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.16	-----	-----	86.20	34.90	11.04	35.98	0.00	294	32 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5570.00	96.16	-----	-----	86.20	34.90	11.04	35.98	0.00	294	32 AVERAGE																																																							




Mode	40																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.85</td><td>61.33</td><td>68.20</td><td>-6.87</td><td>52.64</td><td>35.02</td><td>11.20</td><td>37.53</td><td>0.00</td><td>294</td><td>32</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.85	61.33	68.20	-6.87	52.64	35.02	11.20	37.53	0.00	294	32	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5739.85	61.33	68.20	-6.87	52.64	35.02	11.20	37.53	0.00	294	32	PEAK																																		



		41																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																		
ANT		CDD 1S4T																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.82</td><td>65.39</td><td>74.00</td><td>-8.61</td><td>55.69</td><td>35.12</td><td>10.82</td><td>36.24</td><td>0.00</td><td>251</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5463.96</td><td>64.83</td><td>68.20</td><td>-3.37</td><td>55.16</td><td>35.04</td><td>10.84</td><td>36.21</td><td>0.00</td><td>251</td><td>320</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5444.82	65.39	74.00	-8.61	55.69	35.12	10.82	36.24	0.00	251	320	PEAK	2	5463.96	64.83	68.20	-3.37	55.16	35.04	10.84	36.21	0.00	251	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5444.82	65.39	74.00	-8.61	55.69	35.12	10.82	36.24	0.00	251	320	PEAK																																																								
2	5463.96	64.83	68.20	-3.37	55.16	35.04	10.84	36.21	0.00	251	320	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>109.65</td><td>-----</td><td>-----</td><td>100.01</td><td>34.90</td><td>10.89</td><td>36.15</td><td>0.00</td><td>251</td><td>320</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	109.65	-----	-----	100.01	34.90	10.89	36.15	0.00	251	320	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	109.65	-----	-----	100.01	34.90	10.89	36.15	0.00	251	320	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.72</td><td>52.16</td><td>54.00</td><td>-1.84</td><td>42.45</td><td>35.13</td><td>10.82</td><td>36.24</td><td>0.00</td><td>251</td><td>320</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.72	52.16	54.00	-1.84	42.45	35.13	10.82	36.24	0.00	251	320	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5443.72	52.16	54.00	-1.84	42.45	35.13	10.82	36.24	0.00	251	320	AVERAGE																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.22</td><td>-----</td><td>-----</td><td>89.26</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>251</td><td>320</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	99.22	-----	-----	89.26	34.90	11.04	35.98	0.00	251	320	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	99.22	-----	-----	89.26	34.90	11.04	35.98	0.00	251	320	AVERAGE																																																								




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.81</td><td>65.05</td><td>68.20</td><td>-3.15</td><td>56.20</td><td>34.98</td><td>11.18</td><td>37.31</td><td>0.00</td><td>251</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.81	65.05	68.20	-3.15	56.20	34.98	11.18	37.31	0.00	251	320	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.81	65.05	68.20	-3.15	56.20	34.98	11.18	37.31	0.00	251	320	PEAK																																												







		41																																																																																																																											
Mode		Band Edge - L																																																																																																																											
		U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																																											
ANT		CDD 1S4T																																																																																																																											
Pol.	Vertical										Fundamental																																																																																																																		
Peak																																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5430.52	61.40	74.00	-12.60	51.67	35.18	10.81	36.26	0.00	294	33	PEAK	2	5467.04	64.94	68.20	-3.26	55.26	35.03	10.85	36.20	0.00	294	33	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	105.33	-----	-----	95.37	34.90	11.04	35.98	0.00	294	33	PEAK	Avg																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5430.52	61.40	74.00	-12.60	51.67	35.18	10.81	36.26	0.00	294	33	PEAK																																																																																																																	
2	5467.04	64.94	68.20	-3.26	55.26	35.03	10.85	36.20	0.00	294	33	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5570.00	105.33	-----	-----	95.37	34.90	11.04	35.98	0.00	294	33	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5428.32	50.07	54.00	-3.93	40.34	35.19	10.80	36.26	0.00	294	33	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	96.02	-----	-----	86.06	34.90	11.04	35.98	0.00	294	33	AVERAGE																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5428.32	50.07	54.00	-3.93	40.34	35.19	10.80	36.26	0.00	294	33	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5570.00	96.02	-----	-----	86.06	34.90	11.04	35.98	0.00	294	33	AVERAGE																																																																																																																	







Mode	41																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																			
ANT	CDD 1S4T																																																			
Pol.	Vertical	Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.70</td><td>60.11</td><td>68.20</td><td>-8.09</td><td>51.49</td><td>35.04</td><td>11.20</td><td>37.62</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>294</td><td>33 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5745.70	60.11	68.20	-8.09	51.49	35.04	11.20	37.62	0.00									294	33 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																											
1	5745.70	60.11	68.20	-8.09	51.49	35.04	11.20	37.62	0.00																																											
								294	33 PEAK																																											






		42																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_RU52*4_5500MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.60</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>47.96</td><td>35.17</td><td>10.81</td><td>36.26</td><td>0.00</td><td>301</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>46.85</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>301</td><td>316</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.60	57.68	74.00	-16.32	47.96	35.17	10.81	36.26	0.00	301	316	PEAK	2	5468.40	56.53	68.20	-11.67	46.85	35.03	10.85	36.20	0.00	301	316	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.57</td><td>-----</td><td>-----</td><td>105.94</td><td>34.92</td><td>10.88</td><td>36.17</td><td>0.00</td><td>301</td><td>316</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.57	-----	-----	105.94	34.92	10.88	36.17	0.00	301	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5431.60	57.68	74.00	-16.32	47.96	35.17	10.81	36.26	0.00	301	316	PEAK																																																																																																				
2	5468.40	56.53	68.20	-11.67	46.85	35.03	10.85	36.20	0.00	301	316	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	115.57	-----	-----	105.94	34.92	10.88	36.17	0.00	301	316	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.04</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>35.98</td><td>35.09</td><td>10.83</td><td>36.22</td><td>0.00</td><td>301</td><td>316</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.04	45.68	54.00	-8.32	35.98	35.09	10.83	36.22	0.00	301	316	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.25</td><td>-----</td><td>-----</td><td>95.62</td><td>34.92</td><td>10.88</td><td>36.17</td><td>0.00</td><td>301</td><td>316</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.25	-----	-----	95.62	34.92	10.88	36.17	0.00	301	316	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.04	45.68	54.00	-8.32	35.98	35.09	10.83	36.22	0.00	301	316	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.25	-----	-----	95.62	34.92	10.88	36.17	0.00	301	316	AVERAGE																																																																																																				






		42																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_RU52*4_5500MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.60</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>48.60</td><td>35.14</td><td>10.82</td><td>36.24</td><td>0.00</td><td>235</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>47.51</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>235</td><td>236</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.60	58.32	74.00	-15.68	48.60	35.14	10.82	36.24	0.00	235	236	PEAK	2	5462.48	57.19	68.20	-11.01	47.51	35.05	10.84	36.21	0.00	235	236	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.58</td><td>-----</td><td>-----</td><td>102.95</td><td>34.92</td><td>10.88</td><td>36.17</td><td>0.00</td><td>235</td><td>236</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.58	-----	-----	102.95	34.92	10.88	36.17	0.00	235	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5439.60	58.32	74.00	-15.68	48.60	35.14	10.82	36.24	0.00	235	236	PEAK																																																																																																				
2	5462.48	57.19	68.20	-11.01	47.51	35.05	10.84	36.21	0.00	235	236	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	112.58	-----	-----	102.95	34.92	10.88	36.17	0.00	235	236	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.68</td><td>45.51</td><td>54.00</td><td>-8.49</td><td>35.00</td><td>35.15</td><td>10.81</td><td>36.25</td><td>0.00</td><td>235</td><td>236</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.68	45.51	54.00	-8.49	35.00	35.15	10.81	36.25	0.00	235	236	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.38</td><td>-----</td><td>-----</td><td>93.75</td><td>34.92</td><td>10.88</td><td>36.17</td><td>0.00</td><td>235</td><td>236</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.38	-----	-----	93.75	34.92	10.88	36.17	0.00	235	236	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5437.68	45.51	54.00	-8.49	35.00	35.15	10.81	36.25	0.00	235	236	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	103.38	-----	-----	93.75	34.92	10.88	36.17	0.00	235	236	AVERAGE																																																																																																				





Mode	43																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_RU52*4_5700MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.24</td><td>58.59</td><td>68.20</td><td>-9.61</td><td>49.73</td><td>34.98</td><td>11.18</td><td>37.30</td><td>0.00</td><td>232</td><td>323 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.24	58.59	68.20	-9.61	49.73	34.98	11.18	37.30	0.00	232	323 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>116.13</td><td>-----</td><td>-----</td><td>106.88</td><td>34.90</td><td>11.13</td><td>36.78</td><td>0.00</td><td>232</td><td>323 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	116.13	-----	-----	106.88	34.90	11.13	36.78	0.00	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5725.24	58.59	68.20	-9.61	49.73	34.98	11.18	37.30	0.00	232	323 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	116.13	-----	-----	106.88	34.90	11.13	36.78	0.00	232	323 PEAK																																																																																				
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>107.08</td><td>-----</td><td>-----</td><td>97.83</td><td>34.90</td><td>11.13</td><td>36.78</td><td>0.00</td><td>232</td><td>323 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	107.08	-----	-----	97.83	34.90	11.13	36.78	0.00	232	323 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	107.08	-----	-----	97.83	34.90	11.13	36.78	0.00	232	323 AVERAGE																																																																																				





Mode	43																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_RU52*4_5700MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.32</td><td>56.68</td><td>68.20 -11.52</td><td>48.05</td><td>35.04</td><td>11.20</td><td>37.61</td><td>0.00</td><td>127</td><td>148 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.32	56.68	68.20 -11.52	48.05	35.04	11.20	37.61	0.00	127	148 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>112.34</td><td>-----</td><td>-----</td><td>103.17</td><td>34.90</td><td>11.14</td><td>36.87</td><td>0.00</td><td>127 148 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	112.34	-----	-----	103.17	34.90	11.14	36.87	0.00	127 148 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5745.32	56.68	68.20 -11.52	48.05	35.04	11.20	37.61	0.00	127	148 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	112.34	-----	-----	103.17	34.90	11.14	36.87	0.00	127 148 PEAK																																																																					
Avg	Blank	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.49</td><td>-----</td><td>-----</td><td>93.32</td><td>34.90</td><td>11.14</td><td>36.87</td><td>0.00</td><td>127 148 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	102.49	-----	-----	93.32	34.90	11.14	36.87	0.00	127 148 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	102.49	-----	-----	93.32	34.90	11.14	36.87	0.00	127 148 AVERAGE																																																																					



Mode	44																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10452.53</td><td>53.42</td><td>68.20</td><td>-14.78</td><td>67.32</td><td>37.47</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10452.53	53.42	68.20	-14.78	67.32	37.47	15.54	66.91	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10456.20</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>68.48</td><td>37.47</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10456.20	54.58	68.20	-13.62	68.48	37.47	15.54	66.91	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10452.53	53.42	68.20	-14.78	67.32	37.47	15.54	66.91	0.00	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10456.20	54.58	68.20	-13.62	68.48	37.47	15.54	66.91	0.00	---	---	Peak																																																																																								





Mode	45																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.725-5.85_802.11BE EHT20_CH144_Full_5720MHz																																																																																																											
ANT	CDD 1S4T																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.29</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.33	74.00	-28.67	57.29	38.08	16.32	66.36	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>58.06</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.10	74.00	-27.90	58.06	38.08	16.32	66.36	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	45.33	74.00	-28.67	57.29	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	11440.00	46.10	74.00	-27.90	58.06	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																






Mode	46																																																								
	Harmonic																																																								
	U-NII-2C_5.725-5.85_802.11BE EHT40_CH142_Full_5710MHz																																																								
ANT	CDD 1S4T																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.22</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.20	74.00	-28.80	57.22	38.04	16.31	66.37	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11420.00	45.20	74.00	-28.80	57.22	38.04	16.31	66.37	0.00	---	---	PEAK																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>57.38</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.36	74.00	-28.64	57.38	38.04	16.31	66.37	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11420.00	45.36	74.00	-28.64	57.38	38.04	16.31	66.37	0.00	---	---	PEAK																																													






Mode	47																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.725-5.85_802.11BE EHT80_CH138_Full_5690MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>56.62</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.49	74.00	-29.51	56.62	37.98	16.29	66.40	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>57.96</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	45.83	74.00	-28.17	57.96	37.98	16.29	66.40	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	44.49	74.00	-29.51	56.62	37.98	16.29	66.40	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11380.00	45.83	74.00	-28.17	57.96	37.98	16.29	66.40	0.00	---	---	PEAK																																																																																							





Mode	48																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.60</td><td>59.95</td><td>68.20</td><td>-8.25</td><td>50.01</td><td>34.90</td><td>11.03</td><td>35.99</td><td>0.00</td><td>266</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>58.85</td><td>68.95</td><td>-10.10</td><td>49.01</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>266</td><td>314</td><td>PEAK</td></tr><tr><td>3</td><td>5709.02</td><td>75.93</td><td>107.83</td><td>-31.90</td><td>66.89</td><td>34.93</td><td>11.15</td><td>37.04</td><td>0.00</td><td>266</td><td>314</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>77.75</td><td>110.90</td><td>-33.15</td><td>68.84</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>266</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.60	59.95	68.20	-8.25	50.01	34.90	11.03	35.99	0.00	266	314	PEAK	2	5651.00	58.85	68.95	-10.10	49.01	34.90	11.07	36.13	0.00	266	314	PEAK	3	5709.02	75.93	107.83	-31.90	66.89	34.93	11.15	37.04	0.00	266	314	PEAK	4	5720.00	77.75	110.90	-33.15	68.84	34.96	11.17	37.22	0.00	266	314	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>124.49</td><td>-----</td><td>-----</td><td>115.77</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>266</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	124.49	-----	-----	115.77	35.01	11.19	37.48	0.00	266	314	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5616.60	59.95	68.20	-8.25	50.01	34.90	11.03	35.99	0.00	266	314	PEAK																																																																																																																															
2	5651.00	58.85	68.95	-10.10	49.01	34.90	11.07	36.13	0.00	266	314	PEAK																																																																																																																															
3	5709.02	75.93	107.83	-31.90	66.89	34.93	11.15	37.04	0.00	266	314	PEAK																																																																																																																															
4	5720.00	77.75	110.90	-33.15	68.84	34.96	11.17	37.22	0.00	266	314	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	124.49	-----	-----	115.77	35.01	11.19	37.48	0.00	266	314	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.23</td><td>-----</td><td>-----</td><td>105.51</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>266</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.23	-----	-----	105.51	35.01	11.19	37.48	0.00	266	314	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	114.23	-----	-----	105.51	35.01	11.19	37.48	0.00	266	314	AVERAGE																																																																																																																															






Mode	48																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.60</td><td>59.05</td><td>68.20</td><td>-9.15</td><td>49.14</td><td>34.90</td><td>11.07</td><td>36.06</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>56.78</td><td>68.37</td><td>-11.59</td><td>46.93</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>3</td><td>5704.22</td><td>68.40</td><td>106.48</td><td>-38.08</td><td>59.31</td><td>34.91</td><td>11.15</td><td>36.97</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.35</td><td>110.90</td><td>-40.55</td><td>61.44</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.60	59.05	68.20	-9.15	49.14	34.90	11.07	36.06	0.00	300	354	PEAK	2	5650.22	56.78	68.37	-11.59	46.93	34.90	11.07	36.12	0.00	300	354	PEAK	3	5704.22	68.40	106.48	-38.08	59.31	34.91	11.15	36.97	0.00	300	354	PEAK	4	5720.00	70.35	110.90	-40.55	61.44	34.96	11.17	37.22	0.00	300	354	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>121.00</td><td>-----</td><td>-----</td><td>112.28</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	121.00	-----	-----	112.28	35.01	11.19	37.48	0.00	300	354
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5646.60	59.05	68.20	-9.15	49.14	34.90	11.07	36.06	0.00	300	354	PEAK																																																																																																																														
2	5650.22	56.78	68.37	-11.59	46.93	34.90	11.07	36.12	0.00	300	354	PEAK																																																																																																																														
3	5704.22	68.40	106.48	-38.08	59.31	34.91	11.15	36.97	0.00	300	354	PEAK																																																																																																																														
4	5720.00	70.35	110.90	-40.55	61.44	34.96	11.17	37.22	0.00	300	354	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	121.00	-----	-----	112.28	35.01	11.19	37.48	0.00	300	354	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.56</td><td>-----</td><td>-----</td><td>101.84</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>354</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.56	-----	-----	101.84	35.01	11.19	37.48	0.00	300	354	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.56	-----	-----	101.84	35.01	11.19	37.48	0.00	300	354	AVERAGE																																																																																																																														




Mode	48																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																							
ANT	CDD 1S4T																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>69.18</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>299</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>57.80</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>299</td><td>147</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>52.67</td><td>68.20</td><td>-15.53</td><td>54.71</td><td>42.09</td><td>20.16</td><td>64.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	57.54	74.00	-16.46	69.18	38.34	16.36	66.34	0.00	299	147	PEAK	2	11490.00	46.16	54.00	-7.84	57.80	38.34	16.36	66.34	0.00	299	147	AVERAGE	3	17235.00	52.67	68.20	-15.53	54.71	42.09	20.16	64.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>67.97</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>304</td><td>15</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>56.73</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>304</td><td>15</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>57.22</td><td>68.20</td><td>-10.98</td><td>59.26</td><td>42.09</td><td>20.16</td><td>64.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	56.33	74.00	-17.67	67.97	38.34	16.36	66.34	0.00	304	15	PEAK	2	11490.00	45.09	54.00	-8.91	56.73	38.34	16.36	66.34	0.00	304	15	AVERAGE	3	17235.00	57.22	68.20	-10.98	59.26	42.09	20.16	64.29	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11490.00	57.54	74.00	-16.46	69.18	38.34	16.36	66.34	0.00	299	147	PEAK																																																																																																																																												
2	11490.00	46.16	54.00	-7.84	57.80	38.34	16.36	66.34	0.00	299	147	AVERAGE																																																																																																																																												
3	17235.00	52.67	68.20	-15.53	54.71	42.09	20.16	64.29	0.00	---	---	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11490.00	56.33	74.00	-17.67	67.97	38.34	16.36	66.34	0.00	304	15	PEAK																																																																																																																																												
2	11490.00	45.09	54.00	-8.91	56.73	38.34	16.36	66.34	0.00	304	15	AVERAGE																																																																																																																																												
3	17235.00	57.22	68.20	-10.98	59.26	42.09	20.16	64.29	0.00	---	---	PEAK																																																																																																																																												






		49																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT		CDD 1S4T																																																																																												
Pol.		Horizontal																																																																																												
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.42</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>50.80</td><td>34.90</td><td>11.02</td><td>35.99</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>59.48</td><td>68.65</td><td>-9.17</td><td>49.64</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5717.02</td><td>73.92</td><td>110.07</td><td>-36.15</td><td>64.97</td><td>34.95</td><td>11.17</td><td>37.17</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5721.02</td><td>72.82</td><td>113.23</td><td>-40.41</td><td>63.92</td><td>34.96</td><td>11.17</td><td>37.23</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5615.42	60.73	68.20	-7.47	50.80	34.90	11.02	35.99	0.00	279	317	PEAK	2	5650.60	59.48	68.65	-9.17	49.64	34.90	11.07	36.13	0.00	279	317	PEAK	3	5717.02	73.92	110.07	-36.15	64.97	34.95	11.17	37.17	0.00	279	317	PEAK	4	5721.02	72.82	113.23	-40.41	63.92	34.96	11.17	37.23	0.00	279	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5615.42	60.73	68.20	-7.47	50.80	34.90	11.02	35.99	0.00	279	317	PEAK																																																																																		
2	5650.60	59.48	68.65	-9.17	49.64	34.90	11.07	36.13	0.00	279	317	PEAK																																																																																		
3	5717.02	73.92	110.07	-36.15	64.97	34.95	11.17	37.17	0.00	279	317	PEAK																																																																																		
4	5721.02	72.82	113.23	-40.41	63.92	34.96	11.17	37.23	0.00	279	317	PEAK																																																																																		
																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>124.11</td><td>-----</td><td>-----</td><td>115.00</td><td>35.12</td><td>11.24</td><td>38.05</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	124.11	-----	-----	115.00	35.12	11.24	38.05	0.00	279	317	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5785.00	124.11	-----	-----	115.00	35.12	11.24	38.05	0.00	279	317	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>114.63</td><td>-----</td><td>-----</td><td>106.32</td><td>35.12</td><td>11.24</td><td>38.05</td><td>0.00</td><td>279</td><td>317</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	114.63	-----	-----	106.32	35.12	11.24	38.05	0.00	279	317	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5785.00	114.63	-----	-----	106.32	35.12	11.24	38.05	0.00	279	317	AVERAGE																																																																																		




Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>66.59</td><td>112.67</td><td>-46.08</td><td>59.33</td><td>35.25</td><td>11.33</td><td>39.32</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5859.00</td><td>66.55</td><td>109.78</td><td>-43.23</td><td>59.27</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>48.62</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5959.80</td><td>57.88</td><td>68.20</td><td>-10.32</td><td>50.13</td><td>35.48</td><td>11.43</td><td>39.16</td><td>0.00</td><td>279</td><td>317</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	66.59	112.67	-46.08	59.33	35.25	11.33	39.32	0.00	279	317	PEAK	2	5859.00	66.55	109.78	-43.23	59.27	35.26	11.34	39.32	0.00	279	317	PEAK	3	5925.00	56.18	68.20	-12.02	48.62	35.38	11.40	39.22	0.00	279	317	PEAK	4	5959.80	57.88	68.20	-10.32	50.13	35.48	11.43	39.16	0.00	279	317	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.22	66.59	112.67	-46.08	59.33	35.25	11.33	39.32	0.00	279	317	PEAK																																																																									
2	5859.00	66.55	109.78	-43.23	59.27	35.26	11.34	39.32	0.00	279	317	PEAK																																																																									
3	5925.00	56.18	68.20	-12.02	48.62	35.38	11.40	39.22	0.00	279	317	PEAK																																																																									
4	5959.80	57.88	68.20	-10.32	50.13	35.48	11.43	39.16	0.00	279	317	PEAK																																																																									



Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.60</td><td>59.18</td><td>68.20</td><td>-9.02</td><td>49.26</td><td>34.90</td><td>11.02</td><td>36.00</td><td>0.00</td><td>328</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>58.07</td><td>68.95</td><td>-10.88</td><td>48.23</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>328</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5714.60</td><td>71.84</td><td>109.39</td><td>-37.55</td><td>62.87</td><td>34.94</td><td>11.16</td><td>37.13</td><td>0.00</td><td>328</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>67.90</td><td>112.27</td><td>-44.37</td><td>58.99</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>328</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.60	59.18	68.20	-9.02	49.26	34.90	11.02	36.00	0.00	328	0	PEAK	2	5651.00	58.07	68.95	-10.88	48.23	34.90	11.07	36.13	0.00	328	0	PEAK	3	5714.60	71.84	109.39	-37.55	62.87	34.94	11.16	37.13	0.00	328	0	PEAK	4	5720.60	67.90	112.27	-44.37	58.99	34.96	11.17	37.22	0.00	328	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>121.32</td><td>-----</td><td>-----</td><td>113.08</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>328</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	121.32	-----	-----	113.08	35.14	11.25	38.15	0.00	328	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5612.60	59.18	68.20	-9.02	49.26	34.90	11.02	36.00	0.00	328	0	PEAK																																																																																																																															
2	5651.00	58.07	68.95	-10.88	48.23	34.90	11.07	36.13	0.00	328	0	PEAK																																																																																																																															
3	5714.60	71.84	109.39	-37.55	62.87	34.94	11.16	37.13	0.00	328	0	PEAK																																																																																																																															
4	5720.60	67.90	112.27	-44.37	58.99	34.96	11.17	37.22	0.00	328	0	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	121.32	-----	-----	113.08	35.14	11.25	38.15	0.00	328	0	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.72</td><td>-----</td><td>-----</td><td>102.48</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>328</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.72	-----	-----	102.48	35.14	11.25	38.15	0.00	328	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	110.72	-----	-----	102.48	35.14	11.25	38.15	0.00	328	0	AVERAGE																																																																																																																															






Mode	49																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	CDD 1S4T																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>63.95</td><td>110.90</td><td>-46.95</td><td>56.68</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>328</td><td>0 PEAK</td></tr><tr><td>2</td><td>5855.10</td><td>63.95</td><td>110.87</td><td>-46.92</td><td>56.68</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>328</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>55.41</td><td>68.50</td><td>-13.09</td><td>47.86</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>328</td><td>0 PEAK</td></tr><tr><td>4</td><td>5955.00</td><td>57.87</td><td>68.20</td><td>-10.33</td><td>50.14</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>328</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	63.95	110.90	-46.95	56.68	35.26	11.34	39.33	0.00	328	0 PEAK	2	5855.10	63.95	110.87	-46.92	56.68	35.26	11.34	39.33	0.00	328	0 PEAK	3	5924.60	55.41	68.50	-13.09	47.86	35.37	11.40	39.22	0.00	328	0 PEAK	4	5955.00	57.87	68.20	-10.33	50.14	35.47	11.43	39.17	0.00	328	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5855.00	63.95	110.90	-46.95	56.68	35.26	11.34	39.33	0.00	328	0 PEAK																																																																																	
2	5855.10	63.95	110.87	-46.92	56.68	35.26	11.34	39.33	0.00	328	0 PEAK																																																																																	
3	5924.60	55.41	68.50	-13.09	47.86	35.37	11.40	39.22	0.00	328	0 PEAK																																																																																	
4	5955.00	57.87	68.20	-10.33	50.14	35.47	11.43	39.17	0.00	328	0 PEAK																																																																																	






		49																																																																																
Mode		Harmonic																																																																																
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																
ANT		CDD 1S4T																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	50.10	74.00	-23.90	61.59	38.43	16.41	66.33	0.00	313	298	PEAK	2	11570.00	40.60	54.00	-13.40	52.09	38.43	16.41	66.33	0.00	313	298	AVERAGE	3	17356.13	63.27	68.20	-4.93	65.45	41.98	20.24	64.40	0.00	300	310	Peak												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11570.00	50.10	74.00	-23.90	61.59	38.43	16.41	66.33	0.00	313	298	PEAK																																																																						
2	11570.00	40.60	54.00	-13.40	52.09	38.43	16.41	66.33	0.00	313	298	AVERAGE																																																																						
3	17356.13	63.27	68.20	-4.93	65.45	41.98	20.24	64.40	0.00	300	310	Peak																																																																						
		Vertical																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>61.97</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>315</td><td>7</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>40.63</td><td>54.00</td><td>-13.37</td><td>52.12</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>315</td><td>7</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.40</td><td>60.49</td><td>68.20</td><td>-7.71</td><td>62.67</td><td>41.98</td><td>20.24</td><td>64.40</td><td>0.00</td><td>100</td><td>207</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	50.48	74.00	-23.52	61.97	38.43	16.41	66.33	0.00	315	7	PEAK	2	11570.00	40.63	54.00	-13.37	52.12	38.43	16.41	66.33	0.00	315	7	AVERAGE	3	17355.40	60.49	68.20	-7.71	62.67	41.98	20.24	64.40	0.00	100	207	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11570.00	50.48	74.00	-23.52	61.97	38.43	16.41	66.33	0.00	315	7	PEAK																																																																						
2	11570.00	40.63	54.00	-13.37	52.12	38.43	16.41	66.33	0.00	315	7	AVERAGE																																																																						
3	17355.40	60.49	68.20	-7.71	62.67	41.98	20.24	64.40	0.00	100	207	Peak																																																																						



Mode	50																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Horizontal					Fundamental																																																																																																																										
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>78.08</td><td>110.90</td><td>-32.82</td><td>70.81</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>282</td><td>316 PEAK</td></tr><tr><td>2 5855.10</td><td>78.08</td><td>110.87</td><td>-32.79</td><td>70.81</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>282</td><td>316 PEAK</td></tr><tr><td>3 5924.22</td><td>56.51</td><td>68.77</td><td>-12.26</td><td>48.96</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>282</td><td>316 PEAK</td></tr><tr><td>4 5977.02</td><td>56.70</td><td>68.20</td><td>-11.50</td><td>48.85</td><td>35.53</td><td>11.45</td><td>39.13</td><td>0.00</td><td>282</td><td>316 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	78.08	110.90	-32.82	70.81	35.26	11.34	39.33	0.00	282	316 PEAK	2 5855.10	78.08	110.87	-32.79	70.81	35.26	11.34	39.33	0.00	282	316 PEAK	3 5924.22	56.51	68.77	-12.26	48.96	35.37	11.40	39.22	0.00	282	316 PEAK	4 5977.02	56.70	68.20	-11.50	48.85	35.53	11.45	39.13	0.00	282	316 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>122.15</td><td>-----</td><td>-----</td><td>114.34</td><td>35.22</td><td>11.30</td><td>38.71</td><td>0.00</td><td>282</td><td>316 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	122.15	-----	-----	114.34	35.22	11.30	38.71	0.00	282
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5855.00	78.08	110.90	-32.82	70.81	35.26	11.34	39.33	0.00	282	316 PEAK																																																																																																																						
2 5855.10	78.08	110.87	-32.79	70.81	35.26	11.34	39.33	0.00	282	316 PEAK																																																																																																																						
3 5924.22	56.51	68.77	-12.26	48.96	35.37	11.40	39.22	0.00	282	316 PEAK																																																																																																																						
4 5977.02	56.70	68.20	-11.50	48.85	35.53	11.45	39.13	0.00	282	316 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	122.15	-----	-----	114.34	35.22	11.30	38.71	0.00	282	316 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.35</td><td>-----</td><td>-----</td><td>104.54</td><td>35.22</td><td>11.30</td><td>38.71</td><td>0.00</td><td>282</td><td>316 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.35	-----	-----	104.54	35.22	11.30	38.71	0.00	282	316 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5825.00	112.35	-----	-----	104.54	35.22	11.30	38.71	0.00	282	316 AVERAGE																																																																																																																						






Mode	50																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.22</td><td>71.39</td><td>112.67</td><td>-41.28</td><td>64.13</td><td>35.25</td><td>11.33</td><td>39.32</td><td>0.00</td><td>323</td><td>0 PEAK</td></tr><tr><td>2 5865.42</td><td>70.93</td><td>107.98</td><td>-37.05</td><td>63.62</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>323</td><td>0 PEAK</td></tr><tr><td>3 5925.00</td><td>55.58</td><td>68.20</td><td>-12.62</td><td>48.02</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>323</td><td>0 PEAK</td></tr><tr><td>4 5955.00</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>49.92</td><td>35.47</td><td>11.43</td><td>39.17</td><td>0.00</td><td>323</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.22	71.39	112.67	-41.28	64.13	35.25	11.33	39.32	0.00	323	0 PEAK	2 5865.42	70.93	107.98	-37.05	63.62	35.27	11.35	39.31	0.00	323	0 PEAK	3 5925.00	55.58	68.20	-12.62	48.02	35.38	11.40	39.22	0.00	323	0 PEAK	4 5955.00	57.65	68.20	-10.55	49.92	35.47	11.43	39.17	0.00	323	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>119.27</td><td>-----</td><td>-----</td><td>111.55</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>323</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	119.27	-----	-----	111.55	35.22	11.30	38.80	0.00	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.22	71.39	112.67	-41.28	64.13	35.25	11.33	39.32	0.00	323	0 PEAK																																																																																																																									
2 5865.42	70.93	107.98	-37.05	63.62	35.27	11.35	39.31	0.00	323	0 PEAK																																																																																																																									
3 5925.00	55.58	68.20	-12.62	48.02	35.38	11.40	39.22	0.00	323	0 PEAK																																																																																																																									
4 5955.00	57.65	68.20	-10.55	49.92	35.47	11.43	39.17	0.00	323	0 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	119.27	-----	-----	111.55	35.22	11.30	38.80	0.00	323	0 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.70</td><td>-----</td><td>-----</td><td>100.90</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>323</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.70	-----	-----	100.90	35.22	11.30	38.80	0.00	323	0 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	108.70	-----	-----	100.90	35.22	11.30	38.80	0.00	323	0 AVERAGE																																																																																																																									






Mode	50																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>65.23</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>111</td><td>338</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11650.00</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>54.68</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>111</td><td>338</td><td colspan="5">AVERAGE</td><td></td></tr><tr><td>3</td><td>17477.13</td><td>66.34</td><td>68.20</td><td>-1.86</td><td>68.66</td><td>41.87</td><td>20.32</td><td>64.51</td><td>0.00</td><td>309</td><td>308</td><td colspan="5">Peak</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11650.00	53.87	74.00	-20.13	65.23	38.51	16.46	66.33	0.00	111	338	PEAK						2	11650.00	43.32	54.00	-10.68	54.68	38.51	16.46	66.33	0.00	111	338	AVERAGE						3	17477.13	66.34	68.20	-1.86	68.66	41.87	20.32	64.51	0.00	309	308	Peak						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>63.91</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>294</td><td>27</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11650.00</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>52.22</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>294</td><td>27</td><td colspan="5">AVERAGE</td><td></td></tr><tr><td>3</td><td>17477.13</td><td>61.28</td><td>68.20</td><td>-6.92</td><td>63.60</td><td>41.87</td><td>20.32</td><td>64.51</td><td>0.00</td><td>300</td><td>197</td><td colspan="5">Peak</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11650.00	52.55	74.00	-21.45	63.91	38.51	16.46	66.33	0.00	294	27	PEAK						2	11650.00	40.86	54.00	-13.14	52.22	38.51	16.46	66.33	0.00	294	27	AVERAGE						3	17477.13	61.28	68.20	-6.92	63.60	41.87	20.32	64.51	0.00	300	197	Peak				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	11650.00	53.87	74.00	-20.13	65.23	38.51	16.46	66.33	0.00	111	338	PEAK																																																																																																																																																																																																																							
2	11650.00	43.32	54.00	-10.68	54.68	38.51	16.46	66.33	0.00	111	338	AVERAGE																																																																																																																																																																																																																							
3	17477.13	66.34	68.20	-1.86	68.66	41.87	20.32	64.51	0.00	309	308	Peak																																																																																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	11650.00	52.55	74.00	-21.45	63.91	38.51	16.46	66.33	0.00	294	27	PEAK																																																																																																																																																																																																																							
2	11650.00	40.86	54.00	-13.14	52.22	38.51	16.46	66.33	0.00	294	27	AVERAGE																																																																																																																																																																																																																							
3	17477.13	61.28	68.20	-6.92	63.60	41.87	20.32	64.51	0.00	300	197	Peak																																																																																																																																																																																																																							





		51																																																																																														
Mode		Band Edge																																																																																														
		U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																														
ANT		CDD 1S4T																																																																																														
Pol.		Horizontal																																																																																														
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.42</td><td>60.57</td><td>68.20</td><td>-7.63</td><td>50.59</td><td>34.90</td><td>11.05</td><td>35.97</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>59.96</td><td>68.37</td><td>-8.41</td><td>50.11</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>5719.00</td><td>85.91</td><td>110.62</td><td>-24.71</td><td>76.98</td><td>34.96</td><td>11.17</td><td>37.20</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>83.96</td><td>112.27</td><td>-28.31</td><td>75.05</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.42	60.57	68.20	-7.63	50.59	34.90	11.05	35.97	0.00	300	317	PEAK	2	5650.22	59.96	68.37	-8.41	50.11	34.90	11.07	36.12	0.00	300	317	PEAK	3	5719.00	85.91	110.62	-24.71	76.98	34.96	11.17	37.20	0.00	300	317	PEAK	4	5720.60	83.96	112.27	-28.31	75.05	34.96	11.17	37.22	0.00	300	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5633.42	60.57	68.20	-7.63	50.59	34.90	11.05	35.97	0.00	300	317	PEAK																																																																																				
2	5650.22	59.96	68.37	-8.41	50.11	34.90	11.07	36.12	0.00	300	317	PEAK																																																																																				
3	5719.00	85.91	110.62	-24.71	76.98	34.96	11.17	37.20	0.00	300	317	PEAK																																																																																				
4	5720.60	83.96	112.27	-28.31	75.05	34.96	11.17	37.22	0.00	300	317	PEAK																																																																																				
Fundamental																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>122.80</td><td>-----</td><td>-----</td><td>114.08</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	122.80	-----	-----	114.08	35.01	11.19	37.48	0.00	300	317	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	122.80	-----	-----	114.08	35.01	11.19	37.48	0.00	300	317	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.77</td><td>-----</td><td>-----</td><td>106.05</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>300</td><td>317</td><td>AVERAGE</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.77	-----	-----	106.05	35.01	11.19	37.48	0.00	300	317	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5745.00	114.77	-----	-----	106.05	35.01	11.19	37.48	0.00	300	317	AVERAGE																																																																																				





Mode	51																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.58</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>48.89</td><td>34.90</td><td>11.01</td><td>36.01</td><td>0.00</td><td>319</td><td>356 PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>57.57</td><td>68.95</td><td>-11.38</td><td>47.73</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>319</td><td>356 PEAK</td></tr><tr><td>3</td><td>5711.00</td><td>78.93</td><td>108.61</td><td>-29.68</td><td>69.92</td><td>34.94</td><td>11.16</td><td>37.09</td><td>0.00</td><td>319</td><td>356 PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>81.76</td><td>112.27</td><td>-30.51</td><td>72.85</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>319</td><td>356 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5604.58	58.79	68.20	-9.41	48.89	34.90	11.01	36.01	0.00	319	356 PEAK	2	5651.00	57.57	68.95	-11.38	47.73	34.90	11.07	36.13	0.00	319	356 PEAK	3	5711.00	78.93	108.61	-29.68	69.92	34.94	11.16	37.09	0.00	319	356 PEAK	4	5720.60	81.76	112.27	-30.51	72.85	34.96	11.17	37.22	0.00	319	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.13</td><td>-----</td><td>-----</td><td>110.41</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>319</td><td>356 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	119.13	-----	-----	110.41	35.01	11.19	37.48	0.00	319	356 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5604.58	58.79	68.20	-9.41	48.89	34.90	11.01	36.01	0.00	319	356 PEAK																																																																																																								
2	5651.00	57.57	68.95	-11.38	47.73	34.90	11.07	36.13	0.00	319	356 PEAK																																																																																																								
3	5711.00	78.93	108.61	-29.68	69.92	34.94	11.16	37.09	0.00	319	356 PEAK																																																																																																								
4	5720.60	81.76	112.27	-30.51	72.85	34.96	11.17	37.22	0.00	319	356 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	119.13	-----	-----	110.41	35.01	11.19	37.48	0.00	319	356 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.58</td><td>-----</td><td>-----</td><td>102.86</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>319</td><td>356 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	111.58	-----	-----	102.86	35.01	11.19	37.48	0.00	319	356 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	111.58	-----	-----	102.86	35.01	11.19	37.48	0.00	319	356 AVERAGE																																																																																																								




Mode	51																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_Full_5745MHz																																																																																																																										
ANT	CDD 1S4T																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																		
Peak Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 11490.00</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>66.90</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>56.22</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td></tr><tr><td>3 17235.00</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>61.16</td><td>42.09</td><td>20.16</td><td>64.29</td><td>0.00</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	55.26	74.00	-18.74	66.90	38.34	16.36	66.34	0.00	2 11490.00	44.58	54.00	-9.42	56.22	38.34	16.36	66.34	0.00	3 17235.00	59.12	68.20	-9.08	61.16	42.09	20.16	64.29	0.00	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 11490.00</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>66.82</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>55.91</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td></tr><tr><td>3 17235.00</td><td>55.78</td><td>68.20</td><td>-12.42</td><td>57.82</td><td>42.09</td><td>20.16</td><td>64.29</td><td>0.00</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	55.18	74.00	-18.82	66.82	38.34	16.36	66.34	0.00	2 11490.00	44.27	54.00	-9.73	55.91	38.34	16.36	66.34	0.00	3 17235.00	55.78	68.20	-12.42	57.82	42.09	20.16	64.29
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																			
1 11490.00	55.26	74.00	-18.74	66.90	38.34	16.36	66.34	0.00																																																																																																																			
2 11490.00	44.58	54.00	-9.42	56.22	38.34	16.36	66.34	0.00																																																																																																																			
3 17235.00	59.12	68.20	-9.08	61.16	42.09	20.16	64.29	0.00																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																			
1 11490.00	55.18	74.00	-18.82	66.82	38.34	16.36	66.34	0.00																																																																																																																			
2 11490.00	44.27	54.00	-9.73	55.91	38.34	16.36	66.34	0.00																																																																																																																			
3 17235.00	55.78	68.20	-12.42	57.82	42.09	20.16	64.29	0.00																																																																																																																			






		52																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																													
ANT		CDD 1S4T																																																																																													
Pol.		Fundamental																																																																																													
Peak	Horizontal	Fundamental																																																																																													
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.22</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>49.64</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>241</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>57.60</td><td>69.26</td><td>-11.66</td><td>47.77</td><td>34.90</td><td>11.07</td><td>36.14</td><td>0.00</td><td>241</td><td>321</td><td>PEAK</td></tr><tr><td>3</td><td>5719.00</td><td>70.82</td><td>110.84</td><td>-40.02</td><td>61.90</td><td>34.96</td><td>11.17</td><td>37.21</td><td>0.00</td><td>241</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.78</td><td>110.90</td><td>-40.12</td><td>61.87</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>241</td><td>321</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.22	59.60	68.20	-8.60	49.64	34.90	11.04	35.98	0.00	241	321	PEAK	2	5651.42	57.60	69.26	-11.66	47.77	34.90	11.07	36.14	0.00	241	321	PEAK	3	5719.00	70.82	110.84	-40.02	61.90	34.96	11.17	37.21	0.00	241	321	PEAK	4	5720.00	70.78	110.90	-40.12	61.87	34.96	11.17	37.22	0.00	241	321	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5624.22	59.60	68.20	-8.60	49.64	34.90	11.04	35.98	0.00	241	321	PEAK																																																																																			
2	5651.42	57.60	69.26	-11.66	47.77	34.90	11.07	36.14	0.00	241	321	PEAK																																																																																			
3	5719.00	70.82	110.84	-40.02	61.90	34.96	11.17	37.21	0.00	241	321	PEAK																																																																																			
4	5720.00	70.78	110.90	-40.12	61.87	34.96	11.17	37.22	0.00	241	321	PEAK																																																																																			
Avg	Blank	Fundamental																																																																																													
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>121.55</td><td>-----</td><td>-----</td><td>113.24</td><td>35.12</td><td>11.24</td><td>38.05</td><td>0.00</td><td>241</td><td>321</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	121.55	-----	-----	113.24	35.12	11.24	38.05	0.00	241	321	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5785.00	121.55	-----	-----	113.24	35.12	11.24	38.05	0.00	241	321	PEAK																																																																																			




Mode	52																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																			
ANT	CDD 1S4T																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>62.52</td><td>110.90</td><td>-48.38</td><td>55.25</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>241 321 PEAK</td></tr><tr><td>2</td><td>5861.09</td><td>59.22</td><td>109.19</td><td>-49.97</td><td>51.94</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>241 321 Peak</td></tr><tr><td>3</td><td>5922.60</td><td>56.03</td><td>69.97</td><td>-13.94</td><td>48.48</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>241 321 PEAK</td></tr><tr><td>4</td><td>5947.42</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>49.30</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>241 321 PEAK</td></tr></table>	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	62.52	110.90	-48.38	55.25	35.26	11.34	39.33	0.00	241 321 PEAK	2	5861.09	59.22	109.19	-49.97	51.94	35.26	11.34	39.32	0.00	241 321 Peak	3	5922.60	56.03	69.97	-13.94	48.48	35.37	11.40	39.22	0.00	241 321 PEAK	4	5947.42	56.98	68.20	-11.22	49.30	35.44	11.42	39.18	0.00	241 321 PEAK	Blank
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5855.00	62.52	110.90	-48.38	55.25	35.26	11.34	39.33	0.00	241 321 PEAK																																																										
2	5861.09	59.22	109.19	-49.97	51.94	35.26	11.34	39.32	0.00	241 321 Peak																																																										
3	5922.60	56.03	69.97	-13.94	48.48	35.37	11.40	39.22	0.00	241 321 PEAK																																																										
4	5947.42	56.98	68.20	-11.22	49.30	35.44	11.42	39.18	0.00	241 321 PEAK																																																										





Mode	52																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.42</td><td>59.05</td><td>68.20</td><td>-9.15</td><td>49.13</td><td>34.90</td><td>11.02</td><td>36.00</td><td>0.00</td><td>314</td><td>354 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>46.00</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>314</td><td>354 PEAK</td></tr><tr><td>3</td><td>5715.00</td><td>70.95</td><td>109.50</td><td>-38.55</td><td>61.99</td><td>34.94</td><td>11.16</td><td>37.14</td><td>0.00</td><td>314</td><td>354 PEAK</td></tr><tr><td>4</td><td>5720.09</td><td>67.91</td><td>111.10</td><td>-43.19</td><td>59.00</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>314</td><td>354 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.42	59.05	68.20	-9.15	49.13	34.90	11.02	36.00	0.00	314	354 PEAK	2	5650.00	56.65	68.20	-11.55	46.00	34.90	11.07	36.12	0.00	314	354 PEAK	3	5715.00	70.95	109.50	-38.55	61.99	34.94	11.16	37.14	0.00	314	354 PEAK	4	5720.09	67.91	111.10	-43.19	59.00	34.96	11.17	37.22	0.00	314	354 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>117.84</td><td>-----</td><td>-----</td><td>109.60</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>314</td><td>354 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	117.84	-----	-----	109.60	35.14	11.25	38.15	0.00	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5613.42	59.05	68.20	-9.15	49.13	34.90	11.02	36.00	0.00	314	354 PEAK																																																																																																																										
2	5650.00	56.65	68.20	-11.55	46.00	34.90	11.07	36.12	0.00	314	354 PEAK																																																																																																																										
3	5715.00	70.95	109.50	-38.55	61.99	34.94	11.16	37.14	0.00	314	354 PEAK																																																																																																																										
4	5720.09	67.91	111.10	-43.19	59.00	34.96	11.17	37.22	0.00	314	354 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5785.00	117.84	-----	-----	109.60	35.14	11.25	38.15	0.00	314	354 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.38</td><td>-----</td><td>-----</td><td>101.14</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>314</td><td>354 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.38	-----	-----	101.14	35.14	11.25	38.15	0.00	314	354 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5785.00	109.38	-----	-----	101.14	35.14	11.25	38.15	0.00	314	354 AVERAGE																																																																																																																										






Mode	52																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>60.78</td><td>110.90</td><td>-50.12</td><td>53.51</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>314</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>56.54</td><td>105.30</td><td>-48.76</td><td>49.21</td><td>35.28</td><td>11.35</td><td>39.30</td><td>0.00</td><td>314</td><td>354</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>54.62</td><td>68.50</td><td>-13.88</td><td>47.07</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>314</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>5935.42</td><td>57.70</td><td>68.20</td><td>-10.50</td><td>50.00</td><td>35.41</td><td>11.41</td><td>39.20</td><td>0.00</td><td>314</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	60.78	110.90	-50.12	53.51	35.26	11.34	39.33	0.00	314	354	PEAK	2	5875.00	56.54	105.30	-48.76	49.21	35.28	11.35	39.30	0.00	314	354	PEAK	3	5924.60	54.62	68.50	-13.88	47.07	35.37	11.40	39.22	0.00	314	354	PEAK	4	5935.42	57.70	68.20	-10.50	50.00	35.41	11.41	39.20	0.00	314	354	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5855.00	60.78	110.90	-50.12	53.51	35.26	11.34	39.33	0.00	314	354	PEAK																																																																																			
2	5875.00	56.54	105.30	-48.76	49.21	35.28	11.35	39.30	0.00	314	354	PEAK																																																																																			
3	5924.60	54.62	68.50	-13.88	47.07	35.37	11.40	39.22	0.00	314	354	PEAK																																																																																			
4	5935.42	57.70	68.20	-10.50	50.00	35.41	11.41	39.20	0.00	314	354	PEAK																																																																																			






		52																																																																																
Mode		Harmonic																																																																																
		U-NII-3_5.725-5.85_802.11BE EHT20_CH157_Full_5785MHz																																																																																
ANT		CDD 1S4T																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>65.76</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>312</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>54.97</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>312</td><td>149</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>58.75</td><td>68.20</td><td>-9.45</td><td>60.93</td><td>41.98</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.27	74.00	-19.73	65.76	38.43	16.41	66.33	0.00	312	149	PEAK	2	11570.00	43.48	54.00	-10.52	54.97	38.43	16.41	66.33	0.00	312	149	AVERAGE	3	17355.00	58.75	68.20	-9.45	60.93	41.98	20.24	64.40	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11570.00	54.27	74.00	-19.73	65.76	38.43	16.41	66.33	0.00	312	149	PEAK																																																																						
2	11570.00	43.48	54.00	-10.52	54.97	38.43	16.41	66.33	0.00	312	149	AVERAGE																																																																						
3	17355.00	58.75	68.20	-9.45	60.93	41.98	20.24	64.40	0.00	---	---	PEAK																																																																						
		Vertical																																																																																
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>62.61</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>38.68</td><td>54.00</td><td>-15.32</td><td>50.17</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>58.99</td><td>41.98</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	51.12	74.00	-22.88	62.61	38.43	16.41	66.33	0.00	100	0	PEAK	2	11570.00	38.68	54.00	-15.32	50.17	38.43	16.41	66.33	0.00	100	0	AVERAGE	3	17355.00	56.81	68.20	-11.39	58.99	41.98	20.24	64.40	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11570.00	51.12	74.00	-22.88	62.61	38.43	16.41	66.33	0.00	100	0	PEAK																																																																						
2	11570.00	38.68	54.00	-15.32	50.17	38.43	16.41	66.33	0.00	100	0	AVERAGE																																																																						
3	17355.00	56.81	68.20	-11.39	58.99	41.98	20.24	64.40	0.00	---	---	PEAK																																																																						





Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>75.39</td><td>110.90</td><td>-35.51</td><td>68.12</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>313</td><td>319</td><td>PEAK</td></tr><tr><td>2</td><td>5856.60</td><td>80.24</td><td>110.45</td><td>-30.21</td><td>72.97</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>313</td><td>319</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>55.61</td><td>68.50</td><td>-12.89</td><td>48.06</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>313</td><td>319</td><td>PEAK</td></tr><tr><td>4</td><td>5948.60</td><td>58.57</td><td>68.20</td><td>-9.63</td><td>50.88</td><td>35.45</td><td>11.42</td><td>39.18</td><td>0.00</td><td>313</td><td>319</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	75.39	110.90	-35.51	68.12	35.26	11.34	39.33	0.00	313	319	PEAK	2	5856.60	80.24	110.45	-30.21	72.97	35.26	11.34	39.33	0.00	313	319	PEAK	3	5924.60	55.61	68.50	-12.89	48.06	35.37	11.40	39.22	0.00	313	319	PEAK	4	5948.60	58.57	68.20	-9.63	50.88	35.45	11.42	39.18	0.00	313	319	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>120.13</td><td>-----</td><td>-----</td><td>112.32</td><td>35.22</td><td>11.30</td><td>38.71</td><td>0.00</td><td>313</td><td>319</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	120.13	-----	-----	112.32	35.22	11.30	38.71	0.00	313	319	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5855.00	75.39	110.90	-35.51	68.12	35.26	11.34	39.33	0.00	313	319	PEAK																																																																																																																															
2	5856.60	80.24	110.45	-30.21	72.97	35.26	11.34	39.33	0.00	313	319	PEAK																																																																																																																															
3	5924.60	55.61	68.50	-12.89	48.06	35.37	11.40	39.22	0.00	313	319	PEAK																																																																																																																															
4	5948.60	58.57	68.20	-9.63	50.88	35.45	11.42	39.18	0.00	313	319	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	120.13	-----	-----	112.32	35.22	11.30	38.71	0.00	313	319	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.94</td><td>-----</td><td>-----</td><td>104.13</td><td>35.22</td><td>11.30</td><td>38.71</td><td>0.00</td><td>313</td><td>319</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.94	-----	-----	104.13	35.22	11.30	38.71	0.00	313	319	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	111.94	-----	-----	104.13	35.22	11.30	38.71	0.00	313	319	AVERAGE																																																																																																																															






Mode	53																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																																																								
ANT	CDD 1S4T																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.60</td><td>80.01</td><td>111.81</td><td>-31.80</td><td>72.75</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>292 40 PEAK</td></tr><tr><td>2 5856.22</td><td>79.90</td><td>110.56</td><td>-30.66</td><td>72.63</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>292 40 PEAK</td></tr><tr><td>3 5925.00</td><td>54.31</td><td>68.20</td><td>-13.89</td><td>46.75</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>292 40 PEAK</td></tr><tr><td>4 5986.60</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>49.42</td><td>35.56</td><td>11.46</td><td>39.11</td><td>0.00</td><td>292 40 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.60	80.01	111.81	-31.80	72.75	35.25	11.34	39.33	0.00	292 40 PEAK	2 5856.22	79.90	110.56	-30.66	72.63	35.26	11.34	39.33	0.00	292 40 PEAK	3 5925.00	54.31	68.20	-13.89	46.75	35.38	11.40	39.22	0.00	292 40 PEAK	4 5986.60	57.33	68.20	-10.87	49.42	35.56	11.46	39.11	0.00	292 40 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>118.22</td><td>-----</td><td>-----</td><td>110.67</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00</td><td>292 40 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	118.22	-----	-----	110.67	35.23	11.31	38.99	0.00	292 40 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1 5854.60	80.01	111.81	-31.80	72.75	35.25	11.34	39.33	0.00	292 40 PEAK																																																																																																																
2 5856.22	79.90	110.56	-30.66	72.63	35.26	11.34	39.33	0.00	292 40 PEAK																																																																																																																
3 5925.00	54.31	68.20	-13.89	46.75	35.38	11.40	39.22	0.00	292 40 PEAK																																																																																																																
4 5986.60	57.33	68.20	-10.87	49.42	35.56	11.46	39.11	0.00	292 40 PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	118.22	-----	-----	110.67	35.23	11.31	38.99	0.00	292 40 PEAK																																																																																																																
Avg	Blank					 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.09</td><td>-----</td><td>-----</td><td>101.28</td><td>35.22</td><td>11.30</td><td>38.71</td><td>0.00</td><td>292 40 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	109.09	-----	-----	101.28	35.22	11.30	38.71	0.00	292 40 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5825.00	109.09	-----	-----	101.28	35.22	11.30	38.71	0.00	292 40 AVERAGE																																																																																																																




		53																																																																																		
Mode		Harmonic																																																																																		
		U-NII-3_5.725-5.85_802.11BE EHT20_CH165_Full_5825MHz																																																																																		
ANT		CDD 1S4T																																																																																		
Pol.		Horizontal																																																																																		
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>66.72</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>142</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>54.12</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>142</td><td>343</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>60.11</td><td>68.20</td><td>-8.09</td><td>62.43</td><td>41.87</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	55.36	74.00	-18.64	66.72	38.51	16.46	66.33	0.00	142	343	PEAK	2	11650.00	42.76	54.00	-11.24	54.12	38.51	16.46	66.33	0.00	142	343	AVERAGE	3	17475.00	60.11	68.20	-8.09	62.43	41.87	20.32	64.51	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11650.00	55.36	74.00	-18.64	66.72	38.51	16.46	66.33	0.00	142	343	PEAK																																																																								
2	11650.00	42.76	54.00	-11.24	54.12	38.51	16.46	66.33	0.00	142	343	AVERAGE																																																																								
3	17475.00	60.11	68.20	-8.09	62.43	41.87	20.32	64.51	0.00	---	---	PEAK																																																																								
		Vertical																																																																																		
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>63.29</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>38.86</td><td>54.00</td><td>-15.14</td><td>50.22</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>62.15</td><td>68.20</td><td>-6.05</td><td>64.47</td><td>41.87</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	51.93	74.00	-22.07	63.29	38.51	16.46	66.33	0.00	300	360	PEAK	2	11650.00	38.86	54.00	-15.14	50.22	38.51	16.46	66.33	0.00	300	360	AVERAGE	3	17475.00	62.15	68.20	-6.05	64.47	41.87	20.32	64.51	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11650.00	51.93	74.00	-22.07	63.29	38.51	16.46	66.33	0.00	300	360	PEAK																																																																								
2	11650.00	38.86	54.00	-15.14	50.22	38.51	16.46	66.33	0.00	300	360	AVERAGE																																																																								
3	17475.00	62.15	68.20	-6.05	64.47	41.87	20.32	64.51	0.00	---	---	PEAK																																																																								






Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.43</td><td>67.33</td><td>68.20</td><td>-0.87</td><td>57.35</td><td>34.90</td><td>11.05</td><td>35.97</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5652.31</td><td>65.49</td><td>69.92</td><td>-4.43</td><td>55.66</td><td>34.90</td><td>11.08</td><td>36.15</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>5715.40</td><td>80.26</td><td>109.61</td><td>-29.35</td><td>71.29</td><td>34.95</td><td>11.16</td><td>37.14</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>4</td><td>5720.99</td><td>81.89</td><td>113.15</td><td>-31.26</td><td>72.99</td><td>34.96</td><td>11.17</td><td>37.23</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.43	67.33	68.20	-0.87	57.35	34.90	11.05	35.97	0.00	242	320	PEAK	2	5652.31	65.49	69.92	-4.43	55.66	34.90	11.08	36.15	0.00	242	320	PEAK	3	5715.40	80.26	109.61	-29.35	71.29	34.95	11.16	37.14	0.00	242	320	PEAK	4	5720.99	81.89	113.15	-31.26	72.99	34.96	11.17	37.23	0.00	242	320	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>119.60</td><td>-----</td><td>-----</td><td>110.95</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	119.60	-----	-----	110.95	35.03	11.20	37.58	0.00	242	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5635.43	67.33	68.20	-0.87	57.35	34.90	11.05	35.97	0.00	242	320	PEAK																																																																																																																															
2	5652.31	65.49	69.92	-4.43	55.66	34.90	11.08	36.15	0.00	242	320	PEAK																																																																																																																															
3	5715.40	80.26	109.61	-29.35	71.29	34.95	11.16	37.14	0.00	242	320	PEAK																																																																																																																															
4	5720.99	81.89	113.15	-31.26	72.99	34.96	11.17	37.23	0.00	242	320	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	119.60	-----	-----	110.95	35.03	11.20	37.58	0.00	242	320	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>110.12</td><td>-----</td><td>-----</td><td>101.47</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>242</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	110.12	-----	-----	101.47	35.03	11.20	37.58	0.00	242	320	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	110.12	-----	-----	101.47	35.03	11.20	37.58	0.00	242	320	AVERAGE																																																																																																																															




Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>56.08</td><td>110.92</td><td>-54.84</td><td>48.82</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5870.94</td><td>57.45</td><td>106.44</td><td>-48.99</td><td>50.13</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>55.42</td><td>68.24</td><td>-12.82</td><td>47.87</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr><tr><td>4</td><td>5941.91</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>48.92</td><td>35.43</td><td>11.42</td><td>39.19</td><td>0.00</td><td>242</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	56.08	110.92	-54.84	48.82	35.25	11.34	39.33	0.00	242	320	PEAK	2	5870.94	57.45	106.44	-48.99	50.13	35.27	11.35	39.30	0.00	242	320	PEAK	3	5924.94	55.42	68.24	-12.82	47.87	35.37	11.40	39.22	0.00	242	320	PEAK	4	5941.91	56.58	68.20	-11.62	48.92	35.43	11.42	39.19	0.00	242	320	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	56.08	110.92	-54.84	48.82	35.25	11.34	39.33	0.00	242	320	PEAK																																																																																		
2	5870.94	57.45	106.44	-48.99	50.13	35.27	11.35	39.30	0.00	242	320	PEAK																																																																																		
3	5924.94	55.42	68.24	-12.82	47.87	35.37	11.40	39.22	0.00	242	320	PEAK																																																																																		
4	5941.91	56.58	68.20	-11.62	48.92	35.43	11.42	39.19	0.00	242	320	PEAK																																																																																		





Mode	54																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																													
ANT	CDD 1S4T																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.73</td><td>62.29</td><td>68.20</td><td>-5.91</td><td>52.33</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>317</td><td>356 PEAK</td></tr><tr><td>2 5651.69</td><td>60.64</td><td>69.46</td><td>-8.82</td><td>50.81</td><td>34.90</td><td>11.07</td><td>36.14</td><td>0.00</td><td>317</td><td>356 PEAK</td></tr><tr><td>3 5708.28</td><td>73.63</td><td>107.62</td><td>-33.99</td><td>64.59</td><td>34.92</td><td>11.15</td><td>37.03</td><td>0.00</td><td>317</td><td>356 PEAK</td></tr><tr><td>4 5721.68</td><td>74.54</td><td>114.74</td><td>-40.20</td><td>65.64</td><td>34.97</td><td>11.17</td><td>37.24</td><td>0.00</td><td>317</td><td>356 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5624.73	62.29	68.20	-5.91	52.33	34.90	11.04	35.98	0.00	317	356 PEAK	2 5651.69	60.64	69.46	-8.82	50.81	34.90	11.07	36.14	0.00	317	356 PEAK	3 5708.28	73.63	107.62	-33.99	64.59	34.92	11.15	37.03	0.00	317	356 PEAK	4 5721.68	74.54	114.74	-40.20	65.64	34.97	11.17	37.24	0.00	317	356 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>115.35</td><td>-----</td><td>-----</td><td>106.98</td><td>35.10</td><td>11.23</td><td>37.96</td><td>0.00</td><td>317</td><td>356 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	115.35	-----	-----	106.98	35.10	11.23	37.96	0.00	317
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5624.73	62.29	68.20	-5.91	52.33	34.90	11.04	35.98	0.00	317	356 PEAK																																																																																																																				
2 5651.69	60.64	69.46	-8.82	50.81	34.90	11.07	36.14	0.00	317	356 PEAK																																																																																																																				
3 5708.28	73.63	107.62	-33.99	64.59	34.92	11.15	37.03	0.00	317	356 PEAK																																																																																																																				
4 5721.68	74.54	114.74	-40.20	65.64	34.97	11.17	37.24	0.00	317	356 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	115.35	-----	-----	106.98	35.10	11.23	37.96	0.00	317	356 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>106.98</td><td>-----</td><td>-----</td><td>98.39</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>317</td><td>356 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	106.98	-----	-----	98.39	35.05	11.21	37.67	0.00	317	356 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	106.98	-----	-----	98.39	35.05	11.21	37.67	0.00	317	356 AVERAGE																																																																																																																				






Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.07</td><td>110.92</td><td>-53.85</td><td>49.81</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>317</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5870.54</td><td>58.14</td><td>106.55</td><td>-48.41</td><td>50.82</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>317</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5924.56</td><td>59.02</td><td>68.52</td><td>-9.50</td><td>51.47</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>317</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5933.14</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>50.04</td><td>35.40</td><td>11.41</td><td>39.20</td><td>0.00</td><td>317</td><td>356</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	57.07	110.92	-53.85	49.81	35.25	11.34	39.33	0.00	317	356	PEAK	2	5870.54	58.14	106.55	-48.41	50.82	35.27	11.35	39.30	0.00	317	356	PEAK	3	5924.56	59.02	68.52	-9.50	51.47	35.37	11.40	39.22	0.00	317	356	PEAK	4	5933.14	57.65	68.20	-10.55	50.04	35.40	11.41	39.20	0.00	317	356	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	57.07	110.92	-53.85	49.81	35.25	11.34	39.33	0.00	317	356	PEAK																																																																																		
2	5870.54	58.14	106.55	-48.41	50.82	35.27	11.35	39.30	0.00	317	356	PEAK																																																																																		
3	5924.56	59.02	68.52	-9.50	51.47	35.37	11.40	39.22	0.00	317	356	PEAK																																																																																		
4	5933.14	57.65	68.20	-10.55	50.04	35.40	11.41	39.20	0.00	317	356	PEAK																																																																																		






Mode	54																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11BE EHT40_CH151_Full_5755MHz																																																																																																																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																																																																																																																		
Pol.	Horizontal										Vertical																																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1 11510.00</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>64.24</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>281</td><td>149</td><td colspan="6"></td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>54.71</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>281</td><td>149</td><td colspan="6"></td><td>AVERAGE</td></tr><tr><td>3 17265.00</td><td>50.90</td><td>68.20</td><td>-17.30</td><td>52.98</td><td>42.06</td><td>20.18</td><td>64.32</td><td>0.00</td><td>---</td><td>---</td><td colspan="6"></td><td>PEAK</td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1 11510.00	52.64	74.00	-21.36	64.24	38.36	16.37	66.33	0.00	281	149							PEAK	2 11510.00	43.11	54.00	-10.89	54.71	38.36	16.37	66.33	0.00	281	149							AVERAGE	3 17265.00	50.90	68.20	-17.30	52.98	42.06	20.18	64.32	0.00	---	---							PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1 11510.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>60.16</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>100</td><td>0</td><td colspan="6"></td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>38.55</td><td>54.00</td><td>-15.45</td><td>50.15</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>100</td><td>0</td><td colspan="6"></td><td>AVERAGE</td></tr><tr><td>3 17265.00</td><td>51.91</td><td>68.20</td><td>-16.29</td><td>53.99</td><td>42.06</td><td>20.18</td><td>64.32</td><td>0.00</td><td>---</td><td>---</td><td colspan="6"></td><td>PEAK</td></tr></table>								Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1 11510.00	48.56	74.00	-25.44	60.16	38.36	16.37	66.33	0.00	100	0							PEAK	2 11510.00	38.55	54.00	-15.45	50.15	38.36	16.37	66.33	0.00	100	0							AVERAGE	3 17265.00	51.91	68.20	-16.29	53.99	42.06	20.18	64.32	0.00	---	---						
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1 11510.00	52.64	74.00	-21.36	64.24	38.36	16.37	66.33	0.00	281	149							PEAK																																																																																																																																																																																																																		
2 11510.00	43.11	54.00	-10.89	54.71	38.36	16.37	66.33	0.00	281	149							AVERAGE																																																																																																																																																																																																																		
3 17265.00	50.90	68.20	-17.30	52.98	42.06	20.18	64.32	0.00	---	---							PEAK																																																																																																																																																																																																																		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1 11510.00	48.56	74.00	-25.44	60.16	38.36	16.37	66.33	0.00	100	0							PEAK																																																																																																																																																																																																																		
2 11510.00	38.55	54.00	-15.45	50.15	38.36	16.37	66.33	0.00	100	0							AVERAGE																																																																																																																																																																																																																		
3 17265.00	51.91	68.20	-16.29	53.99	42.06	20.18	64.32	0.00	---	---							PEAK																																																																																																																																																																																																																		






Mode	55																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5616.00</td><td>59.88</td><td>68.20</td><td>-8.32</td><td>49.94</td><td>34.90</td><td>11.03</td><td>35.99</td><td>0.00</td><td>243</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.29</td><td>69.09</td><td>-10.80</td><td>48.46</td><td>34.90</td><td>11.07</td><td>36.14</td><td>0.00</td><td>243</td><td>322</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>92.33</td><td>110.90</td><td>-18.57</td><td>83.42</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>243</td><td>322</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>94.70</td><td>111.81</td><td>-17.11</td><td>85.79</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>243</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.00	59.88	68.20	-8.32	49.94	34.90	11.03	35.99	0.00	243	322	PEAK	2	5651.20	58.29	69.09	-10.80	48.46	34.90	11.07	36.14	0.00	243	322	PEAK	3	5720.00	92.33	110.90	-18.57	83.42	34.96	11.17	37.22	0.00	243	322	PEAK	4	5720.40	94.70	111.81	-17.11	85.79	34.96	11.17	37.22	0.00	243	322	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>123.05</td><td>-----</td><td>-----</td><td>114.36</td><td>35.02</td><td>11.20</td><td>37.53</td><td>0.00</td><td>243</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	123.05	-----	-----	114.36	35.02	11.20	37.53	0.00	243	322	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5616.00	59.88	68.20	-8.32	49.94	34.90	11.03	35.99	0.00	243	322	PEAK																																																																																																																																			
2	5651.20	58.29	69.09	-10.80	48.46	34.90	11.07	36.14	0.00	243	322	PEAK																																																																																																																																			
3	5720.00	92.33	110.90	-18.57	83.42	34.96	11.17	37.22	0.00	243	322	PEAK																																																																																																																																			
4	5720.40	94.70	111.81	-17.11	85.79	34.96	11.17	37.22	0.00	243	322	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	123.05	-----	-----	114.36	35.02	11.20	37.53	0.00	243	322	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.78</td><td>-----</td><td>-----</td><td>105.09</td><td>35.02</td><td>11.20</td><td>37.53</td><td>0.00</td><td>243</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.78	-----	-----	105.09	35.02	11.20	37.53	0.00	243	322	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	113.78	-----	-----	105.09	35.02	11.20	37.53	0.00	243	322	AVERAGE																																																																																																																																			




Mode	55																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT20_CH149_RU52*4_5745MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 5637.60</td><td>58.14</td><td>68.20</td><td>-10.06</td><td>48.15</td><td>34.90</td><td>11.05</td><td>35.96</td><td>0.00</td><td>300</td><td>233 PEAK</td></tr><tr><td>2 5650.00</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>45.98</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>233 PEAK</td></tr><tr><td>3 5710.40</td><td>70.92</td><td>108.21</td><td>-37.29</td><td>61.89</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>300</td><td>233 PEAK</td></tr><tr><td>4 5720.00</td><td>70.72</td><td>110.90</td><td>-40.18</td><td>61.81</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>233 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5637.60	58.14	68.20	-10.06	48.15	34.90	11.05	35.96	0.00	300	233 PEAK	2 5650.00	55.83	68.20	-12.37	45.98	34.90	11.07	36.12	0.00	300	233 PEAK	3 5710.40	70.92	108.21	-37.29	61.89	34.93	11.16	37.06	0.00	300	233 PEAK	4 5720.00	70.72	110.90	-40.18	61.81	34.96	11.17	37.22	0.00	300	233 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 5745.00</td><td>119.80</td><td>-----</td><td>-----</td><td>111.25</td><td>35.06</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>233 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5745.00	119.80	-----	-----	111.25	35.06	11.21	37.72	0.00	300	233 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5637.60	58.14	68.20	-10.06	48.15	34.90	11.05	35.96	0.00	300	233 PEAK																																																																																																																										
2 5650.00	55.83	68.20	-12.37	45.98	34.90	11.07	36.12	0.00	300	233 PEAK																																																																																																																										
3 5710.40	70.92	108.21	-37.29	61.89	34.93	11.16	37.06	0.00	300	233 PEAK																																																																																																																										
4 5720.00	70.72	110.90	-40.18	61.81	34.96	11.17	37.22	0.00	300	233 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5745.00	119.80	-----	-----	111.25	35.06	11.21	37.72	0.00	300	233 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 5745.00</td><td>108.97</td><td>-----</td><td>-----</td><td>100.42</td><td>35.06</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>233 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5745.00	108.97	-----	-----	100.42	35.06	11.21	37.72	0.00	300	233 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																												
1 5745.00	108.97	-----	-----	100.42	35.06	11.21	37.72	0.00	300	233 AVERAGE																																																																																																																										






		56																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5626.96</td><td>67.18</td><td>68.20</td><td>-1.02</td><td>57.22</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>300</td><td>321</td><td>Peak</td></tr><tr><td>2</td><td>5682.22</td><td>65.55</td><td>92.15</td><td>-26.60</td><td>56.15</td><td>34.90</td><td>11.12</td><td>36.62</td><td>0.00</td><td>300</td><td>321</td><td>Peak</td></tr><tr><td>3</td><td>5715.80</td><td>71.21</td><td>109.73</td><td>-38.52</td><td>62.25</td><td>34.95</td><td>11.16</td><td>37.15</td><td>0.00</td><td>300</td><td>321</td><td>Peak</td></tr><tr><td>4</td><td>5724.22</td><td>69.65</td><td>120.53</td><td>-50.88</td><td>60.78</td><td>34.97</td><td>11.18</td><td>37.28</td><td>0.00</td><td>300</td><td>321</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.96	67.18	68.20	-1.02	57.22	34.90	11.04	35.98	0.00	300	321	Peak	2	5682.22	65.55	92.15	-26.60	56.15	34.90	11.12	36.62	0.00	300	321	Peak	3	5715.80	71.21	109.73	-38.52	62.25	34.95	11.16	37.15	0.00	300	321	Peak	4	5724.22	69.65	120.53	-50.88	60.78	34.97	11.18	37.28	0.00	300	321	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5626.96	67.18	68.20	-1.02	57.22	34.90	11.04	35.98	0.00	300	321	Peak																																																																																		
2	5682.22	65.55	92.15	-26.60	56.15	34.90	11.12	36.62	0.00	300	321	Peak																																																																																		
3	5715.80	71.21	109.73	-38.52	62.25	34.95	11.16	37.15	0.00	300	321	Peak																																																																																		
4	5724.22	69.65	120.53	-50.88	60.78	34.97	11.18	37.28	0.00	300	321	Peak																																																																																		
Fundamental																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>117.69</td><td>122.30</td><td>-4.61</td><td>109.73</td><td>35.20</td><td>11.28</td><td>38.52</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	117.69	122.30	-4.61	109.73	35.20	11.28	38.52	0.00	300	321	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	117.69	122.30	-4.61	109.73	35.20	11.28	38.52	0.00	300	321	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>108.00</td><td>122.30</td><td>-14.30</td><td>99.82</td><td>35.15</td><td>11.26</td><td>38.23</td><td>0.00</td><td>300</td><td>321</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.00	122.30	-14.30	99.82	35.15	11.26	38.23	0.00	300	321	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5795.00	108.00	122.30	-14.30	99.82	35.15	11.26	38.23	0.00	300	321	AVERAGE																																																																																		



Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>59.69</td><td>110.90</td><td>-51.21</td><td>52.42</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5867.00</td><td>61.35</td><td>107.54</td><td>-46.19</td><td>54.04</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>57.33</td><td>68.50</td><td>-11.17</td><td>49.78</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>5946.60</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>49.62</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	59.69	110.90	-51.21	52.42	35.26	11.34	39.33	0.00	300	321	PEAK	2	5867.00	61.35	107.54	-46.19	54.04	35.27	11.35	39.31	0.00	300	321	PEAK	3	5924.60	57.33	68.50	-11.17	49.78	35.37	11.40	39.22	0.00	300	321	PEAK	4	5946.60	57.30	68.20	-10.90	49.62	35.44	11.42	39.18	0.00	300	321	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	59.69	110.90	-51.21	52.42	35.26	11.34	39.33	0.00	300	321	PEAK																																																																									
2	5867.00	61.35	107.54	-46.19	54.04	35.27	11.35	39.31	0.00	300	321	PEAK																																																																									
3	5924.60	57.33	68.50	-11.17	49.78	35.37	11.40	39.22	0.00	300	321	PEAK																																																																									
4	5946.60	57.30	68.20	-10.90	49.62	35.44	11.42	39.18	0.00	300	321	PEAK																																																																									





Mode	56																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.02</td><td>59.30</td><td>68.20</td><td>-8.90</td><td>49.34</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.16</td><td>68.20</td><td>-12.04</td><td>46.31</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5701.42</td><td>59.30</td><td>105.70</td><td>-46.40</td><td>50.18</td><td>34.90</td><td>11.14</td><td>36.92</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5722.22</td><td>65.60</td><td>115.97</td><td>-50.37</td><td>56.71</td><td>34.97</td><td>11.17</td><td>37.25</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5625.02	59.30	68.20	-8.90	49.34	34.90	11.04	35.98	0.00	253	38	PEAK	2	5650.00	56.16	68.20	-12.04	46.31	34.90	11.07	36.12	0.00	253	38	PEAK	3	5701.42	59.30	105.70	-46.40	50.18	34.90	11.14	36.92	0.00	253	38	PEAK	4	5722.22	65.60	115.97	-50.37	56.71	34.97	11.17	37.25	0.00	253	38	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>115.47</td><td>122.30</td><td>-6.83</td><td>107.23</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	115.47	122.30	-6.83	107.23	35.14	11.25	38.15	0.00	253	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5625.02	59.30	68.20	-8.90	49.34	34.90	11.04	35.98	0.00	253	38	PEAK																																																																																																												
2	5650.00	56.16	68.20	-12.04	46.31	34.90	11.07	36.12	0.00	253	38	PEAK																																																																																																												
3	5701.42	59.30	105.70	-46.40	50.18	34.90	11.14	36.92	0.00	253	38	PEAK																																																																																																												
4	5722.22	65.60	115.97	-50.37	56.71	34.97	11.17	37.25	0.00	253	38	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	115.47	122.30	-6.83	107.23	35.14	11.25	38.15	0.00	253	38	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.34</td><td>122.30</td><td>-16.96</td><td>97.10</td><td>35.14</td><td>11.25</td><td>38.15</td><td>0.00</td><td>253</td><td>38</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	105.34	122.30	-16.96	97.10	35.14	11.25	38.15	0.00	253	38	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	105.34	122.30	-16.96	97.10	35.14	11.25	38.15	0.00	253	38	AVERAGE																																																																																																												






Mode	56																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>57.62</td><td>110.90</td><td>-53.28</td><td>50.35</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5863.80</td><td>60.54</td><td>108.43</td><td>-47.89</td><td>53.26</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>46.83</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5982.60</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>49.37</td><td>35.55</td><td>11.46</td><td>39.12</td><td>0.00</td><td>253</td><td>38</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	57.62	110.90	-53.28	50.35	35.26	11.34	39.33	0.00	253	38	PEAK	2	5863.80	60.54	108.43	-47.89	53.26	35.26	11.34	39.32	0.00	253	38	PEAK	3	5925.00	54.39	68.20	-13.81	46.83	35.38	11.40	39.22	0.00	253	38	PEAK	4	5982.60	57.26	68.20	-10.94	49.37	35.55	11.46	39.12	0.00	253	38	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5855.00	57.62	110.90	-53.28	50.35	35.26	11.34	39.33	0.00	253	38	PEAK																																																																																			
2	5863.80	60.54	108.43	-47.89	53.26	35.26	11.34	39.32	0.00	253	38	PEAK																																																																																			
3	5925.00	54.39	68.20	-13.81	46.83	35.38	11.40	39.22	0.00	253	38	PEAK																																																																																			
4	5982.60	57.26	68.20	-10.94	49.37	35.55	11.46	39.12	0.00	253	38	PEAK																																																																																			




Mode	56																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT40_CH159_Full_5795MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>57.65</td><td>38.45</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>51.31</td><td>68.20</td><td>-16.89</td><td>53.53</td><td>41.95</td><td>20.26</td><td>64.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.19	74.00	-27.81	57.65	38.45	16.42	66.33	0.00	---	PEAK	2	17385.00	51.31	68.20	-16.89	53.53	41.95	20.26	64.43	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>59.15</td><td>38.45</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>51.85</td><td>68.20</td><td>-16.35</td><td>54.07</td><td>41.95</td><td>20.26</td><td>64.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.69	74.00	-26.31	59.15	38.45	16.42	66.33	0.00	---	PEAK	2	17385.00	51.85	68.20	-16.35	54.07	41.95	20.26	64.43	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11590.00	46.19	74.00	-27.81	57.65	38.45	16.42	66.33	0.00	---	PEAK																																																																																																															
2	17385.00	51.31	68.20	-16.89	53.53	41.95	20.26	64.43	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11590.00	47.69	74.00	-26.31	59.15	38.45	16.42	66.33	0.00	---	PEAK																																																																																																															
2	17385.00	51.85	68.20	-16.35	54.07	41.95	20.26	64.43	0.00	---	PEAK																																																																																																															






		57																																																																																																																																																																									
Mode		Band Edge - L																																																																																																																																																																									
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																																																									
ANT		CDD 1S4T																																																																																																																																																																									
Pol.	Horizontal											Fundamental																																																																																																																																																															
Peak																																																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.60</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>52.66</td><td>34.90</td><td>11.04</td><td>35.98</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.19</td><td>68.20</td><td>-7.01</td><td>51.34</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>3</td><td>5707.00</td><td>76.14</td><td>107.49</td><td>-31.35</td><td>67.09</td><td>34.92</td><td>11.15</td><td>37.02</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>73.01</td><td>112.27</td><td>-39.26</td><td>64.10</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr></tbody></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.60	62.62	68.20	-5.58	52.66	34.90	11.04	35.98	0.00	244	321	PEAK	2	5650.00	61.19	68.20	-7.01	51.34	34.90	11.07	36.12	0.00	244	321	PEAK	3	5707.00	76.14	107.49	-31.35	67.09	34.92	11.15	37.02	0.00	244	321	PEAK	4	5720.60	73.01	112.27	-39.26	64.10	34.96	11.17	37.22	0.00	244	321	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>113.89</td><td>-----</td><td>-----</td><td>105.52</td><td>35.10</td><td>11.23</td><td>37.96</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr></tbody></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	113.89	-----	-----	105.52	35.10	11.23	37.96	0.00	244	321	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																
1	5628.60	62.62	68.20	-5.58	52.66	34.90	11.04	35.98	0.00	244	321	PEAK																																																																																																																																																															
2	5650.00	61.19	68.20	-7.01	51.34	34.90	11.07	36.12	0.00	244	321	PEAK																																																																																																																																																															
3	5707.00	76.14	107.49	-31.35	67.09	34.92	11.15	37.02	0.00	244	321	PEAK																																																																																																																																																															
4	5720.60	73.01	112.27	-39.26	64.10	34.96	11.17	37.22	0.00	244	321	PEAK																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																	
1	5775.00	113.89	-----	-----	105.52	35.10	11.23	37.96	0.00	244	321	PEAK																																																																																																																																																															
Avg	Blank																																																																																																																																																																										
																							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.07</td><td>-----</td><td>-----</td><td>97.42</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>244</td><td>321</td><td>AVERAGE</td></tr></tbody></table>																							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.07	-----	-----	97.42	35.03	11.20	37.58	0.00	244	321	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																	
1	5775.00	106.07	-----	-----	97.42	35.03	11.20	37.58	0.00	244	321	AVERAGE																																																																																																																																																															




Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>65.42</td><td>111.81</td><td>-46.39</td><td>58.16</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5866.60</td><td>69.13</td><td>107.65</td><td>-38.52</td><td>61.82</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.66</td><td>68.20</td><td>-13.54</td><td>47.10</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>5935.42</td><td>57.32</td><td>68.20</td><td>-10.88</td><td>49.70</td><td>35.41</td><td>11.41</td><td>39.20</td><td>0.00</td><td>244</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	65.42	111.81	-46.39	58.16	35.25	11.34	39.33	0.00	244	321	PEAK	2	5866.60	69.13	107.65	-38.52	61.82	35.27	11.35	39.31	0.00	244	321	PEAK	3	5925.00	54.66	68.20	-13.54	47.10	35.38	11.40	39.22	0.00	244	321	PEAK	4	5935.42	57.32	68.20	-10.88	49.70	35.41	11.41	39.20	0.00	244	321	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.60	65.42	111.81	-46.39	58.16	35.25	11.34	39.33	0.00	244	321	PEAK																																																																																		
2	5866.60	69.13	107.65	-38.52	61.82	35.27	11.35	39.31	0.00	244	321	PEAK																																																																																		
3	5925.00	54.66	68.20	-13.54	47.10	35.38	11.40	39.22	0.00	244	321	PEAK																																																																																		
4	5935.42	57.32	68.20	-10.88	49.70	35.41	11.41	39.20	0.00	244	321	PEAK																																																																																		



	57																																																																																																																																									
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5633.80</td><td>60.65</td><td>68.20</td><td>-7.55</td><td>50.67</td><td>34.90</td><td>11.05</td><td>35.97</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>58.83</td><td>69.26</td><td>-10.43</td><td>49.00</td><td>34.90</td><td>11.07</td><td>36.14</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>3</td><td>5713.80</td><td>67.47</td><td>109.17</td><td>-41.70</td><td>58.49</td><td>34.94</td><td>11.16</td><td>37.12</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>5722.22</td><td>73.63</td><td>115.97</td><td>-42.34</td><td>64.74</td><td>34.97</td><td>11.17</td><td>37.25</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.80	60.65	68.20	-7.55	50.67	34.90	11.05	35.97	0.00	300	354	PEAK	2	5651.42	58.83	69.26	-10.43	49.00	34.90	11.07	36.14	0.00	300	354	PEAK	3	5713.80	67.47	109.17	-41.70	58.49	34.94	11.16	37.12	0.00	300	354	PEAK	4	5722.22	73.63	115.97	-42.34	64.74	34.97	11.17	37.25	0.00	300	354	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>110.26</td><td>-----</td><td>-----</td><td>101.67</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	110.26	-----	-----	101.67	35.05	11.21	37.67	0.00	300	354
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5633.80	60.65	68.20	-7.55	50.67	34.90	11.05	35.97	0.00	300	354	PEAK																																																																																																																														
2	5651.42	58.83	69.26	-10.43	49.00	34.90	11.07	36.14	0.00	300	354	PEAK																																																																																																																														
3	5713.80	67.47	109.17	-41.70	58.49	34.94	11.16	37.12	0.00	300	354	PEAK																																																																																																																														
4	5722.22	73.63	115.97	-42.34	64.74	34.97	11.17	37.25	0.00	300	354	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	110.26	-----	-----	101.67	35.05	11.21	37.67	0.00	300	354	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.00</td><td>-----</td><td>-----</td><td>93.41</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>300</td><td>354</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.00	-----	-----	93.41	35.05	11.21	37.67	0.00	300	354	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	102.00	-----	-----	93.41	35.05	11.21	37.67	0.00	300	354	AVERAGE																																																																																																																														






Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.80</td><td>59.04</td><td>113.64</td><td>-54.60</td><td>51.77</td><td>35.25</td><td>11.33</td><td>39.31</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>5866.60</td><td>58.33</td><td>107.65</td><td>-49.32</td><td>51.02</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>55.97</td><td>68.50</td><td>-12.53</td><td>48.42</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>5944.22</td><td>57.22</td><td>68.20</td><td>-10.98</td><td>49.55</td><td>35.43</td><td>11.42</td><td>39.18</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.80	59.04	113.64	-54.60	51.77	35.25	11.33	39.31	0.00	300	354	PEAK	2	5866.60	58.33	107.65	-49.32	51.02	35.27	11.35	39.31	0.00	300	354	PEAK	3	5924.60	55.97	68.50	-12.53	48.42	35.37	11.40	39.22	0.00	300	354	PEAK	4	5944.22	57.22	68.20	-10.98	49.55	35.43	11.42	39.18	0.00	300	354	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.80	59.04	113.64	-54.60	51.77	35.25	11.33	39.31	0.00	300	354	PEAK																																																																																		
2	5866.60	58.33	107.65	-49.32	51.02	35.27	11.35	39.31	0.00	300	354	PEAK																																																																																		
3	5924.60	55.97	68.50	-12.53	48.42	35.37	11.40	39.22	0.00	300	354	PEAK																																																																																		
4	5944.22	57.22	68.20	-10.98	49.55	35.43	11.42	39.18	0.00	300	354	PEAK																																																																																		



		57																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11BE EHT80_CH155_Full_5775MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.51</td><td>38.40</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.97	74.00	-29.03	56.51	38.40	16.39	66.33	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11550.00	44.97	74.00	-29.03	56.51	38.40	16.39	66.33	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>58.32</td><td>38.40</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.78	74.00	-27.22	58.32	38.40	16.39	66.33	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11550.00	46.78	74.00	-27.22	58.32	38.40	16.39	66.33	0.00	---	---	PEAK																																													






Mode	58																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.82</td><td>112.27</td><td>-44.45</td><td>60.56</td><td>35.25</td><td>11.33</td><td>39.32</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>73.77</td><td>110.06</td><td>-36.29</td><td>66.49</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.66</td><td>68.35</td><td>-14.69</td><td>46.11</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr><tr><td>4</td><td>5930.80</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>48.92</td><td>35.39</td><td>11.41</td><td>39.21</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	67.82	112.27	-44.45	60.56	35.25	11.33	39.32	0.00	300	321	PEAK	2	5858.00	73.77	110.06	-36.29	66.49	35.26	11.34	39.32	0.00	300	321	PEAK	3	5924.80	53.66	68.35	-14.69	46.11	35.37	11.40	39.22	0.00	300	321	PEAK	4	5930.80	56.51	68.20	-11.69	48.92	35.39	11.41	39.21	0.00	300	321	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>120.18</td><td>-----</td><td>-----</td><td>112.41</td><td>35.22</td><td>11.30</td><td>38.75</td><td>0.00</td><td>300</td><td>321</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	120.18	-----	-----	112.41	35.22	11.30	38.75	0.00	300	321	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.40	67.82	112.27	-44.45	60.56	35.25	11.33	39.32	0.00	300	321	PEAK																																																																																																																														
2	5858.00	73.77	110.06	-36.29	66.49	35.26	11.34	39.32	0.00	300	321	PEAK																																																																																																																														
3	5924.80	53.66	68.35	-14.69	46.11	35.37	11.40	39.22	0.00	300	321	PEAK																																																																																																																														
4	5930.80	56.51	68.20	-11.69	48.92	35.39	11.41	39.21	0.00	300	321	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	120.18	-----	-----	112.41	35.22	11.30	38.75	0.00	300	321	PEAK																																																																																																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.95</td><td>-----</td><td>-----</td><td>103.18</td><td>35.22</td><td>11.30</td><td>38.75</td><td>0.00</td><td>300</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.95	-----	-----	103.18	35.22	11.30	38.75	0.00	300	321	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	110.95	-----	-----	103.18	35.22	11.30	38.75	0.00	300	321	AVERAGE																																																																																																																														




Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT20_CH165_RU52*4_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5851.20</td><td>78.15</td><td>119.56</td><td>-41.41</td><td>70.84</td><td>35.25</td><td>11.33</td><td>39.27</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>72.14</td><td>110.73</td><td>-38.59</td><td>64.87</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.47</td><td>68.35</td><td>-13.88</td><td>46.92</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr><tr><td>4</td><td>5978.40</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>48.69</td><td>35.54</td><td>11.45</td><td>39.13</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5851.20	78.15	119.56	-41.41	70.84	35.25	11.33	39.27	0.00	293	41	PEAK	2	5855.60	72.14	110.73	-38.59	64.87	35.26	11.34	39.33	0.00	293	41	PEAK	3	5924.80	54.47	68.35	-13.88	46.92	35.37	11.40	39.22	0.00	293	41	PEAK	4	5978.40	56.55	68.20	-11.65	48.69	35.54	11.45	39.13	0.00	293	41	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>117.86</td><td>-----</td><td>-----</td><td>110.09</td><td>35.22</td><td>11.30</td><td>38.75</td><td>0.00</td><td>293</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	117.86	-----	-----	110.09	35.22	11.30	38.75	0.00	293	41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5851.20	78.15	119.56	-41.41	70.84	35.25	11.33	39.27	0.00	293	41	PEAK																																																																																																																															
2	5855.60	72.14	110.73	-38.59	64.87	35.26	11.34	39.33	0.00	293	41	PEAK																																																																																																																															
3	5924.80	54.47	68.35	-13.88	46.92	35.37	11.40	39.22	0.00	293	41	PEAK																																																																																																																															
4	5978.40	56.55	68.20	-11.65	48.69	35.54	11.45	39.13	0.00	293	41	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	117.86	-----	-----	110.09	35.22	11.30	38.75	0.00	293	41	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.08</td><td>-----</td><td>-----</td><td>101.31</td><td>35.22</td><td>11.30</td><td>38.75</td><td>0.00</td><td>293</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.08	-----	-----	101.31	35.22	11.30	38.75	0.00	293	41	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.08	-----	-----	101.31	35.22	11.30	38.75	0.00	293	41	AVERAGE																																																																																																																															






Mode	59																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.80</td><td>63.40</td><td>68.20</td><td>-4.80</td><td>53.51</td><td>34.90</td><td>11.07</td><td>36.08</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>52.34</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>3</td><td>5707.80</td><td>79.33</td><td>107.49</td><td>-28.16</td><td>70.28</td><td>34.92</td><td>11.15</td><td>37.02</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>75.11</td><td>111.41</td><td>-36.30</td><td>66.20</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.80	63.40	68.20	-4.80	53.51	34.90	11.07	36.08	0.00	272	326	PEAK	2	5650.00	62.19	68.20	-6.01	52.34	34.90	11.07	36.12	0.00	272	326	PEAK	3	5707.80	79.33	107.49	-28.16	70.28	34.92	11.15	37.02	0.00	272	326	PEAK	4	5720.22	75.11	111.41	-36.30	66.20	34.96	11.17	37.22	0.00	272	326	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>118.98</td><td>-----</td><td>-----</td><td>110.80</td><td>35.15</td><td>11.26</td><td>38.23</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	118.98	-----	-----	110.80	35.15	11.26	38.23	0.00	272	326	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5647.80	63.40	68.20	-4.80	53.51	34.90	11.07	36.08	0.00	272	326	PEAK																																																																																																																															
2	5650.00	62.19	68.20	-6.01	52.34	34.90	11.07	36.12	0.00	272	326	PEAK																																																																																																																															
3	5707.80	79.33	107.49	-28.16	70.28	34.92	11.15	37.02	0.00	272	326	PEAK																																																																																																																															
4	5720.22	75.11	111.41	-36.30	66.20	34.96	11.17	37.22	0.00	272	326	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	118.98	-----	-----	110.80	35.15	11.26	38.23	0.00	272	326	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.58</td><td>-----</td><td>-----</td><td>97.93</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>272</td><td>326</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.58	-----	-----	97.93	35.03	11.20	37.58	0.00	272	326	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	106.58	-----	-----	97.93	35.03	11.20	37.58	0.00	272	326	AVERAGE																																																																																																																															




Mode	59																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.02</td><td>61.88</td><td>115.41</td><td>-53.53</td><td>54.60</td><td>35.25</td><td>11.33</td><td>39.30</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>5865.42</td><td>64.28</td><td>107.98</td><td>-43.70</td><td>56.97</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>54.99</td><td>69.68</td><td>-14.69</td><td>47.44</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr><tr><td>4</td><td>5928.22</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>47.79</td><td>35.38</td><td>11.40</td><td>39.21</td><td>0.00</td><td>272</td><td>326</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.02	61.88	115.41	-53.53	54.60	35.25	11.33	39.30	0.00	272	326	PEAK	2	5865.42	64.28	107.98	-43.70	56.97	35.27	11.35	39.31	0.00	272	326	PEAK	3	5923.00	54.99	69.68	-14.69	47.44	35.37	11.40	39.22	0.00	272	326	PEAK	4	5928.22	55.36	68.20	-12.84	47.79	35.38	11.40	39.21	0.00	272	326	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.02	61.88	115.41	-53.53	54.60	35.25	11.33	39.30	0.00	272	326	PEAK																																																																																		
2	5865.42	64.28	107.98	-43.70	56.97	35.27	11.35	39.31	0.00	272	326	PEAK																																																																																		
3	5923.00	54.99	69.68	-14.69	47.44	35.37	11.40	39.22	0.00	272	326	PEAK																																																																																		
4	5928.22	55.36	68.20	-12.84	47.79	35.38	11.40	39.21	0.00	272	326	PEAK																																																																																		






Mode	59																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5635.00</td><td>59.51</td><td>68.20</td><td>-8.69</td><td>49.53</td><td>34.90</td><td>11.05</td><td>35.97</td><td>0.00</td><td>261 234 PEAK</td></tr><tr><td>2 5651.80</td><td>59.32</td><td>69.54</td><td>-10.22</td><td>49.50</td><td>34.90</td><td>11.07</td><td>36.15</td><td>0.00</td><td>261 234 PEAK</td></tr><tr><td>3 5719.00</td><td>77.23</td><td>110.84</td><td>-33.61</td><td>68.31</td><td>34.96</td><td>11.17</td><td>37.21</td><td>0.00</td><td>261 234 PEAK</td></tr><tr><td>4 5720.00</td><td>75.62</td><td>110.90</td><td>-35.28</td><td>66.71</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>261 234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5635.00	59.51	68.20	-8.69	49.53	34.90	11.05	35.97	0.00	261 234 PEAK	2 5651.80	59.32	69.54	-10.22	49.50	34.90	11.07	36.15	0.00	261 234 PEAK	3 5719.00	77.23	110.84	-33.61	68.31	34.96	11.17	37.21	0.00	261 234 PEAK	4 5720.00	75.62	110.90	-35.28	66.71	34.96	11.17	37.22	0.00	261 234 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>112.82</td><td>-----</td><td>-----</td><td>104.30</td><td>35.07</td><td>11.22</td><td>37.77</td><td>0.00</td><td>261 234 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5775.00	112.82	-----	-----	104.30	35.07	11.22	37.77	0.00	261 234 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5635.00	59.51	68.20	-8.69	49.53	34.90	11.05	35.97	0.00	261 234 PEAK																																																																																																															
2 5651.80	59.32	69.54	-10.22	49.50	34.90	11.07	36.15	0.00	261 234 PEAK																																																																																																															
3 5719.00	77.23	110.84	-33.61	68.31	34.96	11.17	37.21	0.00	261 234 PEAK																																																																																																															
4 5720.00	75.62	110.90	-35.28	66.71	34.96	11.17	37.22	0.00	261 234 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5775.00	112.82	-----	-----	104.30	35.07	11.22	37.77	0.00	261 234 PEAK																																																																																																															
Avg	Blank					 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.90</td><td>-----</td><td>-----</td><td>95.18</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>261 234 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5775.00	103.90	-----	-----	95.18	35.01	11.19	37.48	0.00	261 234 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5775.00	103.90	-----	-----	95.18	35.01	11.19	37.48	0.00	261 234 AVERAGE																																																																																																															




Mode	59																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.26</td><td>110.90</td><td>-55.64</td><td>47.99</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>261</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5861.02</td><td>59.93</td><td>109.21</td><td>-49.28</td><td>52.65</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>261</td><td>234</td><td>PEAK</td></tr><tr><td>3</td><td>5921.00</td><td>57.46</td><td>70.57</td><td>-13.11</td><td>49.91</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>261</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>5929.00</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>49.52</td><td>35.39</td><td>11.41</td><td>39.21</td><td>0.00</td><td>261</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.26	110.90	-55.64	47.99	35.26	11.34	39.33	0.00	261	234	PEAK	2	5861.02	59.93	109.21	-49.28	52.65	35.26	11.34	39.32	0.00	261	234	PEAK	3	5921.00	57.46	70.57	-13.11	49.91	35.37	11.40	39.22	0.00	261	234	PEAK	4	5929.00	57.11	68.20	-11.09	49.52	35.39	11.41	39.21	0.00	261	234	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5855.00	55.26	110.90	-55.64	47.99	35.26	11.34	39.33	0.00	261	234	PEAK																																																																																		
2	5861.02	59.93	109.21	-49.28	52.65	35.26	11.34	39.32	0.00	261	234	PEAK																																																																																		
3	5921.00	57.46	70.57	-13.11	49.91	35.37	11.40	39.22	0.00	261	234	PEAK																																																																																		
4	5929.00	57.11	68.20	-11.09	49.52	35.39	11.41	39.21	0.00	261	234	PEAK																																																																																		






Mode	60																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue signal line with a red limit line. A peak is marked at 5775.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5612.60</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>52.27</td><td>34.90</td><td>11.02</td><td>36.00</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>5651.80</td><td>63.50</td><td>69.54</td><td>-6.04</td><td>53.68</td><td>34.90</td><td>11.07</td><td>36.15</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>3</td><td>5788.22</td><td>74.44</td><td>107.60</td><td>-33.16</td><td>65.40</td><td>34.92</td><td>11.15</td><td>37.03</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>69.08</td><td>110.90</td><td>-41.82</td><td>60.17</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.60	62.19	68.20	-6.01	52.27	34.90	11.02	36.00	0.00	240	323	PEAK	2	5651.80	63.50	69.54	-6.04	53.68	34.90	11.07	36.15	0.00	240	323	PEAK	3	5788.22	74.44	107.60	-33.16	65.40	34.92	11.15	37.03	0.00	240	323	PEAK	4	5720.00	69.08	110.90	-41.82	60.17	34.96	11.17	37.22	0.00	240	323	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a red limit line. A peak is marked at 5775.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>117.69</td><td>-----</td><td>-----</td><td>109.51</td><td>35.15</td><td>11.26</td><td>38.23</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	117.69	-----	-----	109.51	35.15	11.26	38.23	0.00	240	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5612.60	62.19	68.20	-6.01	52.27	34.90	11.02	36.00	0.00	240	323	PEAK																																																																																																																															
2	5651.80	63.50	69.54	-6.04	53.68	34.90	11.07	36.15	0.00	240	323	PEAK																																																																																																																															
3	5788.22	74.44	107.60	-33.16	65.40	34.92	11.15	37.03	0.00	240	323	PEAK																																																																																																																															
4	5720.00	69.08	110.90	-41.82	60.17	34.96	11.17	37.22	0.00	240	323	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	117.69	-----	-----	109.51	35.15	11.26	38.23	0.00	240	323	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a red limit line. A peak is marked at 5775.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.34</td><td>-----</td><td>-----</td><td>97.96</td><td>35.10</td><td>11.23</td><td>37.95</td><td>0.00</td><td>240</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.34	-----	-----	97.96	35.10	11.23	37.95	0.00	240	323	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	106.34	-----	-----	97.96	35.10	11.23	37.95	0.00	240	323	AVERAGE																																																																																																																															




Mode	60																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.80</td><td>75.65</td><td>118.20</td><td>-42.55</td><td>68.35</td><td>35.25</td><td>11.33</td><td>39.28</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>5868.60</td><td>66.69</td><td>107.09</td><td>-40.40</td><td>59.38</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>3</td><td>5923.80</td><td>54.35</td><td>69.09</td><td>-14.74</td><td>46.80</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr><tr><td>4</td><td>5939.00</td><td>55.69</td><td>68.20</td><td>-12.51</td><td>48.04</td><td>35.42</td><td>11.42</td><td>39.19</td><td>0.00</td><td>240</td><td>323</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.80	75.65	118.20	-42.55	68.35	35.25	11.33	39.28	0.00	240	323	PEAK	2	5868.60	66.69	107.09	-40.40	59.38	35.27	11.35	39.31	0.00	240	323	PEAK	3	5923.80	54.35	69.09	-14.74	46.80	35.37	11.40	39.22	0.00	240	323	PEAK	4	5939.00	55.69	68.20	-12.51	48.04	35.42	11.42	39.19	0.00	240	323	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5851.80	75.65	118.20	-42.55	68.35	35.25	11.33	39.28	0.00	240	323	PEAK																																																																																		
2	5868.60	66.69	107.09	-40.40	59.38	35.27	11.35	39.31	0.00	240	323	PEAK																																																																																		
3	5923.80	54.35	69.09	-14.74	46.80	35.37	11.40	39.22	0.00	240	323	PEAK																																																																																		
4	5939.00	55.69	68.20	-12.51	48.04	35.42	11.42	39.19	0.00	240	323	PEAK																																																																																		







Mode	60																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.00</td><td>59.64</td><td>68.20</td><td>-8.56</td><td>49.64</td><td>34.90</td><td>11.06</td><td>35.96</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>56.87</td><td>68.95</td><td>-12.08</td><td>47.03</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>74.52</td><td>109.95</td><td>-35.43</td><td>65.57</td><td>34.95</td><td>11.16</td><td>37.16</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>75.93</td><td>111.41</td><td>-35.48</td><td>67.02</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.00	59.64	68.20	-8.56	49.64	34.90	11.06	35.96	0.00	258	233	PEAK	2	5651.00	56.87	68.95	-12.08	47.03	34.90	11.07	36.13	0.00	258	233	PEAK	3	5716.00	74.52	109.95	-35.43	65.57	34.95	11.16	37.16	0.00	258	233	PEAK	4	5720.22	75.93	111.41	-35.48	67.02	34.96	11.17	37.22	0.00	258	233	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>113.04</td><td>-----</td><td>-----</td><td>104.52</td><td>35.07</td><td>11.22</td><td>37.77</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	113.04	-----	-----	104.52	35.07	11.22	37.77	0.00	258	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5637.00	59.64	68.20	-8.56	49.64	34.90	11.06	35.96	0.00	258	233	PEAK																																																																																																																														
2	5651.00	56.87	68.95	-12.08	47.03	34.90	11.07	36.13	0.00	258	233	PEAK																																																																																																																														
3	5716.00	74.52	109.95	-35.43	65.57	34.95	11.16	37.16	0.00	258	233	PEAK																																																																																																																														
4	5720.22	75.93	111.41	-35.48	67.02	34.96	11.17	37.22	0.00	258	233	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	113.04	-----	-----	104.52	35.07	11.22	37.77	0.00	258	233	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.37</td><td>-----</td><td>-----</td><td>94.85</td><td>35.07</td><td>11.22</td><td>37.77</td><td>0.00</td><td>258</td><td>233</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.37	-----	-----	94.85	35.07	11.22	37.77	0.00	258	233	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	103.37	-----	-----	94.85	35.07	11.22	37.77	0.00	258	233	AVERAGE																																																																																																																														





Mode	60																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11BE EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.60</td><td>69.01</td><td>116.37</td><td>-47.36</td><td>61.73</td><td>35.25</td><td>11.33</td><td>39.30</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5860.60</td><td>66.06</td><td>109.33</td><td>-43.27</td><td>58.78</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>54.01</td><td>68.20</td><td>-14.19</td><td>46.45</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>5947.80</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>47.69</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>258</td><td>233</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.60	69.01	116.37	-47.36	61.73	35.25	11.33	39.30	0.00	258	233	PEAK	2	5860.60	66.06	109.33	-43.27	58.78	35.26	11.34	39.32	0.00	258	233	PEAK	3	5925.00	54.01	68.20	-14.19	46.45	35.38	11.40	39.22	0.00	258	233	PEAK	4	5947.80	55.37	68.20	-12.83	47.69	35.44	11.42	39.18	0.00	258	233	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5852.60	69.01	116.37	-47.36	61.73	35.25	11.33	39.30	0.00	258	233	PEAK																																																																								
2	5860.60	66.06	109.33	-43.27	58.78	35.26	11.34	39.32	0.00	258	233	PEAK																																																																								
3	5925.00	54.01	68.20	-14.19	46.45	35.38	11.40	39.22	0.00	258	233	PEAK																																																																								
4	5947.80	55.37	68.20	-12.83	47.69	35.44	11.42	39.18	0.00	258	233	PEAK																																																																								







		93																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																					
ANT		CDD 1S4T																																																																																																					
Pol.	Horizontal										Fundamental																																																																																												
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.76</td><td>66.08</td><td>74.00</td><td>-7.92</td><td>57.74</td><td>34.40</td><td>10.60</td><td>36.66</td><td>0.00</td><td>375 347 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	66.08	74.00	-7.92	57.74	34.40	10.60	36.66	0.00	375 347 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>116.77</td><td>-----</td><td>-----</td><td>108.28</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>375 347 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	116.77	-----	-----	108.28	34.44	10.65	36.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5145.76	66.08	74.00	-7.92	57.74	34.40	10.60	36.66	0.00	375 347 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5190.00	116.77	-----	-----	108.28	34.44	10.65	36.60	0.00	375 347 PEAK																																																																																													
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>53.52</td><td>54.00</td><td>-0.48</td><td>45.16</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>375 347 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.52	54.00	-0.48	45.16	34.40	10.61	36.65	0.00	375 347 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>107.24</td><td>-----</td><td>-----</td><td>98.75</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>375 347 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.24	-----	-----	98.75	34.44	10.65	36.60	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.92	53.52	54.00	-0.48	45.16	34.40	10.61	36.65	0.00	375 347 AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5190.00	107.24	-----	-----	98.75	34.44	10.65	36.60	0.00	375 347 AVERAGE																																																																																													



Mode	93																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.57</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>48.31</td><td>34.67</td><td>10.81</td><td>36.26</td><td>0.00</td><td>375 347 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.57	57.53	74.00	-16.47	48.31	34.67	10.81	36.26	0.00	375 347 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5438.57	57.53	74.00	-16.47	48.31	34.67	10.81	36.26	0.00	375 347 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.98</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>36.68</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>375 347 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.98	45.79	54.00	-8.21	36.68	34.64	10.77	36.30	0.00	375 347 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5398.98	45.79	54.00	-8.21	36.68	34.64	10.77	36.30	0.00	375 347 AVERAGE																																													





Mode	93																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.80</td><td>65.68</td><td>74.00</td><td>-8.32</td><td>57.33</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	65.68	74.00	-8.32	57.33	34.40	10.61	36.66	0.00	302	299	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>117.39</td><td>-----</td><td>-----</td><td>108.86</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	117.39	-----	-----	108.86	34.45	10.66	36.58	0.00	302	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.80	65.68	74.00	-8.32	57.33	34.40	10.61	36.66	0.00	302	299	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	117.39	-----	-----	108.86	34.45	10.66	36.58	0.00	302	299	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.79</td><td>54.00</td><td>-0.21</td><td>45.43</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.79	54.00	-0.21	45.43	34.40	10.61	36.65	0.00	302	299	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.10</td><td>-----</td><td>-----</td><td>98.57</td><td>34.45</td><td>10.66</td><td>36.58</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.10	-----	-----	98.57	34.45	10.66	36.58	0.00	302	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	53.79	54.00	-0.21	45.43	34.40	10.61	36.65	0.00	302	299	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	107.10	-----	-----	98.57	34.45	10.66	36.58	0.00	302	299	AVERAGE																																																																																							







Mode	93																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical							Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.41</td><td>59.00</td><td>74.00</td><td>-15.00</td><td>49.96</td><td>34.62</td><td>10.76</td><td>36.34</td><td>0.00</td><td>302</td><td>299</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.41	59.00	74.00	-15.00	49.96	34.62	10.76	36.34	0.00	302	299	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5374.41	59.00	74.00	-15.00	49.96	34.62	10.76	36.34	0.00	302	299	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.36</td><td>48.04</td><td>54.00</td><td>-5.96</td><td>38.93</td><td>34.64</td><td>10.77</td><td>36.30</td><td>0.00</td><td>302</td><td>299</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.36	48.04	54.00	-5.96	38.93	34.64	10.77	36.30	0.00	302	299	AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5397.36	48.04	54.00	-5.96	38.93	34.64	10.77	36.30	0.00	302	299	AVERAGE																																											





		93																																																															
Mode		Harmonic																																																															
		U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																															
ANT		CDD 1S4T																																																															
Pol.		Horizontal						Vertical																																																									
Peak Avg																																																																	
																																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>43.00</td><td>68.20</td><td>-25.20</td><td>57.10</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10380.00	43.00	68.20	-25.20	57.10	37.38	15.47	66.95	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	10380.00	43.00	68.20	-25.20	57.10	37.38	15.47	66.95	0.00	---	---	PEAK																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>47.00</td><td>68.20</td><td>-21.12</td><td>61.18</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10380.00	47.00	68.20	-21.12	61.18	37.38	15.47	66.95	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			Remark																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																						
1	10380.00	47.00	68.20	-21.12	61.18	37.38	15.47	66.95	0.00	---	---	PEAK																																																					







Mode	94																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>64.74</td><td>74.00</td><td>-9.26</td><td>56.39</td><td>34.40</td><td>10.61</td><td>36.66</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	64.74	74.00	-9.26	56.39	34.40	10.61	36.66	0.00	284	189	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>115.75</td><td>-----</td><td>-----</td><td>107.24</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	115.75	-----	-----	107.24	34.45	10.65	36.59	0.00	284	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.64	64.74	74.00	-9.26	56.39	34.40	10.61	36.66	0.00	284	189	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	115.75	-----	-----	107.24	34.45	10.65	36.59	0.00	284	189	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>52.12</td><td>54.00</td><td>-1.88</td><td>43.76</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	52.12	54.00	-1.88	43.76	34.40	10.61	36.65	0.00	284	189	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.30</td><td>-----</td><td>-----</td><td>97.79</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.30	-----	-----	97.79	34.45	10.65	36.59	0.00	284	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	52.12	54.00	-1.88	43.76	34.40	10.61	36.65	0.00	284	189	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	106.30	-----	-----	97.79	34.45	10.65	36.59	0.00	284	189	AVERAGE																																																																																																			





Mode	94																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.02</td><td>57.55</td><td>74.00</td><td>-16.45</td><td>48.56</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>284</td><td>189</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.02	57.55	74.00	-16.45	48.56	34.60	10.75	36.36	0.00	284	189	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.02	57.55	74.00	-16.45	48.56	34.60	10.75	36.36	0.00	284	189	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.06</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>37.06</td><td>34.64</td><td>10.78</td><td>36.30</td><td>0.00</td><td>284</td><td>189</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.06	46.18	54.00	-7.82	37.06	34.64	10.78	36.30	0.00	284	189	AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5400.06	46.18	54.00	-7.82	37.06	34.64	10.78	36.30	0.00	284	189	AVERAGE																																												






Mode	94																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>66.26</td><td>74.00</td><td>-7.74</td><td>57.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5149.60	66.26	74.00	-7.74	57.90	34.40	10.61	36.65	0.00	301	38	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>116.66</td><td>-----</td><td>-----</td><td>108.21</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5190.00	116.66	-----	-----	108.21	34.43	10.64	36.62	0.00	301	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5149.60	66.26	74.00	-7.74	57.90	34.40	10.61	36.65	0.00	301	38	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5190.00	116.66	-----	-----	108.21	34.43	10.64	36.62	0.00	301	38	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>45.12</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5149.92	53.48	54.00	-0.52	45.12	34.40	10.61	36.65	0.00	301	38	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.64</td><td>-----</td><td>-----</td><td>98.13</td><td>34.45</td><td>10.65</td><td>36.59</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5190.00	106.64	-----	-----	98.13	34.45	10.65	36.59	0.00	301	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5149.92	53.48	54.00	-0.52	45.12	34.40	10.61	36.65	0.00	301	38	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5190.00	106.64	-----	-----	98.13	34.45	10.65	36.59	0.00	301	38	AVERAGE																																																																																																			





Mode	94																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.46</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>49.60</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>301</td><td>38</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.46	58.57	74.00	-15.43	49.60	34.59	10.75	36.37	0.00	301	38	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.46	58.57	74.00	-15.43	49.60	34.59	10.75	36.37	0.00	301	38	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.42</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>36.52</td><td>34.61</td><td>10.75</td><td>36.35</td><td>0.00</td><td>301</td><td>38</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.42	45.53	54.00	-8.47	36.52	34.61	10.75	36.35	0.00	301	38	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5364.42	45.53	54.00	-8.47	36.52	34.61	10.75	36.35	0.00	301	38	AVERAGE																																												



		94																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>57.55</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	43.45	68.20	-24.75	57.55	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	43.45	68.20	-24.75	57.55	37.38	15.47	66.95	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>42.64</td><td>68.20</td><td>-25.56</td><td>56.74</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	42.64	68.20	-25.56	56.74	37.38	15.47	66.95	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10380.00	42.64	68.20	-25.56	56.74	37.38	15.47	66.95	0.00	---	---	PEAK																																													





Mode	95																																																																																																																																																																																										
	30-1G																																																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
QP																																																																																																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.63</td><td>-18.37</td><td>40.00</td><td>29.37</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>89.17</td><td>19.04</td><td>-24.46</td><td>43.50</td><td>35.51</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>386.96</td><td>21.79</td><td>-24.21</td><td>46.00</td><td>30.30</td><td>3.00</td><td>21.35</td><td>32.86</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>552.83</td><td>26.23</td><td>-19.77</td><td>46.00</td><td>30.65</td><td>3.59</td><td>25.10</td><td>33.11</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>745.86</td><td>29.03</td><td>-16.97</td><td>46.00</td><td>31.88</td><td>4.18</td><td>25.78</td><td>32.81</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>878.75</td><td>31.48</td><td>-14.52</td><td>46.00</td><td>32.36</td><td>4.53</td><td>26.64</td><td>32.05</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	30.00	21.63	-18.37	40.00	29.37	0.71	24.57	33.02	---	--- Peak	2	89.17	19.04	-24.46	43.50	35.51	1.41	14.97	32.85	---	--- Peak	3	386.96	21.79	-24.21	46.00	30.30	3.00	21.35	32.86	---	--- Peak	4	552.83	26.23	-19.77	46.00	30.65	3.59	25.10	33.11	---	--- Peak	5	745.86	29.03	-16.97	46.00	31.88	4.18	25.78	32.81	---	--- Peak	6	878.75	31.48	-14.52	46.00	32.36	4.53	26.64	32.05	---	--- Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.56</td><td>-18.44</td><td>40.00</td><td>29.30</td><td>0.71</td><td>24.57</td><td>33.02</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>40.67</td><td>25.94</td><td>-14.06</td><td>40.00</td><td>39.34</td><td>0.89</td><td>18.66</td><td>32.95</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>89.17</td><td>23.37</td><td>-20.13</td><td>43.50</td><td>39.84</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>412.18</td><td>23.07</td><td>-22.93</td><td>46.00</td><td>30.97</td><td>3.10</td><td>21.89</td><td>32.89</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>575.14</td><td>27.34</td><td>-18.66</td><td>46.00</td><td>31.75</td><td>3.66</td><td>25.03</td><td>33.10</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>771.08</td><td>29.91</td><td>-16.09</td><td>46.00</td><td>32.43</td><td>4.24</td><td>26.01</td><td>32.77</td><td>---</td><td>--- Peak</td></tr></table>					Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	30.00	21.56	-18.44	40.00	29.30	0.71	24.57	33.02	---	--- Peak	2	40.67	25.94	-14.06	40.00	39.34	0.89	18.66	32.95	---	--- Peak	3	89.17	23.37	-20.13	43.50	39.84	1.41	14.97	32.85	---	--- Peak	4	412.18	23.07	-22.93	46.00	30.97	3.10	21.89	32.89	---	--- Peak	5	575.14	27.34	-18.66	46.00	31.75	3.66	25.03	33.10	---	--- Peak	6	771.08	29.91	-16.09	46.00	32.43	4.24	26.01	32.77	---	--- Peak
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
	1	30.00	21.63	-18.37	40.00	29.37	0.71	24.57	33.02	---	--- Peak																																																																																																																																																																																
	2	89.17	19.04	-24.46	43.50	35.51	1.41	14.97	32.85	---	--- Peak																																																																																																																																																																																
	3	386.96	21.79	-24.21	46.00	30.30	3.00	21.35	32.86	---	--- Peak																																																																																																																																																																																
	4	552.83	26.23	-19.77	46.00	30.65	3.59	25.10	33.11	---	--- Peak																																																																																																																																																																																
	5	745.86	29.03	-16.97	46.00	31.88	4.18	25.78	32.81	---	--- Peak																																																																																																																																																																																
	6	878.75	31.48	-14.52	46.00	32.36	4.53	26.64	32.05	---	--- Peak																																																																																																																																																																																
Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																		
1	30.00	21.56	-18.44	40.00	29.30	0.71	24.57	33.02	---	--- Peak																																																																																																																																																																																	
2	40.67	25.94	-14.06	40.00	39.34	0.89	18.66	32.95	---	--- Peak																																																																																																																																																																																	
3	89.17	23.37	-20.13	43.50	39.84	1.41	14.97	32.85	---	--- Peak																																																																																																																																																																																	
4	412.18	23.07	-22.93	46.00	30.97	3.10	21.89	32.89	---	--- Peak																																																																																																																																																																																	
5	575.14	27.34	-18.66	46.00	31.75	3.66	25.03	33.10	---	--- Peak																																																																																																																																																																																	
6	771.08	29.91	-16.09	46.00	32.43	4.24	26.01	32.77	---	--- Peak																																																																																																																																																																																	



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT20	36	5180	MCS0	Full	Sample 1
Mode 62	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT20	44	5220	MCS0	Full	Sample 1
Mode 63	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT20	48	5240	MCS0	Full	Sample 1
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT40	38	5190	MCS0	Full	Sample 1
Mode 65	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT40	46	5230	MCS0	Full	Sample 1
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT80	42	5210	MCS0	Full	Sample 1
Mode 67	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT20	52	5260	MCS0	Full	Sample 1
Mode 68	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT20	60	5300	MCS0	Full	Sample 1
Mode 69	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT20	64	5320	MCS0	Full	Sample 1
Mode 70	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT40	54	5270	MCS0	Full	Sample 1
Mode 71	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT40	62	5310	MCS0	Full	Sample 1
Mode 72	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT80	58	5290	MCS0	Full	Sample 1
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11BE EHT160	50	5250	MCS0	Full	Sample 1
Mode 74	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT20	100	5500	MCS0	Full	Sample 1
Mode 75	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT20	116	5580	MCS0	Full	Sample 1
Mode 76	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT20	140	5700	MCS0	Full	Sample 1
Mode 77	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT40	102	5510	MCS0	Full	Sample 1
Mode 78	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT40	110	5550	MCS0	Full	Sample 1
Mode 79	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT40	134	5670	MCS0	Full	Sample 1
Mode 80	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT80	106	5530	MCS0	Full	Sample 1
Mode 81	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT80	122	5610	MCS0	Full	Sample 1
Mode 82	U-NII-2C	5.47-5.725	TXBF1S4T	802.11BE EHT160	114	5570	MCS0	Full	Sample 1
Mode 83	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT20	144	5720	MCS0	Full	Sample 1
Mode 84	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT40	142	5710	MCS0	Full	Sample 1
Mode 85	U-NII-2C	5.725-5.85	TXBF1S4T	802.11BE EHT80	138	5690	MCS0	Full	Sample 1
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	149	5745	MCS0	Full	Sample 1
Mode 87	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	157	5785	MCS0	Full	Sample 1
Mode 88	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT20	165	5825	MCS0	Full	Sample 1
Mode 89	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT40	151	5755	MCS0	Full	Sample 1
Mode 90	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT40	159	5795	MCS0	Full	Sample 1
Mode 91	U-NII-3	5.725-5.85	TXBF1S4T	802.11BE EHT80	155	5775	MCS0	Full	Sample 1
Mode 92	U-NII-1	5.15-5.25	TXBF1S4T	802.11BE EHT20	40	5200	MCS0	Full RU	Sample 1



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11BE EHT20	36	5149.80	53.23	54.00	-0.77	V	AVERAGE	Pass	Band Edge
61	802.11BE EHT20	36	10360.00	48.24	68.20	-19.96	H	PEAK	Pass	Harmonic
62	802.11BE EHT20	44	5149.82	52.36	54.00	-1.64	H	AVERAGE	Pass	Band Edge
62	802.11BE EHT20	44	15641.60	48.31	54.00	-5.69	H	Average	Pass	Harmonic
63	802.11BE EHT20	48	5423.04	53.59	54.00	-0.41	H	AVERAGE	Pass	Band Edge
63	802.11BE EHT20	48	15734.73	42.77	54.00	-11.23	H	Average	Pass	Harmonic
64	802.11BE EHT40	38	5147.34	73.09	74.00	-0.91	V	PEAK	Pass	Band Edge
64	802.11BE EHT40	38	10380.00	46.41	68.20	-21.79	H	PEAK	Pass	Harmonic
65	802.11BE EHT40	46	5150.00	51.65	54.00	-2.35	H	AVERAGE	Pass	Band Edge
65	802.11BE EHT40	46	10460.00	45.99	68.20	-22.21	H	PEAK	Pass	Harmonic
66	802.11BE EHT80	42	5141.52	73.27	74.00	-0.73	H	PEAK	Pass	Band Edge
66	802.11BE EHT80	42	10420.00	45.46	68.20	-22.74	H	PEAK	Pass	Harmonic
67	802.11BE EHT20	52	5455.20	53.05	54.00	-0.95	V	Average	Pass	Band Edge
67	802.11BE EHT20	52	10520.00	56.02	68.20	-12.18	V	PEAK	Pass	Harmonic
68	802.11BE EHT20	60	5350.00	53.54	54.00	-0.46	H	AVERAGE	Pass	Band Edge
68	802.11BE EHT20	60	10600.01	42.38	54.00	-11.62	V	AVERAGE	Pass	Harmonic
69	802.11BE EHT20	64	5353.15	73.39	74.00	-0.61	H	PEAK	Pass	Band Edge
69	802.11BE EHT20	64	10640.00	42.03	54.00	-11.97	H	AVERAGE	Pass	Harmonic
70	802.11BE EHT40	54	5350.67	51.96	54.00	-2.04	H	AVERAGE	Pass	Band Edge
70	802.11BE EHT40	54	10540.00	46.57	68.20	-21.63	H	PEAK	Pass	Harmonic
71	802.11BE EHT40	62	5350.00	50.36	54.00	-3.64	V	AVERAGE	Pass	Band Edge
71	802.11BE EHT40	62	10620.00	36.42	54.00	-17.58	H	AVERAGE	Pass	Harmonic
72	802.11BE EHT80	58	5352.20	53.20	54.00	-0.80	V	Average	Pass	Band Edge
72	802.11BE EHT80	58	10580.00	45.11	68.20	-23.09	V	PEAK	Pass	Harmonic
73	802.11BE EHT160	50	5363.09	52.80	54.00	-1.20	V	AVERAGE	Pass	Band Edge
73	802.11BE EHT160	50	10500.00	45.76	68.20	-22.44	H	PEAK	Pass	Harmonic
74	802.11BE EHT20	100	5107.20	52.29	54.00	-1.71	V	Average	Pass	Band Edge
74	802.11BE EHT20	100	11000.00	43.10	54.00	-10.90	H	AVERAGE	Pass	Harmonic
75	802.11BE EHT20	116	5396.58	50.42	54.00	-3.58	V	AVERAGE	Pass	Band Edge
75	802.11BE EHT20	116	11159.10	48.04	54.00	-5.96	V	Average	Pass	Harmonic
76	802.11BE EHT20	140	5725.10	66.75	68.20	-1.45	V	Peak	Pass	Band Edge
76	802.11BE EHT20	140	11400.00	47.56	74.00	-26.44	V	Peak	Pass	Harmonic
77	802.11BE EHT40	102	5469.60	64.20	68.20	-4.00	V	PEAK	Pass	Band Edge
77	802.11BE EHT40	102	11020.00	45.56	74.00	-28.44	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
78	802.11BE EHT40	110	5459.71	50.28	54.00	-3.72	V	AVERAGE	Pass	Band Edge
78	802.11BE EHT40	110	11100.00	38.07	54.00	-15.93	V	AVERAGE	Pass	Harmonic
79	802.11BE EHT40	134	5726.12	65.12	68.20	-3.08	V	PEAK	Pass	Band Edge
79	802.11BE EHT40	134	11340.00	46.56	74.00	-27.44	V	PEAK	Pass	Harmonic
80	802.11BE EHT80	106	5461.61	67.46	68.20	-0.74	V	PEAK	Pass	Band Edge
80	802.11BE EHT80	106	11060.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic
81	802.11BE EHT80	122	5732.60	67.27	68.20	-0.93	V	Peak	Pass	Band Edge
81	802.11BE EHT80	122	11220.00	36.60	54.00	-17.40	V	AVERAGE	Pass	Harmonic
82	802.11BE EHT160	114	5746.19	67.62	68.20	-0.58	V	PEAK	Pass	Band Edge
82	802.11BE EHT160	114	11140.00	35.04	54.00	-18.96	H	AVERAGE	Pass	Harmonic
83	802.11BE EHT20	144	-	-	-	-	-	-	-	Band Edge
83	802.11BE EHT20	144	11440.00	46.63	54.00	-7.37	H	AVERAGE	Pass	Harmonic
84	802.11BE EHT40	142	-	-	-	-	-	-	-	Band Edge
84	802.11BE EHT40	142	11420.00	42.45	54.00	-11.55	H	AVERAGE	Pass	Harmonic
85	802.11BE EHT80	138	-	-	-	-	-	-	-	Band Edge
85	802.11BE EHT80	138	11380.00	37.50	54.00	-16.50	H	AVERAGE	Pass	Harmonic
92	802.11BE EHT20	40	5149.82	53.12	54.00	-0.88	V	AVERAGE	Pass	Band Edge
92	802.11BE EHT20	40	10394.60	55.67	68.20	-12.53	H	Peak	Pass	Harmonic
86	802.11BE EHT20	149	5368.00	53.21	54.00	-0.79	V	Average	Pass	Band Edge
86	802.11BE EHT20	149	11490.00	45.04	54.00	-8.96	H	AVERAGE	Pass	Harmonic
87	802.11BE EHT20	157	5398.00	53.50	54.00	-0.50	V	Peak	Pass	Band Edge
87	802.11BE EHT20	157	11570.00	39.79	54.00	-14.21	H	AVERAGE	Pass	Harmonic
88	802.11BE EHT20	165	5440.00	53.40	54.00	-0.60	V	Average	Pass	Band Edge
88	802.11BE EHT20	165	11650.00	40.53	54.00	-13.47	H	AVERAGE	Pass	Harmonic
89	802.11BE EHT40	151	5649.14	66.91	68.20	-1.29	H	Peak	Pass	Band Edge
89	802.11BE EHT40	151	11510.00	40.45	54.00	-13.55	H	AVERAGE	Pass	Harmonic
90	802.11BE EHT40	159	5410.00	53.18	54.00	-0.82	V	Average	Pass	Band Edge
90	802.11BE EHT40	159	11590.00	35.89	54.00	-18.11	V	AVERAGE	Pass	Harmonic
91	802.11BE EHT80	155	5644.00	67.21	68.20	-0.99	V	PEAK	Pass	Band Edge
91	802.11BE EHT80	155	11550.00	45.46	74.00	-28.54	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

		61																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.80</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>55.57</td><td>34.55</td><td>10.61</td><td>36.66</td><td>0.00</td><td>207</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	64.07	74.00	-9.93	55.57	34.55	10.61	36.66	0.00	207	293	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>117.31</td><td>-----</td><td>-----</td><td>108.60</td><td>34.66</td><td>10.65</td><td>36.60</td><td>0.00</td><td>207</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	117.31	-----	-----	108.60	34.66	10.65	36.60	0.00	207	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.80	64.07	74.00	-9.93	55.57	34.55	10.61	36.66	0.00	207	293	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	117.31	-----	-----	108.60	34.66	10.65	36.60	0.00	207	293	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>49.51</td><td>54.00</td><td>-4.49</td><td>41.00</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>207</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	49.51	54.00	-4.49	41.00	34.55	10.61	36.65	0.00	207	293	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.87</td><td>-----</td><td>-----</td><td>99.16</td><td>34.66</td><td>10.65</td><td>36.60</td><td>0.00</td><td>207</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.87	-----	-----	99.16	34.66	10.65	36.60	0.00	207	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.60	49.51	54.00	-4.49	41.00	34.55	10.61	36.65	0.00	207	293	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	107.87	-----	-----	99.16	34.66	10.65	36.60	0.00	207	293	AVERAGE																																																																																							







Mode	61																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.60</td><td>66.86</td><td>74.00</td><td>-7.14</td><td>58.37</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.60	66.86	74.00	-7.14	58.37	34.54	10.61	36.66	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.60	66.86	74.00	-7.14	58.37	34.54	10.61	36.66	0.00	100	334	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>118.49</td><td>-----</td><td>-----</td><td>109.81</td><td>34.65</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	118.49	-----	-----	109.81	34.65	10.64	36.61	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	118.49	-----	-----	109.81	34.65	10.64	36.61	0.00	100	334	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.00</td><td>53.23</td><td>54.00</td><td>-0.77</td><td>44.72</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	53.23	54.00	-0.77	44.72	34.55	10.61	36.65	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.00	53.23	54.00	-0.77	44.72	34.55	10.61	36.65	0.00	100	334	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.03</td><td>-----</td><td>-----</td><td>100.32</td><td>34.66</td><td>10.65</td><td>36.60</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.03	-----	-----	100.32	34.66	10.65	36.60	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.03	-----	-----	100.32	34.66	10.65	36.60	0.00	100	334	AVERAGE																																											





Mode	61																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																																																																
ANT	TXBF1S4T																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>48.24</td><td>68.20</td><td>-19.96</td><td>57.68</td><td>37.64</td><td>18.11</td><td>65.19</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	48.24	68.20	-19.96	57.68	37.64	18.11	65.19	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>55.26</td><td>37.61</td><td>18.01</td><td>65.20</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.68	68.20	-22.52	55.26	37.61	18.01	65.20	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10360.00	48.24	68.20	-19.96	57.68	37.64	18.11	65.19	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10360.00	45.68	68.20	-22.52	55.26	37.61	18.01	65.20	0.00	--	PEAK																																																																																						







Mode	62																																																																																															
	Band Edge - L																																																																																															
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.18</td><td>66.59</td><td>74.00</td><td>-7.41</td><td>58.10</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>244</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.18	66.59	74.00	-7.41	58.10	34.54	10.61	36.66	0.00	244	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>115.31</td><td>-----</td><td>-----</td><td>106.39</td><td>34.80</td><td>10.67</td><td>36.55</td><td>0.00</td><td>244</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	115.31	-----	-----	106.39	34.80	10.67	36.55	0.00	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5147.18	66.59	74.00	-7.41	58.10	34.54	10.61	36.66	0.00	244	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5220.00	115.31	-----	-----	106.39	34.80	10.67	36.55	0.00	244	0 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.82</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>43.85</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>244</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.82	52.36	54.00	-1.64	43.85	34.55	10.61	36.65	0.00	244	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>105.94</td><td>-----</td><td>-----</td><td>96.98</td><td>34.82</td><td>10.68</td><td>36.54</td><td>0.00</td><td>244</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	105.94	-----	-----	96.98	34.82	10.68	36.54	0.00	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.82	52.36	54.00	-1.64	43.85	34.55	10.61	36.65	0.00	244	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5220.00	105.94	-----	-----	96.98	34.82	10.68	36.54	0.00	244	0 AVERAGE																																																																																					





Mode	62																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.60</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>49.53</td><td>35.21</td><td>10.80</td><td>36.27</td><td>0.00</td><td>244</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.60	59.27	74.00	-14.73	49.53	35.21	10.80	36.27	0.00	244	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5421.60	59.27	74.00	-14.73	49.53	35.21	10.80	36.27	0.00	244	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.64</td><td>48.69</td><td>54.00</td><td>-5.31</td><td>38.92</td><td>35.29</td><td>10.78</td><td>36.30</td><td>0.00</td><td>244</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.64	48.69	54.00	-5.31	38.92	35.29	10.78	36.30	0.00	244	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5402.64	48.69	54.00	-5.31	38.92	35.29	10.78	36.30	0.00	244	0 AVERAGE																																											





Mode	62																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.52</td><td>69.82</td><td>74.00</td><td>-4.18</td><td>61.34</td><td>34.54</td><td>10.60</td><td>36.66</td><td>0.00</td><td>107</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.52	69.82	74.00	-4.18	61.34	34.54	10.60	36.66	0.00	107	328	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>122.44</td><td>-----</td><td>-----</td><td>113.52</td><td>34.80</td><td>10.67</td><td>36.55</td><td>0.00</td><td>107</td><td>328</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	122.44	-----	-----	113.52	34.80	10.67	36.55	0.00	107	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.52	69.82	74.00	-4.18	61.34	34.54	10.60	36.66	0.00	107	328	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	122.44	-----	-----	113.52	34.80	10.67	36.55	0.00	107	328	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.16</td><td>51.79</td><td>54.00</td><td>-2.21</td><td>43.28</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>107</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.16	51.79	54.00	-2.21	43.28	34.55	10.61	36.65	0.00	107	328	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>112.58</td><td>-----</td><td>-----</td><td>103.62</td><td>34.82</td><td>10.68</td><td>36.54</td><td>0.00</td><td>107</td><td>328</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	112.58	-----	-----	103.62	34.82	10.68	36.54	0.00	107	328
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.16	51.79	54.00	-2.21	43.28	34.55	10.61	36.65	0.00	107	328	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	112.58	-----	-----	103.62	34.82	10.68	36.54	0.00	107	328	AVERAGE																																																																																																			







Mode	62																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.84</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>49.21</td><td>35.24</td><td>10.76</td><td>36.35</td><td>0.00</td><td>107</td><td>328</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.84	58.86	74.00	-15.14	49.21	35.24	10.76	36.35	0.00	107	328	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5367.84	58.86	74.00	-15.14	49.21	35.24	10.76	36.35	0.00	107	328	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.32</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>38.79</td><td>35.23</td><td>10.79</td><td>36.28</td><td>0.00</td><td>107</td><td>328</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.32	48.53	54.00	-5.47	38.79	35.23	10.79	36.28	0.00	107	328	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5416.32	48.53	54.00	-5.47	38.79	35.23	10.79	36.28	0.00	107	328	AVERAGE																																											





Mode	62																																																																													
	Harmonic																																																																													
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																																													
ANT	TXBF1S4T																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>67.17</td><td>37.70</td><td>18.32</td><td>65.11</td><td>0.00</td><td>288</td><td>138</td><td>PEAK</td></tr><tr><td>2 15641.60</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>56.72</td><td>40.34</td><td>22.01</td><td>64.30</td><td>0.00</td><td>100</td><td>6</td><td>Peak</td></tr><tr><td>3 15641.60</td><td>48.31</td><td>54.00</td><td>-5.69</td><td>50.26</td><td>40.34</td><td>22.01</td><td>64.30</td><td>0.00</td><td>100</td><td>6</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	58.08	68.20	-10.12	67.17	37.70	18.32	65.11	0.00	288	138	PEAK	2 15641.60	54.77	74.00	-19.23	56.72	40.34	22.01	64.30	0.00	100	6	Peak	3 15641.60	48.31	54.00	-5.69	50.26	40.34	22.01	64.30	0.00	100	6	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 10440.00	58.08	68.20	-10.12	67.17	37.70	18.32	65.11	0.00	288	138	PEAK																																																																			
2 15641.60	54.77	74.00	-19.23	56.72	40.34	22.01	64.30	0.00	100	6	Peak																																																																			
3 15641.60	48.31	54.00	-5.69	50.26	40.34	22.01	64.30	0.00	100	6	Average																																																																			
Vertical																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>66.44</td><td>37.70</td><td>18.30</td><td>65.10</td><td>0.00</td><td>173</td><td>350</td><td>PEAK</td></tr><tr><td>2 15661.40</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>56.35</td><td>40.36</td><td>22.03</td><td>64.31</td><td>0.00</td><td>209</td><td>360</td><td>Peak</td></tr><tr><td>3 15661.40</td><td>47.71</td><td>54.00</td><td>-6.29</td><td>49.63</td><td>40.36</td><td>22.03</td><td>64.31</td><td>0.00</td><td>209</td><td>360</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	57.34	68.20	-10.86	66.44	37.70	18.30	65.10	0.00	173	350	PEAK	2 15661.40	54.43	74.00	-19.57	56.35	40.36	22.03	64.31	0.00	209	360	Peak	3 15661.40	47.71	54.00	-6.29	49.63	40.36	22.03	64.31	0.00	209	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 10440.00	57.34	68.20	-10.86	66.44	37.70	18.30	65.10	0.00	173	350	PEAK																																																																			
2 15661.40	54.43	74.00	-19.57	56.35	40.36	22.03	64.31	0.00	209	360	Peak																																																																			
3 15661.40	47.71	54.00	-6.29	49.63	40.36	22.03	64.31	0.00	209	360	Average																																																																			







Mode	63																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.84</td><td>61.20</td><td>74.00</td><td>-12.80</td><td>52.71</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>235 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	61.20	74.00	-12.80	52.71	34.54	10.61	36.66	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.84	61.20	74.00	-12.80	52.71	34.54	10.61	36.66	0.00	235 0 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>122.38</td><td>-----</td><td>-----</td><td>113.42</td><td>34.82</td><td>10.68</td><td>36.54</td><td>0.00</td><td>235 0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	122.38	-----	-----	113.42	34.82	10.68	36.54	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	122.38	-----	-----	113.42	34.82	10.68	36.54	0.00	235 0 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>39.93</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>235 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	48.44	54.00	-5.56	39.93	34.55	10.61	36.65	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.52	48.44	54.00	-5.56	39.93	34.55	10.61	36.65	0.00	235 0 AVERAGE																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>114.15</td><td>-----</td><td>-----</td><td>105.19</td><td>34.82</td><td>10.68</td><td>36.54</td><td>0.00</td><td>235 0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	114.15	-----	-----	105.19	34.82	10.68	36.54	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5240.00	114.15	-----	-----	105.19	34.82	10.68	36.54	0.00	235 0 AVERAGE																																												





Mode	63																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.04</td><td>61.74</td><td>74.00</td><td>-12.26</td><td>52.00</td><td>35.21</td><td>10.80</td><td>36.27</td><td>0.00</td><td>235</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.04	61.74	74.00	-12.26	52.00	35.21	10.80	36.27	0.00	235	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5423.04	61.74	74.00	-12.26	52.00	35.21	10.80	36.27	0.00	235	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.04</td><td>53.59</td><td>54.00</td><td>-0.41</td><td>43.85</td><td>35.21</td><td>10.80</td><td>36.27</td><td>0.00</td><td>235</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.04	53.59	54.00	-0.41	43.85	35.21	10.80	36.27	0.00	235	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5423.04	53.59	54.00	-0.41	43.85	35.21	10.80	36.27	0.00	235	0 AVERAGE																																											





	63																																																																																																														
Mode	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>62.25</td><td>74.00</td><td>-11.75</td><td>53.74</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>132</td><td>335</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.52	62.25	74.00	-11.75	53.74	34.55	10.61	36.65	0.00	132	335	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>122.38</td><td>-----</td><td>-----</td><td>113.31</td><td>34.89</td><td>10.69</td><td>36.51</td><td>0.00</td><td>132</td><td>335</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	122.38	-----	-----	113.31	34.89	10.69	36.51	0.00	132	335
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.52	62.25	74.00	-11.75	53.74	34.55	10.61	36.65	0.00	132	335	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	122.38	-----	-----	113.31	34.89	10.69	36.51	0.00	132	335	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>39.75</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>132</td><td>335</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.26	54.00	-5.74	39.75	34.55	10.61	36.65	0.00	132	335	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>112.59</td><td>-----</td><td>-----</td><td>103.52</td><td>34.89</td><td>10.69</td><td>36.51</td><td>0.00</td><td>132</td><td>335</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.59	-----	-----	103.52	34.89	10.69	36.51	0.00	132	335
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	48.26	54.00	-5.74	39.75	34.55	10.61	36.65	0.00	132	335	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	112.59	-----	-----	103.52	34.89	10.69	36.51	0.00	132	335	AVERAGE																																																																																																			







Mode	63																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.06</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>50.95</td><td>35.17</td><td>10.81</td><td>36.25</td><td>0.00</td><td>132</td><td>335</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.06	60.68	74.00	-13.32	50.95	35.17	10.81	36.25	0.00	132	335	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5432.06	60.68	74.00	-13.32	50.95	35.17	10.81	36.25	0.00	132	335	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5430.30</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>40.03</td><td>35.18</td><td>10.81</td><td>36.26</td><td>0.00</td><td>132</td><td>335</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.30	49.76	54.00	-4.24	40.03	35.18	10.81	36.26	0.00	132	335	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5430.30	49.76	54.00	-4.24	40.03	35.18	10.81	36.26	0.00	132	335	AVERAGE																																											





Mode	63																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																																																																																												
ANT	TXBF1S4T																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10476.73</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>62.54</td><td>37.70</td><td>18.25</td><td>65.06</td><td>0.00</td><td>300</td><td>111</td><td>Peak</td></tr><tr><td>2</td><td>15734.73</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>51.94</td><td>40.43</td><td>22.16</td><td>64.37</td><td>0.00</td><td>178</td><td>0</td><td>Peak</td></tr><tr><td>3</td><td>15734.73</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>44.55</td><td>40.43</td><td>22.16</td><td>64.37</td><td>0.00</td><td>178</td><td>0</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10476.73	53.43	68.20	-14.77	62.54	37.70	18.25	65.06	0.00	300	111	Peak	2	15734.73	50.16	74.00	-23.84	51.94	40.43	22.16	64.37	0.00	178	0	Peak	3	15734.73	42.77	54.00	-11.23	44.55	40.43	22.16	64.37	0.00	178	0	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>65.37</td><td>37.70</td><td>18.24</td><td>65.06</td><td>0.00</td><td>179</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	56.25	68.20	-11.95	65.37	37.70	18.24	65.06	0.00	179	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	10476.73	53.43	68.20	-14.77	62.54	37.70	18.25	65.06	0.00	300	111	Peak																																																																																																																	
2	15734.73	50.16	74.00	-23.84	51.94	40.43	22.16	64.37	0.00	178	0	Peak																																																																																																																	
3	15734.73	42.77	54.00	-11.23	44.55	40.43	22.16	64.37	0.00	178	0	Average																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	10480.00	56.25	68.20	-11.95	65.37	37.70	18.24	65.06	0.00	179	359	PEAK																																																																																																																	







Mode	64																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.37</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>47.27</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>235</td><td>273</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.37	63.86	74.00	-10.14	47.27	34.20	12.45	30.06	0.00	235	273	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>113.88</td><td>-----</td><td>-----</td><td>97.22</td><td>34.13</td><td>12.53</td><td>30.00</td><td>0.00</td><td>235</td><td>273</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	113.88	-----	-----	97.22	34.13	12.53	30.00	0.00	235	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.37	63.86	74.00	-10.14	47.27	34.20	12.45	30.06	0.00	235	273	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	113.88	-----	-----	97.22	34.13	12.53	30.00	0.00	235	273	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.85</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>33.43</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>235</td><td>273</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	50.03	54.00	-3.97	33.43	34.20	12.45	30.05	0.00	235	273	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>103.50</td><td>-----</td><td>-----</td><td>86.85</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>235</td><td>273</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	103.50	-----	-----	86.85	34.14	12.52	30.01	0.00	235	273
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.85	50.03	54.00	-3.97	33.43	34.20	12.45	30.05	0.00	235	273	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	103.50	-----	-----	86.85	34.14	12.52	30.01	0.00	235	273	AVERAGE																																																																																																			





Mode	64																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.40</td><td>56.71</td><td>74.00</td><td>-17.29</td><td>38.89</td><td>34.60</td><td>12.82</td><td>29.60</td><td>0.00</td><td>235</td><td>273</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.40	56.71	74.00	-17.29	38.89	34.60	12.82	29.60	0.00	235	273	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5443.40	56.71	74.00	-17.29	38.89	34.60	12.82	29.60	0.00	235	273	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.87</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>27.98</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>235</td><td>273</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.87	45.86	54.00	-8.14	27.98	34.60	12.85	29.57	0.00	235	273	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.87	45.86	54.00	-8.14	27.98	34.60	12.85	29.57	0.00	235	273	AVERAGE																																												





		64																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.34</td><td>73.09</td><td>74.00</td><td>-0.91</td><td>56.49</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>112</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.34	73.09	74.00	-0.91	56.49	34.21	12.45	30.06	0.00	112	272	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>114.59</td><td>-----</td><td>-----</td><td>97.95</td><td>34.15</td><td>12.51</td><td>30.02</td><td>0.00</td><td>112</td><td>272</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	114.59	-----	-----	97.95	34.15	12.51	30.02	0.00	112	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.34	73.09	74.00	-0.91	56.49	34.21	12.45	30.06	0.00	112	272	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	114.59	-----	-----	97.95	34.15	12.51	30.02	0.00	112	272	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.05</td><td>51.44</td><td>54.00</td><td>-2.56</td><td>34.85</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>112</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.05	51.44	54.00	-2.56	34.85	34.20	12.45	30.06	0.00	112	272	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>105.37</td><td>-----</td><td>-----</td><td>88.74</td><td>34.17</td><td>12.49</td><td>30.03</td><td>0.00</td><td>112</td><td>272</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	105.37	-----	-----	88.74	34.17	12.49	30.03	0.00	112	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.05	51.44	54.00	-2.56	34.85	34.20	12.45	30.06	0.00	112	272	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	105.37	-----	-----	88.74	34.17	12.49	30.03	0.00	112	272	AVERAGE																																																																																																			







Mode	64																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.71</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>40.61</td><td>34.60</td><td>12.81</td><td>29.70</td><td>0.00</td><td>112</td><td>272</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.71	58.32	74.00	-15.68	40.61	34.60	12.81	29.70	0.00	112	272	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.71	58.32	74.00	-15.68	40.61	34.60	12.81	29.70	0.00	112	272	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.45</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>29.30</td><td>34.60</td><td>12.71</td><td>29.72</td><td>0.00</td><td>112</td><td>272</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.45	46.89	54.00	-7.11	29.30	34.60	12.71	29.72	0.00	112	272	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5366.45	46.89	54.00	-7.11	29.30	34.60	12.71	29.72	0.00	112	272	AVERAGE																																												





Mode	64																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>55.71</td><td>37.66</td><td>18.21</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	46.41	68.20	-21.79	55.71	37.66	18.21	65.17	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10380.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>55.41</td><td>37.64</td><td>18.12</td><td>65.18</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	45.99	68.20	-22.21	55.41	37.64	18.12	65.18	0.00	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 10380.00	46.41	68.20	-21.79	55.71	37.66	18.21	65.17	0.00	--	-- PEAK																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 10380.00	45.99	68.20	-22.21	55.41	37.64	18.12	65.18	0.00	--	-- PEAK																																																																																						







		65																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																																																																												
ANT		TXBF1S4T																																																																																																												
Pol.		Horizontal											Fundamental																																																																																																	
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.88</td><td>65.99</td><td>74.00</td><td>-8.01</td><td>57.49</td><td>34.55</td><td>10.61</td><td>36.66</td><td>0.00</td><td>106</td><td>271</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.88	65.99	74.00	-8.01	57.49	34.55	10.61	36.66	0.00	106	271	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>118.84</td><td>-----</td><td>-----</td><td>110.00</td><td>34.74</td><td>10.67</td><td>36.57</td><td>0.00</td><td>106</td><td>271</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	118.84	-----	-----	110.00	34.74	10.67	36.57	0.00	106	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5148.88	65.99	74.00	-8.01	57.49	34.55	10.61	36.66	0.00	106	271	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5230.00	118.84	-----	-----	110.00	34.74	10.67	36.57	0.00	106	271	PEAK																																																																																																		
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>51.65</td><td>54.00</td><td>-2.35</td><td>43.14</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>106</td><td>271</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	51.65	54.00	-2.35	43.14	34.55	10.61	36.65	0.00	106	271	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.41</td><td>-----</td><td>-----</td><td>99.57</td><td>34.74</td><td>10.67</td><td>36.57</td><td>0.00</td><td>106</td><td>271</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.41	-----	-----	99.57	34.74	10.67	36.57	0.00	106	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5150.00	51.65	54.00	-2.35	43.14	34.55	10.61	36.65	0.00	106	271	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5230.00	108.41	-----	-----	99.57	34.74	10.67	36.57	0.00	106	271	AVERAGE																																																																																																		





Mode	65																																																			
	Band Edge - R																																																			
	U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																			
ANT	TXBF1S4T																																																			
Pol.	Horizontal										Fundamental																																									
Peak											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.92</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>48.15</td><td>35.21</td><td>10.75</td><td>36.36</td><td>0.00</td><td>106</td><td>271 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.92	57.75	74.00	-16.25	48.15	35.21	10.75	36.36	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5354.92	57.75	74.00	-16.25	48.15	35.21	10.75	36.36	0.00	106	271 PEAK																																									
Avg											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>38.35</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>106</td><td>271 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	47.93	54.00	-6.07	38.35	35.20	10.75	36.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.24	47.93	54.00	-6.07	38.35	35.20	10.75	36.37	0.00	106	271 AVERAGE																																									





Mode	65																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.60</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>53.18</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.60	61.67	74.00	-12.33	53.18	34.54	10.61	36.66	0.00	100	324	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>120.46</td><td>-----</td><td>-----</td><td>111.45</td><td>34.86</td><td>10.68</td><td>36.53</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	120.46	-----	-----	111.45	34.86	10.68	36.53	0.00	100	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.60	61.67	74.00	-12.33	53.18	34.54	10.61	36.66	0.00	100	324	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	120.46	-----	-----	111.45	34.86	10.68	36.53	0.00	100	324	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.84</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>41.83</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.84	50.34	54.00	-3.66	41.83	34.55	10.61	36.65	0.00	100	324	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.18</td><td>-----</td><td>-----</td><td>99.13</td><td>34.88</td><td>10.69</td><td>36.52</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.18	-----	-----	99.13	34.88	10.69	36.52	0.00	100	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.84	50.34	54.00	-3.66	41.83	34.55	10.61	36.65	0.00	100	324	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	108.18	-----	-----	99.13	34.88	10.69	36.52	0.00	100	324	AVERAGE																																																																																							







Mode	65																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.26</td><td>58.75</td><td>74.00</td><td>-15.25</td><td>49.15</td><td>35.21</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100</td><td>324</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.26	58.75	74.00	-15.25	49.15	35.21	10.75	36.36	0.00	100	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5357.26	58.75	74.00	-15.25	49.15	35.21	10.75	36.36	0.00	100	324	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.18</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>38.02</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>100</td><td>324</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.18	47.60	54.00	-6.40	38.02	35.20	10.75	36.37	0.00	100	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.18	47.60	54.00	-6.40	38.02	35.20	10.75	36.37	0.00	100	324	AVERAGE																																											





Mode	65																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																																																																
ANT	TXBF1S4T																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>55.08</td><td>37.70</td><td>18.31</td><td>65.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.99	68.20	-22.21	55.08	37.70	18.31	65.10	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>45.95</td><td>68.20</td><td>-22.25</td><td>55.05</td><td>37.70</td><td>18.27</td><td>65.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	45.95	68.20	-22.25	55.05	37.70	18.27	65.07	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10460.00	45.99	68.20	-22.21	55.08	37.70	18.31	65.10	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10460.00	45.95	68.20	-22.25	55.05	37.70	18.27	65.07	0.00	--	PEAK																																																																																						







	66																																																																																																	
Mode	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																																																																	
ANT	TXBF1S4T																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5141.52</td><td>73.27</td><td>74.00</td><td>-0.73</td><td>56.67</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>105</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5141.52	73.27	74.00	-0.73	56.67	34.22	12.45	30.07	0.00	105	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>110.97</td><td>-----</td><td>-----</td><td>94.32</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>105</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	110.97	-----	-----	94.32	34.14	12.52	30.01	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5141.52	73.27	74.00	-0.73	56.67	34.22	12.45	30.07	0.00	105	360 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5210.00	110.97	-----	-----	94.32	34.14	12.52	30.01	0.00	105	360 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.83</td><td>51.02</td><td>54.00</td><td>-2.98</td><td>34.42</td><td>34.20</td><td>12.45</td><td>30.05</td><td>0.00</td><td>105</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.83	51.02	54.00	-2.98	34.42	34.20	12.45	30.05	0.00	105	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>100.62</td><td>-----</td><td>-----</td><td>83.97</td><td>34.14</td><td>12.52</td><td>30.01</td><td>0.00</td><td>105</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	100.62	-----	-----	83.97	34.14	12.52	30.01	0.00	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5149.83	51.02	54.00	-2.98	34.42	34.20	12.45	30.05	0.00	105	360 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5210.00	100.62	-----	-----	83.97	34.14	12.52	30.01	0.00	105	360 AVERAGE																																																																																								





Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.70</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>40.95</td><td>34.60</td><td>12.98</td><td>29.67</td><td>0.00</td><td>105</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.70	58.86	74.00	-15.14	40.95	34.60	12.98	29.67	0.00	105	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5394.70	58.86	74.00	-15.14	40.95	34.60	12.98	29.67	0.00	105	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.14</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>27.91</td><td>34.60</td><td>13.02</td><td>29.67</td><td>0.00</td><td>105</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.14	45.86	54.00	-8.14	27.91	34.60	13.02	29.67	0.00	105	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.14	45.86	54.00	-8.14	27.91	34.60	13.02	29.67	0.00	105	360	AVERAGE																																												





	66																																																																																																														
Mode	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.89</td><td>65.16</td><td>74.00</td><td>-8.84</td><td>48.56</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>104</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.89	65.16	74.00	-8.84	48.56	34.22	12.45	30.07	0.00	104	327	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>113.40</td><td>-----</td><td>-----</td><td>96.59</td><td>34.19</td><td>12.53</td><td>29.91</td><td>0.00</td><td>104</td><td>327</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	113.40	-----	-----	96.59	34.19	12.53	29.91	0.00	104	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.89	65.16	74.00	-8.84	48.56	34.22	12.45	30.07	0.00	104	327	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	113.40	-----	-----	96.59	34.19	12.53	29.91	0.00	104	327	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.58</td><td>50.33</td><td>54.00</td><td>-3.67</td><td>33.74</td><td>34.20</td><td>12.45</td><td>30.06</td><td>0.00</td><td>104</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.58	50.33	54.00	-3.67	33.74	34.20	12.45	30.06	0.00	104	327	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>102.06</td><td>-----</td><td>-----</td><td>85.26</td><td>34.19</td><td>12.52</td><td>29.91</td><td>0.00</td><td>104</td><td>327</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.06	-----	-----	85.26	34.19	12.52	29.91	0.00	104	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.58	50.33	54.00	-3.67	33.74	34.20	12.45	30.06	0.00	104	327	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	102.06	-----	-----	85.26	34.19	12.52	29.91	0.00	104	327	AVERAGE																																																																																																			







Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.80</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>40.49</td><td>34.60</td><td>12.97</td><td>29.67</td><td>0.00</td><td>104</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.80	58.39	74.00	-15.61	40.49	34.60	12.97	29.67	0.00	104	327	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.80	58.39	74.00	-15.61	40.49	34.60	12.97	29.67	0.00	104	327	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.60</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>27.22</td><td>34.60</td><td>13.03</td><td>29.67</td><td>0.00</td><td>104</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.60	45.18	54.00	-8.82	27.22	34.60	13.03	29.67	0.00	104	327	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.60	45.18	54.00	-8.82	27.22	34.60	13.03	29.67	0.00	104	327	AVERAGE																																												





		66																																																				
Mode		Harmonic																																																				
		U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																				
ANT		TXBF1S4T																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>54.71</td><td>37.67</td><td>18.25</td><td>65.17</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.46	68.20	-22.74	54.71	37.67	18.25	65.17	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	45.46	68.20	-22.74	54.71	37.67	18.25	65.17	0.00	--	PEAK																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.06</td><td>68.20</td><td>-23.14</td><td>54.15</td><td>37.70</td><td>18.30</td><td>65.09</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.06	68.20	-23.14	54.15	37.70	18.30	65.09	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	10420.00	45.06	68.20	-23.14	54.15	37.70	18.30	65.09	0.00	--	PEAK																																											







		67																																																																																											
Mode	Band Edge - L																																																																																												
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																																																												
ANT	TXBF1S4T																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.69</td><td>57.05</td><td>74.00</td><td>-16.95</td><td>40.46</td><td>34.26</td><td>12.44</td><td>30.11</td><td>0.00</td><td>115</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.69	57.05	74.00	-16.95	40.46	34.26	12.44	30.11	0.00	115	0 PEAK	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>121.09</td><td>-----</td><td>-----</td><td>104.27</td><td>34.20</td><td>12.52</td><td>29.90</td><td>0.00</td><td>115</td><td>0 PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	121.09	-----	-----	104.27	34.20	12.52	29.90	0.00	115
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5117.69	57.05	74.00	-16.95	40.46	34.26	12.44	30.11	0.00	115	0 PEAK																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5260.00	121.09	-----	-----	104.27	34.20	12.52	29.90	0.00	115	0 PEAK																																																																																		
Avg																																																																																													
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.83</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>28.77</td><td>34.22</td><td>12.45</td><td>30.07</td><td>0.00</td><td>115</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5141.83	45.37	54.00	-8.63	28.77	34.22	12.45	30.07	0.00	115	0 AVERAGE	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>109.94</td><td>-----</td><td>-----</td><td>93.03</td><td>34.25</td><td>12.54</td><td>29.88</td><td>0.00</td><td>115</td><td>0 AVERAGE</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	109.94	-----	-----	93.03	34.25	12.54	29.88	0.00	115	0 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5141.83	45.37	54.00	-8.63	28.77	34.22	12.45	30.07	0.00	115	0 AVERAGE																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5260.00	109.94	-----	-----	93.03	34.25	12.54	29.88	0.00	115	0 AVERAGE																																																																																		





Mode	67																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.31</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>42.97</td><td>34.60</td><td>12.80</td><td>29.58</td><td>0.00</td><td>115</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.31	60.79	74.00	-13.21	42.97	34.60	12.80	29.58	0.00	115	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5451.31	60.79	74.00	-13.21	42.97	34.60	12.80	29.58	0.00	115	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.64</td><td>49.44</td><td>54.00</td><td>-4.56</td><td>31.62</td><td>34.60</td><td>12.82</td><td>29.60</td><td>0.00</td><td>115</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.64	49.44	54.00	-4.56	31.62	34.60	12.82	29.60	0.00	115	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5443.64	49.44	54.00	-4.56	31.62	34.60	12.82	29.60	0.00	115	0 AVERAGE																																											





		67																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																																		
ANT		TXBF1S4T																																																																		
Pol.		Vertical						Fundamental																																																												
Peak																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.21</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>40.47</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>117</td><td>281</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.21	57.07	74.00	-16.93	40.47	34.21	12.45	30.06	0.00	117	281	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5145.21	57.07	74.00	-16.93	40.47	34.21	12.45	30.06	0.00	117	281	PEAK																																																								
Avg																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.82</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>28.77</td><td>34.21</td><td>12.45</td><td>30.06</td><td>0.00</td><td>117</td><td>281</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.82	45.37	54.00	-8.63	28.77	34.21	12.45	30.06	0.00	117	281	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5145.82	45.37	54.00	-8.63	28.77	34.21	12.45	30.06	0.00	117	281	AVERAGE																																																								
Peak																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>123.18</td><td>-----</td><td>-----</td><td>106.27</td><td>34.25</td><td>12.54</td><td>29.88</td><td>0.00</td><td>117</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>5455.20</td><td>62.52</td><td>74.00</td><td>-11.48</td><td>44.68</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>115</td><td>279</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	123.18	-----	-----	106.27	34.25	12.54	29.88	0.00	117	281	PEAK	2	5455.20	62.52	74.00	-11.48	44.68	34.60	12.82	29.58	0.00	115	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5260.00	123.18	-----	-----	106.27	34.25	12.54	29.88	0.00	117	281	PEAK																																																								
2	5455.20	62.52	74.00	-11.48	44.68	34.60	12.82	29.58	0.00	115	279	Peak																																																								
Avg																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>114.38</td><td>-----</td><td>-----</td><td>97.47</td><td>34.25</td><td>12.54</td><td>29.88</td><td>0.00</td><td>117</td><td>281</td><td>AVERAGE</td></tr><tr><td>2</td><td>5455.20</td><td>53.05</td><td>54.00</td><td>-0.95</td><td>35.21</td><td>34.60</td><td>12.82</td><td>29.58</td><td>0.00</td><td>115</td><td>279</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	114.38	-----	-----	97.47	34.25	12.54	29.88	0.00	117	281	AVERAGE	2	5455.20	53.05	54.00	-0.95	35.21	34.60	12.82	29.58	0.00	115	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5260.00	114.38	-----	-----	97.47	34.25	12.54	29.88	0.00	117	281	AVERAGE																																																								
2	5455.20	53.05	54.00	-0.95	35.21	34.60	12.82	29.58	0.00	115	279	Average																																																								







Mode	67																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.91</td><td>60.91</td><td>74.00</td><td>-13.09</td><td>43.04</td><td>34.60</td><td>12.84</td><td>29.57</td><td>0.00</td><td>117</td><td>281</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.91	60.91	74.00	-13.09	43.04	34.60	12.84	29.57	0.00	117	281	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5458.91	60.91	74.00	-13.09	43.04	34.60	12.84	29.57	0.00	117	281	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.91</td><td>50.51</td><td>54.00</td><td>-3.49</td><td>32.63</td><td>34.60</td><td>12.85</td><td>29.57</td><td>0.00</td><td>117</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.91	50.51	54.00	-3.49	32.63	34.60	12.85	29.57	0.00	117	281	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5459.91	50.51	54.00	-3.49	32.63	34.60	12.85	29.57	0.00	117	281	AVERAGE																																												





Mode	67																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																																																																																																																						
ANT	TXBF1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>64.73</td><td>37.70</td><td>18.14</td><td>65.01</td><td>0.00</td><td>298</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>56.34</td><td>40.48</td><td>22.28</td><td>64.40</td><td>0.00</td><td>182</td><td>7</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>38.87</td><td>54.00</td><td>-15.13</td><td>40.51</td><td>40.48</td><td>22.28</td><td>64.40</td><td>0.00</td><td>182</td><td>7</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	55.56	68.20	-12.64	64.73	37.70	18.14	65.01	0.00	298	136	PEAK	2	15780.00	54.70	74.00	-19.30	56.34	40.48	22.28	64.40	0.00	182	7	PEAK	3	15780.00	38.87	54.00	-15.13	40.51	40.48	22.28	64.40	0.00	182	7	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>56.02</td><td>68.20</td><td>-12.18</td><td>65.19</td><td>37.70</td><td>18.14</td><td>65.01</td><td>0.00</td><td>181</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>57.59</td><td>40.48</td><td>22.28</td><td>64.40</td><td>0.00</td><td>125</td><td>1</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>39.53</td><td>54.00</td><td>-14.47</td><td>41.17</td><td>40.48</td><td>22.28</td><td>64.40</td><td>0.00</td><td>125</td><td>1</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	56.02	68.20	-12.18	65.19	37.70	18.14	65.01	0.00	181	360	PEAK	2	15780.00	55.95	74.00	-18.05	57.59	40.48	22.28	64.40	0.00	125	1	PEAK	3	15780.00	39.53	54.00	-14.47	41.17	40.48	22.28	64.40	0.00	125	1
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10520.00	55.56	68.20	-12.64	64.73	37.70	18.14	65.01	0.00	298	136	PEAK																																																																																																																																											
2	15780.00	54.70	74.00	-19.30	56.34	40.48	22.28	64.40	0.00	182	7	PEAK																																																																																																																																											
3	15780.00	38.87	54.00	-15.13	40.51	40.48	22.28	64.40	0.00	182	7	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10520.00	56.02	68.20	-12.18	65.19	37.70	18.14	65.01	0.00	181	360	PEAK																																																																																																																																											
2	15780.00	55.95	74.00	-18.05	57.59	40.48	22.28	64.40	0.00	125	1	PEAK																																																																																																																																											
3	15780.00	39.53	54.00	-14.47	41.17	40.48	22.28	64.40	0.00	125	1	AVERAGE																																																																																																																																											







Mode	68																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																																																																																												
ANT	TXBF1S4T																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5068.56</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>41.70</td><td>34.30</td><td>12.31</td><td>30.18</td><td>0.00</td><td>245</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5068.56	58.13	74.00	-15.87	41.70	34.30	12.31	30.18	0.00	245	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>121.68</td><td>-----</td><td>-----</td><td>104.49</td><td>34.40</td><td>12.61</td><td>29.82</td><td>0.00</td><td>245</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	121.68	-----	-----	104.49	34.40	12.61	29.82	0.00	245	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5068.56	58.13	74.00	-15.87	41.70	34.30	12.31	30.18	0.00	245	0	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5300.00	121.68	-----	-----	104.49	34.40	12.61	29.82	0.00	245	0	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5115.64</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>29.55</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>245</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5115.64	46.15	54.00	-7.85	29.55	34.27	12.44	30.11	0.00	245	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>111.31</td><td>-----</td><td>-----</td><td>94.10</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>245</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	111.31	-----	-----	94.10	34.42	12.60	29.81	0.00	245	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5115.64	46.15	54.00	-7.85	29.55	34.27	12.44	30.11	0.00	245	0	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5300.00	111.31	-----	-----	94.10	34.42	12.60	29.81	0.00	245	0	AVERAGE																																																																																																																	





Mode	68																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.85</td><td>72.79</td><td>74.00</td><td>-1.21</td><td>55.34</td><td>34.60</td><td>12.59</td><td>29.74</td><td>0.00</td><td>245</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.85	72.79	74.00	-1.21	55.34	34.60	12.59	29.74	0.00	245	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.85	72.79	74.00	-1.21	55.34	34.60	12.59	29.74	0.00	245	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.54</td><td>54.00</td><td>-0.46</td><td>36.12</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>245</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.54	54.00	-0.46	36.12	34.60	12.56	29.74	0.00	245	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	53.54	54.00	-0.46	36.12	34.60	12.56	29.74	0.00	245	0 AVERAGE																																											





Mode	68																																																												
	Band Edge - L																																																												
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																												
ANT	TXBF1S4T																																																												
Pol.	Vertical						Fundamental																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.86</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>41.58</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>118</td><td>279</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5116.86	58.18	74.00	-15.82	41.58	34.27	12.44	30.11	0.00	118	279	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5116.86	58.18	74.00	-15.82	41.58	34.27	12.44	30.11	0.00	118	279	PEAK																																																	
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.86</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>30.79</td><td>34.27</td><td>12.44</td><td>30.11</td><td>0.00</td><td>118</td><td>279</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5116.86	47.39	54.00	-6.61	30.79	34.27	12.44	30.11	0.00	118	279	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5116.86	47.39	54.00	-6.61	30.79	34.27	12.44	30.11	0.00	118	279	AVERAGE																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>124.26</td><td>-----</td><td>-----</td><td>107.05</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>118</td><td>279</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	124.26	-----	-----	107.05	34.42	12.60	29.81	0.00	118	279	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5300.00	124.26	-----	-----	107.05	34.42	12.60	29.81	0.00	118	279	PEAK																																																	
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>114.92</td><td>-----</td><td>-----</td><td>97.71</td><td>34.42</td><td>12.60</td><td>29.81</td><td>0.00</td><td>118</td><td>279</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5300.00	114.92	-----	-----	97.71	34.42	12.60	29.81	0.00	118	279	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1	5300.00	114.92	-----	-----	97.71	34.42	12.60	29.81	0.00	118	279	AVERAGE																																																	







Mode	68																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.45</td><td>69.82</td><td>74.00</td><td>-4.18</td><td>52.33</td><td>34.60</td><td>12.62</td><td>29.73</td><td>0.00</td><td>118</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.45	69.82	74.00	-4.18	52.33	34.60	12.62	29.73	0.00	118	279	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5356.45	69.82	74.00	-4.18	52.33	34.60	12.62	29.73	0.00	118	279	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.27</td><td>54.00</td><td>-0.73</td><td>35.85</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>118</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.27	54.00	-0.73	35.85	34.60	12.56	29.74	0.00	118	279	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	53.27	54.00	-0.73	35.85	34.60	12.56	29.74	0.00	118	279	AVERAGE																																												







Mode	68																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																																																																																																																																																																
ANT	TXBF1S4T																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.01</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>63.11</td><td>37.70</td><td>17.83</td><td>64.92</td><td>0.00</td><td>116</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>10600.01</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>51.68</td><td>37.70</td><td>17.83</td><td>64.92</td><td>0.00</td><td>116</td><td>212</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>57.87</td><td>74.00</td><td>-16.13</td><td>59.23</td><td>40.70</td><td>22.43</td><td>64.49</td><td>0.00</td><td>112</td><td>152</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>41.92</td><td>40.70</td><td>22.43</td><td>64.49</td><td>0.00</td><td>112</td><td>152</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10600.01	53.72	74.00	-20.28	63.11	37.70	17.83	64.92	0.00	116	212	PEAK	2	10600.01	42.29	54.00	-11.71	51.68	37.70	17.83	64.92	0.00	116	212	AVERAGE	3	15900.00	57.87	74.00	-16.13	59.23	40.70	22.43	64.49	0.00	112	152	PEAK	4	15900.00	40.56	54.00	-13.44	41.92	40.70	22.43	64.49	0.00	112	152	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10600.01</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>63.91</td><td>37.70</td><td>17.83</td><td>64.92</td><td>0.00</td><td>315</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>10600.01</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>51.77</td><td>37.70</td><td>17.83</td><td>64.92</td><td>0.00</td><td>315</td><td>39</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>56.26</td><td>40.70</td><td>22.43</td><td>64.49</td><td>0.00</td><td>110</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>38.54</td><td>54.00</td><td>-15.46</td><td>39.90</td><td>40.71</td><td>22.42</td><td>64.49</td><td>0.00</td><td>110</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10600.01	54.52	74.00	-19.48	63.91	37.70	17.83	64.92	0.00	315	39	PEAK	2	10600.01	42.38	54.00	-11.62	51.77	37.70	17.83	64.92	0.00	315	39	AVERAGE	3	15900.00	54.90	74.00	-19.10	56.26	40.70	22.43	64.49	0.00	110	360	PEAK	4	15900.00	38.54	54.00	-15.46	39.90	40.71	22.42	64.49	0.00	110	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																						
1	10600.01	53.72	74.00	-20.28	63.11	37.70	17.83	64.92	0.00	116	212	PEAK																																																																																																																																																																																					
2	10600.01	42.29	54.00	-11.71	51.68	37.70	17.83	64.92	0.00	116	212	AVERAGE																																																																																																																																																																																					
3	15900.00	57.87	74.00	-16.13	59.23	40.70	22.43	64.49	0.00	112	152	PEAK																																																																																																																																																																																					
4	15900.00	40.56	54.00	-13.44	41.92	40.70	22.43	64.49	0.00	112	152	AVERAGE																																																																																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																						
1	10600.01	54.52	74.00	-19.48	63.91	37.70	17.83	64.92	0.00	315	39	PEAK																																																																																																																																																																																					
2	10600.01	42.38	54.00	-11.62	51.77	37.70	17.83	64.92	0.00	315	39	AVERAGE																																																																																																																																																																																					
3	15900.00	54.90	74.00	-19.10	56.26	40.70	22.43	64.49	0.00	110	360	PEAK																																																																																																																																																																																					
4	15900.00	38.54	54.00	-15.46	39.90	40.71	22.42	64.49	0.00	110	360	AVERAGE																																																																																																																																																																																					





Mode	69																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.15</td><td>73.39</td><td>74.00</td><td>-0.61</td><td>55.94</td><td>34.60</td><td>12.59</td><td>29.74</td><td>0.00</td><td>142</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.15	73.39	74.00	-0.61	55.94	34.60	12.59	29.74	0.00	142	271	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>119.80</td><td>-----</td><td>-----</td><td>102.50</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>142</td><td>271</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	119.80	-----	-----	102.50	34.49	12.59	29.78	0.00	142	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5353.15	73.39	74.00	-0.61	55.94	34.60	12.59	29.74	0.00	142	271	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	119.80	-----	-----	102.50	34.49	12.59	29.78	0.00	142	271	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.22</td><td>51.02</td><td>54.00</td><td>-2.98</td><td>33.60</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>142</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.22	51.02	54.00	-2.98	33.60	34.60	12.56	29.74	0.00	142	271	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.66</td><td>-----</td><td>-----</td><td>92.42</td><td>34.44</td><td>12.60</td><td>29.80</td><td>0.00</td><td>142</td><td>271</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.66	-----	-----	92.42	34.44	12.60	29.80	0.00	142	271
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.22	51.02	54.00	-2.98	33.60	34.60	12.56	29.74	0.00	142	271	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	109.66	-----	-----	92.42	34.44	12.60	29.80	0.00	142	271	AVERAGE																																																																																																			







		69																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.05</td><td>67.08</td><td>74.00</td><td>-6.92</td><td>49.58</td><td>34.60</td><td>12.63</td><td>29.73</td><td>0.00</td><td>306</td><td>346</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.05	67.08	74.00	-6.92	49.58	34.60	12.63	29.73	0.00	306	346	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>120.31</td><td>-----</td><td>-----</td><td>103.01</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>306</td><td>346</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	120.31	-----	-----	103.01	34.49	12.59	29.78	0.00	306	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5357.05	67.08	74.00	-6.92	49.58	34.60	12.63	29.73	0.00	306	346	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	120.31	-----	-----	103.01	34.49	12.59	29.78	0.00	306	346	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>33.28</td><td>34.60</td><td>12.56</td><td>29.74</td><td>0.00</td><td>306</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.70	54.00	-3.30	33.28	34.60	12.56	29.74	0.00	306	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.52</td><td>-----</td><td>-----</td><td>94.22</td><td>34.49</td><td>12.59</td><td>29.78</td><td>0.00</td><td>306</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.52	-----	-----	94.22	34.49	12.59	29.78	0.00	306	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	50.70	54.00	-3.30	33.28	34.60	12.56	29.74	0.00	306	346	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	111.52	-----	-----	94.22	34.49	12.59	29.78	0.00	306	346	AVERAGE																																																																																							





Mode	69																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																																																																																																																																
ANT	TXBF1S4T																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>65.25</td><td>37.74</td><td>17.89</td><td>64.87</td><td>0.00</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>51.27</td><td>37.74</td><td>17.89</td><td>64.87</td><td>0.00</td><td>100</td><td>283</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>54.74</td><td>74.00</td><td>-19.26</td><td>56.21</td><td>40.82</td><td>22.24</td><td>64.53</td><td>0.00</td><td>173</td><td>311</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>37.69</td><td>54.00</td><td>-16.31</td><td>39.19</td><td>40.83</td><td>22.20</td><td>64.53</td><td>0.00</td><td>173</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	56.01	74.00	-17.99	65.25	37.74	17.89	64.87	0.00	100	283	PEAK	2	10640.00	42.03	54.00	-11.97	51.27	37.74	17.89	64.87	0.00	100	283	AVERAGE	3	15960.00	54.74	74.00	-19.26	56.21	40.82	22.24	64.53	0.00	173	311	PEAK	4	15960.00	37.69	54.00	-16.31	39.19	40.83	22.20	64.53	0.00	173	311	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>61.77</td><td>37.74</td><td>17.89</td><td>64.87</td><td>0.00</td><td>308</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>40.72</td><td>54.00</td><td>-13.28</td><td>49.96</td><td>37.74</td><td>17.89</td><td>64.87</td><td>0.00</td><td>308</td><td>43</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>49.34</td><td>40.82</td><td>22.24</td><td>64.53</td><td>0.00</td><td>308</td><td>43</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>35.87</td><td>54.00</td><td>-18.13</td><td>37.40</td><td>40.84</td><td>22.17</td><td>64.54</td><td>0.00</td><td>308</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	52.53	74.00	-21.47	61.77	37.74	17.89	64.87	0.00	308	43	PEAK	2	10640.00	40.72	54.00	-13.28	49.96	37.74	17.89	64.87	0.00	308	43	AVERAGE	3	15960.00	47.87	74.00	-26.13	49.34	40.82	22.24	64.53	0.00	308	43	PEAK	4	15960.00	35.87	54.00	-18.13	37.40	40.84	22.17	64.54	0.00	308	43
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	56.01	74.00	-17.99	65.25	37.74	17.89	64.87	0.00	100	283	PEAK																																																																																																																																																																					
2	10640.00	42.03	54.00	-11.97	51.27	37.74	17.89	64.87	0.00	100	283	AVERAGE																																																																																																																																																																					
3	15960.00	54.74	74.00	-19.26	56.21	40.82	22.24	64.53	0.00	173	311	PEAK																																																																																																																																																																					
4	15960.00	37.69	54.00	-16.31	39.19	40.83	22.20	64.53	0.00	173	311	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	52.53	74.00	-21.47	61.77	37.74	17.89	64.87	0.00	308	43	PEAK																																																																																																																																																																					
2	10640.00	40.72	54.00	-13.28	49.96	37.74	17.89	64.87	0.00	308	43	AVERAGE																																																																																																																																																																					
3	15960.00	47.87	74.00	-26.13	49.34	40.82	22.24	64.53	0.00	308	43	PEAK																																																																																																																																																																					
4	15960.00	35.87	54.00	-18.13	37.40	40.84	22.17	64.54	0.00	308	43	AVERAGE																																																																																																																																																																					







	70																																																						
Mode	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.92</td><td>62.12</td><td>74.00</td><td>-11.88</td><td>53.62</td><td>34.55</td><td>10.61</td><td>36.66</td><td>0.00</td><td>351</td><td>231</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.92	62.12	74.00	-11.88	53.62	34.55	10.61	36.66	0.00	351	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.92	62.12	74.00	-11.88	53.62	34.55	10.61	36.66	0.00	351	231	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>117.57</td><td>-----</td><td>-----</td><td>108.31</td><td>35.02</td><td>10.71</td><td>36.47</td><td>0.00</td><td>351</td><td>231</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	117.57	-----	-----	108.31	35.02	10.71	36.47	0.00	351	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	117.57	-----	-----	108.31	35.02	10.71	36.47	0.00	351	231	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.76</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>40.53</td><td>34.54</td><td>10.61</td><td>36.66</td><td>0.00</td><td>351</td><td>231</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.76	49.02	54.00	-4.98	40.53	34.54	10.61	36.66	0.00	351	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.76	49.02	54.00	-4.98	40.53	34.54	10.61	36.66	0.00	351	231	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>108.67</td><td>-----</td><td>-----</td><td>99.58</td><td>34.91</td><td>10.69</td><td>36.51</td><td>0.00</td><td>351</td><td>231</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	108.67	-----	-----	99.58	34.91	10.69	36.51	0.00	351	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	108.67	-----	-----	99.58	34.91	10.69	36.51	0.00	351	231	AVERAGE																																											





Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5401.59</td><td>65.13</td><td>74.00</td><td>-8.87</td><td>55.36</td><td>35.29</td><td>10.78</td><td>36.30</td><td>0.00</td><td>351</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.59	65.13	74.00	-8.87	55.36	35.29	10.78	36.30	0.00	351	231	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5401.59	65.13	74.00	-8.87	55.36	35.29	10.78	36.30	0.00	351	231	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.67</td><td>51.96</td><td>54.00</td><td>-2.04</td><td>42.38</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>351</td><td>231</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.67	51.96	54.00	-2.04	42.38	35.20	10.75	36.37	0.00	351	231	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.67	51.96	54.00	-2.04	42.38	35.20	10.75	36.37	0.00	351	231	AVERAGE																																												



Mode	70																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.46</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>51.89</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>123</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.46	60.40	74.00	-13.60	51.89	34.55	10.61	36.65	0.00	123	327	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>119.89</td><td>-----</td><td>-----</td><td>110.77</td><td>34.93</td><td>10.69</td><td>36.50</td><td>0.00</td><td>123</td><td>327</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	119.89	-----	-----	110.77	34.93	10.69	36.50	0.00	123	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.46	60.40	74.00	-13.60	51.89	34.55	10.61	36.65	0.00	123	327	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	119.89	-----	-----	110.77	34.93	10.69	36.50	0.00	123	327	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.18</td><td>48.98</td><td>54.00</td><td>-5.02</td><td>40.47</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>123</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.18	48.98	54.00	-5.02	40.47	34.55	10.61	36.65	0.00	123	327	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>110.44</td><td>-----</td><td>-----</td><td>101.32</td><td>34.93</td><td>10.69</td><td>36.50</td><td>0.00</td><td>123</td><td>327</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	110.44	-----	-----	101.32	34.93	10.69	36.50	0.00	123	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.18	48.98	54.00	-5.02	40.47	34.55	10.61	36.65	0.00	123	327	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5270.00	110.44	-----	-----	101.32	34.93	10.69	36.50	0.00	123	327	AVERAGE																																																																																							



Mode	70																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																			
ANT	TXBF1S4T																																																			
Pol.	Vertical					Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.71</td><td>64.68</td><td>74.00</td><td>-9.32</td><td>55.09</td><td>35.21</td><td>10.75</td><td>36.37</td><td>0.00</td><td>123 327 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.71	64.68	74.00	-9.32	55.09	35.21	10.75	36.37	0.00	123 327 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5353.71	64.68	74.00	-9.32	55.09	35.21	10.75	36.37	0.00	123 327 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.66</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>42.27</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>123 327 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.66	51.85	54.00	-2.15	42.27	35.20	10.75	36.37	0.00	123 327 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.66	51.85	54.00	-2.15	42.27	35.20	10.75	36.37	0.00	123 327 AVERAGE																																										