



Appendix B. Radiated Spurious Emission Test Data

Table of Contents

<CDD mode>	B2
Radiated Spurious Emission Test Modes.....	B2
Summary of each worse mode	B3
Radiated Spurious Emission Test plots.....	B4
<TX Beamforming mode>	B89
Radiated Spurious Emission Test Modes.....	B89
Summary of each worse mode	B89
Radiated Spurious Emission Test plots.....	B90



Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

<CDD mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1S4T	802.11a	36	5180	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT40	46	5230	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 19	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT40	62	5310	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT80	58	5290	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT80	106	5530	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 20MHz,Loc 1	-
Mode 41	U-NII-2C	5.47-5.725	CDD 1S4T	802.11be EHT160	114	5570	MCS0	PC 20MHz,Loc 8	-
Mode 48	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	149	5745	6Mbps	-	-
Mode 49	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	157	5785	6Mbps	-	-
Mode 50	U-NII-3	5.725-5.85	CDD 1S4T	802.11a	165	5825	6Mbps	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	149	5745	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	157	5785	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT20	165	5825	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	Full	-

Note:

- 802.11be EHT160 support Channel puncturing 20M and 40MHz, according to PSD of puncturing, 20M PSD > 40M PSD, so only the worst channel puncturing 20M is shown in the report.
- Loc: Puncture Location. PC: channel puncturing.







Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.90	51.76	54.00	-2.24	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	53.93	68.20	-14.27	H	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5150.00	53.17	54.00	-0.83	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	53.64	68.20	-14.56	V	Peak	Pass	Harmonic
7	802.11be EHT40	38	5149.76	53.88	54.00	-0.12	H	AVERAGE	Pass	Band Edge
7	802.11be EHT40	38	10380.00	50.62	68.20	-17.58	V	PEAK	Pass	Harmonic
8	802.11be EHT40	46	5148.48	53.48	54.00	-0.52	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	46	10460.00	54.55	68.20	-13.65	H	PEAK	Pass	Harmonic
9	802.11be EHT80	42	5140.64	53.41	54.00	-0.59	H	AVERAGE	Pass	Band Edge
9	802.11be EHT80	42	10420.00	46.08	68.20	-22.12	H	PEAK	Pass	Harmonic
19	802.11be EHT40	62	5350.00	53.46	54.00	-0.54	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	62	10620.00	45.23	74.00	-28.77	V	PEAK	Pass	Harmonic
20	802.11be EHT80	58	5363.70	53.50	54.00	-0.50	H	AVERAGE	Pass	Band Edge
20	802.11be EHT80	58	10580.00	45.24	68.20	-22.96	V	PEAK	Pass	Harmonic
22	802.11be EHT160	50	5356.89	53.07	54.00	-0.93	H	AVERAGE	Pass	Band Edge
22	802.11be EHT160	50	10500.00	45.54	68.20	-22.66	V	PEAK	Pass	Harmonic
35	802.11be EHT80	106	5454.00	53.63	54.00	-0.37	V	AVERAGE	Pass	Band Edge
35	802.11be EHT80	106	11060.00	42.34	54.00	-11.66	H	AVERAGE	Pass	Harmonic
39	802.11be EHT160	114	5424.14	53.06	54.00	-0.94	H	AVERAGE	Pass	Band Edge
39	802.11be EHT160	114	11140.00	45.38	74.00	-28.62	H	PEAK	Pass	Harmonic
40	802.11be EHT160	114	5446.80	69.56	74.00	-4.44	H	PEAK	Pass	Band Edge
40	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT160	114	5460.00	52.03	54.00	-1.97	H	AVERAGE	Pass	Band Edge
41	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
48	802.11a	149	5603.00	59.92	68.20	-8.28	H	PEAK	Pass	Band Edge
48	802.11a	149	11490.00	52.64	54.00	-1.36	H	AVERAGE	Pass	Harmonic
49	802.11a	157	5645.80	60.74	68.20	-7.46	H	PEAK	Pass	Band Edge
49	802.11a	157	11570.00	52.11	54.00	-1.89	H	AVERAGE	Pass	Harmonic
50	802.11a	165	5967.00	58.08	68.20	-10.12	H	PEAK	Pass	Band Edge
50	802.11a	165	11650.00	53.36	54.00	-0.64	H	AVERAGE	Pass	Harmonic
51	802.11be EHT20	149	5604.22	61.02	68.20	-7.18	H	PEAK	Pass	Band Edge
51	802.11be EHT20	149	11490.00	53.01	54.00	-0.99	H	AVERAGE	Pass	Harmonic
52	802.11be EHT20	157	5632.22	60.61	68.20	-7.59	V	PEAK	Pass	Band Edge
52	802.11be EHT20	157	11570.00	53.70	54.00	-0.30	H	AVERAGE	Pass	Harmonic
53	802.11be EHT20	165	5996.40	57.38	68.20	-10.82	H	PEAK	Pass	Band Edge
53	802.11be EHT20	165	11650.00	53.09	54.00	-0.91	H	AVERAGE	Pass	Harmonic
57	802.11be EHT80	155	5641.02	66.50	68.20	-1.70	H	PEAK	Pass	Band Edge
57	802.11be EHT80	155	11550.00	48.73	54.00	-5.27	H	AVERAGE	Pass	Harmonic




Radiated Spurious Emission Test plots

Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.90</td><td>65.11</td><td>74.00</td><td>-8.89</td><td>46.76</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.90	65.11	74.00	-8.89	46.76	34.40	10.61	36.66	10.00	179	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>119.12</td><td>-----</td><td>-----</td><td>100.63</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	119.12	-----	-----	100.63	34.44	10.65	36.60	10.00	100	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.90	65.11	74.00	-8.89	46.76	34.40	10.61	36.66	10.00	179	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	119.12	-----	-----	100.63	34.44	10.65	36.60	10.00	100	179	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.90</td><td>51.76</td><td>54.00</td><td>-2.24</td><td>33.41</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.90	51.76	54.00	-2.24	33.41	34.40	10.61	36.66	10.00	179	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.53</td><td>-----</td><td>-----</td><td>92.04</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>100</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.53	-----	-----	92.04	34.44	10.65	36.60	10.00	100	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.90	51.76	54.00	-2.24	33.41	34.40	10.61	36.66	10.00	179	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	110.53	-----	-----	92.04	34.44	10.65	36.60	10.00	100	179	AVERAGE																																																																																							







Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.80</td><td>65.72</td><td>74.00</td><td>-8.28</td><td>47.39</td><td>34.40</td><td>10.60</td><td>36.67</td><td>10.00</td><td>109</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.80	65.72	74.00	-8.28	47.39	34.40	10.60	36.67	10.00	109	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>117.60</td><td>-----</td><td>-----</td><td>99.14</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>109</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	117.60	-----	-----	99.14	34.43	10.64	36.61	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5141.80	65.72	74.00	-8.28	47.39	34.40	10.60	36.67	10.00	109	167	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	117.60	-----	-----	99.14	34.43	10.64	36.61	10.00	109	167	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.90</td><td>51.50</td><td>54.00</td><td>-2.50</td><td>33.16</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>109</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.90	51.50	54.00	-2.50	33.16	34.40	10.60	36.66	10.00	109	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.35</td><td>-----</td><td>-----</td><td>90.09</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>109</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.35	-----	-----	90.09	34.43	10.64	36.61	10.00	109	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5142.90	51.50	54.00	-2.50	33.16	34.40	10.60	36.66	10.00	109	167	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	109.35	-----	-----	90.09	34.43	10.64	36.61	10.00	109	167	AVERAGE																																																																																																			







Mode	1																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>68.08</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	53.93	68.20	-14.27	68.08	37.36	15.45	66.96	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	53.93	68.20	-14.27	68.08	37.36	15.45	66.96	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>51.54</td><td>68.20</td><td>-16.66</td><td>65.69</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	51.54	68.20	-16.66	65.69	37.36	15.45	66.96	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	51.54	68.20	-16.66	65.69	37.36	15.45	66.96	0.00	---	---	PEAK																																												





		4																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>46.42</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>285</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	64.78	74.00	-9.22	46.42	34.40	10.61	36.65	10.00	285	189	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>118.11</td><td>-----</td><td>-----</td><td>99.69</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>285</td><td>189</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	118.11	-----	-----	99.69	34.42	10.63	36.63	10.00	285	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.20	64.78	74.00	-9.22	46.42	34.40	10.61	36.65	10.00	285	189	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	118.11	-----	-----	99.69	34.42	10.63	36.63	10.00	285	189	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>53.17</td><td>54.00</td><td>-0.83</td><td>34.81</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>285</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	53.17	54.00	-0.83	34.81	34.40	10.61	36.65	10.00	285	189	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.30</td><td>-----</td><td>-----</td><td>89.88</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>285</td><td>189</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.30	-----	-----	89.88	34.42	10.63	36.63	10.00	285	189
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	53.17	54.00	-0.83	34.81	34.40	10.61	36.65	10.00	285	189	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	108.30	-----	-----	89.88	34.42	10.63	36.63	10.00	285	189	AVERAGE																																																																																																			




Mode	4																																																																																												
	Band Edge																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.90</td><td>65.12</td><td>74.00</td><td>-8.88</td><td>46.85</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>4 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.90	65.12	74.00	-8.88	46.85	34.38	10.58	36.69	10.00	4 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>116.30</td><td>-----</td><td>-----</td><td>97.84</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>4 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	116.30	-----	-----	97.84	34.43	10.64	36.61	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5121.90	65.12	74.00	-8.88	46.85	34.38	10.58	36.69	10.00	4 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	116.30	-----	-----	97.84	34.43	10.64	36.61	10.00	4 PEAK																																																																																			
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.20</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>34.00</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>4 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.20	52.42	54.00	-1.58	34.00	34.40	10.60	36.66	10.00	4 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.21</td><td>-----</td><td>-----</td><td>87.75</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>4 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.21	-----	-----	87.75	34.43	10.64	36.61	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5145.20	52.42	54.00	-1.58	34.00	34.40	10.60	36.66	10.00	4 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5180.00	106.21	-----	-----	87.75	34.43	10.64	36.61	10.00	4 AVERAGE																																																																																			





Mode	4																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																													
ANT	CDD 1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>52.35</td><td>68.20</td><td>-15.85</td><td>66.50</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>300</td><td>190</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>53.21</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	52.35	68.20	-15.85	66.50	37.36	15.45	66.96	0.00	300	190	Peak	2	15540.00	47.89	74.00	-26.11	53.21	39.74	19.04	64.10	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>67.79</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>100</td><td>203</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>52.96</td><td>39.74</td><td>19.04</td><td>64.10</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	53.64	68.20	-14.56	67.79	37.36	15.45	66.96	0.00	100	203	Peak	2	15540.00	47.64	74.00	-26.36	52.96	39.74	19.04	64.10	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10360.00	52.35	68.20	-15.85	66.50	37.36	15.45	66.96	0.00	300	190	Peak																																																																																																																		
2	15540.00	47.89	74.00	-26.11	53.21	39.74	19.04	64.10	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10360.00	53.64	68.20	-14.56	67.79	37.36	15.45	66.96	0.00	100	203	Peak																																																																																																																		
2	15540.00	47.64	74.00	-26.36	52.96	39.74	19.04	64.10	0.00	---	---	PEAK																																																																																																																		




		7									
Mode	Band Edge - L										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz										
ANT	CDD 1S4T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										



Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5149.28</td><td>68.25</td><td>74.00</td><td>-5.75</td><td>59.89</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5149.28	68.25	74.00	-5.75	59.89	34.40	10.61	36.65	0.00	119	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5149.28	68.25	74.00	-5.75	59.89	34.40	10.61	36.65	0.00	119	0 PEAK																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>114.49</td><td>-----</td><td>-----</td><td>106.00</td><td>34.44</td><td>10.65</td><td>36.60</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	114.49	-----	-----	106.00	34.44	10.65	36.60	0.00	119	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5190.00	114.49	-----	-----	106.00	34.44	10.65	36.60	0.00	119	0 PEAK																																																





Horizontal																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5149.76</td><td>53.88</td><td>54.00</td><td>-0.12</td><td>45.52</td><td>34.40</td><td>10.61</td><td>36.65</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5149.76	53.88	54.00	-0.12	45.52	34.40	10.61	36.65	0.00	119	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5149.76	53.88	54.00	-0.12	45.52	34.40	10.61	36.65	0.00	119	0 AVERAGE																																																

Fundamental																																																											
																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>104.96</td><td>-----</td><td>-----</td><td>96.51</td><td>34.43</td><td>10.64</td><td>36.62</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	104.96	-----	-----	96.51	34.43	10.64	36.62	0.00	119	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5190.00	104.96	-----	-----	96.51	34.43	10.64	36.62	0.00	119	0 AVERAGE																																																



Mode	7																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																												
ANT	CDD 1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.66</td><td>55.76</td><td>74.00</td><td>-18.24</td><td>46.67</td><td>34.63</td><td>10.77</td><td>36.31</td><td>0.00</td><td>119</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.66	55.76	74.00	-18.24	46.67	34.63	10.77	36.31	0.00	119	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5394.66	55.76	74.00	-18.24	46.67	34.63	10.77	36.31	0.00	119	0 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.52</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>35.23</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>119</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.52	44.26	54.00	-9.74	35.23	34.61	10.76	36.34	0.00	119	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5372.52	44.26	54.00	-9.74	35.23	34.61	10.76	36.34	0.00	119	0 AVERAGE																																		





		7																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																								
ANT		CDD 1S4T																																																																																																								
Pol.	Vertical											Fundamental																																																																																														
Peak																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5142.88	61.87	74.00	-12.13	53.53	34.40	10.60	36.66	0.00	100	185 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	112.77	-----	-----	104.26	34.45	10.65	36.59	0.00	100	185 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5142.88	61.87	74.00	-12.13	53.53	34.40	10.60	36.66	0.00	100	185 PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5190.00	112.77	-----	-----	104.26	34.45	10.65	36.59	0.00	100	185 PEAK																																																																																															
Avg																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5144.00	49.14	54.00	-4.86	40.80	34.40	10.60	36.66	0.00	100	185 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5190.00	102.83	-----	-----	94.38	34.43	10.64	36.62	0.00	100	185 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5144.00	49.14	54.00	-4.86	40.80	34.40	10.60	36.66	0.00	100	185 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5190.00	102.83	-----	-----	94.38	34.43	10.64	36.62	0.00	100	185 AVERAGE																																																																																															







Mode	7																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.99</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>44.11</td><td>34.60</td><td>10.75</td><td>36.35</td><td>0.00</td><td>100 185 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.99	53.11	74.00	-20.89	44.11	34.60	10.75	36.35	0.00	100 185 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5361.99	53.11	74.00	-20.89	44.11	34.60	10.75	36.35	0.00	100 185 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.97</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>33.10</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>100 185 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.97	42.09	54.00	-11.91	33.10	34.60	10.75	36.36	0.00	100 185 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.97	42.09	54.00	-11.91	33.10	34.60	10.75	36.36	0.00	100 185 AVERAGE																																													





		7																																																																
Mode		Harmonic																																																																
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																
ANT		CDD 1S4T																																																																
Pol.		Horizontal					Vertical																																																											
Peak Avg																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.16	68.20	-22.04	60.26	37.38	15.47	66.95	0.00	---	PEAK	2	15570.00	47.20	74.00	-26.80	52.46	39.77	19.06	64.09	0.00	---	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10380.00	46.16	68.20	-22.04	60.26	37.38	15.47	66.95	0.00	---	PEAK																																																							
2	15570.00	47.20	74.00	-26.80	52.46	39.77	19.06	64.09	0.00	---	PEAK																																																							
																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>50.62</td><td>68.20</td><td>-17.58</td><td>64.72</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>53.07</td><td>39.77</td><td>19.06</td><td>64.09</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	50.62	68.20	-17.58	64.72	37.38	15.47	66.95	0.00	---	PEAK	2	15570.00	47.81	74.00	-26.19	53.07	39.77	19.06	64.09	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10380.00	50.62	68.20	-17.58	64.72	37.38	15.47	66.95	0.00	---	PEAK																																																							
2	15570.00	47.81	74.00	-26.19	53.07	39.77	19.06	64.09	0.00	---	PEAK																																																							







		8																																																					
Mode		Band Edge - L																																																					
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																					
ANT		CDD 1S4T																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.32</td><td>65.72</td><td>74.00</td><td>-8.28</td><td>47.37</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>312</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.32	65.72	74.00	-8.28	47.37	34.40	10.61	36.66	10.00	312	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5148.32	65.72	74.00	-8.28	47.37	34.40	10.61	36.66	10.00	312	199	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>115.56</td><td>-----</td><td>-----</td><td>96.91</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>312</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	115.56	-----	-----	96.91	34.49	10.68	36.52	10.00	312	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5230.00	115.56	-----	-----	96.91	34.49	10.68	36.52	10.00	312	199	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>53.48</td><td>54.00</td><td>-0.52</td><td>35.13</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>312</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.48	53.48	54.00	-0.52	35.13	34.40	10.61	36.66	10.00	312	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5148.48	53.48	54.00	-0.52	35.13	34.40	10.61	36.66	10.00	312	199	AVERAGE																																											
Aver																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>106.78</td><td>-----</td><td>-----</td><td>88.13</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>312</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5230.00	106.78	-----	-----	88.13	34.49	10.68	36.52	10.00	312	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5230.00	106.78	-----	-----	88.13	34.49	10.68	36.52	10.00	312	199	AVERAGE																																											





Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.06</td><td>62.30</td><td>74.00</td><td>-11.70</td><td>43.28</td><td>34.61</td><td>10.76</td><td>36.35</td><td>10.00</td><td>312</td><td>199</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.06	62.30	74.00	-11.70	43.28	34.61	10.76	36.35	10.00	312	199	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5367.06	62.30	74.00	-11.70	43.28	34.61	10.76	36.35	10.00	312	199	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.58</td><td>51.31</td><td>54.00</td><td>-2.69</td><td>32.32</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>312</td><td>199</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.58	51.31	54.00	-2.69	32.32	34.60	10.75	36.36	10.00	312	199	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.58	51.31	54.00	-2.69	32.32	34.60	10.75	36.36	10.00	312	199	AVERAGE																																												





		8																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																						
ANT		CDD 1S4T																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.92</td><td>64.50</td><td>74.00</td><td>-9.50</td><td>46.20</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>4 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.92	64.50	74.00	-9.50	46.20	34.39	10.59	36.68	10.00	4 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>115.19</td><td>-----</td><td>-----</td><td>96.56</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>4 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	115.19	-----	-----	96.56	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5133.92	64.50	74.00	-9.50	46.20	34.39	10.59	36.68	10.00	4 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5230.00	115.19	-----	-----	96.56	34.48	10.68	36.53	10.00	4 PEAK																																																																																														
Avg																																																																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.40</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>34.18</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>4 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.40	52.48	54.00	-1.52	34.18	34.39	10.59	36.68	10.00	4 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>105.72</td><td>-----</td><td>-----</td><td>87.09</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>4 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	105.72	-----	-----	87.09	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5134.40	52.48	54.00	-1.52	34.18	34.39	10.59	36.68	10.00	4 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5230.00	105.72	-----	-----	87.09	34.48	10.68	36.53	10.00	4 AVERAGE																																																																																														







Mode	8																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																											
ANT	CDD 1S4T																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.52</td><td>62.77</td><td>74.00</td><td>-11.23</td><td>43.69</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>4 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.52	62.77	74.00	-11.23	43.69	34.63	10.77	36.32	10.00	4 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5384.52	62.77	74.00	-11.23	43.69	34.63	10.77	36.32	10.00	4 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>51.15</td><td>54.00</td><td>-2.85</td><td>32.16</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>4 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	51.15	54.00	-2.85	32.16	34.60	10.75	36.36	10.00	4 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5354.10	51.15	54.00	-2.85	32.16	34.60	10.75	36.36	10.00	4 AVERAGE																																		





Mode	8																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>68.46</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	54.55	68.20	-13.65	68.46	37.46	15.54	66.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>53.62</td><td>68.20</td><td>-14.58</td><td>67.53</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10460.00	53.62	68.20	-14.58	67.53	37.46	15.54	66.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	54.55	68.20	-13.65	68.46	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10460.00	53.62	68.20	-14.58	67.53	37.46	15.54	66.91	0.00	---	---	PEAK																																																																																							







		9																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.20</td><td>64.70</td><td>74.00</td><td>-9.30</td><td>46.38</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.20	64.70	74.00	-9.30	46.38	34.39	10.60	36.67	10.00	300	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>109.25</td><td>-----</td><td>-----</td><td>90.66</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	109.25	-----	-----	90.66	34.47	10.67	36.55	10.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5139.20	64.70	74.00	-9.30	46.38	34.39	10.60	36.67	10.00	300	287	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	109.25	-----	-----	90.66	34.47	10.67	36.55	10.00	300	287	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.64</td><td>53.41</td><td>54.00</td><td>-0.59</td><td>35.09</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.64	53.41	54.00	-0.59	35.09	34.39	10.60	36.67	10.00	300	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.09</td><td>-----</td><td>-----</td><td>81.50</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.09	-----	-----	81.50	34.47	10.67	36.55	10.00	300	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5140.64	53.41	54.00	-0.59	35.09	34.39	10.60	36.67	10.00	300	287	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	100.09	-----	-----	81.50	34.47	10.67	36.55	10.00	300	287	AVERAGE																																																																																																			





Mode	9																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.88</td><td>59.06</td><td>74.00</td><td>-14.94</td><td>39.97</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>300</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.88	59.06	74.00	-14.94	39.97	34.63	10.77	36.31	10.00	300	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.88	59.06	74.00	-14.94	39.97	34.63	10.77	36.31	10.00	300	287	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.12</td><td>47.01</td><td>54.00</td><td>-6.99</td><td>28.01</td><td>34.60</td><td>10.75</td><td>36.35</td><td>10.00</td><td>300</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.12	47.01	54.00	-6.99	28.01	34.60	10.75	36.35	10.00	300	287	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5361.12	47.01	54.00	-6.99	28.01	34.60	10.75	36.35	10.00	300	287	AVERAGE																																												



Mode	9																																																																																													
	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.44</td><td>65.76</td><td>74.00</td><td>-8.24</td><td>47.46</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>116 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.44	65.76	74.00	-8.24	47.46	34.39	10.59	36.68	10.00	116 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>108.12</td><td>-----</td><td>-----</td><td>89.67</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>116 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	108.12	-----	-----	89.67	34.43	10.64	36.62	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5133.44	65.76	74.00	-8.24	47.46	34.39	10.59	36.68	10.00	116 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5210.00	108.12	-----	-----	89.67	34.43	10.64	36.62	10.00	116 PEAK																																																																																				
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.08</td><td>51.64</td><td>54.00</td><td>-2.36</td><td>33.34</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>116 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.08	51.64	54.00	-2.36	33.34	34.39	10.59	36.68	10.00	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.57</td><td>-----</td><td>-----</td><td>79.94</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>116 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.57	-----	-----	79.94	34.48	10.68	36.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5134.08	51.64	54.00	-2.36	33.34	34.39	10.59	36.68	10.00	116 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5210.00	98.57	-----	-----	79.94	34.48	10.68	36.53	10.00	116 AVERAGE																																																																																				







Mode	9																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.72</td><td>57.58</td><td>74.00</td><td>-16.42</td><td>38.59</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.72	57.58	74.00	-16.42	38.59	34.60	10.75	36.36	10.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.72	57.58	74.00	-16.42	38.59	34.60	10.75	36.36	10.00	100	116	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.92</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>27.31</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.92	46.29	54.00	-7.71	27.31	34.60	10.75	36.37	10.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.92	46.29	54.00	-7.71	27.31	34.60	10.75	36.37	10.00	100	116	AVERAGE																																											





Mode	9																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>46.08</td><td>68.20</td><td>-22.12</td><td>60.08</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.08	68.20	-22.12	60.08	37.42	15.51	66.93	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10420.00	46.08	68.20	-22.12	60.08	37.42	15.51	66.93	0.00	---	---	PEAK																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10420.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.73</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK																																												







Mode	19																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.36</td><td>61.19</td><td>74.00</td><td>-12.81</td><td>42.85</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.36	61.19	74.00	-12.81	42.85	34.40	10.60	36.66	10.00	202	185	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>113.72</td><td>-----</td><td>-----</td><td>94.82</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	113.72	-----	-----	94.82	34.57	10.73	36.40	10.00	202	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5143.36	61.19	74.00	-12.81	42.85	34.40	10.60	36.66	10.00	202	185	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	113.72	-----	-----	94.82	34.57	10.73	36.40	10.00	202	185	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.88</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>30.03</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.88	48.33	54.00	-5.67	30.03	34.39	10.59	36.68	10.00	202	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>103.98</td><td>-----</td><td>-----</td><td>85.10</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	103.98	-----	-----	85.10	34.56	10.73	36.41	10.00	202	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5134.88	48.33	54.00	-5.67	30.03	34.39	10.59	36.68	10.00	202	185	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	103.98	-----	-----	85.10	34.56	10.73	36.41	10.00	202	185	AVERAGE																																																																																																			



Mode	19																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.10</td><td>64.85</td><td>74.00</td><td>-9.15</td><td>45.85</td><td>34.60</td><td>10.75</td><td>36.35</td><td>10.00</td><td>202</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.10	64.85	74.00	-9.15	45.85	34.60	10.75	36.35	10.00	202	185	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.10	64.85	74.00	-9.15	45.85	34.60	10.75	36.35	10.00	202	185	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.46</td><td>54.00</td><td>-0.54</td><td>34.49</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>202</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.46	54.00	-0.54	34.49	34.59	10.75	36.37	10.00	202	185	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	53.46	54.00	-0.54	34.49	34.59	10.75	36.37	10.00	202	185	AVERAGE																																												





Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.08</td><td>59.92</td><td>74.00</td><td>-14.08</td><td>41.72</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>21</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.08	59.92	74.00	-14.08	41.72	34.36	10.56	36.72	10.00	21	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>112.02</td><td>-----</td><td>-----</td><td>93.21</td><td>34.54</td><td>10.72</td><td>36.45</td><td>10.00</td><td>100</td><td>21</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	112.02	-----	-----	93.21	34.54	10.72	36.45	10.00	100	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5106.08	59.92	74.00	-14.08	41.72	34.36	10.56	36.72	10.00	21	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	112.02	-----	-----	93.21	34.54	10.72	36.45	10.00	100	21	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>30.06</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	48.26	54.00	-5.74	30.06	34.36	10.56	36.72	10.00	100	21	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.21</td><td>-----</td><td>-----</td><td>82.34</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.21	-----	-----	82.34	34.56	10.73	36.42	10.00	100	21
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5100.00	48.26	54.00	-5.74	30.06	34.36	10.56	36.72	10.00	100	21	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	101.21	-----	-----	82.34	34.56	10.73	36.42	10.00	100	21	AVERAGE																																																																																						







Mode	19																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																											
ANT	CDD 1S4T																																											
Pol.	Vertical	Fundamental																																										
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>45.09</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>21 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	64.07	74.00	-9.93	45.09	34.60	10.75	36.37	10.00	21 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5353.20	64.07	74.00	-9.93	45.09	34.60	10.75	36.37	10.00	21 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.50</td><td>51.84</td><td>54.00</td><td>-2.16</td><td>32.85</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.50	51.84	54.00	-2.16	32.85	34.60	10.75	36.36	10.00	21 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5354.50	51.84	54.00	-2.16	32.85	34.60	10.75	36.36	10.00	21 AVERAGE																																		





		19																																																							
Mode		Harmonic																																																							
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>58.43</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	44.90	74.00	-29.10	58.43	37.60	15.69	66.82	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10620.00	44.90	74.00	-29.10	58.43	37.60	15.69	66.82	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.76</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.23	74.00	-28.77	58.76	37.60	15.69	66.82	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	10620.00	45.23	74.00	-28.77	58.76	37.60	15.69	66.82	0.00	---	---	PEAK																																													







		20																																																																																																			
Mode	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																				
ANT	CDD 1S4T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.76</td><td>60.64</td><td>74.00</td><td>-13.36</td><td>42.31</td><td>34.40</td><td>10.60</td><td>36.67</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.76	60.64	74.00	-13.36	42.31	34.40	10.60	36.67	10.00	203	187	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>109.93</td><td>-----</td><td>-----</td><td>91.05</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	203	187	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5141.76	60.64	74.00	-13.36	42.31	34.40	10.60	36.67	10.00	203	187	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5290.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	203	187	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.72</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>30.24</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5142.72	48.58	54.00	-5.42	30.24	34.40	10.60	36.66	10.00	203	187	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>100.06</td><td>-----</td><td>-----</td><td>81.18</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	100.06	-----	-----	81.18	34.56	10.73	36.41	10.00	203	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5142.72	48.58	54.00	-5.42	30.24	34.40	10.60	36.66	10.00	203	187	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5290.00	100.06	-----	-----	81.18	34.56	10.73	36.41	10.00	203	187	AVERAGE																																																																																									





Mode	20																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																
ANT	CDD 1S4T																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5364.20</td><td>64.56</td><td>74.00</td><td>-9.44</td><td>45.55</td><td>34.61</td><td>10.75</td><td>36.35</td><td>10.00</td><td>203</td><td>187</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5364.20	64.56	74.00	-9.44	45.55	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5364.20	64.56	74.00	-9.44	45.55	34.61	10.75	36.35	10.00	203	187	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.70</td><td>53.50</td><td>54.00</td><td>-0.50</td><td>34.49</td><td>34.61</td><td>10.75</td><td>36.35</td><td>10.00</td><td>203</td><td>187</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.70	53.50	54.00	-0.50	34.49	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5363.70	53.50	54.00	-0.50	34.49	34.61	10.75	36.35	10.00	203	187	AVERAGE																																					





Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																	
ANT	CDD 1S4T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.92</td><td>61.49</td><td>74.00</td><td>-12.51</td><td>43.29</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>21</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.92	61.49	74.00	-12.51	43.29	34.36	10.56	36.72	10.00	21	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>106.94</td><td>-----</td><td>-----</td><td>88.20</td><td>34.52</td><td>10.70</td><td>36.48</td><td>10.00</td><td>100</td><td>21</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.94	-----	-----	88.20	34.52	10.70	36.48	10.00	100	21	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5105.92	61.49	74.00	-12.51	43.29	34.36	10.56	36.72	10.00	21	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	106.94	-----	-----	88.20	34.52	10.70	36.48	10.00	100	21	PEAK																																																																																						
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5104.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>30.18</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.00	48.38	54.00	-5.62	30.18	34.36	10.56	36.72	10.00	100	21	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.02</td><td>-----</td><td>-----</td><td>78.15</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>21</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.02	-----	-----	78.15	34.56	10.73	36.42	10.00	100	21
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5104.00	48.38	54.00	-5.62	30.18	34.36	10.56	36.72	10.00	100	21	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	97.02	-----	-----	78.15	34.56	10.73	36.42	10.00	100	21	AVERAGE																																																																																						







Mode	20																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																			
ANT	CDD 1S4T																																																			
Pol.	Vertical					Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.70</td><td>62.90</td><td>74.00</td><td>-11.10</td><td>43.91</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.70	62.90	74.00	-11.10	43.91	34.60	10.75	36.36	10.00	21 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5354.70	62.90	74.00	-11.10	43.91	34.60	10.75	36.36	10.00	21 PEAK																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.60</td><td>51.51</td><td>54.00</td><td>-2.49</td><td>32.52</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>21 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.60	51.51	54.00	-2.49	32.52	34.60	10.75	36.36	10.00	21 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5355.60	51.51	54.00	-2.49	32.52	34.60	10.75	36.36	10.00	21 AVERAGE																																										





Mode	20																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.16</td><td>68.20</td><td>-24.04</td><td>57.77</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	44.16	68.20	-24.04	57.77	37.58	15.65	66.84	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>58.85</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10580.00	45.24	68.20	-22.96	58.85	37.58	15.65	66.84	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	44.16	68.20	-24.04	57.77	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10580.00	45.24	68.20	-22.96	58.85	37.58	15.65	66.84	0.00	---	---	PEAK																																																																																							







Mode	22																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.50</td><td>63.77</td><td>74.00</td><td>-10.23</td><td>45.45</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.50	63.77	74.00	-10.23	45.45	34.39	10.60	36.67	10.00	111	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>105.58</td><td>-----</td><td>-----</td><td>86.68</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	105.58	-----	-----	86.68	34.57	10.73	36.40	10.00	111	278	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5137.50	63.77	74.00	-10.23	45.45	34.39	10.60	36.67	10.00	111	278	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5250.00	105.58	-----	-----	86.68	34.57	10.73	36.40	10.00	111	278	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.25</td><td>51.57</td><td>54.00</td><td>-2.43</td><td>33.25</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.25	51.57	54.00	-2.43	33.25	34.39	10.60	36.67	10.00	111	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>96.11</td><td>-----</td><td>-----</td><td>77.21</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5250.00	96.11	-----	-----	77.21	34.57	10.73	36.40	10.00	111	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5137.25	51.57	54.00	-2.43	33.25	34.39	10.60	36.67	10.00	111	278	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5250.00	96.11	-----	-----	77.21	34.57	10.73	36.40	10.00	111	278	AVERAGE																																																																																																					





Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.26</td><td>64.95</td><td>74.00</td><td>-9.05</td><td>45.90</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>111</td><td>278</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.26	64.95	74.00	-9.05	45.90	34.62	10.76	36.33	10.00	111	278	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5377.26	64.95	74.00	-9.05	45.90	34.62	10.76	36.33	10.00	111	278	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.89</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>34.00</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>111</td><td>278</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.89	53.07	54.00	-0.93	34.00	34.60	10.75	36.36	10.00	111	278	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.89	53.07	54.00	-0.93	34.00	34.60	10.75	36.36	10.00	111	278	AVERAGE																																											





Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.75</td><td>66.17</td><td>74.00</td><td>-7.83</td><td>47.94</td><td>34.37</td><td>10.57</td><td>36.71</td><td>10.00</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.75	66.17	74.00	-7.83	47.94	34.37	10.57	36.71	10.00	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>105.45</td><td>-----</td><td>-----</td><td>86.58</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	105.45	-----	-----	86.58	34.56	10.73	36.42	10.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.75	66.17	74.00	-7.83	47.94	34.37	10.57	36.71	10.00	113	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	105.45	-----	-----	86.58	34.56	10.73	36.42	10.00	100	113	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.50</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>31.77</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.50	50.07	54.00	-3.93	31.77	34.39	10.59	36.68	10.00	100	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.05</td><td>-----</td><td>-----</td><td>75.18</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.05	-----	-----	75.18	34.56	10.73	36.42	10.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.50	50.07	54.00	-3.93	31.77	34.39	10.59	36.68	10.00	100	113	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	94.05	-----	-----	75.18	34.56	10.73	36.42	10.00	100	113	AVERAGE																																																																																																			



Mode	22																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																															
ANT	CDD 1S4T																																															
Pol.	Vertical						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>64.69</td><td>74.00</td><td>-9.31</td><td>45.71</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>113 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	64.69	74.00	-9.31	45.71
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5353.32	64.69	74.00	-9.31	45.71	34.60	10.75	36.37	10.00	100	113 PEAK																																					
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.32</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>33.38</td><td>34.60</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>113 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.32	52.36	54.00	-1.64	33.38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5353.32	52.36	54.00	-1.64	33.38	34.60	10.75	36.37	10.00	100	113 AVERAGE																																					



Mode	22																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>58.73</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.93	68.20	-23.27	58.73	37.50	15.58	66.88	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>59.34</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.54	68.20	-22.66	59.34	37.50	15.58	66.88	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10500.00	44.93	68.20	-23.27	58.73	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10500.00	45.54	68.20	-22.66	59.34	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																							

Mode

35

Band Edge - L

U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz

ANT


CDD 1S4T

Pol.


Horizontal

Fundamental

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5448.08	64.89	74.00	-9.11	45.61	34.68	10.83	36.23	10.00	300	198	PEAK
2	5466.64	64.95	68.20	-3.25	45.61	34.70	10.85	36.21	10.00	300	198	PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5530.00	111.08	-----	-----	91.62	34.73	10.89	36.16	10.00	300	198	PEAK

Avg




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5448.72	52.34	54.00	-1.66	33.05	34.69	10.83	36.23	10.00	300	198	AVERAGE







	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	5530.00	101.42	-----	-----	81.96	34.73	10.89	36.16	10.00	300	198	AVERAGE



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.96</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>39.95</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>300</td><td>198</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.96	58.66	68.20	-9.54	39.95	34.95	11.19	37.43	10.00	300	198	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.96	58.66	68.20	-9.54	39.95	34.95	11.19	37.43	10.00	300	198	PEAK																																												





		35																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																
ANT	CDD 1S4T																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.68</td><td>64.68</td><td>74.00</td><td>-9.32</td><td>45.38</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>16 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>66.38</td><td>68.20</td><td>-1.82</td><td>47.05</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>16 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.68	64.68	74.00	-9.32	45.38	34.69	10.83	36.22	10.00	16 PEAK	2	5463.28	66.38	68.20	-1.82	47.05	34.70	10.84	36.21	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5453.68	64.68	74.00	-9.32	45.38	34.69	10.83	36.22	10.00	16 PEAK																																																							
2	5463.28	66.38	68.20	-1.82	47.05	34.70	10.84	36.21	10.00	16 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>109.23</td><td>-----</td><td>-----</td><td>89.79</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>16 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	109.23	-----	-----	89.79	34.73	10.88	36.17	10.00	16 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	109.23	-----	-----	89.79	34.73	10.88	36.17	10.00	16 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>53.63</td><td>54.00</td><td>-0.37</td><td>34.33</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>16 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	53.63	54.00	-0.37	34.33	34.69	10.83	36.22	10.00	16 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5454.00	53.63	54.00	-0.37	34.33	34.69	10.83	36.22	10.00	16 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>99.22</td><td>-----</td><td>-----</td><td>79.57</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>16 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.22	-----	-----	79.57	34.78	10.95	36.08	10.00	16 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	99.22	-----	-----	79.57	34.78	10.95	36.08	10.00	16 AVERAGE																																																							







Mode	35																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																									
ANT	CDD 1S4T																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5742.68</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>39.92</td><td>34.96</td><td>11.20</td><td>37.57</td><td>10.00</td><td>100 16 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5742.68	58.51	68.20	-9.69	39.92	34.96	11.20	37.57	10.00	100 16 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5742.68	58.51	68.20	-9.69	39.92	34.96	11.20	37.57	10.00	100 16 PEAK																																	




Mode	35																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																				
ANT	CDD 1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>65.13</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>143</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>54.99</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>143</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	52.48	74.00	-21.52	65.13	37.84	16.08	66.57	0.00	143	149	PEAK	2	11060.00	42.34	54.00	-11.66	54.99	37.84	16.08	66.57	0.00	143	149	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11060.00	52.48	74.00	-21.52	65.13	37.84	16.08	66.57	0.00	143	149	PEAK																																																									
2	11060.00	42.34	54.00	-11.66	54.99	37.84	16.08	66.57	0.00	143	149	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>58.02</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.37	74.00	-28.63	58.02	37.84	16.08	66.57	0.00	---	---	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11060.00	45.37	74.00	-28.63	58.02	37.84	16.08	66.57	0.00	---	---	PEAK																																																									







Mode	39																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																					
ANT	CDD 1S4T																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.68	66.57	74.00	-7.43	47.44	34.64	10.78	36.29	10.00	117	186	PEAK	2	5462.86	62.67	68.20	-5.53	43.34	34.70	10.84	36.21	10.00	117	186	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>110.13</td><td>-----</td><td>-----</td><td>90.33</td><td>34.82</td><td>11.00</td><td>36.02</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	110.13	-----	-----	90.33	34.82	11.00	36.02	10.00	117	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5403.68	66.57	74.00	-7.43	47.44	34.64	10.78	36.29	10.00	117	186	PEAK																																																																																										
2	5462.86	62.67	68.20	-5.53	43.34	34.70	10.84	36.21	10.00	117	186	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5570.00	110.13	-----	-----	90.33	34.82	11.00	36.02	10.00	117	186	PEAK																																																																																										
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.14</td><td>53.06</td><td>54.00</td><td>-0.94</td><td>33.87</td><td>34.66</td><td>10.80</td><td>36.27</td><td>10.00</td><td>117</td><td>186</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.14	53.06	54.00	-0.94	33.87	34.66	10.80	36.27	10.00	117	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.27</td><td>-----</td><td>-----</td><td>78.62</td><td>34.78</td><td>10.95</td><td>36.08</td><td>10.00</td><td>117</td><td>186</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	98.27	-----	-----	78.62	34.78	10.95	36.08	10.00	117	186	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5424.14	53.06	54.00	-0.94	33.87	34.66	10.80	36.27	10.00	117	186	AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5570.00	98.27	-----	-----	78.62	34.78	10.95	36.08	10.00	117	186	AVERAGE																																																																																										




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.68</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>42.04</td><td>34.95</td><td>11.18</td><td>37.38</td><td>10.00</td><td>117</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.68	60.79	68.20	-7.41	42.04	34.95	11.18	37.38	10.00	117	186	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.68	60.79	68.20	-7.41	42.04	34.95	11.18	37.38	10.00	117	186	PEAK																																												





		39																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																											
ANT		CDD 1S4T																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.00	61.78	74.00	-12.22	42.69	34.63	10.77	36.31	10.00	15	PEAK	2	5465.50	61.09	68.20	-7.11	41.75	34.70	10.85	36.21	10.00	15	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.68	-----	-----	86.03	34.78	10.95	36.08	10.00	100	15	PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5394.00	61.78	74.00	-12.22	42.69	34.63	10.77	36.31	10.00	15	PEAK																																																																																																		
2	5465.50	61.09	68.20	-7.11	41.75	34.70	10.85	36.21	10.00	15	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	105.68	-----	-----	86.03	34.78	10.95	36.08	10.00	100	15	PEAK																																																																																																	
Avg																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	50.88	54.00	-3.12	31.58	34.69	10.83	36.22	10.00	100	15	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.22	-----	-----	75.57	34.78	10.95	36.08	10.00	100	15	AVERAGE																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5453.84	50.88	54.00	-3.12	31.58	34.69	10.83	36.22	10.00	100	15	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5570.00	95.22	-----	-----	75.57	34.78	10.95	36.08	10.00	100	15	AVERAGE																																																																																																	







Mode	39																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.39</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>41.10</td><td>34.96</td><td>11.19</td><td>37.44</td><td>10.00</td><td>100</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.39	59.81	68.20	-8.39	41.10	34.96	11.19	37.44	10.00	100	15	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5734.39	59.81	68.20	-8.39	41.10	34.96	11.19	37.44	10.00	100	15	PEAK																																											



Mode	39																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>57.94</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.38	74.00	-28.62	57.94	37.84	16.13	66.53	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11140.00	45.38	74.00	-28.62	57.94	37.84	16.13	66.53	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>57.25</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.69	74.00	-29.31	57.25	37.84	16.13	66.53	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11140.00	44.69	74.00	-29.31	57.25	37.84	16.13	66.53	0.00	---	---	PEAK																																												







Mode	40																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.00</td><td>69.56</td><td>74.00</td><td>-4.44</td><td>50.29</td><td>34.68</td><td>10.82</td><td>36.23</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>5461.10</td><td>59.43</td><td>68.20</td><td>-8.77</td><td>40.10</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.00	69.56	74.00	-4.44	50.29	34.68	10.82	36.23	10.00	307	199	PEAK	2	5461.10	59.43	68.20	-8.77	40.10	34.70	10.84	36.21	10.00	307	199	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>107.01</td><td>-----</td><td>-----</td><td>87.33</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>307</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	107.01	-----	-----	87.33	34.79	10.96	36.07	10.00	307	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5446.00	69.56	74.00	-4.44	50.29	34.68	10.82	36.23	10.00	307	199	PEAK																																																																																																																
2	5461.10	59.43	68.20	-8.77	40.10	34.70	10.84	36.21	10.00	307	199	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	107.01	-----	-----	87.33	34.79	10.96	36.07	10.00	307	199	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>49.48</td><td>54.00</td><td>-4.52</td><td>30.15</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>307</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	49.48	54.00	-4.52	30.15	34.70	10.84	36.21	10.00	307	199	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>97.24</td><td>-----</td><td>-----</td><td>77.56</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>307</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.24	-----	-----	77.56	34.79	10.96	36.07	10.00	307	199	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5460.00	49.48	54.00	-4.52	30.15	34.70	10.84	36.21	10.00	307	199	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	97.24	-----	-----	77.56	34.79	10.96	36.07	10.00	307	199	AVERAGE																																																																																																																




Mode	40																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																	
ANT	CDD 1S4T																																	
Pol.	Horizontal	Fundamental																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5733.22</td><td>59.76</td><td>68.20</td><td>-8.44</td><td>41.04</td><td>34.95</td><td>11.19</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5733.22	59.76	68.20	-8.44	41.04	34.95	11.19	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5733.22	59.76	68.20	-8.44	41.04	34.95	11.19																											







		40																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.58</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>41.52</td><td>34.65</td><td>10.79</td><td>36.28</td><td>10.00</td><td>320</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5463.08</td><td>58.97</td><td>68.20</td><td>-9.23</td><td>39.64</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>320</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.58	60.68	74.00	-13.32	41.52	34.65	10.79	36.28	10.00	320	115	PEAK	2	5463.08	58.97	68.20	-9.23	39.64	34.70	10.84	36.21	10.00	320	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>104.86</td><td>-----</td><td>-----</td><td>85.00</td><td>34.84</td><td>11.02</td><td>36.00</td><td>10.00</td><td>320</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.86	-----	-----	85.00	34.84	11.02	36.00	10.00	320	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5413.58	60.68	74.00	-13.32	41.52	34.65	10.79	36.28	10.00	320	115	PEAK																																																																																																				
2	5463.08	58.97	68.20	-9.23	39.64	34.70	10.84	36.21	10.00	320	115	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	104.86	-----	-----	85.00	34.84	11.02	36.00	10.00	320	115	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.74</td><td>48.77</td><td>54.00</td><td>-5.23</td><td>29.48</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>320</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.74	48.77	54.00	-5.23	29.48	34.69	10.83	36.23	10.00	320	115	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>94.37</td><td>-----</td><td>-----</td><td>74.66</td><td>34.80</td><td>10.97</td><td>36.06</td><td>10.00</td><td>320</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.37	-----	-----	74.66	34.80	10.97	36.06	10.00	320	115	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5452.74	48.77	54.00	-5.23	29.48	34.69	10.83	36.23	10.00	320	115	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	94.37	-----	-----	74.66	34.80	10.97	36.06	10.00	320	115	AVERAGE																																																																																																				



Mode	40																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.69</td><td>58.81</td><td>68.20</td><td>-10.19</td><td>39.56</td><td>34.97</td><td>11.22</td><td>37.74</td><td>10.00</td><td>320</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5753.69	58.81	68.20	-10.19	39.56	34.97	11.22	37.74	10.00	320	115	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																				
1	5753.69	58.81	68.20	-10.19	39.56	34.97	11.22	37.74	10.00	320	115	PEAK																																		







		41																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5421.28</td><td>64.94</td><td>74.00</td><td>-9.06</td><td>45.75</td><td>34.66</td><td>10.80</td><td>36.27</td><td>10.00</td><td>304</td><td>200</td><td>PEAK</td></tr><tr><td>2</td><td>5467.70</td><td>65.28</td><td>68.20</td><td>-2.92</td><td>45.93</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>304</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.28	64.94	74.00	-9.06	45.75	34.66	10.80	36.27	10.00	304	200	PEAK	2	5467.70	65.28	68.20	-2.92	45.93	34.70	10.85	36.20	10.00	304	200	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>106.49</td><td>-----</td><td>-----</td><td>86.75</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>304</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.49	-----	-----	86.75	34.81	10.98	36.05	10.00	304	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5421.28	64.94	74.00	-9.06	45.75	34.66	10.80	36.27	10.00	304	200	PEAK																																																																																																				
2	5467.70	65.28	68.20	-2.92	45.93	34.70	10.85	36.20	10.00	304	200	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	106.49	-----	-----	86.75	34.81	10.98	36.05	10.00	304	200	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>52.03</td><td>54.00</td><td>-1.97</td><td>32.70</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>304</td><td>200</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	52.03	54.00	-1.97	32.70	34.70	10.84	36.21	10.00	304	200	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>97.21</td><td>-----</td><td>-----</td><td>77.53</td><td>34.79</td><td>10.96</td><td>36.07</td><td>10.00</td><td>304</td><td>200</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	97.21	-----	-----	77.53	34.79	10.96	36.07	10.00	304	200	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	52.03	54.00	-1.97	32.70	34.70	10.84	36.21	10.00	304	200	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	97.21	-----	-----	77.53	34.79	10.96	36.07	10.00	304	200	AVERAGE																																																																																																				




Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) <	





		41																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																									
ANT		CDD 1S4T																																																									
Pol.		Vertical																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5432.72	62.76	74.00	-11.24	43.53	34.67	10.81	36.25	10.00	300	115 PEAK	2	5461.32	59.90	68.20	-8.30	40.57	34.70	10.84	36.21	10.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5432.72	62.76	74.00	-11.24	43.53	34.67	10.81	36.25	10.00	300	115 PEAK																																																
2	5461.32	59.90	68.20	-8.30	40.57	34.70	10.84	36.21	10.00	300	115 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	104.72	-----	-----	84.94	34.82	10.99	36.03	10.00	300	115 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5570.00	104.72	-----	-----	84.94	34.82	10.99	36.03	10.00	300	115 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5453.40	49.51	54.00	-4.49	30.21	34.69	10.83	36.22	10.00	300	115 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5453.40	49.51	54.00	-4.49	30.21	34.69	10.83	36.22	10.00	300	115 AVERAGE																																																
AVERAGE																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	94.51	-----	-----	74.65	34.84	11.02	36.00	10.00	300	115 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5570.00	94.51	-----	-----	74.65	34.84	11.02	36.00	10.00	300	115 AVERAGE																																																





Mode	41																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																		
ANT	CDD 1S4T																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.22</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>38.84</td><td>34.95</td><td>11.18</td><td>37.30</td><td>10.00</td><td>300</td><td>115</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.22	57.67	68.20	-10.53	38.84	34.95	11.18	37.30	10.00	300	115	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	5725.22	57.67	68.20	-10.53	38.84	34.95	11.18	37.30	10.00	300	115	PEAK																																							






Mode	7	
	18G-40G	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak		
Avg		






Mode	7																																																																																																																																																																																										
	30-1G																																																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>78.50</td><td>21.23</td><td>-18.77</td><td>40.00</td><td>39.63</td><td>1.32</td><td>13.06</td><td>32.78</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>310.33</td><td>20.73</td><td>-25.27</td><td>46.00</td><td>31.34</td><td>2.68</td><td>19.55</td><td>32.84</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>398.60</td><td>22.20</td><td>-23.80</td><td>46.00</td><td>30.33</td><td>3.05</td><td>21.65</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>398.60</td><td>22.20</td><td>-23.80</td><td>46.00</td><td>30.33</td><td>3.05</td><td>21.65</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>576.11</td><td>27.29</td><td>-18.71</td><td>46.00</td><td>31.70</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>975.75</td><td>30.69</td><td>-23.31</td><td>54.00</td><td>29.73</td><td>4.78</td><td>27.45</td><td>31.27</td><td>---</td><td>--- Peak</td></tr></table>							Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	78.50	21.23	-18.77	40.00	39.63	1.32	13.06	32.78	---	--- Peak	2	310.33	20.73	-25.27	46.00	31.34	2.68	19.55	32.84	---	--- Peak	3	398.60	22.20	-23.80	46.00	30.33	3.05	21.65	32.83	---	--- Peak	4	398.60	22.20	-23.80	46.00	30.33	3.05	21.65	32.83	---	--- Peak	5	576.11	27.29	-18.71	46.00	31.70	3.66	25.02	33.09	---	--- Peak	6	975.75	30.69	-23.31	54.00	29.73	4.78	27.45	31.27	---	--- Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>30.98</td><td>-9.02</td><td>40.00</td><td>49.17</td><td>1.10</td><td>13.63</td><td>32.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>82.38</td><td>34.89</td><td>-5.11</td><td>40.00</td><td>52.71</td><td>1.35</td><td>13.62</td><td>32.79</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>140.50</td><td>29.34</td><td>-14.16</td><td>43.50</td><td>43.85</td><td>1.78</td><td>16.54</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>170.65</td><td>27.44</td><td>-16.06</td><td>43.50</td><td>42.30</td><td>1.97</td><td>16.00</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>316.15</td><td>22.28</td><td>-23.72</td><td>46.00</td><td>32.75</td><td>2.71</td><td>19.68</td><td>32.86</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>576.11</td><td>29.58</td><td>-16.42</td><td>46.00</td><td>33.99</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	54.25	30.98	-9.02	40.00	49.17	1.10	13.63	32.92	---	--- Peak	2	82.38	34.89	-5.11	40.00	52.71	1.35	13.62	32.79	---	--- Peak	3	140.50	29.34	-14.16	43.50	43.85	1.78	16.54	32.83	---	--- Peak	4	170.65	27.44	-16.06	43.50	42.30	1.97	16.00	32.83	---	--- Peak	5	316.15	22.28	-23.72	46.00	32.75	2.71	19.68	32.86	---	--- Peak	6	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak
		Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	78.50	21.23	-18.77	40.00	39.63	1.32	13.06	32.78	---	--- Peak																																																																																																																																																																																	
2	310.33	20.73	-25.27	46.00	31.34	2.68	19.55	32.84	---	--- Peak																																																																																																																																																																																	
3	398.60	22.20	-23.80	46.00	30.33	3.05	21.65	32.83	---	--- Peak																																																																																																																																																																																	
4	398.60	22.20	-23.80	46.00	30.33	3.05	21.65	32.83	---	--- Peak																																																																																																																																																																																	
5	576.11	27.29	-18.71	46.00	31.70	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																	
6	975.75	30.69	-23.31	54.00	29.73	4.78	27.45	31.27	---	--- Peak																																																																																																																																																																																	
	Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
1	54.25	30.98	-9.02	40.00	49.17	1.10	13.63	32.92	---	--- Peak																																																																																																																																																																																	
2	82.38	34.89	-5.11	40.00	52.71	1.35	13.62	32.79	---	--- Peak																																																																																																																																																																																	
3	140.50	29.34	-14.16	43.50	43.85	1.78	16.54	32.83	---	--- Peak																																																																																																																																																																																	
4	170.65	27.44	-16.06	43.50	42.30	1.97	16.00	32.83	---	--- Peak																																																																																																																																																																																	
5	316.15	22.28	-23.72	46.00	32.75	2.71	19.68	32.86	---	--- Peak																																																																																																																																																																																	
6	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																	





	48																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5603.00</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>40.09</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>38.98</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>3 5710.22</td><td>73.58</td><td>108.16</td><td>-34.58</td><td>54.55</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>72.94</td><td>110.90</td><td>-37.96</td><td>54.05</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.00	59.92	68.20	-8.28	40.09	34.83	11.01	36.01	10.00	127	169	PEAK	2 5650.00	58.81	68.20	-9.39	38.98	34.88	11.07	36.12	10.00	127	169	PEAK	3 5710.22	73.58	108.16	-34.58	54.55	34.93	11.16	37.06	10.00	127	169	PEAK	4 5720.00	72.94	110.90	-37.96	54.05	34.94	11.17	37.22	10.00	127	169	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>122.28</td><td>-----</td><td>-----</td><td>103.77</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>127</td><td>169</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	122.28	-----	-----	103.77	34.97	11.21	37.67	10.00	127	169	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5603.00	59.92	68.20	-8.28	40.09	34.83	11.01	36.01	10.00	127	169	PEAK																																																																																																																														
2 5650.00	58.81	68.20	-9.39	38.98	34.88	11.07	36.12	10.00	127	169	PEAK																																																																																																																														
3 5710.22	73.58	108.16	-34.58	54.55	34.93	11.16	37.06	10.00	127	169	PEAK																																																																																																																														
4 5720.00	72.94	110.90	-37.96	54.05	34.94	11.17	37.22	10.00	127	169	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5745.00	122.28	-----	-----	103.77	34.97	11.21	37.67	10.00	127	169	PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>111.64</td><td>-----</td><td>-----</td><td>93.13</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>127</td><td>169</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	111.64	-----	-----	93.13	34.97	11.21	37.67	10.00	127	169	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5745.00	111.64	-----	-----	93.13	34.97	11.21	37.67	10.00	127	169	AVERAGE																																																																																																																														






Mode	48																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.60</td><td>59.88</td><td>68.20</td><td>-8.32</td><td>39.96</td><td>34.86</td><td>11.04</td><td>35.98</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>60.84</td><td>69.26</td><td>-8.42</td><td>41.03</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5717.80</td><td>78.67</td><td>110.28</td><td>-31.61</td><td>59.74</td><td>34.94</td><td>11.17</td><td>37.18</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>76.24</td><td>110.90</td><td>-34.66</td><td>57.35</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.60	59.88	68.20	-8.32	39.96	34.86	11.04	35.98	10.00	100	173	PEAK	2	5651.42	60.84	69.26	-8.42	41.03	34.88	11.07	36.14	10.00	100	173	PEAK	3	5717.80	78.67	110.28	-31.61	59.74	34.94	11.17	37.18	10.00	100	173	PEAK	4	5720.00	76.24	110.90	-34.66	57.35	34.94	11.17	37.22	10.00	100	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.01</td><td>-----</td><td>-----</td><td>100.34</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	119.01	-----	-----	100.34	34.96	11.19	37.48	10.00	100	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5628.60	59.88	68.20	-8.32	39.96	34.86	11.04	35.98	10.00	100	173	PEAK																																																																																																																														
2	5651.42	60.84	69.26	-8.42	41.03	34.88	11.07	36.14	10.00	100	173	PEAK																																																																																																																														
3	5717.80	78.67	110.28	-31.61	59.74	34.94	11.17	37.18	10.00	100	173	PEAK																																																																																																																														
4	5720.00	76.24	110.90	-34.66	57.35	34.94	11.17	37.22	10.00	100	173	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	119.01	-----	-----	100.34	34.96	11.19	37.48	10.00	100	173	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.53</td><td>-----</td><td>-----</td><td>89.86</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.53	-----	-----	89.86	34.96	11.19	37.48	10.00	100	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	108.53	-----	-----	89.86	34.96	11.19	37.48	10.00	100	173	AVERAGE																																																																																																																														




Mode	48																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																				
ANT	CDD 1S4T																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>74.59</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>205</td><td>229</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>52.64</td><td>54.00</td><td>-1.36</td><td>64.44</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>205</td><td>229</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	62.79	74.00	-11.21	74.59	38.18	16.36	66.34	0.00	205	229	PEAK	2	11490.00	52.64	54.00	-1.36	64.44	38.18	16.36	66.34	0.00	205	229	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11490.00	62.79	74.00	-11.21	74.59	38.18	16.36	66.34	0.00	205	229	PEAK																																																									
2	11490.00	52.64	54.00	-1.36	64.44	38.18	16.36	66.34	0.00	205	229	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>60.55</td><td>74.00</td><td>-13.45</td><td>72.35</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>207</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.32</td><td>54.00</td><td>-4.68</td><td>61.12</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>207</td><td>160</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	60.55	74.00	-13.45	72.35	38.18	16.36	66.34	0.00	207	160	PEAK	2	11490.00	49.32	54.00	-4.68	61.12	38.18	16.36	66.34	0.00	207	160	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11490.00	60.55	74.00	-13.45	72.35	38.18	16.36	66.34	0.00	207	160	PEAK																																																									
2	11490.00	49.32	54.00	-4.68	61.12	38.18	16.36	66.34	0.00	207	160	AVERAGE																																																									






Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.00</td><td>60.74</td><td>68.20</td><td>-7.46</td><td>40.85</td><td>34.87</td><td>11.07</td><td>36.05</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>59.55</td><td>68.65</td><td>-9.10</td><td>39.73</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5710.22</td><td>65.18</td><td>108.16</td><td>-42.98</td><td>46.15</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.90</td><td>110.90</td><td>-48.00</td><td>44.01</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.00	60.74	68.20	-7.46	40.85	34.87	11.07	36.05	10.00	100	172	PEAK	2	5650.60	59.55	68.65	-9.10	39.73	34.88	11.07	36.13	10.00	100	172	PEAK	3	5710.22	65.18	108.16	-42.98	46.15	34.93	11.16	37.06	10.00	100	172	PEAK	4	5720.00	62.90	110.90	-48.00	44.01	34.94	11.17	37.22	10.00	100	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>118.99</td><td>-----</td><td>-----</td><td>100.96</td><td>35.00</td><td>11.26</td><td>38.23</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	118.99	-----	-----	100.96	35.00	11.26	38.23	10.00	100	172	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.00	60.74	68.20	-7.46	40.85	34.87	11.07	36.05	10.00	100	172	PEAK																																																																																																																															
2	5650.60	59.55	68.65	-9.10	39.73	34.88	11.07	36.13	10.00	100	172	PEAK																																																																																																																															
3	5710.22	65.18	108.16	-42.98	46.15	34.93	11.16	37.06	10.00	100	172	PEAK																																																																																																																															
4	5720.00	62.90	110.90	-48.00	44.01	34.94	11.17	37.22	10.00	100	172	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	118.99	-----	-----	100.96	35.00	11.26	38.23	10.00	100	172	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>110.44</td><td>-----</td><td>-----</td><td>92.49</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.44	-----	-----	92.49	35.01	11.27	38.33	10.00	100	172	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	110.44	-----	-----	92.49	35.01	11.27	38.33	10.00	100	172	AVERAGE																																																																																																																															




Mode	49																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>57.40</td><td>111.81</td><td>-54.41</td><td>40.32</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>56.73</td><td>105.30</td><td>-48.57</td><td>39.59</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>38.13</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5951.00</td><td>58.57</td><td>68.20</td><td>-9.63</td><td>41.15</td><td>35.16</td><td>11.43</td><td>39.17</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	57.40	111.81	-54.41	40.32	35.07	11.34	39.33	10.00	100	172	PEAK	2	5875.00	56.73	105.30	-48.57	39.59	35.09	11.35	39.30	10.00	100	172	PEAK	3	5925.00	55.44	68.20	-12.76	38.13	35.13	11.40	39.22	10.00	100	172	PEAK	4	5951.00	58.57	68.20	-9.63	41.15	35.16	11.43	39.17	10.00	100	172	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	57.40	111.81	-54.41	40.32	35.07	11.34	39.33	10.00	100	172	PEAK																																																																																		
2	5875.00	56.73	105.30	-48.57	39.59	35.09	11.35	39.30	10.00	100	172	PEAK																																																																																		
3	5925.00	55.44	68.20	-12.76	38.13	35.13	11.40	39.22	10.00	100	172	PEAK																																																																																		
4	5951.00	58.57	68.20	-9.63	41.15	35.16	11.43	39.17	10.00	100	172	PEAK																																																																																		





Mode	49																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.60</td><td>60.26</td><td>68.20</td><td>-7.94</td><td>40.32</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.78</td><td>68.20</td><td>-10.42</td><td>37.95</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>61.19</td><td>105.47</td><td>-44.28</td><td>42.04</td><td>34.92</td><td>11.14</td><td>36.91</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.31</td><td>110.90</td><td>-46.59</td><td>45.42</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.60	60.26	68.20	-7.94	40.32	34.86	11.05	35.97	10.00	186	172	PEAK	2	5650.00	57.78	68.20	-10.42	37.95	34.88	11.07	36.12	10.00	186	172	PEAK	3	5700.60	61.19	105.47	-44.28	42.04	34.92	11.14	36.91	10.00	186	172	PEAK	4	5720.00	64.31	110.90	-46.59	45.42	34.94	11.17	37.22	10.00	186	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.69</td><td>-----</td><td>-----</td><td>101.59</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.69	-----	-----	101.59	35.00	11.25	38.15	10.00	186	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5632.60	60.26	68.20	-7.94	40.32	34.86	11.05	35.97	10.00	186	172	PEAK																																																																																																																														
2	5650.00	57.78	68.20	-10.42	37.95	34.88	11.07	36.12	10.00	186	172	PEAK																																																																																																																														
3	5700.60	61.19	105.47	-44.28	42.04	34.92	11.14	36.91	10.00	186	172	PEAK																																																																																																																														
4	5720.00	64.31	110.90	-46.59	45.42	34.94	11.17	37.22	10.00	186	172	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	119.69	-----	-----	101.59	35.00	11.25	38.15	10.00	186	172	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.00</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>186</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.18	-----	-----	91.00	35.00	11.25	38.15	10.00	186	172	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	109.18	-----	-----	91.00	35.00	11.25	38.15	10.00	186	172	AVERAGE																																																																																																																														






Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>56.81</td><td>111.81</td><td>-55.00</td><td>39.73</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>50.50</td><td>106.30</td><td>-47.00</td><td>41.37</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>55.42</td><td>68.50</td><td>-13.00</td><td>38.11</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5936.60</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>41.02</td><td>35.15</td><td>11.41</td><td>39.20</td><td>10.00</td><td>186</td><td>172</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	56.81	111.81	-55.00	39.73	35.07	11.34	39.33	10.00	186	172	PEAK	2	5871.42	50.50	106.30	-47.00	41.37	35.08	11.35	39.30	10.00	186	172	PEAK	3	5924.60	55.42	68.50	-13.00	38.11	35.13	11.40	39.22	10.00	186	172	PEAK	4	5936.60	58.38	68.20	-9.82	41.02	35.15	11.41	39.20	10.00	186	172	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.60	56.81	111.81	-55.00	39.73	35.07	11.34	39.33	10.00	186	172	PEAK																																																																									
2	5871.42	50.50	106.30	-47.00	41.37	35.08	11.35	39.30	10.00	186	172	PEAK																																																																									
3	5924.60	55.42	68.50	-13.00	38.11	35.13	11.40	39.22	10.00	186	172	PEAK																																																																									
4	5936.60	58.38	68.20	-9.82	41.02	35.15	11.41	39.20	10.00	186	172	PEAK																																																																									






Mode	49																																																																																												
	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal											Vertical																																																																																	
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>65.34</td><td>74.00</td><td>-8.66</td><td>77.06</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>148</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>63.83</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>148</td><td>205</td><td>AVERAGE</td></tr><tr><td>3</td><td>17359.80</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>59.01</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	65.34	74.00	-8.66	77.06	38.20	16.41	66.33	0.00	148	205	PEAK	2	11570.00	52.11	54.00	-1.89	63.83	38.20	16.41	66.33	0.00	148	205	AVERAGE	3	17359.80	55.95	68.20	-12.25	59.01	41.10	20.24	64.40	0.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11570.00	65.34	74.00	-8.66	77.06	38.20	16.41	66.33	0.00	148	205	PEAK																																																																																	
2	11570.00	52.11	54.00	-1.89	63.83	38.20	16.41	66.33	0.00	148	205	AVERAGE																																																																																	
3	17359.80	55.95	68.20	-12.25	59.01	41.10	20.24	64.40	0.00	---	---	Peak																																																																																	
																																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>69.73</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>177</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.42</td><td>54.00</td><td>-8.58</td><td>57.14</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>177</td><td>115</td><td>AVERAGE</td></tr><tr><td>3</td><td>17373.73</td><td>53.27</td><td>68.20</td><td>-14.93</td><td>56.34</td><td>41.10</td><td>20.25</td><td>64.42</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	58.01	74.00	-15.99	69.73	38.20	16.41	66.33	0.00	177	115	PEAK	2	11570.00	45.42	54.00	-8.58	57.14	38.20	16.41	66.33	0.00	177	115	AVERAGE	3	17373.73	53.27	68.20	-14.93	56.34	41.10	20.25	64.42	0.00	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11570.00	58.01	74.00	-15.99	69.73	38.20	16.41	66.33	0.00	177	115	PEAK																																																																																	
2	11570.00	45.42	54.00	-8.58	57.14	38.20	16.41	66.33	0.00	177	115	AVERAGE																																																																																	
3	17373.73	53.27	68.20	-14.93	56.34	41.10	20.25	64.42	0.00	---	---	Peak																																																																																	





Mode	50																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>66.09</td><td>112.67</td><td>-46.58</td><td>49.01</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5858.18</td><td>67.97</td><td>110.01</td><td>-42.04</td><td>50.88</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>55.51</td><td>68.77</td><td>-13.26</td><td>38.20</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5967.00</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>40.62</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	66.09	112.67	-46.58	49.01	35.07	11.33	39.32	10.00	100	172	PEAK	2	5858.18	67.97	110.01	-42.04	50.88	35.07	11.34	39.32	10.00	100	172	PEAK	3	5924.22	55.51	68.77	-13.26	38.20	35.13	11.40	39.22	10.00	100	172	PEAK	4	5967.00	58.08	68.20	-10.12	40.62	35.17	11.44	39.15	10.00	100	172	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>119.16</td><td>-----</td><td>-----</td><td>101.71</td><td>35.04</td><td>11.31</td><td>38.90</td><td>10.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	119.16	-----	-----	101.71	35.04	11.31	38.90	10.00	100	172	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.22	66.09	112.67	-46.58	49.01	35.07	11.33	39.32	10.00	100	172	PEAK																																																																																																																															
2	5858.18	67.97	110.01	-42.04	50.88	35.07	11.34	39.32	10.00	100	172	PEAK																																																																																																																															
3	5924.22	55.51	68.77	-13.26	38.20	35.13	11.40	39.22	10.00	100	172	PEAK																																																																																																																															
4	5967.00	58.08	68.20	-10.12	40.62	35.17	11.44	39.15	10.00	100	172	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	119.16	-----	-----	101.71	35.04	11.31	38.90	10.00	100	172	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.11</td><td>-----</td><td>-----</td><td>90.66</td><td>35.04</td><td>11.31</td><td>38.90</td><td>10.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.11	-----	-----	90.66	35.04	11.31	38.90	10.00	100	172	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	108.11	-----	-----	90.66	35.04	11.31	38.90	10.00	100	172	AVERAGE																																																																																																																															






Mode	50																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>70.01</td><td>110.90</td><td>-40.89</td><td>52.93</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>136</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5866.60</td><td>67.04</td><td>107.65</td><td>-40.61</td><td>49.92</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>136</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.98</td><td>68.20</td><td>-12.22</td><td>38.67</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>136</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5998.22</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>40.00</td><td>35.20</td><td>11.47</td><td>39.10</td><td>10.00</td><td>136</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	70.01	110.90	-40.89	52.93	35.07	11.34	39.33	10.00	136	173	PEAK	2	5866.60	67.04	107.65	-40.61	49.92	35.08	11.35	39.31	10.00	136	173	PEAK	3	5925.00	55.98	68.20	-12.22	38.67	35.13	11.40	39.22	10.00	136	173	PEAK	4	5998.22	57.57	68.20	-10.63	40.00	35.20	11.47	39.10	10.00	136	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>116.46</td><td>-----</td><td>-----</td><td>98.84</td><td>35.03</td><td>11.30</td><td>38.71</td><td>10.00</td><td>136</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	116.46	-----	-----	98.84	35.03	11.30	38.71	10.00	136	173
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5855.00	70.01	110.90	-40.89	52.93	35.07	11.34	39.33	10.00	136	173	PEAK																																																																																																																															
2	5866.60	67.04	107.65	-40.61	49.92	35.08	11.35	39.31	10.00	136	173	PEAK																																																																																																																															
3	5925.00	55.98	68.20	-12.22	38.67	35.13	11.40	39.22	10.00	136	173	PEAK																																																																																																																															
4	5998.22	57.57	68.20	-10.63	40.00	35.20	11.47	39.10	10.00	136	173	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	116.46	-----	-----	98.84	35.03	11.30	38.71	10.00	136	173	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.91</td><td>-----</td><td>-----</td><td>89.29</td><td>35.03</td><td>11.30</td><td>38.71</td><td>10.00</td><td>136</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.91	-----	-----	89.29	35.03	11.30	38.71	10.00	136	173	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	106.91	-----	-----	89.29	35.03	11.30	38.71	10.00	136	173	AVERAGE																																																																																																																															






Mode	50																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>64.52</td><td>74.00</td><td>-9.48</td><td>76.14</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>252</td><td>200</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11650.00</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>64.98</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>252</td><td>200</td><td colspan="5">AVERAGE</td><td></td></tr><tr><td>3</td><td>17475.00</td><td>51.25</td><td>68.20</td><td>-16.95</td><td>54.27</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td colspan="5">PEAK</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11650.00	64.52	74.00	-9.48	76.14	38.25	16.46	66.33	0.00	252	200	PEAK						2	11650.00	53.36	54.00	-0.64	64.98	38.25	16.46	66.33	0.00	252	200	AVERAGE						3	17475.00	51.25	68.20	-16.95	54.27	41.17	20.32	64.51	0.00	---	---	PEAK						<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>60.53</td><td>74.00</td><td>-13.47</td><td>72.15</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>185</td><td>26</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11650.00</td><td>49.99</td><td>54.00</td><td>-4.01</td><td>61.61</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>185</td><td>26</td><td colspan="5">AVERAGE</td><td></td></tr><tr><td>3</td><td>17475.00</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>51.64</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td colspan="5">PEAK</td><td></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg								1	11650.00	60.53	74.00	-13.47	72.15	38.25	16.46	66.33	0.00	185	26	PEAK						2	11650.00	49.99	54.00	-4.01	61.61	38.25	16.46	66.33	0.00	185	26	AVERAGE						3	17475.00	48.62	68.20	-19.58	51.64	41.17	20.32	64.51	0.00	---	---	PEAK					
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																										
1	11650.00	64.52	74.00	-9.48	76.14	38.25	16.46	66.33	0.00	252	200	PEAK																																																																																																																																																																																																																								
2	11650.00	53.36	54.00	-0.64	64.98	38.25	16.46	66.33	0.00	252	200	AVERAGE																																																																																																																																																																																																																								
3	17475.00	51.25	68.20	-16.95	54.27	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																																																																																																								
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																										
1	11650.00	60.53	74.00	-13.47	72.15	38.25	16.46	66.33	0.00	185	26	PEAK																																																																																																																																																																																																																								
2	11650.00	49.99	54.00	-4.01	61.61	38.25	16.46	66.33	0.00	185	26	AVERAGE																																																																																																																																																																																																																								
3	17475.00	48.62	68.20	-19.58	51.64	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																																																																																																								





		51																																																																																																																																								
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.22</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>41.19</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>38.83</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5711.80</td><td>81.01</td><td>108.61</td><td>-27.60</td><td>62.01</td><td>34.93</td><td>11.16</td><td>37.09</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5728.22</td><td>80.18</td><td>111.41</td><td>-31.23</td><td>61.29</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.22	61.02	68.20	-7.18	41.19	34.83	11.01	36.01	10.00	100	171	PEAK	2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	100	171	PEAK	3	5711.80	81.01	108.61	-27.60	62.01	34.93	11.16	37.09	10.00	100	171	PEAK	4	5728.22	80.18	111.41	-31.23	61.29	34.94	11.17	37.22	10.00	100	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>121.63</td><td>-----</td><td>-----</td><td>103.12</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>100</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	121.63	-----	-----	103.12	34.97	11.21	37.67	10.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5604.22	61.02	68.20	-7.18	41.19	34.83	11.01	36.01	10.00	100	171	PEAK																																																																																																																														
2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	10.00	100	171	PEAK																																																																																																																														
3	5711.80	81.01	108.61	-27.60	62.01	34.93	11.16	37.09	10.00	100	171	PEAK																																																																																																																														
4	5728.22	80.18	111.41	-31.23	61.29	34.94	11.17	37.22	10.00	100	171	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	121.63	-----	-----	103.12	34.97	11.21	37.67	10.00	100	171	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.44</td><td>-----</td><td>-----</td><td>92.93</td><td>34.97</td><td>11.21</td><td>37.67</td><td>10.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.44	-----	-----	92.93	34.97	11.21	37.67	10.00	100	171	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	111.44	-----	-----	92.93	34.97	11.21	37.67	10.00	100	171	AVERAGE																																																																																																																														






Mode	51																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.22</td><td>60.23</td><td>68.20</td><td>-7.97</td><td>40.26</td><td>34.87</td><td>11.06</td><td>35.96</td><td>10.00</td><td>176</td><td>171 PEAK</td></tr><tr><td>2 5659.42</td><td>66.59</td><td>75.22</td><td>-8.63</td><td>46.88</td><td>34.88</td><td>11.09</td><td>36.26</td><td>10.00</td><td>176</td><td>171 PEAK</td></tr><tr><td>3 5715.00</td><td>83.77</td><td>109.50</td><td>-25.73</td><td>64.81</td><td>34.94</td><td>11.16</td><td>37.14</td><td>10.00</td><td>176</td><td>171 PEAK</td></tr><tr><td>4 5720.00</td><td>80.95</td><td>110.90</td><td>-29.95</td><td>62.06</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>176</td><td>171 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.22	60.23	68.20	-7.97	40.26	34.87	11.06	35.96	10.00	176	171 PEAK	2 5659.42	66.59	75.22	-8.63	46.88	34.88	11.09	36.26	10.00	176	171 PEAK	3 5715.00	83.77	109.50	-25.73	64.81	34.94	11.16	37.14	10.00	176	171 PEAK	4 5720.00	80.95	110.90	-29.95	62.06	34.94	11.17	37.22	10.00	176	171 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>119.22</td><td>-----</td><td>-----</td><td>100.55</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>176</td><td>171 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	119.22	-----	-----	100.55	34.96	11.19	37.48	10.00	176	171 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5640.22	60.23	68.20	-7.97	40.26	34.87	11.06	35.96	10.00	176	171 PEAK																																																																																																																										
2 5659.42	66.59	75.22	-8.63	46.88	34.88	11.09	36.26	10.00	176	171 PEAK																																																																																																																										
3 5715.00	83.77	109.50	-25.73	64.81	34.94	11.16	37.14	10.00	176	171 PEAK																																																																																																																										
4 5720.00	80.95	110.90	-29.95	62.06	34.94	11.17	37.22	10.00	176	171 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	119.22	-----	-----	100.55	34.96	11.19	37.48	10.00	176	171 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>110.13</td><td>-----</td><td>-----</td><td>91.46</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>176</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	110.13	-----	-----	91.46	34.96	11.19	37.48	10.00	176	171 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	110.13	-----	-----	91.46	34.96	11.19	37.48	10.00	176	171 AVERAGE																																																																																																																										




		51																																																																																								
Mode		Harmonic																																																																																								
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																								
ANT		CDD 1S4T																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>61.75</td><td>74.00</td><td>-12.25</td><td>73.55</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>202</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>64.81</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>202</td><td>233</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>56.12</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11490.00	61.75	74.00	-12.25	73.55	38.18	16.36	66.34	0.00	202	233	PEAK	2	11490.00	53.01	54.00	-0.99	64.81	38.18	16.36	66.34	0.00	202	233	AVERAGE	3	17235.00	53.02	68.20	-15.18	56.12	41.03	20.16	64.29	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	11490.00	61.75	74.00	-12.25	73.55	38.18	16.36	66.34	0.00	202	233	PEAK																																																																														
2	11490.00	53.01	54.00	-0.99	64.81	38.18	16.36	66.34	0.00	202	233	AVERAGE																																																																														
3	17235.00	53.02	68.20	-15.18	56.12	41.03	20.16	64.29	0.00	---	---	PEAK																																																																														
																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>60.70</td><td>74.00</td><td>-13.30</td><td>72.50</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>27</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.71</td><td>54.00</td><td>-4.29</td><td>61.51</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>27</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>48.97</td><td>68.20</td><td>-19.23</td><td>52.07</td><td>41.03</td><td>20.16</td><td>64.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11490.00	60.70	74.00	-13.30	72.50	38.18	16.36	66.34	0.00	300	27	PEAK	2	11490.00	49.71	54.00	-4.29	61.51	38.18	16.36	66.34	0.00	300	27	AVERAGE	3	17235.00	48.97	68.20	-19.23	52.07	41.03	20.16	64.29	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	11490.00	60.70	74.00	-13.30	72.50	38.18	16.36	66.34	0.00	300	27	PEAK																																																																														
2	11490.00	49.71	54.00	-4.29	61.51	38.18	16.36	66.34	0.00	300	27	AVERAGE																																																																														
3	17235.00	48.97	68.20	-19.23	52.07	41.03	20.16	64.29	0.00	---	---	PEAK																																																																														






Mode	52																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.22</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>40.12</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>59.03</td><td>68.20</td><td>-9.17</td><td>39.20</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5717.42</td><td>62.81</td><td>110.18</td><td>-47.37</td><td>43.87</td><td>34.94</td><td>11.17</td><td>37.17</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.68</td><td>110.90</td><td>-50.22</td><td>41.79</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.22	60.06	68.20	-8.14	40.12	34.86	11.05	35.97	10.00	100	173	PEAK	2	5650.00	59.03	68.20	-9.17	39.20	34.88	11.07	36.12	10.00	100	173	PEAK	3	5717.42	62.81	110.18	-47.37	43.87	34.94	11.17	37.17	10.00	100	173	PEAK	4	5720.00	60.68	110.90	-50.22	41.79	34.94	11.17	37.22	10.00	100	173	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>119.22</td><td>-----</td><td>-----</td><td>101.27</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	119.22	-----	-----	101.27	35.01	11.27	38.33	10.00	100	173	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5636.22	60.06	68.20	-8.14	40.12	34.86	11.05	35.97	10.00	100	173	PEAK																																																																																																																															
2	5650.00	59.03	68.20	-9.17	39.20	34.88	11.07	36.12	10.00	100	173	PEAK																																																																																																																															
3	5717.42	62.81	110.18	-47.37	43.87	34.94	11.17	37.17	10.00	100	173	PEAK																																																																																																																															
4	5720.00	60.68	110.90	-50.22	41.79	34.94	11.17	37.22	10.00	100	173	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	119.22	-----	-----	101.27	35.01	11.27	38.33	10.00	100	173	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.27</td><td>-----</td><td>-----</td><td>91.32</td><td>35.01</td><td>11.27</td><td>38.33</td><td>10.00</td><td>100</td><td>173</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.27	-----	-----	91.32	35.01	11.27	38.33	10.00	100	173	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	109.27	-----	-----	91.32	35.01	11.27	38.33	10.00	100	173	AVERAGE																																																																																																																															




Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>56.91</td><td>110.90</td><td>-53.99</td><td>39.83</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5872.60</td><td>56.83</td><td>105.97</td><td>-49.14</td><td>39.69</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>55.79</td><td>68.22</td><td>-12.43</td><td>38.48</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5965.02</td><td>58.37</td><td>68.20</td><td>-9.83</td><td>40.91</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	56.91	110.90	-53.99	39.83	35.07	11.34	39.33	10.00	100	173	PEAK	2	5872.60	56.83	105.97	-49.14	39.69	35.09	11.35	39.30	10.00	100	173	PEAK	3	5924.98	55.79	68.22	-12.43	38.48	35.13	11.40	39.22	10.00	100	173	PEAK	4	5965.02	58.37	68.20	-9.83	40.91	35.17	11.44	39.15	10.00	100	173	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5855.00	56.91	110.90	-53.99	39.83	35.07	11.34	39.33	10.00	100	173	PEAK																																																																									
2	5872.60	56.83	105.97	-49.14	39.69	35.09	11.35	39.30	10.00	100	173	PEAK																																																																									
3	5924.98	55.79	68.22	-12.43	38.48	35.13	11.40	39.22	10.00	100	173	PEAK																																																																									
4	5965.02	58.37	68.20	-9.83	40.91	35.17	11.44	39.15	10.00	100	173	PEAK																																																																									



Mode	52																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5632.22</td><td>60.61</td><td>68.20</td><td>-7.59</td><td>40.67</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>2 5654.22</td><td>60.35</td><td>71.35</td><td>-11.00</td><td>40.57</td><td>34.88</td><td>11.08</td><td>36.18</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>3 5784.22</td><td>59.63</td><td>106.48</td><td>-46.85</td><td>40.52</td><td>34.93</td><td>11.15</td><td>36.97</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>4 5728.22</td><td>61.04</td><td>111.41</td><td>-50.37</td><td>42.15</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5632.22	60.61	68.20	-7.59	40.67	34.86	11.05	35.97	10.00	184	172	PEAK	2 5654.22	60.35	71.35	-11.00	40.57	34.88	11.08	36.18	10.00	184	172	PEAK	3 5784.22	59.63	106.48	-46.85	40.52	34.93	11.15	36.97	10.00	184	172	PEAK	4 5728.22	61.04	111.41	-50.37	42.15	34.94	11.17	37.22	10.00	184	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>117.97</td><td>-----</td><td>-----</td><td>99.87</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	117.97	-----	-----	99.87	35.00	11.25	38.15	10.00	184	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5632.22	60.61	68.20	-7.59	40.67	34.86	11.05	35.97	10.00	184	172	PEAK																																																																																																																									
2 5654.22	60.35	71.35	-11.00	40.57	34.88	11.08	36.18	10.00	184	172	PEAK																																																																																																																									
3 5784.22	59.63	106.48	-46.85	40.52	34.93	11.15	36.97	10.00	184	172	PEAK																																																																																																																									
4 5728.22	61.04	111.41	-50.37	42.15	34.94	11.17	37.22	10.00	184	172	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	117.97	-----	-----	99.87	35.00	11.25	38.15	10.00	184	172	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>108.03</td><td>-----</td><td>-----</td><td>89.85</td><td>34.99</td><td>11.24</td><td>38.05</td><td>10.00</td><td>184</td><td>172</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	108.03	-----	-----	89.85	34.99	11.24	38.05	10.00	184	172	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	108.03	-----	-----	89.85	34.99	11.24	38.05	10.00	184	172	AVERAGE																																																																																																																									






Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.29</td><td>110.90</td><td>-55.61</td><td>38.21</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5871.80</td><td>57.77</td><td>106.19</td><td>-48.42</td><td>40.64</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5921.42</td><td>58.72</td><td>70.84</td><td>-12.12</td><td>41.41</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5925.80</td><td>58.19</td><td>68.20</td><td>-10.01</td><td>40.86</td><td>35.14</td><td>11.40</td><td>39.21</td><td>10.00</td><td>184</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	55.29	110.90	-55.61	38.21	35.07	11.34	39.33	10.00	184	172	PEAK	2	5871.80	57.77	106.19	-48.42	40.64	35.08	11.35	39.30	10.00	184	172	PEAK	3	5921.42	58.72	70.84	-12.12	41.41	35.13	11.40	39.22	10.00	184	172	PEAK	4	5925.80	58.19	68.20	-10.01	40.86	35.14	11.40	39.21	10.00	184	172	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5855.00	55.29	110.90	-55.61	38.21	35.07	11.34	39.33	10.00	184	172	PEAK																																																																																		
2	5871.80	57.77	106.19	-48.42	40.64	35.08	11.35	39.30	10.00	184	172	PEAK																																																																																		
3	5921.42	58.72	70.84	-12.12	41.41	35.13	11.40	39.22	10.00	184	172	PEAK																																																																																		
4	5925.80	58.19	68.20	-10.01	40.86	35.14	11.40	39.21	10.00	184	172	PEAK																																																																																		






Mode	52																																																																																												
	Harmonic																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal												Vertical																																																																																
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>65.84</td><td>74.00</td><td>-8.16</td><td>77.56</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>116</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>53.70</td><td>54.00</td><td>-0.30</td><td>65.42</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>116</td><td>221</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>59.37</td><td>68.20</td><td>-8.83</td><td>62.43</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	65.84	74.00	-8.16	77.56	38.20	16.41	66.33	0.00	116	221	PEAK	2	11570.00	53.70	54.00	-0.30	65.42	38.20	16.41	66.33	0.00	116	221	AVERAGE	3	17355.00	59.37	68.20	-8.83	62.43	41.10	20.24	64.40	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11570.00	65.84	74.00	-8.16	77.56	38.20	16.41	66.33	0.00	116	221	PEAK																																																																																	
2	11570.00	53.70	54.00	-0.30	65.42	38.20	16.41	66.33	0.00	116	221	AVERAGE																																																																																	
3	17355.00	59.37	68.20	-8.83	62.43	41.10	20.24	64.40	0.00	---	---	PEAK																																																																																	
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>63.14</td><td>74.00</td><td>-10.86</td><td>74.86</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>278</td><td>165</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>64.20</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>278</td><td>165</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>51.59</td><td>68.20</td><td>-16.61</td><td>54.65</td><td>41.10</td><td>20.24</td><td>64.40</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	63.14	74.00	-10.86	74.86	38.20	16.41	66.33	0.00	278	165	PEAK	2	11570.00	52.48	54.00	-1.52	64.20	38.20	16.41	66.33	0.00	278	165	AVERAGE	3	17355.00	51.59	68.20	-16.61	54.65	41.10	20.24	64.40	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	11570.00	63.14	74.00	-10.86	74.86	38.20	16.41	66.33	0.00	278	165	PEAK																																																																																	
2	11570.00	52.48	54.00	-1.52	64.20	38.20	16.41	66.33	0.00	278	165	AVERAGE																																																																																	
3	17355.00	51.59	68.20	-16.61	54.65	41.10	20.24	64.40	0.00	---	---	PEAK																																																																																	





Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.40</td><td>61.70</td><td>116.83</td><td>-55.13</td><td>44.59</td><td>35.07</td><td>11.33</td><td>39.29</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>62.43</td><td>110.06</td><td>-47.63</td><td>45.34</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.78</td><td>68.94</td><td>-13.16</td><td>38.47</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5996.40</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>39.81</td><td>35.20</td><td>11.47</td><td>39.10</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.40	61.70	116.83	-55.13	44.59	35.07	11.33	39.29	10.00	147	171	PEAK	2	5858.00	62.43	110.06	-47.63	45.34	35.07	11.34	39.32	10.00	147	171	PEAK	3	5924.00	55.78	68.94	-13.16	38.47	35.13	11.40	39.22	10.00	147	171	PEAK	4	5996.40	57.38	68.20	-10.82	39.81	35.20	11.47	39.10	10.00	147	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>115.94</td><td>-----</td><td>-----</td><td>98.52</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>147</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	115.94	-----	-----	98.52	35.05	11.31	38.94	10.00	147	171	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5852.40	61.70	116.83	-55.13	44.59	35.07	11.33	39.29	10.00	147	171	PEAK																																																																																																																															
2	5858.00	62.43	110.06	-47.63	45.34	35.07	11.34	39.32	10.00	147	171	PEAK																																																																																																																															
3	5924.00	55.78	68.94	-13.16	38.47	35.13	11.40	39.22	10.00	147	171	PEAK																																																																																																																															
4	5996.40	57.38	68.20	-10.82	39.81	35.20	11.47	39.10	10.00	147	171	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	115.94	-----	-----	98.52	35.05	11.31	38.94	10.00	147	171	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.67</td><td>-----</td><td>-----</td><td>89.25</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>147</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.67	-----	-----	89.25	35.05	11.31	38.94	10.00	147	171	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	106.67	-----	-----	89.25	35.05	11.31	38.94	10.00	147	171	AVERAGE																																																																																																																															






Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.34</td><td>111.36</td><td>-56.02</td><td>38.26</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>60.58</td><td>109.83</td><td>-49.25</td><td>43.49</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>56.87</td><td>70.42</td><td>-13.55</td><td>39.56</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>39.64</td><td>35.16</td><td>11.43</td><td>39.16</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	55.34	111.36	-56.02	38.26	35.07	11.34	39.33	10.00	150	173	PEAK	2	5858.00	60.58	109.83	-49.25	43.49	35.07	11.34	39.32	10.00	150	173	PEAK	3	5922.00	56.87	70.42	-13.55	39.56	35.13	11.40	39.22	10.00	150	173	PEAK	4	5956.40	57.07	68.20	-11.13	39.64	35.16	11.43	39.16	10.00	150	173	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>117.46</td><td>-----</td><td>-----</td><td>99.88</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>150</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	117.46	-----	-----	99.88	35.03	11.30	38.75	10.00	150	173	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	55.34	111.36	-56.02	38.26	35.07	11.34	39.33	10.00	150	173	PEAK																																																																																																																															
2	5858.00	60.58	109.83	-49.25	43.49	35.07	11.34	39.32	10.00	150	173	PEAK																																																																																																																															
3	5922.00	56.87	70.42	-13.55	39.56	35.13	11.40	39.22	10.00	150	173	PEAK																																																																																																																															
4	5956.40	57.07	68.20	-11.13	39.64	35.16	11.43	39.16	10.00	150	173	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	117.46	-----	-----	99.88	35.03	11.30	38.75	10.00	150	173	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.35</td><td>-----</td><td>-----</td><td>87.77</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>150</td><td>173</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.35	-----	-----	87.77	35.03	11.30	38.75	10.00	150	173	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	105.35	-----	-----	87.77	35.03	11.30	38.75	10.00	150	173	AVERAGE																																																																																																																															




Mode	53																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>65.81</td><td>74.00</td><td>-8.19</td><td>77.43</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>259</td><td>213</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>53.09</td><td>54.00</td><td>-0.91</td><td>64.71</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>259</td><td>213</td><td>AVERAGE</td></tr><tr><td>3 17475.00</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>57.41</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	65.81	74.00	-8.19	77.43	38.25	16.46	66.33	0.00	259	213	PEAK	2 11650.00	53.09	54.00	-0.91	64.71	38.25	16.46	66.33	0.00	259	213	AVERAGE	3 17475.00	54.39	68.20	-13.81	57.41	41.17	20.32	64.51	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>62.65</td><td>74.00</td><td>-11.35</td><td>74.27</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>176</td><td>0</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>49.90</td><td>54.00</td><td>-4.10</td><td>61.52</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>176</td><td>0</td><td>AVERAGE</td></tr><tr><td>3 17475.00</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>53.15</td><td>41.17</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	62.65	74.00	-11.35	74.27	38.25	16.46	66.33	0.00	176	0	PEAK	2 11650.00	49.90	54.00	-4.10	61.52	38.25	16.46	66.33	0.00	176	0	AVERAGE	3 17475.00	50.13	68.20	-18.07	53.15	41.17	20.32	64.51	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1 11650.00	65.81	74.00	-8.19	77.43	38.25	16.46	66.33	0.00	259	213	PEAK																																																																																																																																			
2 11650.00	53.09	54.00	-0.91	64.71	38.25	16.46	66.33	0.00	259	213	AVERAGE																																																																																																																																			
3 17475.00	54.39	68.20	-13.81	57.41	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1 11650.00	62.65	74.00	-11.35	74.27	38.25	16.46	66.33	0.00	176	0	PEAK																																																																																																																																			
2 11650.00	49.90	54.00	-4.10	61.52	38.25	16.46	66.33	0.00	176	0	AVERAGE																																																																																																																																			
3 17475.00	50.13	68.20	-18.07	53.15	41.17	20.32	64.51	0.00	---	---	PEAK																																																																																																																																			






Mode	57																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5641.02</td><td>66.50</td><td>68.20</td><td>-1.70</td><td>46.55</td><td>34.87</td><td>11.06</td><td>35.98</td><td>10.00</td><td>116 171 PEAK</td></tr><tr><td>2 5650.60</td><td>63.04</td><td>68.65</td><td>-5.61</td><td>43.22</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>116 171 PEAK</td></tr><tr><td>3 5701.42</td><td>76.53</td><td>105.70</td><td>-29.17</td><td>57.39</td><td>34.92</td><td>11.14</td><td>36.92</td><td>10.00</td><td>116 171 PEAK</td></tr><tr><td>4 5720.00</td><td>73.07</td><td>110.90</td><td>-37.83</td><td>54.18</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>116 171 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5641.02	66.50	68.20	-1.70	46.55	34.87	11.06	35.98	10.00	116 171 PEAK	2 5650.60	63.04	68.65	-5.61	43.22	34.88	11.07	36.13	10.00	116 171 PEAK	3 5701.42	76.53	105.70	-29.17	57.39	34.92	11.14	36.92	10.00	116 171 PEAK	4 5720.00	73.07	110.90	-37.83	54.18	34.94	11.17	37.22	10.00	116 171 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>113.76</td><td>-----</td><td>-----</td><td>95.66</td><td>35.00</td><td>11.25</td><td>38.15</td><td>10.00</td><td>116 171 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	113.76	-----	-----	95.66	35.00	11.25	38.15	10.00	116 171 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1 5641.02	66.50	68.20	-1.70	46.55	34.87	11.06	35.98	10.00	116 171 PEAK																																																																																																															
2 5650.60	63.04	68.65	-5.61	43.22	34.88	11.07	36.13	10.00	116 171 PEAK																																																																																																															
3 5701.42	76.53	105.70	-29.17	57.39	34.92	11.14	36.92	10.00	116 171 PEAK																																																																																																															
4 5720.00	73.07	110.90	-37.83	54.18	34.94	11.17	37.22	10.00	116 171 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1 5775.00	113.76	-----	-----	95.66	35.00	11.25	38.15	10.00	116 171 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>104.48</td><td>-----</td><td>-----</td><td>85.81</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>116 171 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	104.48	-----	-----	85.81	34.96	11.19	37.48	10.00	116 171 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1 5775.00	104.48	-----	-----	85.81	34.96	11.19	37.48	10.00	116 171 AVERAGE																																																																																																															




Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.02</td><td>69.16</td><td>115.41</td><td>-46.25</td><td>52.06</td><td>35.07</td><td>11.33</td><td>39.30</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5859.00</td><td>73.79</td><td>109.55</td><td>-35.76</td><td>56.70</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>55.39</td><td>68.20</td><td>-12.81</td><td>38.08</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5943.00</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>40.44</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>116</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.02	69.16	115.41	-46.25	52.06	35.07	11.33	39.30	10.00	116	171	PEAK	2	5859.00	73.79	109.55	-35.76	56.70	35.07	11.34	39.32	10.00	116	171	PEAK	3	5925.00	55.39	68.20	-12.81	38.08	35.13	11.40	39.22	10.00	116	171	PEAK	4	5943.00	57.82	68.20	-10.38	40.44	35.15	11.42	39.19	10.00	116	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.02	69.16	115.41	-46.25	52.06	35.07	11.33	39.30	10.00	116	171	PEAK																																																																																		
2	5859.00	73.79	109.55	-35.76	56.70	35.07	11.34	39.32	10.00	116	171	PEAK																																																																																		
3	5925.00	55.39	68.20	-12.81	38.08	35.13	11.40	39.22	10.00	116	171	PEAK																																																																																		
4	5943.00	57.82	68.20	-10.38	40.44	35.15	11.42	39.19	10.00	116	171	PEAK																																																																																		





	57																																																																																																																																			
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.22</td><td>63.60</td><td>68.20</td><td>-4.60</td><td>43.70</td><td>34.87</td><td>11.06</td><td>36.03</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>2 5658.60</td><td>65.27</td><td>74.60</td><td>-9.33</td><td>45.56</td><td>34.88</td><td>11.08</td><td>36.25</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>3 5717.42</td><td>74.12</td><td>110.18</td><td>-36.06</td><td>55.18</td><td>34.94</td><td>11.17</td><td>37.17</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr><tr><td>4 5720.22</td><td>72.53</td><td>111.41</td><td>-38.88</td><td>53.64</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.22	63.60	68.20	-4.60	43.70	34.87	11.06	36.03	10.00	364	114 PEAK	2 5658.60	65.27	74.60	-9.33	45.56	34.88	11.08	36.25	10.00	364	114 PEAK	3 5717.42	74.12	110.18	-36.06	55.18	34.94	11.17	37.17	10.00	364	114 PEAK	4 5720.22	72.53	111.41	-38.88	53.64	34.94	11.17	37.22	10.00	364	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>114.06</td><td>-----</td><td>-----</td><td>95.39</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>364</td><td>114 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5775.00	114.06	-----	-----	95.39	34.96	11.19	37.48	10.00	364
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5644.22	63.60	68.20	-4.60	43.70	34.87	11.06	36.03	10.00	364	114 PEAK																																																																																																																										
2 5658.60	65.27	74.60	-9.33	45.56	34.88	11.08	36.25	10.00	364	114 PEAK																																																																																																																										
3 5717.42	74.12	110.18	-36.06	55.18	34.94	11.17	37.17	10.00	364	114 PEAK																																																																																																																										
4 5720.22	72.53	111.41	-38.88	53.64	34.94	11.17	37.22	10.00	364	114 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	114.06	-----	-----	95.39	34.96	11.19	37.48	10.00	364	114 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.54</td><td>-----</td><td>-----</td><td>83.87</td><td>34.96</td><td>11.19</td><td>37.48</td><td>10.00</td><td>364</td><td>114 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5775.00	102.54	-----	-----	83.87	34.96	11.19	37.48	10.00	364	114 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	102.54	-----	-----	83.87	34.96	11.19	37.48	10.00	364	114 AVERAGE																																																																																																																										





Mode	57																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>61.48</td><td>112.67</td><td>-51.19</td><td>44.40</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>2</td><td>5856.22</td><td>66.91</td><td>110.56</td><td>-43.65</td><td>49.83</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>5923.42</td><td>58.18</td><td>69.37</td><td>-11.19</td><td>40.87</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr><tr><td>4</td><td>5948.60</td><td>57.69</td><td>68.20</td><td>-10.51</td><td>40.29</td><td>35.16</td><td>11.42</td><td>39.18</td><td>10.00</td><td>364</td><td>114</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	61.48	112.67	-51.19	44.40	35.07	11.33	39.32	10.00	364	114	PEAK	2	5856.22	66.91	110.56	-43.65	49.83	35.07	11.34	39.33	10.00	364	114	PEAK	3	5923.42	58.18	69.37	-11.19	40.87	35.13	11.40	39.22	10.00	364	114	PEAK	4	5948.60	57.69	68.20	-10.51	40.29	35.16	11.42	39.18	10.00	364	114	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.22	61.48	112.67	-51.19	44.40	35.07	11.33	39.32	10.00	364	114	PEAK																																																																																			
2	5856.22	66.91	110.56	-43.65	49.83	35.07	11.34	39.33	10.00	364	114	PEAK																																																																																			
3	5923.42	58.18	69.37	-11.19	40.87	35.13	11.40	39.22	10.00	364	114	PEAK																																																																																			
4	5948.60	57.69	68.20	-10.51	40.29	35.16	11.42	39.18	10.00	364	114	PEAK																																																																																			





	57																																																																																									
Mode	Harmonic																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																									
ANT	CDD 1S4T																																																																																									
Pol.	Horizontal											Vertical																																																																														
Peak Avg																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11550.00</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>71.01</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>122</td><td>219</td><td>PEAK</td><td></td></tr><tr><td>2 11550.00</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>60.47</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>122</td><td>219</td><td>AVERAGE</td><td></td></tr><tr><td>3 17325.00</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>56.00</td><td>41.10</td><td>20.22</td><td>64.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11550.00	59.27	74.00	-14.73	71.01	38.20	16.39	66.33	0.00	122	219	PEAK		2 11550.00	48.73	54.00	-5.27	60.47	38.20	16.39	66.33	0.00	122	219	AVERAGE		3 17325.00	52.95	68.20	-15.25	56.00	41.10	20.22	64.37	0.00	---	---	PEAK	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 11550.00	59.27	74.00	-14.73	71.01	38.20	16.39	66.33	0.00	122	219	PEAK																																																																															
2 11550.00	48.73	54.00	-5.27	60.47	38.20	16.39	66.33	0.00	122	219	AVERAGE																																																																															
3 17325.00	52.95	68.20	-15.25	56.00	41.10	20.22	64.37	0.00	---	---	PEAK																																																																															
																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11550.00</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>70.46</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>285</td><td>163</td><td>PEAK</td><td></td></tr><tr><td>2 11550.00</td><td>48.32</td><td>54.00</td><td>-5.68</td><td>60.06</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>285</td><td>163</td><td>AVERAGE</td><td></td></tr><tr><td>3 17325.00</td><td>48.32</td><td>68.20</td><td>-19.88</td><td>51.37</td><td>41.10</td><td>20.22</td><td>64.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11550.00	58.72	74.00	-15.28	70.46	38.20	16.39	66.33	0.00	285	163	PEAK		2 11550.00	48.32	54.00	-5.68	60.06	38.20	16.39	66.33	0.00	285	163	AVERAGE		3 17325.00	48.32	68.20	-19.88	51.37	41.10	20.22	64.37	0.00	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1 11550.00	58.72	74.00	-15.28	70.46	38.20	16.39	66.33	0.00	285	163	PEAK																																																																															
2 11550.00	48.32	54.00	-5.68	60.06	38.20	16.39	66.33	0.00	285	163	AVERAGE																																																																															
3 17325.00	48.32	68.20	-19.88	51.37	41.10	20.22	64.37	0.00	---	---	PEAK																																																																															



Mode	52	
Mode	18G-40G	
Mode	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	52																																																																																																																																																																																										
Mode	30-1G																																																																																																																																																																																										
Mode	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																				
Peak																																																																																																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>38.97</td><td>22.40</td><td>-17.60</td><td>40.00</td><td>30.59</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>89.17</td><td>22.96</td><td>-20.54</td><td>43.50</td><td>39.43</td><td>1.41</td><td>14.97</td><td>32.85</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>147.37</td><td>20.91</td><td>-22.59</td><td>43.50</td><td>35.44</td><td>1.83</td><td>16.46</td><td>32.82</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>381.14</td><td>21.31</td><td>-24.69</td><td>46.00</td><td>29.99</td><td>2.98</td><td>21.21</td><td>32.87</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>576.11</td><td>28.29</td><td>-17.71</td><td>46.00</td><td>32.70</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>635.28</td><td>26.08</td><td>-19.92</td><td>46.00</td><td>30.07</td><td>3.85</td><td>25.14</td><td>32.98</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	38.97	22.40	-17.60	40.00	30.59	0.73	24.07	32.99	---	--- Peak	2	89.17	22.96	-20.54	43.50	39.43	1.41	14.97	32.85	---	--- Peak	3	147.37	20.91	-22.59	43.50	35.44	1.83	16.46	32.82	---	--- Peak	4	381.14	21.31	-24.69	46.00	29.99	2.98	21.21	32.87	---	--- Peak	5	576.11	28.29	-17.71	46.00	32.70	3.66	25.02	33.09	---	--- Peak	6	635.28	26.08	-19.92	46.00	30.07	3.85	25.14	32.98	---	--- Peak	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>54.25</td><td>32.05</td><td>-7.95</td><td>40.00</td><td>50.24</td><td>1.10</td><td>13.63</td><td>32.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>83.35</td><td>35.07</td><td>-4.93</td><td>40.00</td><td>52.69</td><td>1.36</td><td>13.82</td><td>32.80</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>137.67</td><td>29.50</td><td>-14.00</td><td>43.50</td><td>43.99</td><td>1.76</td><td>16.58</td><td>32.83</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>480.08</td><td>26.82</td><td>-19.18</td><td>46.00</td><td>33.28</td><td>3.35</td><td>23.17</td><td>32.98</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>576.11</td><td>29.58</td><td>-16.42</td><td>46.00</td><td>33.99</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.57</td><td>-14.43</td><td>46.00</td><td>30.87</td><td>4.73</td><td>27.53</td><td>31.56</td><td>---</td><td>--- Peak</td></tr></table>					Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	54.25	32.05	-7.95	40.00	50.24	1.10	13.63	32.92	---	--- Peak	2	83.35	35.07	-4.93	40.00	52.69	1.36	13.82	32.80	---	--- Peak	3	137.67	29.50	-14.00	43.50	43.99	1.76	16.58	32.83	---	--- Peak	4	480.08	26.82	-19.18	46.00	33.28	3.35	23.17	32.98	---	--- Peak	5	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak	6	956.35	31.57	-14.43	46.00	30.87	4.73	27.53	31.56	---	--- Peak
	Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																	
	1	38.97	22.40	-17.60	40.00	30.59	0.73	24.07	32.99	---	--- Peak																																																																																																																																																																																
	2	89.17	22.96	-20.54	43.50	39.43	1.41	14.97	32.85	---	--- Peak																																																																																																																																																																																
	3	147.37	20.91	-22.59	43.50	35.44	1.83	16.46	32.82	---	--- Peak																																																																																																																																																																																
	4	381.14	21.31	-24.69	46.00	29.99	2.98	21.21	32.87	---	--- Peak																																																																																																																																																																																
	5	576.11	28.29	-17.71	46.00	32.70	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																
	6	635.28	26.08	-19.92	46.00	30.07	3.85	25.14	32.98	---	--- Peak																																																																																																																																																																																
Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																		
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																		
1	54.25	32.05	-7.95	40.00	50.24	1.10	13.63	32.92	---	--- Peak																																																																																																																																																																																	
2	83.35	35.07	-4.93	40.00	52.69	1.36	13.82	32.80	---	--- Peak																																																																																																																																																																																	
3	137.67	29.50	-14.00	43.50	43.99	1.76	16.58	32.83	---	--- Peak																																																																																																																																																																																	
4	480.08	26.82	-19.18	46.00	33.28	3.35	23.17	32.98	---	--- Peak																																																																																																																																																																																	
5	576.11	29.58	-16.42	46.00	33.99	3.66	25.02	33.09	---	--- Peak																																																																																																																																																																																	
6	956.35	31.57	-14.43	46.00	30.87	4.73	27.53	31.56	---	--- Peak																																																																																																																																																																																	



<TX Beamforming mode>

Radiated Spurious Emission Test Modes





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	149	5745	MCS0	Full	-

Summary of each worse mode



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
64	802.11be EHT40	38	5149.60	53.26	54.00	-0.74	H	AVERAGE	Pass	Band Edge
64	802.11be EHT40	38	10380.00	46.74	68.20	-21.46	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	5149.92	53.16	54.00	-0.84	H	AVERAGE	Pass	Band Edge
66	802.11be EHT80	42	10420.00	45.79	68.20	-22.41	V	PEAK	Pass	Harmonic
73	802.11be EHT160	50	5379.78	53.12	54.00	-0.88	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	50	10500.00	45.64	68.20	-22.56	V	PEAK	Pass	Harmonic
86	802.11be EHT20	149	5356.00	53.67	54.00	-0.33	V	Average	Pass	Band Edge
86	802.11be EHT20	149	11490.00	41.88	54.00	-12.12	V	AVERAGE	Pass	Harmonic







Radiated Spurious Emission Test plots

Mode	64																																																							
Mode	Band Edge - L																																																							
Mode	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>70.18</td><td>74.00</td><td>-3.82</td><td>51.84</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	70.18	74.00	-3.82	51.84	34.40	10.60	36.66	10.00	256	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5145.76	70.18	74.00	-3.82	51.84	34.40	10.60	36.66	10.00	256	179	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>53.26</td><td>54.00</td><td>-0.74</td><td>34.90</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	53.26	54.00	-0.74	34.90	34.40	10.61	36.65	10.00	256	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5149.60	53.26	54.00	-0.74	34.90	34.40	10.61	36.65	10.00	256	179	AVERAGE																																												
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>112.53</td><td>-----</td><td>-----</td><td>94.04</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	112.53	-----	-----	94.04	34.44	10.65	36.60	10.00	256	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5190.00	112.53	-----	-----	94.04	34.44	10.65	36.60	10.00	256	179	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.37</td><td>-----</td><td>-----</td><td>83.88</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.37	-----	-----	83.88	34.44	10.65	36.60	10.00	256	179	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5190.00	102.37	-----	-----	83.88	34.44	10.65	36.60	10.00	256	179	AVERAGE																																												





Mode	64																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.10</td><td>58.30</td><td>74.00</td><td>-15.70</td><td>39.25</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>256</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.10	58.30	74.00	-15.70	39.25	34.62	10.76	36.33	10.00	256	179	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.10	58.30	74.00	-15.70	39.25	34.62	10.76	36.33	10.00	256	179	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.26</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>27.48</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>256</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.26	46.57	54.00	-7.43	27.48	34.63	10.77	36.31	10.00	256	179	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5392.26	46.57	54.00	-7.43	27.48	34.63	10.77	36.31	10.00	256	179	AVERAGE																																												





		64																																																					
Mode		Band Edge - L																																																					
		U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																					
ANT		TXBF1S4T																																																					
Pol.		Vertical																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.68</td><td>66.38</td><td>74.00</td><td>-7.62</td><td>48.03</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.68	66.38	74.00	-7.62	48.03	34.40	10.61	36.66	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.68	66.38	74.00	-7.62	48.03	34.40	10.61	36.66	10.00	112	186	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>110.30</td><td>-----</td><td>-----</td><td>91.77</td><td>34.45</td><td>10.66</td><td>36.58</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	110.30	-----	-----	91.77	34.45	10.66	36.58	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	110.30	-----	-----	91.77	34.45	10.66	36.58	10.00	112	186	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>30.79</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	49.14	54.00	-4.86	30.79	34.40	10.61	36.66	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.96	49.14	54.00	-4.86	30.79	34.40	10.61	36.66	10.00	112	186	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.17</td><td>-----</td><td>-----</td><td>80.64</td><td>34.45</td><td>10.66</td><td>36.58</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.17	-----	-----	80.64	34.45	10.66	36.58	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	99.17	-----	-----	80.64	34.45	10.66	36.58	10.00	112	186	AVERAGE																																											







Mode	64																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.54</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>38.68</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>112</td><td>186</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.54	57.91	74.00	-16.09	38.68	34.67	10.81	36.25	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5433.54	57.91	74.00	-16.09	38.68	34.67	10.81	36.25	10.00	112	186	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.85</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>26.93</td><td>34.68</td><td>10.83</td><td>36.23</td><td>10.00</td><td>112</td><td>186</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.85	46.21	54.00	-7.79	26.93	34.68	10.83	36.23	10.00	112	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5447.85	46.21	54.00	-7.79	26.93	34.68	10.83	36.23	10.00	112	186	AVERAGE																																											





Mode	64																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.66</td><td>68.20</td><td>-21.54</td><td>60.76</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>60.84</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.66	68.20	-21.54	60.76	37.38	15.47	66.95	0.00	---	---	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.74	68.20	-21.46	60.84	37.38	15.47	66.95	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10380.00	46.66	68.20	-21.54	60.76	37.38	15.47	66.95	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10380.00	46.74	68.20	-21.46	60.84	37.38	15.47	66.95	0.00	---	---	PEAK																																																																																							







Mode	66																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.92</td><td>70.70</td><td>74.00</td><td>-3.30</td><td>52.40</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.92	70.70	74.00	-3.30	52.40	34.39	10.59	36.68	10.00	263	196	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>109.41</td><td>-----</td><td>-----</td><td>90.76</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	109.41	-----	-----	90.76	34.49	10.68	36.52	10.00	263	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5133.92	70.70	74.00	-3.30	52.40	34.39	10.59	36.68	10.00	263	196	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	109.41	-----	-----	90.76	34.49	10.68	36.52	10.00	263	196	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.16</td><td>54.00</td><td>-0.84</td><td>34.80</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.16	54.00	-0.84	34.80	34.40	10.61	36.65	10.00	263	196	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.40</td><td>-----</td><td>-----</td><td>80.72</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.40	-----	-----	80.72	34.50	10.69	36.51	10.00	263	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.92	53.16	54.00	-0.84	34.80	34.40	10.61	36.65	10.00	263	196	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	99.40	-----	-----	80.72	34.50	10.69	36.51	10.00	263	196	AVERAGE																																																																																																			





Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.22</td><td>60.17</td><td>74.00</td><td>-13.83</td><td>41.20</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>263</td><td>196</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.22	60.17	74.00	-13.83	41.20	34.59	10.75	36.37	10.00	263	196	PEAK	Blank	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.22	60.17	74.00	-13.83	41.20	34.59	10.75	36.37	10.00	263	196	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.70</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>28.82</td><td>34.61</td><td>10.76</td><td>36.35</td><td>10.00</td><td>263</td><td>196</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.70	47.84	54.00	-6.16	28.82	34.61	10.76	36.35	10.00	263	196	AVERAGE	Blank	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5366.70	47.84	54.00	-6.16	28.82	34.61	10.76	36.35	10.00	263	196	AVERAGE																																												





Mode	66																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.64</td><td>64.69</td><td>74.00</td><td>-9.31</td><td>46.43</td><td>34.38</td><td>10.58</td><td>36.70</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.64	64.69	74.00	-9.31	46.43	34.38	10.58	36.70	10.00	116	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>110.25</td><td>-----</td><td>-----</td><td>91.66</td><td>34.47</td><td>10.67</td><td>36.55</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	110.25	-----	-----	91.66	34.47	10.67	36.55	10.00	116	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5120.64	64.69	74.00	-9.31	46.43	34.38	10.58	36.70	10.00	116	287	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	110.25	-----	-----	91.66	34.47	10.67	36.55	10.00	116	287	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>32.45</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	50.81	54.00	-3.19	32.45	34.40	10.61	36.65	10.00	116	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.32</td><td>-----</td><td>-----</td><td>81.74</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.32	-----	-----	81.74	34.47	10.67	36.56	10.00	116	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	50.81	54.00	-3.19	32.45	34.40	10.61	36.65	10.00	116	287	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	100.32	-----	-----	81.74	34.47	10.67	36.56	10.00	116	287	AVERAGE																																																																																							







Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.36</td><td>59.61</td><td>74.00</td><td>-14.39</td><td>40.52</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>116</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.36	59.61	74.00	-14.39	40.52	34.63	10.77	36.31	10.00	116	287	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5391.36	59.61	74.00	-14.39	40.52	34.63	10.77	36.31	10.00	116	287	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>29.08</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>116</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	48.05	54.00	-5.95	29.08	34.59	10.75	36.37	10.00	116	287	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.14	48.05	54.00	-5.95	29.08	34.59	10.75	36.37	10.00	116	287	AVERAGE																																												





Mode	66																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																					
ANT	TXBF1S4T																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.73</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>45.79</td><td>68.20</td><td>-22.41</td><td>59.79</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10420.00	45.79	68.20	-22.41	59.79	37.42	15.51	66.93	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10420.00	45.73	68.20	-22.47	59.73	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10420.00	45.79	68.20	-22.41	59.79	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																										







		73																																																																																																													
Mode		Band Edge - L																																																																																																													
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																													
ANT		TXBF1S4T																																																																																																													
Pol.	Horizontal												Fundamental																																																																																																		
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.25</td><td>64.68</td><td>74.00</td><td>-9.32</td><td>46.34</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.25	64.68	74.00	-9.32	46.34	34.40	10.60	36.66	10.00	259	191	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>107.49</td><td>-----</td><td>-----</td><td>88.65</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	107.49	-----	-----	88.65	34.55	10.72	36.43	10.00	259	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5143.25	64.68	74.00	-9.32	46.34	34.40	10.60	36.66	10.00	259	191	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	107.49	-----	-----	88.65	34.55	10.72	36.43	10.00	259	191	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.25</td><td>52.74</td><td>54.00</td><td>-1.26</td><td>34.42</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.25	52.74	54.00	-1.26	34.42	34.39	10.60	36.67	10.00	259	191	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>96.06</td><td>-----</td><td>-----</td><td>77.25</td><td>34.54</td><td>10.72</td><td>36.45</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.06	-----	-----	77.25	34.54	10.72	36.45	10.00	259	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5140.25	52.74	54.00	-1.26	34.42	34.39	10.60	36.67	10.00	259	191	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	96.06	-----	-----	77.25	34.54	10.72	36.45	10.00	259	191	AVERAGE																																																																																																			





	73																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.06</td><td>66.09</td><td>74.00</td><td>-7.91</td><td>47.06</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>259</td><td>191</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.06	66.09	74.00	-7.91	47.06	34.61	10.76	36.34	10.00	259	191	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5373.06	66.09	74.00	-7.91	47.06	34.61	10.76	36.34	10.00	259	191	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.78</td><td>53.12</td><td>54.00</td><td>-0.88</td><td>34.07</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>259</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.78	53.12	54.00	-0.88	34.07	34.62	10.76	36.33	10.00	259	191	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5379.78	53.12	54.00	-0.88	34.07	34.62	10.76	36.33	10.00	259	191	AVERAGE																																												





	73																																																																																								
Mode	Band Edge - L																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																								
ANT	TXBF1S4T																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5140.25</td><td>60.81</td><td>74.00</td><td>-13.19</td><td>42.49</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>301 158 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5140.25	60.81	74.00	-13.19	42.49	34.39	10.60	36.67	10.00	301 158 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5250.00</td><td>102.26</td><td>-----</td><td>-----</td><td>83.84</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>301 158 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5250.00	102.26	-----	-----	83.84	34.42	10.63	36.63	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5140.25	60.81	74.00	-13.19	42.49	34.39	10.60	36.67	10.00	301 158 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5250.00	102.26	-----	-----	83.84	34.42	10.63	36.63	10.00	301 158 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5140.25</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>30.54</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>301 158 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5140.25	48.86	54.00	-5.14	30.54	34.39	10.60	36.67	10.00	301 158 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5250.00</td><td>91.82</td><td>-----</td><td>-----</td><td>73.37</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>301 158 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5250.00	91.82	-----	-----	73.37	34.43	10.64	36.62	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5140.25	48.86	54.00	-5.14	30.54	34.39	10.60	36.67	10.00	301 158 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																
1 5250.00	91.82	-----	-----	73.37	34.43	10.64	36.62	10.00	301 158 AVERAGE																																																																																






Mode	73																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																
ANT	TXBF1S4T																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.32</td><td>64.64</td><td>74.00</td><td>-9.36</td><td>45.60</td><td>34.62</td><td>10.76</td><td>36.34</td><td>10.00</td><td>301</td><td>158</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.32	64.64	74.00	-9.36	45.60	34.62
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5374.32	64.64	74.00	-9.36	45.60	34.62	10.76	36.34	10.00	301	158	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.22</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>31.59</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>301</td><td>158</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.22	50.62	54.00	-3.38	31.59	34.61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5372.22	50.62	54.00	-3.38	31.59	34.61	10.76	36.34	10.00	301	158	AVERAGE																																					






Mode	73																																																							
	Harmonic																																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.49</td><td>68.20</td><td>-22.71</td><td>59.29</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.49	68.20	-22.71	59.29	37.50	15.58	66.88	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10500.00	45.49	68.20	-22.71	59.29	37.50	15.58	66.88	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>45.64</td><td>68.20</td><td>-22.56</td><td>59.44</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.64	68.20	-22.56	59.44	37.50	15.58	66.88	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10500.00	45.64	68.20	-22.56	59.44	37.50	15.58	66.88	0.00	---	---	PEAK																																												





Mode	86																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																												
ANT	TXBF1S4T																																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.00</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>41.90</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.32</td><td>68.80</td><td>-8.48</td><td>40.50</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>67.24</td><td>110.90</td><td>-43.66</td><td>48.35</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5723.00</td><td>76.53</td><td>119.11</td><td>-42.58</td><td>57.69</td><td>34.94</td><td>11.17</td><td>37.27</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.00	61.84	68.20	-6.36	41.90	34.86	11.05	35.97	10.00	105	0	PEAK	2	5650.00	60.32	68.80	-8.48	40.50	34.88	11.07	36.13	10.00	105	0	PEAK	3	5720.00	67.24	110.90	-43.66	48.35	34.94	11.17	37.22	10.00	105	0	PEAK	4	5723.00	76.53	119.11	-42.58	57.69	34.94	11.17	37.27	10.00	105	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.41</td><td>-----</td><td>-----</td><td>95.78</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>105</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5745.00	114.41	-----	-----	95.78	34.96	11.20	37.53	10.00	105	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5635.00	61.84	68.20	-6.36	41.90	34.86	11.05	35.97	10.00	105	0	PEAK																																																																																																																																	
2	5650.00	60.32	68.80	-8.48	40.50	34.88	11.07	36.13	10.00	105	0	PEAK																																																																																																																																	
3	5720.00	67.24	110.90	-43.66	48.35	34.94	11.17	37.22	10.00	105	0	PEAK																																																																																																																																	
4	5723.00	76.53	119.11	-42.58	57.69	34.94	11.17	37.27	10.00	105	0	PEAK																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	114.41	-----	-----	95.78	34.96	11.20	37.53	10.00	105	0	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.23</td><td>-----</td><td>-----</td><td>86.52</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>105</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5745.00	105.23	-----	-----	86.52	34.95	11.19	37.43	10.00	105	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.23	-----	-----	86.52	34.95	11.19	37.43	10.00	105	0	AVERAGE																																																																																																																																	



Mode	86																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																	
ANT	TXBF1S4T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.00</td><td>62.20</td><td>68.20</td><td>-6.00</td><td>42.37</td><td>34.83</td><td>11.01</td><td>36.01</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.66</td><td>68.20</td><td>-9.54</td><td>38.83</td><td>34.88</td><td>11.07</td><td>36.12</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>61.46</td><td>106.20</td><td>-44.74</td><td>42.33</td><td>34.93</td><td>11.15</td><td>36.95</td><td>103</td><td>277</td><td>PEAK</td></tr><tr><td>4</td><td>5724.00</td><td>74.82</td><td>120.02</td><td>-45.20</td><td>55.98</td><td>34.95</td><td>11.17</td><td>37.28</td><td>103</td><td>277</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5606.00	62.20	68.20	-6.00	42.37	34.83	11.01	36.01	103	277	PEAK	2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	103	277	PEAK	3	5703.20	61.46	106.20	-44.74	42.33	34.93	11.15	36.95	103	277	PEAK	4	5724.00	74.82	120.02	-45.20	55.98	34.95	11.17	37.28	103	277	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.90</td><td>-----</td><td>-----</td><td>98.27</td><td>34.96</td><td>11.20</td><td>37.53</td><td>103</td><td>277</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	116.90	-----	-----	98.27	34.96	11.20	37.53	103	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5606.00	62.20	68.20	-6.00	42.37	34.83	11.01	36.01	103	277	PEAK																																																																																																							
2	5650.00	58.66	68.20	-9.54	38.83	34.88	11.07	36.12	103	277	PEAK																																																																																																							
3	5703.20	61.46	106.20	-44.74	42.33	34.93	11.15	36.95	103	277	PEAK																																																																																																							
4	5724.00	74.82	120.02	-45.20	55.98	34.95	11.17	37.28	103	277	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5745.00	116.90	-----	-----	98.27	34.96	11.20	37.53	103	277	PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.00</td><td>53.67</td><td>54.00</td><td>-0.33</td><td>34.68</td><td>34.60</td><td>10.75</td><td>36.36</td><td>103</td><td>277</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>107.36</td><td>-----</td><td>-----</td><td>88.73</td><td>34.96</td><td>11.20</td><td>37.53</td><td>103</td><td>277</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5356.00	53.67	54.00	-0.33	34.68	34.60	10.75	36.36	103	277	Average	2	5745.00	107.36	-----	-----	88.73	34.96	11.20	37.53	103	277	AVERAGE																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5356.00	53.67	54.00	-0.33	34.68	34.60	10.75	36.36	103	277	Average																																																																																																							
2	5745.00	107.36	-----	-----	88.73	34.96	11.20	37.53	103	277	AVERAGE																																																																																																							



Mode	86																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>60.71</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.44</td><td>54.00</td><td>-16.56</td><td>49.24</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	48.91	74.00	-25.09	60.71	38.18	16.36	66.34	0.00	300	360	PEAK	2	11490.00	37.44	54.00	-16.56	49.24	38.18	16.36	66.34	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.69</td><td>74.00</td><td>-20.31</td><td>65.49</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>145</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>53.71</td><td>38.16</td><td>16.35</td><td>66.34</td><td>0.00</td><td>145</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.69	74.00	-20.31	65.49	38.18	16.36	66.34	0.00	145	0	PEAK	2	11490.00	41.88	54.00	-12.12	53.71	38.16	16.35	66.34	0.00	145	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	48.91	74.00	-25.09	60.71	38.18	16.36	66.34	0.00	300	360	PEAK																																																																																																																		
2	11490.00	37.44	54.00	-16.56	49.24	38.18	16.36	66.34	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	53.69	74.00	-20.31	65.49	38.18	16.36	66.34	0.00	145	0	PEAK																																																																																																																		
2	11490.00	41.88	54.00	-12.12	53.71	38.16	16.35	66.34	0.00	145	0	AVERAGE																																																																																																																		