



Appendix B. Radiated Spurious Emission Test Data

Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 1S2T	802.11b	11	2462	1Mbps	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	11	2483.50	72.44	74.00	-1.56	H	PEAK	Pass	Band Edge
1	802.11b	11	7386.00	42.24	74.00	-31.76	V	PEAK	Pass	Harmonic





		1																																																																																																											
Mode		Band Edge																																																																																																											
		2400-2483.5_802.11b_CH11_2462MHz																																																																																																											
ANT		CDD 1S2T																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																	
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>72.44</td><td>74.00</td><td>-1.56</td><td>63.56</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>100</td><td>345</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	72.44	74.00	-1.56	63.56	32.47	7.26	36.85	6.00	100	345	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.33</td><td>-----</td><td>-----</td><td>104.59</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>345</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.33	-----	-----	104.59	32.42	7.22	36.90	6.00	100	345
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.50	72.44	74.00	-1.56	63.56	32.47	7.26	36.85	6.00	100	345	Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	113.33	-----	-----	104.59	32.42	7.22	36.90	6.00	100	345	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.26</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>35.61</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.26	44.50	54.00	-9.50	35.61	32.47	7.26	36.84	6.00	100	345	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.67</td><td>-----</td><td>-----</td><td>98.93</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>100</td><td>345</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.67	-----	-----	98.93	32.42	7.22	36.90	6.00	100	345
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2486.26	44.50	54.00	-9.50	35.61	32.47	7.26	36.84	6.00	100	345	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	107.67	-----	-----	98.93	32.42	7.22	36.90	6.00	100	345	AVERAGE																																																																																																	





		1																																																																																														
Mode	Band Edge																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>71.29</td><td>74.00</td><td>-2.71</td><td>62.41</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>230</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	71.29	74.00	-2.71	62.41	32.47	7.26	36.85	6.00	230	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.48</td><td>-----</td><td>-----</td><td>99.74</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>230</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.48	-----	-----	99.74	32.42	7.22	36.90	6.00	230
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.74	71.29	74.00	-2.71	62.41	32.47	7.26	36.85	6.00	230	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	108.48	-----	-----	99.74	32.42	7.22	36.90	6.00	230	0 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.70</td><td>41.47</td><td>54.00</td><td>-12.53</td><td>32.57</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>230</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.70	41.47	54.00	-12.53	32.57	32.48	7.26	36.84	6.00	230	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.70</td><td>-----</td><td>-----</td><td>94.96</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>230</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.70	-----	-----	94.96	32.42	7.22	36.90	6.00	230
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2487.70	41.47	54.00	-12.53	32.57	32.48	7.26	36.84	6.00	230	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	103.70	-----	-----	94.96	32.42	7.22	36.90	6.00	230	0 AVERAGE																																																																																					





Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																													
ANT	CDD 1S2T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.80</td><td>74.00</td><td>-33.20</td><td>61.82</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.09</td><td>74.00</td><td>-31.91</td><td>60.05</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.80	74.00	-33.20	61.82	34.19	10.35	65.56	0.00	---	---	PEAK	2	7386.00	42.09	74.00	-31.91	60.05	35.00	12.73	66.49	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>61.74</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>60.20</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	40.72	74.00	-33.28	61.74	34.19	10.35	65.56	0.00	---	---	PEAK	2	7386.00	42.24	74.00	-31.76	60.20	35.00	12.73	66.49	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	40.80	74.00	-33.20	61.82	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																		
2	7386.00	42.09	74.00	-31.91	60.05	35.00	12.73	66.49	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4924.00	40.72	74.00	-33.28	61.74	34.19	10.35	65.56	0.00	---	---	PEAK																																																																																																																		
2	7386.00	42.24	74.00	-31.76	60.20	35.00	12.73	66.49	0.00	---	---	PEAK																																																																																																																		



Mode	1	
	18G-25G	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	CDD 1S2T	
Pol.	Horizontal	Vertical
Peak Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -80dB FCC PART 15C (AVG) -80dB	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -80dB FCC PART 15C (AVG) -80dB



Mode	1																																																																																																																																																																																
	30-1G																																																																																																																																																																																
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																																																
ANT	CDD 1S2T																																																																																																																																																																																
Pol.	Horizontal										Vertical																																																																																																																																																																						
Peak Avg																																																																																																																																																																																	
	<table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read Level</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>78.50</td><td>23.69</td><td>-16.31</td><td>40.00</td><td>42.09</td><td>1.32</td><td>13.06</td><td>32.78</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>257.95</td><td>20.24</td><td>-25.76</td><td>46.00</td><td>32.01</td><td>2.45</td><td>18.56</td><td>32.78</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>508.21</td><td>23.50</td><td>-22.50</td><td>46.00</td><td>29.15</td><td>3.45</td><td>23.85</td><td>32.95</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>576.11</td><td>26.78</td><td>-19.22</td><td>46.00</td><td>31.19</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>885.54</td><td>30.10</td><td>-15.90</td><td>46.00</td><td>30.87</td><td>4.55</td><td>26.65</td><td>31.97</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>962.17</td><td>31.95</td><td>-22.05</td><td>54.00</td><td>31.18</td><td>4.74</td><td>27.50</td><td>31.47</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over Limit	Limit	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	78.50	23.69	-16.31	40.00	42.09	1.32	13.06	32.78	---	Peak	2	257.95	20.24	-25.76	46.00	32.01	2.45	18.56	32.78	---	Peak	3	508.21	23.50	-22.50	46.00	29.15	3.45	23.85	32.95	---	Peak	4	576.11	26.78	-19.22	46.00	31.19	3.66	25.02	33.09	---	Peak	5	885.54	30.10	-15.90	46.00	30.87	4.55	26.65	31.97	---	Peak	6	962.17	31.95	-22.05	54.00	31.18	4.74	27.50	31.47	---	Peak	<table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read Level</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>81.41</td><td>36.37</td><td>-3.63</td><td>40.00</td><td>54.37</td><td>1.34</td><td>13.43</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>141.55</td><td>30.21</td><td>-13.29</td><td>43.50</td><td>44.72</td><td>1.79</td><td>16.53</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>28.56</td><td>-14.94</td><td>43.50</td><td>43.40</td><td>1.97</td><td>16.02</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>576.11</td><td>30.69</td><td>-15.31</td><td>46.00</td><td>35.10</td><td>3.66</td><td>25.02</td><td>33.09</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>858.38</td><td>29.62</td><td>-16.38</td><td>46.00</td><td>30.83</td><td>4.47</td><td>26.60</td><td>32.28</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.67</td><td>-14.33</td><td>46.00</td><td>30.97</td><td>4.73</td><td>27.53</td><td>31.56</td><td>---</td><td>Peak</td></tr></tbody></table>	Freq	Level	Over Limit	Limit	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg		1	81.41	36.37	-3.63	40.00	54.37	1.34	13.43	32.77	---	Peak	2	141.55	30.21	-13.29	43.50	44.72	1.79	16.53	32.83	---	Peak	3	169.68	28.56	-14.94	43.50	43.40	1.97	16.02	32.83	---	Peak	4	576.11	30.69	-15.31	46.00	35.10	3.66	25.02	33.09	---	Peak	5	858.38	29.62	-16.38	46.00	30.83	4.47	26.60	32.28	---	Peak	6	956.35	31.67	-14.33	46.00	30.97	4.73	27.53	31.56	---
Freq	Level	Over Limit	Limit	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	78.50	23.69	-16.31	40.00	42.09	1.32	13.06	32.78	---	Peak																																																																																																																																																																							
2	257.95	20.24	-25.76	46.00	32.01	2.45	18.56	32.78	---	Peak																																																																																																																																																																							
3	508.21	23.50	-22.50	46.00	29.15	3.45	23.85	32.95	---	Peak																																																																																																																																																																							
4	576.11	26.78	-19.22	46.00	31.19	3.66	25.02	33.09	---	Peak																																																																																																																																																																							
5	885.54	30.10	-15.90	46.00	30.87	4.55	26.65	31.97	---	Peak																																																																																																																																																																							
6	962.17	31.95	-22.05	54.00	31.18	4.74	27.50	31.47	---	Peak																																																																																																																																																																							
Freq	Level	Over Limit	Limit	Read Level	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																								
1	81.41	36.37	-3.63	40.00	54.37	1.34	13.43	32.77	---	Peak																																																																																																																																																																							
2	141.55	30.21	-13.29	43.50	44.72	1.79	16.53	32.83	---	Peak																																																																																																																																																																							
3	169.68	28.56	-14.94	43.50	43.40	1.97	16.02	32.83	---	Peak																																																																																																																																																																							
4	576.11	30.69	-15.31	46.00	35.10	3.66	25.02	33.09	---	Peak																																																																																																																																																																							
5	858.38	29.62	-16.38	46.00	30.83	4.47	26.60	32.28	---	Peak																																																																																																																																																																							
6	956.35	31.67	-14.33	46.00	30.97	4.73	27.53	31.56	---	Peak																																																																																																																																																																							