







1-N41-30-100-L-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-3000-12000-Ant1-7477.05--41.66-
-25-PASS




1-N41-30-100-L-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-12000-27000-Ant1-22219.50--32.
23--25-PASS




1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.009-0.15-Ant1-0.13--72.77--55-
PASS



1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.15-30-Ant1-23.82--68.46--45-PA
SS




1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.009-0.15-Ant1-0.13--72.77--55-
PASS




1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.15-30-Ant1-23.82--68.46--45-PA
SS


1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-30-1000-Ant1-60.56--56.11--35-P
ASS




1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-1000-3000-Ant1-2994.50--34.79--
25-PASS



1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-3000-12000-Ant1-7384.35--41.93-
-25-PASS




1-N41-30-100-M-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-12000-27000-Ant1-22291.00--32.
69--25-PASS




1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.009-0.15-Ant1-0.13--73.07--55-
PASS


1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-0.15-30-Ant1-25.02--68.56--45-PA
SS




1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-30-1000-Ant1-32.43--56.33--35-P
ASS



1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-1000-3000-Ant1-2854.50--35.22--
25-PASS



1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-3000-12000-Ant1-6934.80--41.68-
-25-PASS



1-N41-30-100-H-1-DFT-PI2BPSK-Inner_1RB
_Left-1@1-12000-27000-Ant1-22131.00--32.
82--25-PASS

9. Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VH	NT	1.300000	0.000501	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VN	NT	-10.100000	-0.003895	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	VL	NT	-9.100000	-0.003509	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VH	NT	-5.300000	-0.002044	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VN	NT	-9.000000	-0.003471	PASS
N41	30	100	CP-QPSK	M	Outer_Full	VL	NT	-1.000000	-0.000386	PASS

Frequency Error VS. Temperature

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Verdict
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-30	-8.200000	-0.003162	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-20	-6.500000	-0.002507	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	-10	-3.300000	-0.001273	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	0	-6.200000	-0.002391	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	10	-9.400000	-0.003625	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	20	-2.700000	-0.001041	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	30	-5.600000	-0.002160	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	40	-7.400000	-0.002854	PASS
N41	30	100	DFT-PI2BPSK	M	Outer_Full	NV	50	-1.700000	-0.000656	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-30	-9.400000	-0.003625	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-20	-6.000000	-0.002314	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	-10	-9.800000	-0.003779	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	0	-4.500000	-0.001735	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	10	-2.500000	-0.000964	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	20	-5.200000	-0.002005	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	30	-9.700000	-0.003741	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	40	-6.900000	-0.002661	PASS
N41	30	100	CP-QPSK	M	Outer_Full	NV	50	-6.000000	-0.002314	PASS

10. Field Strength of Spurious Radiation

For Sample #1:

Test Band = SA Band41_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3921.375	45.74	-46.23	29.27	-66.47	-25.00	41.47	Horizontal
2	4584.75	45.11	-45.68	30.74	-65.09	-25.00	40.09	Horizontal
3	6426	44.74	-44.46	33.85	-61.13	-25.00	36.13	Horizontal
4	8151.75	43.34	-41.86	37.01	-56.77	-25.00	31.77	Horizontal
5	10428.75	42.20	-38.95	38.54	-53.47	-25.00	28.47	Horizontal
6	13344	43.34	-36.63	39.88	-48.67	-25.00	23.67	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3767.25	45.06	-45.78	29.03	-66.95	-25.00	41.95	Vertical
2	5198.625	49.68	-45.28	31.76	-59.10	-25.00	34.10	Vertical
3	5825.625	45.12	-44.81	32.37	-62.58	-25.00	37.58	Vertical
4	7887.75	45.12	-42.76	36.94	-55.95	-25.00	30.95	Vertical
5	9990	42.58	-39.25	38.48	-53.45	-25.00	28.45	Vertical
6	13184.625	42.95	-37.17	39.66	-49.82	-25.00	24.82	Vertical

Test Band = SA Band41_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736.5	44.73	-45.65	28.98	-67.20	-25.00	42.20	Horizontal
2	4525.875	44.70	-45.70	30.64	-65.62	-25.00	40.62	Horizontal
3	6409.125	45.10	-44.43	33.79	-60.80	-25.00	35.80	Horizontal
4	7856.25	44.79	-42.60	36.90	-56.17	-25.00	31.17	Horizontal
5	10112.25	42.21	-39.17	38.51	-53.71	-25.00	28.71	Horizontal
6	12680.625	43.13	-36.86	39.30	-49.69	-25.00	24.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3748.5	44.69	-45.70	29.00	-67.28	-25.00	42.28	Vertical
2	4582.5	45.69	-45.68	30.73	-64.52	-25.00	39.52	Vertical
3	5730.75	45.40	-44.82	32.35	-62.33	-25.00	37.33	Vertical
4	7432.5	44.47	-43.32	36.21	-57.90	-25.00	32.90	Vertical
5	9226.875	42.47	-40.24	36.95	-56.08	-25.00	31.08	Vertical
6	11343.75	42.85	-37.40	38.77	-51.04	-25.00	26.04	Vertical

Test Band = SA Band41_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3529.125	45.71	-46.22	28.65	-67.13	-25.00	42.13	Horizontal
2	4377.75	45.44	-45.76	30.31	-65.27	-25.00	40.27	Horizontal
3	6082.125	45.29	-44.52	32.68	-61.81	-25.00	36.81	Horizontal
4	7629.375	44.50	-42.99	36.58	-57.16	-25.00	32.16	Horizontal
5	10061.625	42.40	-39.17	38.51	-53.52	-25.00	28.52	Horizontal
6	12798	43.71	-36.83	39.34	-49.04	-25.00	24.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3831.375	45.13	-46.03	29.13	-67.03	-25.00	42.03	Vertical
2	5292	45.55	-45.11	31.93	-62.89	-25.00	37.89	Vertical
3	7712.625	44.18	-43.02	36.70	-57.40	-25.00	32.40	Vertical
4	9957.75	42.28	-39.28	38.42	-53.84	-25.00	28.84	Vertical
5	12916.875	42.80	-37.15	39.38	-50.23	-25.00	25.23	Vertical
6	13867.5	43.33	-35.76	40.61	-47.07	-25.00	22.07	Vertical

Test Band = NSA 2A-N41A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3989.625	45.07	-46.06	29.38	-66.87	-25.00	41.87	Horizontal
2	5345.25	45.70	-45.19	32.02	-62.72	-25.00	37.72	Horizontal
3	7453.125	44.84	-43.27	36.27	-57.42	-25.00	32.42	Horizontal
4	9828	41.98	-39.44	38.16	-54.56	-25.00	29.56	Horizontal
5	13234.125	43.09	-37.09	39.73	-49.53	-25.00	24.53	Horizontal
6	15742.875	44.39	-33.40	40.04	-44.23	-25.00	19.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3553.125	45.55	-46.19	28.69	-67.22	-25.00	42.22	Vertical
2	5808	45.22	-44.77	32.36	-62.45	-25.00	37.45	Vertical
3	6822.375	45.31	-44.15	34.68	-59.42	-25.00	34.42	Vertical
4	10347	41.85	-39.05	38.53	-53.93	-25.00	28.93	Vertical
5	12976.5	43.10	-37.28	39.39	-50.05	-25.00	25.05	Vertical
6	15704.25	43.68	-33.65	40.12	-45.11	-25.00	20.11	Vertical

Test Band = NSA 2A-N41A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3911.625	45.89	-46.25	29.26	-66.36	-25.00	41.36	Horizontal
2	5410.5	45.90	-45.29	32.14	-62.51	-25.00	37.51	Horizontal
3	6700.875	44.87	-43.81	34.46	-59.74	-25.00	34.74	Horizontal
4	8740.875	45.47	-41.51	36.66	-54.64	-25.00	29.64	Horizontal
5	11314.125	43.06	-37.41	38.76	-50.86	-25.00	25.86	Horizontal
6	14384.25	44.45	-35.01	41.11	-44.72	-25.00	19.72	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4021.125	45.51	-45.98	29.45	-66.28	-25.00	41.28	Vertical
2	5852.25	45.17	-44.86	32.37	-62.58	-25.00	37.58	Vertical
3	7475.25	44.13	-43.21	36.33	-58.01	-25.00	33.01	Vertical
4	10766.625	42.34	-38.37	38.58	-52.71	-25.00	27.71	Vertical
5	12916.875	43.02	-37.15	39.38	-50.01	-25.00	25.01	Vertical
6	14415.75	44.82	-34.81	41.13	-44.11	-25.00	19.11	Vertical

Test Band = NSA 2A-N41A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4286.25	44.56	-45.57	30.09	-66.18	-25.00	41.18	Horizontal
2	5733	44.81	-44.82	32.35	-62.92	-25.00	37.92	Horizontal
3	7465.5	43.95	-43.23	36.30	-58.24	-25.00	33.24	Horizontal
4	9420.75	44.53	-39.91	37.34	-53.30	-25.00	28.30	Horizontal
5	11359.5	42.42	-37.39	38.78	-51.45	-25.00	26.45	Horizontal
6	14482.5	44.30	-34.83	41.19	-44.61	-25.00	19.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4051.125	44.92	-45.90	29.52	-66.71	-25.00	41.71	Vertical
2	6246.75	45.56	-44.66	33.24	-61.12	-25.00	36.12	Vertical
3	8845.125	44.18	-41.25	36.59	-55.73	-25.00	30.73	Vertical
4	10701.75	41.92	-37.89	38.57	-52.66	-25.00	27.66	Vertical
5	12506.625	42.57	-36.99	39.25	-50.43	-25.00	25.43	Vertical
6	15209.25	43.90	-33.97	41.16	-44.17	-25.00	19.17	Vertical

Test Band = NRCA 25A-N41A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3818.25	44.84	-45.99	29.11	-67.30	-25.00	42.30	Horizontal
2	5110.5	45.26	-45.36	31.60	-63.76	-25.00	38.76	Horizontal
3	6784.125	45.01	-44.11	34.61	-59.75	-25.00	34.75	Horizontal
4	8373.75	44.34	-41.60	36.88	-55.64	-25.00	30.64	Horizontal
5	10729.5	42.03	-38.10	38.57	-52.75	-25.00	27.75	Horizontal
6	12789.375	43.28	-36.81	39.34	-49.46	-25.00	24.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3810	45.98	-45.96	29.10	-66.14	-25.00	41.14	Vertical
2	4804.5	44.72	-45.54	31.09	-64.99	-25.00	39.99	Vertical
3	7081.125	44.80	-44.09	35.23	-59.32	-25.00	34.32	Vertical
4	10013.625	42.68	-39.22	38.50	-53.30	-25.00	28.30	Vertical
5	12492.75	42.72	-36.99	39.25	-50.29	-25.00	25.29	Vertical
6	15237.375	44.30	-34.11	41.10	-43.97	-25.00	18.97	Vertical

Test Band = NRCA 25A-N41A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3763.875	45.18	-45.77	29.02	-66.83	-25.00	41.83	Horizontal
2	4650.75	44.92	-45.63	30.84	-65.13	-25.00	40.13	Horizontal
3	6307.125	44.95	-44.53	33.44	-61.40	-25.00	36.40	Horizontal
4	7116	44.48	-44.08	35.32	-59.54	-25.00	34.54	Horizontal
5	9491.25	44.06	-40.20	37.48	-53.91	-25.00	28.91	Horizontal
6	12698.25	43.32	-36.70	39.31	-49.33	-25.00	24.33	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3667.5	44.95	-45.70	28.87	-67.15	-25.00	42.15	Vertical
2	5074.125	45.30	-45.44	31.53	-63.87	-25.00	38.87	Vertical
3	7187.625	45.00	-43.52	35.53	-58.25	-25.00	33.25	Vertical
4	8055.75	43.85	-41.80	37.07	-56.14	-25.00	31.14	Vertical
5	11709	41.61	-36.96	38.95	-51.65	-25.00	26.65	Vertical
6	13588.5	43.64	-36.19	40.22	-47.58	-25.00	22.58	Vertical

Test Band = NRCA 25A-N41A_ TM1
Test Channel = 19

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3665.25	44.99	-45.72	28.86	-67.12	-25.00	42.12	Horizontal
2	5194.125	46.70	-45.29	31.75	-62.10	-25.00	37.10	Horizontal
3	6093	45.24	-44.48	32.72	-61.78	-25.00	36.78	Horizontal
4	8384.25	44.01	-41.54	36.87	-55.92	-25.00	30.92	Horizontal
5	10158.375	42.67	-39.34	38.52	-53.42	-25.00	28.42	Horizontal
6	12468.375	42.24	-37.14	39.24	-50.92	-25.00	25.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3898.875	45.30	-46.28	29.24	-67.00	-25.00	42.00	Vertical
2	4734	44.68	-45.58	30.97	-65.19	-25.00	40.19	Vertical
3	7268.625	44.72	-43.65	35.75	-58.43	-25.00	33.43	Vertical
4	8260.5	44.77	-42.13	36.94	-55.68	-25.00	30.68	Vertical
5	10682.25	41.99	-37.98	38.57	-52.69	-25.00	27.69	Vertical
6	13829.25	43.97	-36.12	40.56	-46.85	-25.00	21.85	Vertical

For Sample #2:

Test Band = SA Band41_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3687	44.39	-45.58	28.90	-67.55	-25.00	42.55	Horizontal
2	5111	43.66	-45.36	31.60	-65.36	-25.00	40.36	Horizontal
3	6847	42.90	-44.14	34.72	-61.77	-25.00	36.77	Horizontal
4	8500	42.19	-41.62	36.80	-57.89	-25.00	32.89	Horizontal
5	11131	36.07	-37.79	38.67	-58.31	-25.00	33.31	Horizontal
6	14517.5	33.16	-34.92	41.21	-55.80	-25.00	30.80	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4177	43.62	-45.77	29.82	-67.58	-25.00	42.58	Vertical
2	6339.5	43.47	-44.49	33.55	-62.72	-25.00	37.72	Vertical
3	6971.5	42.54	-43.71	34.95	-61.48	-25.00	36.48	Vertical
4	8889	41.15	-41.24	36.57	-58.78	-25.00	33.78	Vertical
5	10891.5	36.66	-37.88	38.59	-57.89	-25.00	32.89	Vertical
6	13184	35.30	-37.17	39.66	-57.47	-25.00	32.47	Vertical

Test Band = SA Band41_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3768	44.56	-45.79	29.03	-67.46	-25.00	42.46	Horizontal
2	5187.5	43.61	-45.29	31.74	-65.20	-25.00	40.20	Horizontal
3	5984.5	43.94	-44.85	32.40	-63.77	-25.00	38.77	Horizontal
4	7894.5	42.41	-42.79	36.95	-58.69	-25.00	33.69	Horizontal
5	9809	38.24	-39.47	38.12	-58.37	-25.00	33.37	Horizontal
6	12621.5	36.19	-37.42	39.29	-57.20	-25.00	32.20	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4025	44.30	-45.97	29.46	-67.47	-25.00	42.47	Vertical
2	5670.5	43.64	-44.91	32.33	-64.20	-25.00	39.20	Vertical
3	7126	42.67	-44.00	35.35	-61.24	-25.00	36.24	Vertical
4	8413	41.52	-41.47	36.85	-58.36	-25.00	33.36	Vertical
5	10536.5	36.98	-38.68	38.55	-58.41	-25.00	33.41	Vertical
6	14200.5	33.45	-35.30	40.96	-56.15	-25.00	31.15	Vertical

Test Band = SA Band41_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3527.5	44.23	-46.22	28.64	-68.61	-25.00	43.61	Horizontal
2	5532	44.29	-45.19	32.31	-63.85	-25.00	38.85	Horizontal
3	6852	42.89	-44.13	34.73	-61.77	-25.00	36.77	Horizontal
4	8368	41.54	-41.63	36.88	-58.47	-25.00	33.47	Horizontal
5	10566	36.99	-38.58	38.56	-58.30	-25.00	33.30	Horizontal
6	13377.5	35.55	-36.44	39.93	-56.22	-25.00	31.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3707	44.59	-45.53	28.93	-67.27	-25.00	42.27	Vertical
2	4535	44.21	-45.70	30.66	-66.09	-25.00	41.09	Vertical
3	5813.5	43.73	-44.78	32.36	-63.95	-25.00	38.95	Vertical
4	7562.5	41.93	-43.01	36.49	-59.85	-25.00	34.85	Vertical
5	11131.5	36.11	-37.79	38.67	-58.27	-25.00	33.27	Vertical
6	13155	35.11	-37.11	39.62	-57.64	-25.00	32.64	Vertical

Test Band = NSA 2A-N41A_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4287.5	43.77	-45.57	30.09	-66.97	-25.00	41.97	Horizontal
2	5378	44.62	-45.25	32.08	-63.81	-25.00	38.81	Horizontal
3	6696.5	42.90	-43.83	34.45	-61.74	-25.00	36.74	Horizontal
4	8030	41.82	-42.05	37.08	-58.41	-25.00	33.41	Horizontal
5	9411.5	40.80	-39.88	37.32	-57.01	-25.00	32.01	Horizontal
6	12773.5	35.68	-36.79	39.33	-57.04	-25.00	32.04	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3896.5	44.70	-46.27	29.23	-67.59	-25.00	42.59	Vertical
2	5244.5	44.75	-45.20	31.84	-63.87	-25.00	38.87	Vertical
3	6309	43.56	-44.53	33.45	-62.78	-25.00	37.78	Vertical
4	8079.5	41.58	-41.56	37.05	-58.19	-25.00	33.19	Vertical
5	9506	40.02	-40.20	37.51	-57.92	-25.00	32.92	Vertical
6	12770.5	36.03	-36.79	39.33	-56.68	-25.00	31.68	Vertical

Test Band = NSA 2A-N41A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4126.5	44.21	-45.76	29.70	-67.11	-25.00	42.11	Horizontal
2	5119.5	44.07	-45.35	31.62	-64.93	-25.00	39.93	Horizontal
3	6324	43.95	-44.51	33.50	-62.32	-25.00	37.32	Horizontal
4	7530	41.95	-43.08	36.44	-59.95	-25.00	34.95	Horizontal
5	9513.5	39.53	-40.15	37.53	-58.36	-25.00	33.36	Horizontal
6	11578.5	35.51	-36.99	38.89	-57.85	-25.00	32.85	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3851.5	44.21	-46.11	29.16	-67.99	-25.00	42.99	Vertical
2	5321.5	44.76	-45.14	31.98	-63.66	-25.00	38.66	Vertical
3	6296.5	43.82	-44.55	33.41	-62.58	-25.00	37.58	Vertical
4	8302	40.98	-42.00	36.92	-59.36	-25.00	34.36	Vertical
5	10081	37.52	-39.14	38.51	-58.37	-25.00	33.37	Vertical
6	12313.5	35.73	-37.43	39.19	-57.77	-25.00	32.77	Vertical

Test Band = NSA 2A-N41A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4091	43.88	-45.79	29.62	-67.55	-25.00	42.55	Horizontal
2	5377	44.53	-45.25	32.08	-63.90	-25.00	38.90	Horizontal
3	6623.5	42.50	-44.22	34.32	-62.66	-25.00	37.66	Horizontal
4	8412	41.78	-41.47	36.85	-58.10	-25.00	33.10	Horizontal
5	9423	40.88	-39.92	37.35	-56.96	-25.00	31.96	Horizontal
6	11770	34.86	-36.95	38.99	-58.36	-25.00	33.36	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4164	43.69	-45.77	29.79	-67.54	-25.00	42.54	Vertical
2	5638	43.47	-44.99	32.33	-64.45	-25.00	39.45	Vertical
3	6713.5	43.24	-43.86	34.48	-61.39	-25.00	36.39	Vertical
4	8614.5	41.58	-41.38	36.73	-58.33	-25.00	33.33	Vertical
5	10717	36.62	-38.00	38.57	-58.07	-25.00	33.07	Vertical
6	12980.5	35.52	-37.29	39.39	-57.63	-25.00	32.63	Vertical

Test Band = NRCA N25A-N41A_ TM1
Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4256.5	44.03	-45.64	30.02	-66.85	-25.00	41.85	Horizontal
2	5283	45.03	-45.12	31.91	-63.44	-25.00	38.44	Horizontal
3	6725.5	43.74	-43.90	34.51	-60.92	-25.00	35.92	Horizontal
4	8037.5	42.03	-41.98	37.08	-58.13	-25.00	33.13	Horizontal
5	9833.5	38.32	-39.43	38.17	-58.20	-25.00	33.20	Horizontal
6	12396.5	36.52	-37.55	39.22	-57.08	-25.00	32.08	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3934.5	45.00	-46.20	29.30	-67.16	-25.00	42.16	Vertical
2	5183	44.27	-45.30	31.73	-64.56	-25.00	39.56	Vertical
3	6245	44.12	-44.66	33.23	-62.57	-25.00	37.57	Vertical
4	8080	41.68	-41.56	37.05	-58.09	-25.00	33.09	Vertical
5	9979	37.71	-39.26	38.46	-58.35	-25.00	33.35	Vertical
6	12843.5	36.13	-36.95	39.35	-56.73	-25.00	31.73	Vertical

Test Band = NRCA N25A-N41A_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4254	43.38	-45.65	30.01	-67.52	-25.00	42.52	Horizontal
2	5540.5	43.76	-45.17	32.31	-64.36	-25.00	39.36	Horizontal
3	7017.5	42.73	-43.67	35.05	-61.15	-25.00	36.15	Horizontal
4	8805	41.52	-41.25	36.62	-58.37	-25.00	33.37	Horizontal
5	10493	36.96	-38.81	38.55	-58.57	-25.00	33.57	Horizontal
6	12530.5	35.73	-37.15	39.26	-57.43	-25.00	32.43	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3843.5	44.67	-46.08	29.15	-67.52	-25.00	42.52	Vertical
2	5109	43.83	-45.36	31.60	-65.20	-25.00	40.20	Vertical
3	6301.5	43.43	-44.54	33.43	-62.94	-25.00	37.94	Vertical
4	8614	41.33	-41.38	36.73	-58.58	-25.00	33.58	Vertical
5	11185.5	36.21	-37.47	38.69	-57.83	-25.00	32.83	Vertical
6	14005	33.04	-35.74	40.80	-57.16	-25.00	32.16	Vertical

Test Band = NRCA N25A-N41A_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3949	44.71	-46.16	29.32	-67.39	-25.00	42.39	Horizontal
2	5379	45.04	-45.26	32.08	-63.39	-25.00	38.39	Horizontal
3	6820.5	43.35	-44.16	34.68	-61.39	-25.00	36.39	Horizontal
4	8432	41.70	-41.50	36.84	-58.22	-25.00	33.22	Horizontal
5	9815.5	38.33	-39.46	38.13	-58.26	-25.00	33.26	Horizontal
6	13177.5	35.07	-37.16	39.65	-57.70	-25.00	32.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4158	43.65	-45.77	29.78	-67.60	-25.00	42.60	Vertical
2	5468	44.71	-45.26	32.24	-63.57	-25.00	38.57	Vertical
3	6848	43.24	-44.14	34.73	-61.43	-25.00	36.43	Vertical
4	8748	42.00	-41.48	36.65	-58.09	-25.00	33.09	Vertical
5	10381	37.24	-39.03	38.54	-58.51	-25.00	33.51	Vertical
6	12664	35.91	-37.02	39.30	-57.07	-25.00	32.07	Vertical