

Test Band = SA Band77_ TM1
Test Channel = Mid 3700-3980

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7325.7	42.36	-43.19	35.91	-60.18	-13.00	47.18	Horizontal
2	8434.3	41.04	-41.52	36.84	-58.90	-13.00	45.90	Horizontal
3	9492.875	39.61	-39.96	37.49	-58.12	-13.00	45.12	Horizontal
4	10723.95	35.95	-37.72	38.57	-58.46	-13.00	45.46	Horizontal
5	11798.625	34.70	-37.18	39.00	-58.75	-13.00	45.75	Horizontal
6	13819.175	34.02	-36.12	40.55	-56.81	-13.00	43.81	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7245.775	41.95	-43.48	35.69	-61.10	-13.00	48.10	Vertical
2	8499.275	41.40	-41.80	36.80	-58.86	-13.00	45.86	Vertical
3	9574.525	38.37	-39.39	37.65	-58.63	-13.00	45.63	Vertical
4	10495.675	36.70	-38.76	38.55	-58.77	-13.00	45.77	Vertical
5	11713.525	34.41	-36.24	38.96	-58.13	-13.00	45.13	Vertical
6	13821.475	35.14	-36.10	40.55	-55.67	-13.00	42.67	Vertical

Test Band = SA Band77_ TM1
Test Channel = High 3700-3980

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7163.55	42.70	-43.63	35.46	-60.73	-13.00	47.73	Horizontal
2	8643.025	40.95	-41.08	36.71	-58.68	-13.00	45.68	Horizontal
3	9851.1	37.81	-39.13	38.20	-58.38	-13.00	45.38	Horizontal
4	11253.525	36.23	-36.94	38.73	-57.24	-13.00	44.24	Horizontal
5	12243.1	35.58	-36.91	39.17	-57.41	-13.00	44.41	Horizontal
6	14199.25	32.96	-35.32	40.96	-56.66	-13.00	43.66	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7540.75	41.42	-42.99	36.46	-60.38	-13.00	47.38	Vertical
2	9149.6	38.67	-40.18	36.80	-59.97	-13.00	46.97	Vertical
3	10167.925	37.10	-39.09	38.52	-58.74	-13.00	45.74	Vertical
4	11431.775	35.91	-37.19	38.82	-57.73	-13.00	44.73	Vertical
5	12768.075	35.61	-36.69	39.33	-57.01	-13.00	44.01	Vertical
6	14632.225	31.46	-35.16	41.31	-57.65	-13.00	44.65	Vertical

Test Channel = Low 3700-3980

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7686.8	41.62	-42.92	36.66	-59.90	-13.00	46.90	Horizontal
2	9005.85	39.19	-40.84	36.51	-60.40	-13.00	47.40	Horizontal
3	10442.775	36.50	-38.74	38.54	-58.95	-13.00	45.95	Horizontal
4	11537.575	35.04	-36.69	38.87	-58.04	-13.00	45.04	Horizontal
5	12973.35	34.93	-37.19	39.39	-58.12	-13.00	45.12	Horizontal
6	14433.85	33.09	-34.79	41.15	-55.82	-13.00	42.82	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7348.7	42.25	-43.07	35.98	-60.10	-13.00	47.10	Vertical
2	8988.6	39.59	-40.87	36.51	-60.04	-13.00	47.04	Vertical
3	10142.625	37.02	-38.95	38.51	-58.67	-13.00	45.67	Vertical
4	11767	35.26	-36.83	38.98	-57.85	-13.00	44.85	Vertical
5	13204.5	33.78	-36.59	39.69	-58.38	-13.00	45.38	Vertical
6	15311.3	31.98	-33.94	40.95	-56.27	-13.00	43.27	Vertical

Test Band = NRCA N71A-N77A_ TM1
Test Channel = Mid 3700-3980

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7377.45	41.88	-42.91	36.06	-60.23	-13.00	47.23	Horizontal
2	8805.75	41.11	-41.13	36.62	-58.66	-13.00	45.66	Horizontal
3	10093.75	37.20	-38.74	38.51	-58.29	-13.00	45.29	Horizontal
4	11775.05	35.25	-36.92	38.99	-57.95	-13.00	44.95	Horizontal
5	13371.25	34.97	-36.34	39.92	-56.71	-13.00	43.71	Horizontal
6	15000.225	33.39	-34.42	41.60	-54.69	-13.00	41.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7443.575	41.24	-42.96	36.24	-60.73	-13.00	47.73	Vertical
2	9417.55	40.05	-39.93	37.34	-57.80	-13.00	44.80	Vertical
3	11583	35.22	-36.90	38.89	-58.05	-13.00	45.05	Vertical
4	13152.75	34.29	-36.59	39.61	-57.95	-13.00	44.95	Vertical
5	14351.05	33.44	-35.46	41.08	-56.20	-13.00	43.20	Vertical
6	16746.5	32.58	-34.76	41.44	-56.00	-13.00	43.00	Vertical

Test Band = NRCA N71A-N77A_ TM1
Test Channel = High 3700-3980

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7683.925	41.81	-42.92	36.66	-59.71	-13.00	46.71	Horizontal
2	8712.6	41.01	-41.31	36.67	-58.89	-13.00	45.89	Horizontal
3	10039.125	38.02	-39.11	38.50	-57.85	-13.00	44.85	Horizontal
4	11250.075	35.71	-36.92	38.73	-57.74	-13.00	44.74	Horizontal
5	12394.325	35.04	-36.97	39.22	-57.97	-13.00	44.97	Horizontal
6	13983.05	32.25	-34.91	40.78	-57.15	-13.00	44.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7722.45	41.42	-42.87	36.71	-60.00	-13.00	47.00	Vertical
2	9093.25	38.42	-40.44	36.69	-60.59	-13.00	47.59	Vertical
3	9985.65	37.66	-39.35	38.47	-58.48	-13.00	45.48	Vertical
4	10959.125	35.88	-37.68	38.60	-58.46	-13.00	45.46	Vertical
5	12303.475	35.46	-36.65	39.19	-57.26	-13.00	44.26	Vertical
6	13986.5	32.16	-34.89	40.78	-57.21	-13.00	44.21	Vertical