

Test Engineer:	Jiang Jun	Temperature:	21~25	°C
Test Date:	2024.06.06~2024.07.11	Relative Humidity:	51~54	%

TEST RESULTS DATA
Average Power Table

U-NII-5																		
Mod.	Data Rate	MRU Config	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	033	6115	6.34	6.36	6.27	6.33	12.35	12.19	30.00		-0.16		Pass	6.5	
HE20	MCS0	52Ru*4	4	033	6115	5.53	5.50	5.54	5.60	11.56	11.40	30.00		-0.16		Pass	5	
HE20	MCS0	Full	4	065	6275	6.09	6.04	6.16	6.01	12.10	11.94	30.00		-0.16		Pass	6	
HE20	MCS0	Full	4	093	6415	6.20	6.07	6.04	6.16	12.14	11.98	30.00		-0.16		Pass	6.5	
HE40	MCS0	Full	4	035	6125	9.25	9.39	9.32	9.40	15.36	15.20	30.00		-0.16		Pass	9.5	
HE40	MCS0	52Ru*8	4	035	6125	8.37	8.51	8.21	8.35	14.38	14.22	30.00		-0.16		Pass	8	
HE40	MCS0	Full	4	067	6285	9.25	9.19	9.37	9.23	15.28	15.12	30.00		-0.16		Pass	9	
HE40	MCS0	Full	4	091	6405	9.03	9.00	9.26	9.13	15.13	14.97	30.00		-0.16		Pass	9.5	
HE80	MCS0	Full	4	039	6145	12.12	11.91	12.20	12.06	18.09	17.93	30.00		-0.16		Pass	12	
HE80	MCS0	52Ru*16	4	039	6145	11.53	11.10	11.18	11.04	17.24	17.08	30.00		-0.16		Pass	11	
HE80	MCS0	Full	4	055	6225	11.81	11.86	11.82	12.19	17.94	17.78	30.00		-0.16		Pass	11.5	
HE80	MCS0	Full	4	087	6385	12.24	12.07	12.35	12.61	18.34	18.18	30.00		-0.16		Pass	12.5	
HE160	MCS0	Full	4	047	6185	15.17	15.16	15.16	15.18	21.19	21.03	30.00		-0.16		Pass	15	
HE160	MCS0	106Ru*16	4	047	6185	14.45	13.68	14.14	14.32	20.18	20.02	30.00		-0.16		Pass	14	
HE160	MCS0	Full	4	079	6345	15.07	14.89	15.43	15.17	21.17	21.01	30.00		-0.16		Pass	15	
EHT20	MCS0	Full	4	033	6115	6.40	6.41	6.31	6.40	12.40	12.24	30.00		-0.16		Pass	6.5	
EHT20	MCS0	52Ru*4	4	033	6115	5.59	5.53	5.60	5.64	11.61	11.45	30.00		-0.16		Pass	5	
EHT20	MCS0	Full	4	065	6275	6.14	6.11	6.21	6.06	12.15	11.99	30.00		-0.16		Pass	6	
EHT20	MCS0	Full	4	093	6415	6.25	6.12	6.07	6.20	12.18	12.02	30.00		-0.16		Pass	6.5	
EHT40	MCS0	Full	4	035	6125	9.28	9.44	9.36	9.46	15.41	15.25	30.00		-0.16		Pass	9.5	
EHT40	MCS0	52Ru*8	4	035	6125	8.42	8.55	8.25	8.42	14.43	14.27	30.00		-0.16		Pass	8	
EHT40	MCS0	Full	4	067	6285	9.30	9.23	9.43	9.29	15.33	15.17	30.00		-0.16		Pass	9	
EHT40	MCS0	Full	4	091	6405	9.09	9.06	9.31	9.20	15.19	15.03	30.00		-0.16		Pass	9.5	
EHT80	MCS0	Full	4	039	6145	12.18	11.97	12.24	12.09	18.14	17.98	30.00		-0.16		Pass	12	
EHT80	MCS0	52Ru*16	4	039	6145	11.57	11.14	11.22	11.07	17.27	17.11	30.00		-0.16		Pass	11	
EHT80	MCS0	PC 20MHz,Loc 4	4	039	6145	10.33	10.09	10.44	10.43	16.35	16.19	30.00		-0.16		Pass	10	
EHT80	MCS0	Full	4	055	6225	11.84	11.90	11.85	12.23	17.98	17.82	30.00		-0.16		Pass	11.5	
EHT80	MCS0	Full	4	087	6385	12.28	12.13	12.40	12.64	18.39	18.23	30.00		-0.16		Pass	12.5	
EHT160	MCS0	Full	4	047	6185	15.21	15.23	15.22	15.23	21.24	21.08	30.00		-0.16		Pass	15	
EHT160	MCS0	106Ru*16	4	047	6185	14.51	13.72	14.17	14.36	20.22	20.06	30.00		-0.16		Pass	14	
EHT160	MCS0	PC 20MHz,Loc 8	4	047	6185	14.08	14.06	14.13	14.04	20.10	19.94	30.00		-0.16		Pass	13.5	
EHT160	MCS0	PC 40MHz,Loc 4	4	047	6185	13.12	13.13	13.16	13.10	19.15	18.99	30.00		-0.16		Pass	12.5	
EHT160	MCS0	Full	4	079	6345	15.14	14.93	15.46	15.24	21.22	21.06	30.00		-0.16		Pass	15	
EHT320	MCS0	Full	4	063	6265	17.71	17.56	18.48	18.36	24.07	23.91	30.00		-0.16		Pass	17.5	
EHT320	MCS0	242Ru*16	4	063	6265	17.26	16.90	18.03	17.76	23.53	23.37	30.00		-0.16		Pass	17	
EHT320	MCS0	PC 40MHz,Loc 8	4	063	6265	16.99	16.85	17.70	17.70	23.35	23.19	30.00		-0.16		Pass	17	
EHT320	MCS0	PC 80MHz,Loc 4	4	063	6265	16.23	15.87	16.69	16.73	22.41	22.25	30.00		-0.16		Pass	16	
EHT320	MCS0	PC 80+40MHz,Loc 6	4	063	6265	15.71	15.20	16.15	16.15	21.84	21.68	30.00		-0.16		Pass	15	

TEST RESULTS DATA
Average Power Table

U-NII-6																		
Mod.	Data Rate	MRU Config	Ntx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	097	6435	5.90	5.93	5.88	6.30	12.03	12.10	30.00			0.07	Pass	6.5	
HE20	MCS0	52Ru*4	4	097	6435	5.11	5.60	5.04	5.31	11.29	11.36	30.00			0.07	Pass	5	
HE20	MCS0	Full	4	105	6475	6.05	5.77	6.14	6.37	12.11	12.18	30.00			0.07	Pass	6.5	
HE20	MCS0	Full	4	113	6515	5.77	5.99	6.02	6.11	11.99	12.06	30.00			0.07	Pass	6	
HE40	MCS0	Full	4	099	6445	8.64	8.90	8.95	9.42	15.01	15.08	30.00			0.07	Pass	9.5	
HE40	MCS0	52Ru*8	4	099	6445	7.89	8.32	7.80	8.32	14.11	14.18	30.00			0.07	Pass	8	
HE40	MCS0	Full	4	107	6485	8.93	8.88	9.27	9.46	15.16	15.23	30.00			0.07	Pass	9.5	
HE40	MCS0	Full	4	115	6525	8.59	9.09	8.82	9.17	14.94	15.01	30.00			0.07	Pass	9	
HE80	MCS0	Full	4	103	6465	12.13	12.16	12.29	12.70	18.35	18.42	30.00			0.07	Pass	12.5	
HE80	MCS0	52Ru*16	4	103	6465	11.35	11.42	11.42	11.71	17.50	17.57	30.00			0.07	Pass	11.5	
HE80	MCS0	Full	4	119	6545	11.82	11.89	11.91	12.11	17.95	18.02	30.00			0.07	Pass	12	
HE160	MCS0	Full	4	111	6505	14.49	14.94	14.98	15.45	21.00	21.07	30.00			0.07	Pass	15	
HE160	MCS0	106Ru*16	4	111	6505	13.64	14.94	14.07	14.42	20.31	20.38	30.00			0.07	Pass	14	
EHT20	MCS0	Full	4	097	6435	5.97	5.96	5.94	6.35	12.08	12.15	30.00			0.07	Pass	6.5	
EHT20	MCS0	52Ru*4	4	097	6435	5.18	5.66	5.10	5.35	11.35	11.42	30.00			0.07	Pass	5	
EHT20	MCS0	Full	4	105	6475	6.10	5.84	6.18	6.43	12.16	12.23	30.00			0.07	Pass	6.5	
EHT20	MCS0	Full	4	113	6515	5.80	6.04	6.05	6.14	12.03	12.10	30.00			0.07	Pass	6	
EHT40	MCS0	Full	4	099	6445	8.69	8.95	8.98	9.48	15.06	15.13	30.00			0.07	Pass	9.5	
EHT40	MCS0	52Ru*8	4	099	6445	7.92	8.38	7.84	8.37	14.16	14.23	30.00			0.07	Pass	8	
EHT40	MCS0	Full	4	107	6485	9.00	8.94	9.31	9.52	15.22	15.29	30.00			0.07	Pass	9.5	
EHT40	MCS0	Full	4	115	6525	8.62	9.16	8.88	9.24	15.00	15.07	30.00			0.07	Pass	9	
EHT80	MCS0	Full	4	103	6465	12.17	12.23	12.33	12.74	18.39	18.46	30.00			0.07	Pass	12.5	
EHT80	MCS0	52Ru*16	4	103	6465	11.41	11.45	11.48	11.76	17.55	17.62	30.00			0.07	Pass	11.5	
EHT80	MCS0	PC 20MHz,Loc 4	4	103	6465	10.31	10.39	10.60	11.12	16.64	16.71	30.00			0.07	Pass	10.5	
EHT80	MCS0	Full	4	119	6545	11.88	11.93	11.97	12.16	18.01	18.08	30.00			0.07	Pass	12	
EHT160	MCS0	Full	4	111	6505	14.53	14.98	15.03	15.52	21.05	21.12	30.00			0.07	Pass	15	
EHT160	MCS0	106Ru*16	4	111	6505	13.70	13.62	14.12	14.49	20.02	20.09	30.00			0.07	Pass	14	
EHT160	MCS0	PC 20MHz,Loc 8	4	111	6505	13.76	13.77	13.63	13.75	19.75	19.82	30.00			0.07	Pass	14	
EHT160	MCS0	PC 40MHz,Loc 4	4	111	6505	12.65	12.77	12.58	12.70	18.70	18.77	30.00			0.07	Pass	13	
EHT320	MCS0	Full	4	095	6425	17.67	17.81	17.71	17.95	23.81	23.88	30.00			0.07	Pass	18	
EHT320	MCS0	Full	4	127	6585	17.80	18.03	17.88	18.37	24.05	24.12	30.00			0.07	Pass	18	
EHT320	MCS0	242Ru*16	4	127	6585	17.32	17.62	17.43	17.84	23.58	23.65	30.00			0.07	Pass	17.5	
EHT320	MCS0	PC 40MHz,Loc 8	4	127	6585	17.28	17.36	17.39	17.89	23.51	23.58	30.00			0.07	Pass	17.5	
EHT320	MCS0	PC 80MHz,Loc 4	4	127	6585	16.31	16.48	16.55	16.72	22.54	22.61	30.00			0.07	Pass	16.5	
EHT320	MCS0	PC 80+40MHz,Loc 6	4	127	6585	15.57	15.85	15.76	16.25	21.89	21.96	30.00			0.07	Pass	15.5	

TEST RESULTS DATA
Average Power Table

U-NII-7																	Setting	
Mod.	Data Rate	MRU Config	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)					Pass/ Fail
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	117	6535	6.29	6.40	6.30	6.40	12.37	12.44	30.00			0.07	Pass	6.5	
HE20	MCS0	52Ru*4	4	117	6535	5.07	5.13	4.80	4.81	10.98	11.05	30.00			0.07	Pass	5	
HE20	MCS0	Full	4	149	6695	6.32	6.19	6.11	6.13	12.21	12.28	30.00			0.07	Pass	6.5	
HE20	MCS0	Full	4	181	6855	6.26	6.21	5.99	6.38	12.23	12.30	30.00			0.07	Pass	6.5	
HE40	MCS0	Full	4	115	6525	8.59	9.09	8.82	9.17	14.94	15.01	30.00			0.07	Pass	9	
HE40	MCS0	Full	4	123	6565	8.71	9.14	8.68	9.12	14.94	15.01	30.00			0.07	Pass	9	
HE40	MCS0	52Ru*8	4	123	6565	7.72	8.06	7.53	7.84	13.81	13.88	30.00			0.07	Pass	7.5	
HE40	MCS0	Full	4	147	6685	9.40	9.21	9.16	9.27	15.28	15.35	30.00			0.07	Pass	9.5	
HE40	MCS0	Full	4	179	6845	9.11	9.43	8.86	9.66	15.30	15.37	30.00			0.07	Pass	9.5	
HE80	MCS0	Full	4	119	6545	11.82	11.89	11.91	12.11	17.95	18.02	30.00			0.07	Pass	12	
HE80	MCS0	Full	4	135	6625	12.02	12.13	12.26	12.59	18.28	18.35	30.00			0.07	Pass	12.5	
HE80	MCS0	52Ru*16	4	135	6625	11.22	11.31	11.05	11.41	17.27	17.34	30.00			0.07	Pass	11.5	
HE80	MCS0	Full	4	151	6705	12.19	12.07	12.09	12.21	18.16	18.23	30.00			0.07	Pass	12.5	
HE80	MCS0	Full	4	167	6785	12.32	12.09	12.12	12.57	18.30	18.37	30.00			0.07	Pass	12.5	
HE160	MCS0	Full	4	111	6505	14.49	14.94	14.98	15.45	21.00	21.07	30.00			0.07	Pass	15	
HE160	MCS0	106Ru*16	4	111	6505	13.64	13.55	14.07	14.42	19.95	20.02	30.00			0.07	Pass	14	
HE160	MCS0	Full	4	143	6665	14.98	14.97	14.80	14.97	20.95	21.02	30.00			0.07	Pass	15	
EHT20	MCS0	Full	4	117	6535	6.36	6.44	6.34	6.46	12.42	12.49	30.00			0.07	Pass	6.5	
EHT20	MCS0	52Ru*4	4	117	6535	5.14	5.16	4.83	4.88	11.03	11.10	30.00			0.07	Pass	5	
EHT20	MCS0	Full	4	149	6695	6.35	6.23	6.14	6.17	12.24	12.31	30.00			0.07	Pass	6.5	
EHT20	MCS0	Full	4	181	6855	6.30	6.25	6.05	6.44	12.28	12.35	30.00			0.07	Pass	6.5	
EHT40	MCS0	Full	4	115	6525	8.62	9.16	8.88	9.24	15.00	15.07	30.00			0.07	Pass	9	
EHT40	MCS0	Full	4	123	6565	8.78	9.18	8.73	9.16	14.99	15.06	30.00			0.07	Pass	9	
EHT40	MCS0	52Ru*8	4	123	6565	7.76	8.12	7.60	7.88	13.86	13.93	30.00			0.07	Pass	7.5	
EHT40	MCS0	Full	4	147	6685	9.43	9.27	9.21	9.34	15.33	15.40	30.00			0.07	Pass	9.5	
EHT40	MCS0	Full	4	179	6845	9.17	9.47	8.93	9.72	15.35	15.42	30.00			0.07	Pass	9.5	
EHT80	MCS0	Full	4	119	6545	11.88	11.93	11.97	12.16	18.01	18.08	30.00			0.07	Pass	12	
EHT80	MCS0	Full	4	135	6625	12.09	12.16	12.31	12.62	18.32	18.39	30.00			0.07	Pass	12.5	
EHT80	MCS0	52Ru*16	4	135	6625	11.26	11.35	11.09	11.48	17.32	17.39	30.00			0.07	Pass	11.5	
EHT80	MCS0	PC 20MHz,Loc 4	4	135	6625	10.49	10.52	10.46	10.91	16.62	16.69	30.00			0.07	Pass	10.5	
EHT80	MCS0	Full	4	151	6705	12.23	12.11	12.14	12.27	18.21	18.28	30.00			0.07	Pass	12.5	
EHT80	MCS0	Full	4	167	6785	12.39	12.13	12.18	12.61	18.35	18.42	30.00			0.07	Pass	12.5	
EHT160	MCS0	Full	4	111	6505	14.53	14.98	15.03	15.52	21.05	21.12	30.00			0.07	Pass	15	
EHT160	MCS0	106Ru*16	4	111	6505	13.70	13.62	14.12	14.49	20.02	20.09	30.00			0.07	Pass	14	
EHT160	MCS0	PC 20MHz,Loc 8	4	111	6505	13.76	13.77	13.63	13.75	19.75	19.82	30.00			0.07	Pass	14	
EHT160	MCS0	PC 40MHz,Loc 4	4	111	6505	12.65	12.77	12.58	12.70	18.70	18.77	30.00			0.07	Pass	13	
EHT160	MCS0	Full	4	143	6665	15.05	15.02	14.87	15.04	21.02	21.09	30.00			0.07	Pass	15	
EHT320	MCS0	Full	4	127	6585	17.80	18.03	17.88	18.37	24.05	24.12	30.00			0.07	Pass	18	
EHT320	MCS0	242Ru*16	4	127	6585	17.32	17.62	17.43	17.84	23.58	23.65	30.00			0.07	Pass	17.5	
EHT320	MCS0	PC 40MHz,Loc 8	4	127	6585	17.28	17.36	17.39	17.89	23.51	23.58	30.00			0.07	Pass	17.5	
EHT320	MCS0	PC 80MHz,Loc 4	4	127	6585	16.31	16.48	16.55	16.72	22.54	22.61	30.00			0.07	Pass	16.5	
EHT320	MCS0	PC 80+40MHz,Loc 6	4	127	6585	15.57	15.85	15.76	16.25	21.89	21.96	30.00			0.07	Pass	15.5	

TEST RESULTS DATA
Average Power Table

U-NII-8																		
Mod.	Data Rate	MRU Config	Ntx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	187	6875	5.63	5.46	5.48	5.95	11.66	11.75	30.00			0.09		Pass	6
HE20	MCS0	Full	4	189	6895	6.08	5.88	5.79	6.30	12.04	12.13	30.00			0.09		Pass	6
HE20	MCS0	Full	4	209	6995	5.76	5.86	5.99	5.58	11.82	11.91	30.00			0.09		Pass	6
HE20	MCS0	Full	4	229	7095	5.56	5.71	5.38	5.80	11.64	11.73	30.00			0.09		Pass	6
HE20	MCS0	52Ru*4	4	229	7095	4.87	4.64	4.65	4.46	10.68	10.77	30.00			0.09		Pass	5
HE20	MCS0	Full	4	233	7115	1.08	1.20	1.07	1.46	7.23	7.32	30.00			0.09		Pass	2
HE20	MCS0	52Ru*4	4	233	7115	0.10	0.16	-0.08	0.03	6.07	6.16	30.00			0.09		Pass	1
HE40	MCS0	Full	4	187	6885	8.74	8.73	8.42	9.40	14.86	14.95	30.00			0.09		Pass	9
HE40	MCS0	Full	4	195	6925	8.68	8.49	8.88	9.10	14.81	14.90	30.00			0.09		Pass	9
HE40	MCS0	Full	4	211	7005	8.73	9.02	8.63	8.88	14.84	14.93	30.00			0.09		Pass	9
HE40	MCS0	Full	4	227	7085	8.48	8.87	8.02	8.90	14.60	14.69	30.00			0.09		Pass	9
HE40	MCS0	52Ru*8	4	227	7085	7.32	7.58	7.12	7.99	13.54	13.63	30.00			0.09		Pass	7.5
HE80	MCS0	Full	4	183	6865	11.72	11.56	11.37	11.95	17.68	17.77	30.00			0.09		Pass	12
HE80	MCS0	Full	4	199	6945	11.78	11.75	12.29	12.05	17.99	18.08	30.00			0.09		Pass	12
HE80	MCS0	Full	4	215	7025	11.52	11.73	11.61	11.41	17.59	17.68	30.00			0.09		Pass	11.5
HE80	MCS0	52Ru*16	4	215	7025	10.54	10.72	10.31	10.29	16.49	16.58	30.00			0.09		Pass	10
HE160	MCS0	Full	4	175	6825	14.70	14.60	14.81	15.16	20.84	20.93	30.00			0.09		Pass	15
HE160	MCS0	Full	4	207	6985	14.32	14.37	14.21	14.64	20.41	20.50	30.00			0.09		Pass	14.5
HE160	MCS0	106Ru*16	4	207	6985	13.84	13.37	13.70	13.99	19.75	19.84	30.00			0.09		Pass	14
EHT20	MCS0	Full	4	187	6875	5.68	5.53	5.54	6.00	11.71	11.80	30.00			0.09		Pass	6
EHT20	MCS0	Full	4	189	6895	6.15	5.91	5.86	6.33	12.09	12.18	30.00			0.09		Pass	6
EHT20	MCS0	Full	4	209	6995	5.81	5.90	6.02	5.61	11.86	11.95	30.00			0.09		Pass	6
EHT20	MCS0	Full	4	229	7095	5.60	5.76	5.44	5.85	11.69	11.78	30.00			0.09		Pass	6
EHT20	MCS0	52Ru*4	4	229	7095	4.90	4.68	4.69	4.49	10.71	10.80	30.00			0.09		Pass	5
EHT20	MCS0	Full	4	233	7115	1.14	1.25	1.11	1.51	7.28	7.37	30.00			0.09		Pass	2
EHT20	MCS0	52Ru*4	4	233	7115	0.13	0.22	-0.04	0.06	6.11	6.20	30.00			0.09		Pass	1
EHT40	MCS0	Full	4	187	6885	8.80	8.80	8.48	9.44	14.91	15.00	30.00			0.09		Pass	9
EHT40	MCS0	Full	4	195	6925	8.74	8.53	8.93	9.15	14.86	14.95	30.00			0.09		Pass	9
EHT40	MCS0	Full	4	211	7005	8.79	9.08	8.69	8.95	14.90	14.99	30.00			0.09		Pass	9
EHT40	MCS0	Full	4	227	7085	8.55	8.94	8.05	8.96	14.66	14.75	30.00			0.09		Pass	9
EHT40	MCS0	52Ru*8	4	227	7085	7.39	7.62	7.15	8.02	13.58	13.67	30.00			0.09		Pass	7.5
EHT80	MCS0	Full	4	183	6865	11.76	11.60	11.43	12.01	17.73	17.82	30.00			0.09		Pass	12
EHT80	MCS0	Full	4	199	6945	11.84	11.79	12.33	12.08	18.04	18.13	30.00			0.09		Pass	12
EHT80	MCS0	Full	4	215	7025	11.58	11.77	11.68	11.45	17.64	17.73	30.00			0.09		Pass	11.5
EHT80	MCS0	52Ru*16	4	215	7025	10.59	10.78	10.35	10.33	16.54	16.63	30.00			0.09		Pass	10
EHT80	MCS0	PC 20MHz,Loc 1	4	215	7025	9.92	10.18	9.67	9.74	15.90	15.99	30.00			0.09		Pass	9.5
EHT160	MCS0	Full	4	175	6825	14.77	14.63	14.88	15.21	20.90	20.99	30.00			0.09		Pass	15
EHT160	MCS0	Full	4	207	6985	14.38	14.42	14.26	14.67	20.46	20.55	30.00			0.09		Pass	14.5
EHT160	MCS0	106Ru*16	4	207	6985	13.87	13.40	13.76	14.06	19.80	19.89	30.00			0.09		Pass	14
EHT160	MCS0	PC 20MHz,Loc 1	4	207	6985	13.86	14.15	14.29	14.81	20.31	20.40	30.00			0.09		Pass	13.5
EHT160	MCS0	PC 40MHz,Loc 1	4	207	6985	12.76	13.21	13.36	13.92	19.35	19.44	30.00			0.09		Pass	12.5
EHT320	MCS0	Full	4	159	6745	17.34	17.58	17.39	17.43	23.46	23.55	30.00			0.09		Pass	18
EHT320	MCS0	Full	4	191	6905	17.35	17.18	16.92	17.47	23.26	23.35	30.00			0.09		Pass	16.5
EHT320	MCS0	242Ru*16	4	191	6905	16.80	16.59	16.74	16.94	22.79	22.88	30.00			0.09		Pass	16.5
EHT320	MCS0	PC 40MHz,Loc 1	4	191	6905	16.58	16.16	16.41	16.69	22.49	22.58	30.00			0.09		Pass	15.5
EHT320	MCS0	PC 80MHz,Loc 1	4	191	6905	15.66	15.29	15.24	15.74	21.51	21.60	30.00			0.09		Pass	14.5
EHT320	MCS0	PC 80+40MHz,Loc 7	4	191	6905	14.90	14.42	14.30	14.96	20.68	20.77	30.00			0.09		Pass	17

TEST RESULTS DATA
Average Power Table

U-NII-5																		
Mod.	Data Rate	MRU Config	NTx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2	Ant 3		
HE20	MCS0	Full	4	033	6115	10.78	10.87	10.72	10.67	16.78	16.62	30.00		-0.16		Pass	10.5	
HE20	MCS0	52Ru*4	4	033	6115	9.35	9.52	9.21	9.27	15.36	15.20	30.00		-0.16		Pass	9	
HE20	MCS0	Full	4	065	6275	10.74	10.66	10.49	10.48	16.61	16.45	30.00		-0.16		Pass	10.5	
HE20	MCS0	Full	4	093	6415	10.74	10.71	10.22	10.54	16.58	16.42	30.00		-0.16		Pass	10.5	
HE40	MCS0	Full	4	035	6125	13.83	13.95	13.60	13.78	19.81	19.65	30.00		-0.16		Pass	13.5	
HE40	MCS0	52Ru*8	4	035	6125	12.73	12.75	12.56	12.78	18.73	18.57	30.00		-0.16		Pass	12.5	
HE40	MCS0	Full	4	067	6285	13.96	14.11	13.96	13.99	20.03	19.87	30.00		-0.16		Pass	13.5	
HE40	MCS0	Full	4	091	6405	13.90	14.14	13.95	13.90	19.99	19.83	30.00		-0.16		Pass	14	
HE80	MCS0	Full	4	039	6145	16.95	16.36	16.37	16.40	22.55	22.39	30.00		-0.16		Pass	16.5	
HE80	MCS0	52Ru*16	4	039	6145	15.57	15.18	15.15	15.35	21.34	21.18	30.00		-0.16		Pass	15	
HE80	MCS0	Full	4	055	6225	17.14	16.83	16.43	17.10	22.90	22.74	30.00		-0.16		Pass	16.5	
HE80	MCS0	Full	4	087	6385	16.73	16.56	16.57	16.99	22.74	22.58	30.00		-0.16		Pass	17	
HE160	MCS0	Full	4	047	6185	19.92	20.21	19.94	19.95	26.03	25.87	30.00		-0.16		Pass	20	
HE160	MCS0	106Ru*16	4	047	6185	18.88	18.96	18.79	18.87	24.90	24.74	30.00		-0.16		Pass	19	
HE160	MCS0	Full	4	079	6345	20.02	19.95	20.04	20.02	26.03	25.87	30.00		-0.16		Pass	20	
EHT20	MCS0	Full	4	033	6115	10.83	10.91	10.76	10.72	16.83	16.67	30.00		-0.16		Pass	10.5	
EHT20	MCS0	52Ru*4	4	033	6115	9.38	9.55	9.26	9.31	15.40	15.24	30.00		-0.16		Pass	9	
EHT20	MCS0	Full	4	065	6275	10.80	10.72	10.53	10.51	16.66	16.50	30.00		-0.16		Pass	10.5	
EHT20	MCS0	Full	4	093	6415	10.77	10.77	10.29	10.61	16.63	16.47	30.00		-0.16		Pass	10.5	
EHT40	MCS0	Full	4	035	6125	13.88	13.99	13.64	13.83	19.86	19.70	30.00		-0.16		Pass	13.5	
EHT40	MCS0	52Ru*8	4	035	6125	12.79	12.82	12.59	12.82	18.78	18.62	30.00		-0.16		Pass	12.5	
EHT40	MCS0	Full	4	067	6285	14.01	14.15	13.99	14.02	20.06	19.90	30.00		-0.16		Pass	13.5	
EHT40	MCS0	Full	4	091	6405	13.94	14.19	14.01	13.97	20.05	19.89	30.00		-0.16		Pass	14	
EHT80	MCS0	Full	4	039	6145	16.98	16.40	16.40	16.46	22.59	22.43	30.00		-0.16		Pass	16.5	
EHT80	MCS0	52Ru*16	4	039	6145	15.61	15.25	15.18	15.40	21.38	21.22	30.00		-0.16		Pass	15	
EHT80	MCS0	PC 20MHz,Loc 4	4	039	6145	15.06	14.79	14.65	14.81	20.85	20.69	30.00		-0.16		Pass	14.5	
EHT80	MCS0	Full	4	055	6225	17.19	16.89	16.49	17.15	22.96	22.80	30.00		-0.16		Pass	16.5	
EHT80	MCS0	Full	4	087	6385	16.80	16.63	16.60	17.05	22.79	22.63	30.00		-0.16		Pass	17	
EHT160	MCS0	Full	4	047	6185	19.99	20.25	19.98	20.01	26.08	25.92	30.00		-0.16		Pass	20	
EHT160	MCS0	106Ru*16	4	047	6185	18.94	18.99	18.82	18.90	24.93	24.77	30.00		-0.16		Pass	19	
EHT160	MCS0	PC 20MHz,Loc 8	4	047	6185	19.48	19.36	19.35	19.27	25.39	25.23	30.00		-0.16		Pass	19	
EHT160	MCS0	PC 40MHz,Loc 4	4	047	6185	18.49	18.40	18.21	18.22	24.35	24.19	30.00		-0.16		Pass	18	
EHT160	MCS0	Full	4	079	6345	20.06	20.00	20.07	20.08	26.07	25.91	30.00		-0.16		Pass	20	
EHT320	MCS0	Full	4	063	6265	22.43	22.77	23.04	22.83	28.79	28.63	30.00		-0.16		Pass	22	
EHT320	MCS0	242Ru*16	4	063	6265	21.44	21.63	21.98	22.02	27.79	27.63	30.00		-0.16		Pass	21.5	
EHT320	MCS0	PC 40MHz,Loc 8	4	063	6265	22.25	22.27	22.42	22.66	28.42	28.26	30.00		-0.16		Pass	21.5	
EHT320	MCS0	PC 80MHz,Loc 4	4	063	6265	21.17	21.03	21.44	21.58	27.33	27.17	30.00		-0.16		Pass	20.5	
EHT320	MCS0	PC 80+40MHz,Loc 6	4	063	6265	20.21	20.39	20.57	20.85	26.53	26.37	30.00		-0.16		Pass	19.5	

TEST RESULTS DATA
Average Power Table

U-NII-6																		
Mod.	Data Rate	MRU Config	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2	Ant 3		
HE20	MCS0	Full	4	097	6435	10.41	10.77	10.26	10.81	16.59	16.66	30.00			0.07		Pass	10.5
HE20	MCS0	52Ru*4	4	097	6435	8.71	9.22	8.68	9.15	14.97	15.04	30.00			0.07		Pass	9
HE20	MCS0	Full	4	105	6475	10.42	10.49	10.47	10.79	16.57	16.64	30.00			0.07		Pass	10.5
HE20	MCS0	Full	4	113	6515	10.33	10.72	10.22	10.58	16.49	16.56	30.00			0.07		Pass	10.5
HE40	MCS0	Full	4	099	6445	13.41	13.59	13.02	13.55	19.42	19.49	30.00			0.07		Pass	13.5
HE40	MCS0	52Ru*8	4	099	6445	12.26	12.51	12.07	12.65	18.40	18.47	30.00			0.07		Pass	12.5
HE40	MCS0	Full	4	107	6485	13.60	13.46	13.42	13.66	19.56	19.63	30.00			0.07		Pass	13.5
HE40	MCS0	Full	4	115	6525	13.16	13.52	13.12	13.34	19.31	19.38	30.00			0.07		Pass	13
HE80	MCS0	Full	4	103	6465	17.07	16.99	16.83	16.99	22.99	23.06	30.00			0.07		Pass	17
HE80	MCS0	52Ru*16	4	103	6465	15.57	15.66	15.34	15.81	21.62	21.69	30.00			0.07		Pass	15.5
HE80	MCS0	Full	4	119	6545	16.51	16.63	16.20	16.32	22.44	22.51	30.00			0.07		Pass	16.5
HE160	MCS0	Full	4	111	6505	19.08	19.28	19.01	19.49	25.24	25.31	30.00			0.07		Pass	19.5
HE160	MCS0	106Ru*16	4	111	6505	18.39	18.61	18.42	18.81	24.58	24.65	30.00			0.07		Pass	18.5
EHT20	MCS0	Full	4	097	6435	10.45	10.82	10.29	10.84	16.63	16.70	30.00			0.07		Pass	10.5
EHT20	MCS0	52Ru*4	4	097	6435	8.77	9.26	8.71	9.22	15.02	15.09	30.00			0.07		Pass	9
EHT20	MCS0	Full	4	105	6475	10.47	10.54	10.52	10.86	16.62	16.69	30.00			0.07		Pass	10.5
EHT20	MCS0	Full	4	113	6515	10.38	10.75	10.29	10.63	16.54	16.61	30.00			0.07		Pass	10.5
EHT40	MCS0	Full	4	099	6445	13.46	13.64	13.09	13.62	19.48	19.55	30.00			0.07		Pass	13.5
EHT40	MCS0	52Ru*8	4	099	6445	12.29	12.57	12.13	12.72	18.45	18.52	30.00			0.07		Pass	12.5
EHT40	MCS0	Full	4	107	6485	13.64	13.52	13.49	13.72	19.61	19.68	30.00			0.07		Pass	13.5
EHT40	MCS0	Full	4	115	6525	13.22	13.55	13.19	13.38	19.36	19.43	30.00			0.07		Pass	13
EHT80	MCS0	Full	4	103	6465	17.14	17.03	16.86	17.02	23.03	23.10	30.00			0.07		Pass	17
EHT80	MCS0	52Ru*16	4	103	6465	15.62	15.73	15.37	15.87	21.67	21.74	30.00			0.07		Pass	15.5
EHT80	MCS0	PC 20MHz, Loc 4	4	103	6465	15.03	15.25	14.95	15.44	21.19	21.26	30.00			0.07		Pass	15
EHT80	MCS0	Full	4	119	6545	16.58	16.67	16.23	16.36	22.48	22.55	30.00			0.07		Pass	16.5
EHT160	MCS0	Full	4	111	6505	19.12	19.33	19.05	19.54	25.28	25.35	30.00			0.07		Pass	19.5
EHT160	MCS0	106Ru*16	4	111	6505	18.45	18.65	18.49	18.84	24.63	24.70	30.00			0.07		Pass	18.5
EHT160	MCS0	PC 20MHz, Loc 8	4	111	6505	18.33	18.28	18.27	18.41	24.34	24.41	30.00			0.07		Pass	18.5
EHT160	MCS0	PC 40MHz, Loc 4	4	111	6505	17.91	17.85	17.75	17.88	23.87	23.94	30.00			0.07		Pass	18
EHT320	MCS0	Full	4	095	6425	22.66	22.81	22.16	22.53	28.57	28.64	30.00			0.07		Pass	22.5
EHT320	MCS0	Full	4	127	6585	22.50	23.05	22.23	23.07	28.75	28.82	30.00			0.07		Pass	22.5
EHT320	MCS0	242Ru*16	4	127	6585	21.58	22.08	21.36	22.20	27.84	27.91	30.00			0.07		Pass	22
EHT320	MCS0	PC 40MHz, Loc 8	4	127	6585	21.48	21.82	21.41	22.03	27.71	27.78	30.00			0.07		Pass	21.5
EHT320	MCS0	PC 80MHz, Loc 4	4	127	6585	21.15	21.42	21.07	21.65	27.35	27.42	30.00			0.07		Pass	21
EHT320	MCS0	PC 80+40MHz, Loc 6	4	127	6585	20.23	20.54	20.10	20.79	26.44	26.51	30.00			0.07		Pass	20

TEST RESULTS DATA
Average Power Table

U-NII-7																	Setting	
Mod.	Data Rate	MRU Config	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)					Pass/ Fail
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	117	6535	10.80	11.06	10.43	10.77	16.79	16.86	30.00			0.07	Pass	10.5	
HE20	MCS0	52Ru*4	4	117	6535	9.19	9.72	8.91	9.39	15.33	15.40	30.00			0.07	Pass	9	
HE20	MCS0	Full	4	149	6695	10.56	10.49	10.24	10.32	16.42	16.49	30.00			0.07	Pass	10.5	
HE20	MCS0	Full	4	181	6855	10.47	10.61	10.04	10.61	16.46	16.53	30.00			0.07	Pass	10.5	
HE40	MCS0	Full	4	115	6525	13.16	13.52	13.12	13.34	19.31	19.38	30.00			0.07	Pass	13	
HE40	MCS0	Full	4	123	6565	13.68	13.89	13.32	13.59	19.65	19.72	30.00			0.07	Pass	13.5	
HE40	MCS0	52Ru*8	4	123	6565	12.66	12.86	12.39	12.60	18.65	18.72	30.00			0.07	Pass	12.5	
HE40	MCS0	Full	4	147	6685	14.02	13.97	13.37	13.80	19.82	19.89	30.00			0.07	Pass	14	
HE40	MCS0	Full	4	179	6845	13.75	14.06	13.07	13.81	19.71	19.78	30.00			0.07	Pass	14	
HE80	MCS0	Full	4	119	6545	16.51	16.63	16.20	16.32	22.44	22.51	30.00			0.07	Pass	16.5	
HE80	MCS0	Full	4	135	6625	16.66	16.73	16.21	16.85	22.64	22.71	30.00			0.07	Pass	17	
HE80	MCS0	52Ru*16	4	135	6625	15.54	15.57	15.24	15.58	21.51	21.58	30.00			0.07	Pass	15.5	
HE80	MCS0	Full	4	151	6705	16.42	16.45	16.15	16.47	22.40	22.47	30.00			0.07	Pass	17	
HE80	MCS0	Full	4	167	6785	16.76	16.56	16.18	16.77	22.59	22.66	30.00			0.07	Pass	17	
HE160	MCS0	Full	4	111	6505	19.08	19.28	19.01	19.49	25.24	25.31	30.00			0.07	Pass	19.5	
HE160	MCS0	106Ru*16	4	111	6505	18.39	18.61	18.42	18.81	24.58	24.65	30.00			0.07	Pass	18.5	
HE160	MCS0	Full	4	143	6665	19.71	19.73	19.31	19.77	25.65	25.72	30.00			0.07	Pass	20	
EHT20	MCS0	Full	4	117	6535	10.84	11.09	10.47	10.83	16.83	16.90	30.00			0.07	Pass	10.5	
EHT20	MCS0	52Ru*4	4	117	6535	9.24	9.77	8.96	9.44	15.38	15.45	30.00			0.07	Pass	9	
EHT20	MCS0	Full	4	149	6695	10.62	10.52	10.29	10.38	16.47	16.54	30.00			0.07	Pass	10.5	
EHT20	MCS0	Full	4	181	6855	10.53	10.66	10.09	10.66	16.51	16.58	30.00			0.07	Pass	10.5	
EHT40	MCS0	Full	4	115	6525	13.22	13.55	13.19	13.38	19.36	19.43	30.00			0.07	Pass	13	
EHT40	MCS0	Full	4	123	6565	13.73	13.96	13.38	13.66	19.71	19.78	30.00			0.07	Pass	13.5	
EHT40	MCS0	52Ru*8	4	123	6565	12.72	12.92	12.44	12.65	18.71	18.78	30.00			0.07	Pass	12.5	
EHT40	MCS0	Full	4	147	6685	14.06	14.03	13.43	13.84	19.87	19.94	30.00			0.07	Pass	14	
EHT40	MCS0	Full	4	179	6845	13.79	14.11	13.12	13.87	19.76	19.83	30.00			0.07	Pass	14	
EHT80	MCS0	Full	4	119	6545	16.58	16.67	16.23	16.36	22.48	22.55	30.00			0.07	Pass	16.5	
EHT80	MCS0	Full	4	135	6625	16.70	16.76	16.26	16.91	22.68	22.75	30.00			0.07	Pass	17	
EHT80	MCS0	52Ru*16	4	135	6625	15.59	15.60	15.27	15.64	21.55	21.62	30.00			0.07	Pass	15.5	
EHT80	MCS0	PC 20MHz,Loc 4	4	135	6625	14.99	14.97	14.79	15.24	21.02	21.09	30.00			0.07	Pass	15	
EHT80	MCS0	Full	4	151	6705	16.47	16.50	16.22	16.52	22.45	22.52	30.00			0.07	Pass	17	
EHT80	MCS0	Full	4	167	6785	16.83	16.63	16.23	16.84	22.66	22.73	30.00			0.07	Pass	17	
EHT160	MCS0	Full	4	111	6505	19.12	19.33	19.05	19.54	25.28	25.35	30.00			0.07	Pass	19.5	
EHT160	MCS0	106Ru*16	4	111	6505	18.45	18.65	18.49	18.84	24.63	24.70	30.00			0.07	Pass	18.5	
EHT160	MCS0	PC 20MHz,Loc 8	4	111	6505	18.33	18.28	18.27	18.41	24.34	24.41	30.00			0.07	Pass	18.5	
EHT160	MCS0	PC 40MHz,Loc 4	4	111	6505	17.91	17.85	17.75	17.88	23.87	23.94	30.00			0.07	Pass	18	
EHT160	MCS0	Full	4	143	6665	19.74	19.78	19.37	19.80	25.70	25.77	30.00			0.07	Pass	20	
EHT320	MCS0	Full	4	127	6585	22.50	23.05	22.23	23.07	28.75	28.82	30.00			0.07	Pass	22.5	
EHT320	MCS0	242Ru*16	4	127	6585	21.58	22.08	21.36	22.20	27.84	27.91	30.00			0.07	Pass	22	
EHT320	MCS0	PC 40MHz,Loc 8	4	127	6585	21.48	21.82	21.41	22.03	27.71	27.78	30.00			0.07	Pass	21.5	
EHT320	MCS0	PC 80MHz,Loc 4	4	127	6585	21.15	21.42	21.07	21.65	27.35	27.42	30.00			0.07	Pass	21	
EHT320	MCS0	PC 80+40MHz,Loc 6	4	127	6585	20.23	20.54	20.10	20.79	26.44	26.51	30.00			0.07	Pass	20	

TEST RESULTS DATA
Average Power Table

U-NII-8																		
Mod.	Data Rate	MRU Config	NTx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/Fail	Setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM			Ant 1	Ant 2	Ant 3	Ant 4		
HE20	MCS0	Full	4	187	6875	10.45	10.44	10.01	10.70	16.43	16.52	30.00			0.09		Pass	10.5
HE20	MCS0	Full	4	189	6895	10.84	10.79	10.35	10.97	16.76	16.85	30.00			0.09		Pass	10.5
HE20	MCS0	Full	4	209	6995	10.26	10.49	10.27	10.01	16.28	16.37	30.00			0.09		Pass	10
HE20	MCS0	Full	4	229	7095	10.22	10.38	9.78	10.07	16.14	16.23	30.00			0.09		Pass	10
HE20	MCS0	52Ru*4	4	229	7095	9.26	9.43	8.57	9.07	15.11	15.20	30.00			0.09		Pass	9
HE20	MCS0	Full	4	233	7115	5.81	5.76	5.36	5.59	11.65	11.74	30.00			0.09		Pass	5.5
HE20	MCS0	52Ru*4	4	233	7115	4.28	4.34	3.70	4.36	10.20	10.29	30.00			0.09		Pass	4.5
HE40	MCS0	Full	4	187	6885	13.43	13.33	12.69	13.57	19.29	19.38	30.00			0.09		Pass	13.5
HE40	MCS0	Full	4	195	6925	13.63	13.43	13.06	13.73	19.49	19.58	30.00			0.09		Pass	13.5
HE40	MCS0	Full	4	211	7005	13.29	13.40	13.07	13.11	19.24	19.33	30.00			0.09		Pass	13
HE40	MCS0	Full	4	227	7085	13.25	13.48	12.87	13.36	19.27	19.36	30.00			0.09		Pass	13.5
HE40	MCS0	52Ru*8	4	227	7085	12.58	12.64	12.16	12.80	18.57	18.66	30.00			0.09		Pass	12.5
HE80	MCS0	Full	4	183	6865	16.49	16.49	15.99	16.52	22.40	22.49	30.00			0.09		Pass	17
HE80	MCS0	Full	4	199	6945	16.78	16.56	16.17	16.79	22.60	22.69	30.00			0.09		Pass	17
HE80	MCS0	Full	4	215	7025	16.02	16.04	15.37	15.57	21.78	21.87	30.00			0.09		Pass	17
HE80	MCS0	52Ru*16	4	215	7025	14.62	13.95	14.28	14.47	20.36	20.45	30.00			0.09		Pass	14.5
HE160	MCS0	Full	4	175	6825	19.45	19.44	19.29	19.86	25.54	25.63	30.00			0.09		Pass	20
HE160	MCS0	Full	4	207	6985	19.08	19.26	19.03	19.40	25.22	25.31	30.00			0.09		Pass	19.5
HE160	MCS0	106Ru*16	4	207	6985	17.89	17.50	18.14	18.40	24.02	24.11	30.00			0.09		Pass	18.5
EHT20	MCS0	Full	4	187	6875	10.49	10.47	10.08	10.75	16.47	16.56	30.00			0.09		Pass	10.5
EHT20	MCS0	Full	4	189	6895	10.88	10.82	10.40	11.03	16.81	16.90	30.00			0.09		Pass	10.5
EHT20	MCS0	Full	4	209	6995	10.33	10.53	10.34	10.04	16.33	16.42	30.00			0.09		Pass	10
EHT20	MCS0	Full	4	229	7095	10.28	10.43	9.84	10.12	16.19	16.28	30.00			0.09		Pass	10
EHT20	MCS0	52Ru*4	4	229	7095	9.31	9.50	8.60	9.10	15.16	15.25	30.00			0.09		Pass	9
EHT20	MCS0	Full	4	233	7115	5.86	5.83	5.43	5.65	11.72	11.81	30.00			0.09		Pass	5.5
EHT20	MCS0	52Ru*4	4	233	7115	4.34	4.38	3.74	4.39	10.24	10.33	30.00			0.09		Pass	4.5
EHT40	MCS0	Full	4	187	6885	13.48	13.40	12.76	13.64	19.35	19.44	30.00			0.09		Pass	13.5
EHT40	MCS0	Full	4	195	6925	13.69	13.47	13.13	13.76	19.54	19.63	30.00			0.09		Pass	13.5
EHT40	MCS0	Full	4	211	7005	13.32	13.46	13.10	13.15	19.28	19.37	30.00			0.09		Pass	13
EHT40	MCS0	Full	4	227	7085	13.31	13.52	12.90	13.40	19.31	19.40	30.00			0.09		Pass	13.5
EHT40	MCS0	52Ru*8	4	227	7085	12.63	12.70	12.21	12.84	18.62	18.71	30.00			0.09		Pass	12.5
EHT80	MCS0	Full	4	183	6865	16.56	16.55	16.04	16.59	22.46	22.55	30.00			0.09		Pass	17
EHT80	MCS0	Full	4	199	6945	16.83	16.63	16.23	16.84	22.66	22.75	30.00			0.09		Pass	17
EHT80	MCS0	Full	4	215	7025	16.06	16.10	15.42	15.62	21.83	21.92	30.00			0.09		Pass	17
EHT80	MCS0	52Ru*16	4	215	7025	14.67	13.99	14.33	14.50	20.40	20.49	30.00			0.09		Pass	14.5
EHT80	MCS0	PC 20MHz,Loc 1	4	215	7025	14.25	14.27	13.98	13.90	20.12	20.21	30.00			0.09		Pass	14
EHT160	MCS0	Full	4	175	6825	19.51	19.48	19.35	19.92	25.59	25.68	30.00			0.09		Pass	20
EHT160	MCS0	Full	4	207	6985	19.13	19.29	19.06	19.43	25.25	25.34	30.00			0.09		Pass	19.5
EHT160	MCS0	106Ru*16	4	207	6985	17.94	17.57	18.20	18.46	24.08	24.17	30.00			0.09		Pass	18.5
EHT160	MCS0	PC 20MHz,Loc 1	4	207	6985	18.24	18.48	18.36	18.69	24.47	24.56	30.00			0.09		Pass	18.5
EHT160	MCS0	PC 40MHz,Loc 1	4	207	6985	17.51	17.50	17.53	17.84	23.62	23.71	30.00			0.09		Pass	17.5
EHT320	MCS0	Full	4	159	6745	22.06	22.47	21.74	22.38	28.19	28.28	30.00			0.09		Pass	22.5
EHT320	MCS0	Full	4	191	6905	22.04	21.79	21.95	22.08	27.99	28.08	30.00			0.09		Pass	21.5
EHT320	MCS0	242Ru*16	4	191	6905	21.11	20.84	20.42	21.33	26.96	27.05	30.00			0.09		Pass	21
EHT320	MCS0	PC 40MHz,Loc 1	4	191	6905	21.35	21.10	20.65	21.49	27.18	27.27	30.00			0.09		Pass	21
EHT320	MCS0	PC 80MHz,Loc 1	4	191	6905	20.14	19.91	19.49	20.24	25.98	26.07	30.00			0.09		Pass	20
EHT320	MCS0	PC 80+40MHz,Loc 7	4	191	6905	19.79	19.46	19.18	19.71	25.56	25.65	30.00			0.09		Pass	19.5

TEST RESULTS DATA
Average Power Table

U-NII-5															Setting		
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	
					Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2			Ant 3
HE20	MCS0	4	033	6115	6.19	5.91	5.95	5.62	11.94	16.64	30.00	4.70				Pass	11
HE20	MCS0	4	065	6275	5.97	6.03	6.14	5.80	12.01	16.71	30.00	4.70				Pass	11
HE20	MCS0	4	093	6415	5.80	5.44	5.71	5.55	11.65	16.35	30.00	4.70				Pass	11
HE40	MCS0	4	035	6125	8.74	8.69	8.69	8.62	14.71	19.41	30.00	4.70				Pass	14
HE40	MCS0	4	067	6285	8.84	9.03	9.04	9.01	15.00	19.70	30.00	4.70				Pass	14
HE40	MCS0	4	091	6405	8.54	8.55	8.20	8.74	14.53	19.23	30.00	4.70				Pass	14
HE80	MCS0	4	039	6145	12.23	11.61	11.81	11.85	17.90	22.60	30.00	4.70				Pass	17
HE80	MCS0	4	055	6225	11.94	12.27	11.90	12.24	18.11	22.81	30.00	4.70				Pass	17
HE80	MCS0	4	087	6385	11.63	11.41	11.35	11.77	17.56	22.26	30.00	4.70				Pass	17
HE160	MCS0	4	047	6185	14.95	15.31	15.27	15.00	21.16	25.86	30.00	4.70				Pass	20
HE160	MCS0	4	079	6345	14.96	14.21	14.56	14.84	20.67	25.37	30.00	4.70				Pass	20
EHT20	MCS0	4	033	6115	6.22	5.98	5.98	5.69	11.99	16.69	30.00	4.70				Pass	11
EHT20	MCS0	4	065	6275	6.04	6.10	6.20	5.83	12.07	16.77	30.00	4.70				Pass	11
EHT20	MCS0	4	093	6415	5.86	5.50	5.75	5.60	11.70	16.40	30.00	4.70				Pass	11
EHT40	MCS0	4	035	6125	8.80	8.72	8.76	8.69	14.76	19.46	30.00	4.70				Pass	14
EHT40	MCS0	4	067	6285	8.88	9.07	9.08	9.08	15.05	19.75	30.00	4.70				Pass	14
EHT40	MCS0	4	091	6405	8.57	8.58	8.25	8.81	14.58	19.28	30.00	4.70				Pass	14
EHT80	MCS0	4	039	6145	12.26	11.68	11.84	11.88	17.94	22.64	30.00	4.70				Pass	17
EHT80	MCS0	4	055	6225	11.98	12.34	11.93	12.27	18.15	22.85	30.00	4.70				Pass	17
EHT80	MCS0	4	087	6385	11.66	11.44	11.41	11.82	17.61	22.31	30.00	4.70				Pass	17
EHT160	MCS0	4	047	6185	14.99	15.37	15.34	15.05	21.21	25.91	30.00	4.70				Pass	20
EHT160	MCS0	4	079	6345	15.03	14.25	14.61	14.89	20.73	25.43	30.00	4.70				Pass	20
EHT320	MCS0	4	063	6265	17.23	17.20	17.66	16.92	23.28	27.98	30.00	4.70				Pass	23

TEST RESULTS DATA
Average Power Table

U-NII-6																	
Mod.	Data Rate	Nrx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
					Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2	Ant 3		
HE20	MCS0	4	097	6435	5.67	5.35	5.60	5.96	11.67	16.45	30.00	4.78				Pass	11
HE20	MCS0	4	105	6475	5.76	5.53	6.01	5.90	11.82	16.60	30.00	4.78				Pass	11
HE20	MCS0	4	113	6515	6.13	6.24	5.72	5.81	12.00	16.78	30.00	4.78				Pass	11
HE40	MCS0	4	099	6445	8.41	8.43	8.06	8.45	14.36	19.14	30.00	4.78				Pass	14
HE40	MCS0	4	107	6485	8.33	8.47	8.88	8.75	14.63	19.41	30.00	4.78				Pass	14
HE40	MCS0	4	115	6525	8.71	9.05	8.15	9.00	14.76	19.54	30.00	4.78				Pass	14
HE80	MCS0	4	103	6465	11.46	11.81	11.75	12.08	17.80	22.58	30.00	4.78				Pass	17
HE80	MCS0	4	119	6545	11.97	11.71	11.01	11.81	17.66	22.44	30.00	4.78				Pass	17
HE160	MCS0	4	111	6505	14.41	14.93	15.20	15.23	20.98	25.76	30.00	4.78				Pass	20
EHT20	MCS0	4	097	6435	5.71	5.38	5.64	6.00	11.71	16.49	30.00	4.78				Pass	11
EHT20	MCS0	4	105	6475	5.79	5.57	6.06	5.93	11.86	16.64	30.00	4.78				Pass	11
EHT20	MCS0	4	113	6515	6.16	6.27	5.78	5.88	12.05	16.83	30.00	4.78				Pass	11
EHT40	MCS0	4	099	6445	8.45	8.46	8.09	8.51	14.40	19.18	30.00	4.78				Pass	14
EHT40	MCS0	4	107	6485	8.38	8.53	8.93	8.80	14.69	19.47	30.00	4.78				Pass	14
EHT40	MCS0	4	115	6525	8.77	9.11	8.21	9.03	14.81	19.59	30.00	4.78				Pass	14
EHT80	MCS0	4	103	6465	11.50	11.88	11.78	12.12	17.85	22.63	30.00	4.78				Pass	17
EHT80	MCS0	4	119	6545	12.00	11.77	11.04	11.88	17.71	22.49	30.00	4.78				Pass	17
EHT160	MCS0	4	111	6505	14.45	14.96	15.26	15.26	21.02	25.80	30.00	4.78				Pass	20
EHT320	MCS0	4	095	6425	17.59	17.18	16.51	16.91	23.09	27.87	30.00	4.78				Pass	23
EHT320	MCS0	4	127	6585	17.38	17.39	16.86	17.46	23.30	28.08	30.00	4.78				Pass	23

TEST RESULTS DATA
Average Power Table

U-NII-7																	
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
					Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2	Ant 3		
HE20	MCS0	4	117	6535	6.05	5.94	5.40	5.81	11.83	16.61	30.00	4.78				Pass	11
HE20	MCS0	4	149	6695	5.74	5.44	5.66	5.26	11.55	16.33	30.00	4.78				Pass	11
HE20	MCS0	4	181	6855	5.75	6.20	5.78	5.66	11.87	16.65	30.00	4.78				Pass	11
HE40	MCS0	4	115	6525	8.71	9.05	8.15	9.00	14.76	19.54	30.00	4.78				Pass	14
HE40	MCS0	4	123	6565	8.74	8.81	7.23	8.86	14.48	19.26	30.00	4.78				Pass	14
HE40	MCS0	4	147	6685	8.57	8.32	8.14	8.52	14.41	19.19	30.00	4.78				Pass	14
HE40	MCS0	4	179	6845	8.39	8.73	8.36	8.75	14.58	19.36	30.00	4.78				Pass	14
HE80	MCS0	4	119	6545	11.97	11.71	11.01	11.81	17.66	22.44	30.00	4.78				Pass	17
HE80	MCS0	4	135	6625	11.77	11.93	11.38	11.67	17.71	22.49	30.00	4.78				Pass	17
HE80	MCS0	4	151	6705	11.81	11.16	11.54	11.66	17.57	22.35	30.00	4.78				Pass	17
HE80	MCS0	4	167	6785	11.77	11.48	11.49	11.82	17.66	22.44	30.00	4.78				Pass	17
HE160	MCS0	4	111	6505	14.41	14.93	15.20	15.23	20.98	25.76	30.00	4.78				Pass	20
HE160	MCS0	4	143	6665	14.81	15.44	14.29	14.36	20.77	25.55	30.00	4.78				Pass	20
EHT20	MCS0	4	117	6535	6.12	6.01	5.46	5.86	11.89	16.67	30.00	4.78				Pass	11
EHT20	MCS0	4	149	6695	5.77	5.49	5.70	5.31	11.59	16.37	30.00	4.78				Pass	11
EHT20	MCS0	4	181	6855	5.81	6.26	5.81	5.73	11.93	16.71	30.00	4.78				Pass	11
EHT40	MCS0	4	115	6525	8.77	9.11	8.21	9.03	14.81	19.59	30.00	4.78				Pass	14
EHT40	MCS0	4	123	6565	8.80	8.85	7.30	8.91	14.53	19.31	30.00	4.78				Pass	14
EHT40	MCS0	4	147	6685	8.62	8.39	8.18	8.58	14.47	19.25	30.00	4.78				Pass	14
EHT40	MCS0	4	179	6845	8.42	8.78	8.40	8.78	14.62	19.40	30.00	4.78				Pass	14
EHT80	MCS0	4	119	6545	12.00	11.77	11.04	11.88	17.71	22.49	30.00	4.78				Pass	17
EHT80	MCS0	4	135	6625	11.81	11.99	11.44	11.71	17.76	22.54	30.00	4.78				Pass	17
EHT80	MCS0	4	151	6705	11.88	11.22	11.61	11.71	17.63	22.41	30.00	4.78				Pass	17
EHT80	MCS0	4	167	6785	11.84	11.53	11.55	11.89	17.73	22.51	30.00	4.78				Pass	17
EHT160	MCS0	4	111	6505	14.45	14.96	15.26	15.26	21.02	25.80	30.00	4.78				Pass	20
EHT160	MCS0	4	143	6665	14.88	15.51	14.32	14.41	20.83	25.61	30.00	4.78				Pass	20
EHT320	MCS0	4	127	6585	17.38	17.39	16.86	17.46	23.30	28.08	30.00	4.78				Pass	23

TEST RESULTS DATA
Average Power Table

U-NII-8																	
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					Average EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	DG (dBi)				Pass/ Fail	Setting
					Ant 1	Ant 2	Ant 3	Ant 4	SUM			SUM	Ant 1	Ant 2	Ant 3		
HE20	MCS0	4	187	6875	5.70	5.82	5.91	5.79	11.83	16.86	30.00	5.03				Pass	11
HE20	MCS0	4	189	6895	6.03	5.70	5.97	6.15	11.99	17.02	30.00	5.03				Pass	11
HE20	MCS0	4	209	6995	5.68	5.16	5.73	5.53	11.55	16.58	30.00	5.03				Pass	11
HE20	MCS0	4	229	7095	5.41	5.20	5.24	5.30	11.31	16.34	30.00	5.03				Pass	11
HE20	MCS0	4	233	7115	-3.39	-3.94	-3.56	-3.14	2.52	7.55	30.00	5.03				Pass	3
HE40	MCS0	4	187	6885	8.44	8.44	8.59	8.87	14.61	19.64	30.00	5.03				Pass	14
HE40	MCS0	4	195	6925	8.68	8.14	8.49	8.79	14.55	19.58	30.00	5.03				Pass	14
HE40	MCS0	4	211	7005	8.48	8.18	8.53	8.59	14.47	19.50	30.00	5.03				Pass	14
HE40	MCS0	4	227	7085	8.14	7.94	7.96	8.02	14.04	19.07	30.00	5.03				Pass	14
HE80	MCS0	4	183	6865	11.72	11.70	11.48	11.87	17.72	22.75	30.00	5.03				Pass	17
HE80	MCS0	4	199	6945	10.71	11.03	11.14	11.02	17.00	22.03	30.00	5.03				Pass	16
HE80	MCS0	4	215	7025	11.96	11.25	11.80	11.67	17.70	22.73	30.00	5.03				Pass	17
HE160	MCS0	4	175	6825	14.20	13.82	14.18	14.32	20.15	25.18	30.00	5.03				Pass	20
HE160	MCS0	4	207	6985	14.34	14.40	14.18	14.17	20.29	25.32	30.00	5.03				Pass	20
EHT20	MCS0	4	187	6875	5.75	5.85	5.96	5.82	11.87	16.90	30.00	5.03				Pass	11
EHT20	MCS0	4	189	6895	6.10	5.75	6.03	6.19	12.04	17.07	30.00	5.03				Pass	11
EHT20	MCS0	4	209	6995	5.72	5.19	5.80	5.58	11.60	16.63	30.00	5.03				Pass	11
EHT20	MCS0	4	229	7095	5.47	5.25	5.28	5.35	11.36	16.39	30.00	5.03				Pass	11
EHT20	MCS0	4	233	7115	-3.35	-3.89	-3.53	-3.08	2.57	7.60	30.00	5.03				Pass	3
EHT40	MCS0	4	187	6885	8.50	8.50	8.62	8.92	14.66	19.69	30.00	5.03				Pass	14
EHT40	MCS0	4	195	6925	8.72	8.18	8.55	8.82	14.59	19.62	30.00	5.03				Pass	14
EHT40	MCS0	4	211	7005	8.53	8.22	8.57	8.65	14.52	19.55	30.00	5.03				Pass	14
EHT40	MCS0	4	227	7085	8.18	7.98	8.03	8.07	14.09	19.12	30.00	5.03				Pass	14
EHT80	MCS0	4	183	6865	11.76	11.76	11.55	11.94	17.78	22.81	30.00	5.03				Pass	17
EHT80	MCS0	4	199	6945	10.74	11.08	11.20	11.09	17.05	22.08	30.00	5.03				Pass	16
EHT80	MCS0	4	215	7025	11.99	11.29	11.83	11.71	17.73	22.76	30.00	5.03				Pass	17
EHT160	MCS0	4	175	6825	14.25	13.86	14.24	14.38	20.21	25.24	30.00	5.03				Pass	20
EHT160	MCS0	4	207	6985	14.37	14.45	14.25	14.22	20.34	25.37	30.00	5.03				Pass	20
EHT320	MCS0	4	159	6745	16.81	17.01	16.23	16.36	22.63	27.66	30.00	5.03				Pass	23
EHT320	MCS0	4	191	6905	14.55	14.42	14.24	14.31	20.40	25.43	30.00	5.03				Pass	20