



Appendix A. Radiated Spurious Emission Test Data

Table of Contents

Radiated Spurious Emission Test Modes.....	A2
Summary of each worse mode	A2
Radiated Spurious Emission Test plots.....	A3



Test Engineer:	levi zhao	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42 %

Radiated Spurious Emission Test Modes




Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-3	5.725-5.85	CDD 1S4T	802.11be EHT80	155	5775	MCS0	Full RU	-

Summary of each worse mode


Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11 be EHT80	155	5643.60	67.93	68.20	-0.27	V	PEAK	Pass	Band Edge
1	802.11 be EHT80	155	11550.00	47.78	54.00	-6.22	H	AVERAGE	Pass	Harmonic






Radiated Spurious Emission Test plots

Mode	1																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																
ANT	CDD 1S4T																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.00</td><td>58.49</td><td>68.20</td><td>-9.71</td><td>41.17</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>58.33</td><td>68.50</td><td>-10.17</td><td>41.02</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>78.88</td><td>105.41</td><td>-26.53</td><td>61.63</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>80.71</td><td>113.64</td><td>-32.93</td><td>63.35</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.00	58.49	68.20	-9.71	41.17	34.58	12.57	29.83	0.00	246	289	PEAK	2	5650.40	58.33	68.50	-10.17	41.02	34.60	12.58	29.87	0.00	246	289	PEAK	3	5700.40	78.88	105.41	-26.53	61.63	34.60	12.65	30.00	0.00	246	289	PEAK	4	5721.20	80.71	113.64	-32.93	63.35	34.64	12.67	29.95	0.00	246	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>113.67</td><td>-----</td><td>-----</td><td>96.08</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	113.67	-----	-----	96.08	34.72	12.72	29.85	0.00	246	289	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5638.00	58.49	68.20	-9.71	41.17	34.58	12.57	29.83	0.00	246	289	PEAK																																																																																																																					
2	5650.40	58.33	68.50	-10.17	41.02	34.60	12.58	29.87	0.00	246	289	PEAK																																																																																																																					
3	5700.40	78.88	105.41	-26.53	61.63	34.60	12.65	30.00	0.00	246	289	PEAK																																																																																																																					
4	5721.20	80.71	113.64	-32.93	63.35	34.64	12.67	29.95	0.00	246	289	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	113.67	-----	-----	96.08	34.72	12.72	29.85	0.00	246	289	PEAK																																																																																																																					
Avg	Blank	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>103.84</td><td>-----</td><td>-----</td><td>86.13</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>246</td><td>289</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.84	-----	-----	86.13	34.76	12.75	29.80	0.00	246	289	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	103.84	-----	-----	86.13	34.76	12.75	29.80	0.00	246	289	AVERAGE																																																																																																																					




Mode	1																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>64.07</td><td>114.09</td><td>-50.02</td><td>46.20</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>75.44</td><td>109.72</td><td>-34.28</td><td>57.53</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.53</td><td>69.23</td><td>-13.70</td><td>37.30</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>5942.80</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>37.33</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>246</td><td>289</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	64.07	114.09	-50.02	46.20	34.82	12.86	29.81	0.00	246	289	PEAK	2	5859.20	75.44	109.72	-34.28	57.53	34.86	12.87	29.82	0.00	246	289	PEAK	3	5923.60	55.53	69.23	-13.70	37.30	35.10	12.98	29.85	0.00	246	289	PEAK	4	5942.80	55.60	68.20	-12.60	37.33	35.10	13.01	29.84	0.00	246	289	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.60	64.07	114.09	-50.02	46.20	34.82	12.86	29.81	0.00	246	289	PEAK																																																																																			
2	5859.20	75.44	109.72	-34.28	57.53	34.86	12.87	29.82	0.00	246	289	PEAK																																																																																			
3	5923.60	55.53	69.23	-13.70	37.30	35.10	12.98	29.85	0.00	246	289	PEAK																																																																																			
4	5942.80	55.60	68.20	-12.60	37.33	35.10	13.01	29.84	0.00	246	289	PEAK																																																																																			





Mode	1																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.60</td><td>67.93</td><td>68.20</td><td>-0.27</td><td>50.62</td><td>34.59</td><td>12.57</td><td>29.85</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>68.87</td><td>70.29</td><td>-1.42</td><td>51.55</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>3</td><td>5785.20</td><td>86.17</td><td>106.76</td><td>-20.59</td><td>68.90</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>83.48</td><td>112.72</td><td>-29.24</td><td>66.12</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.60	67.93	68.20	-0.27	50.62	34.59	12.57	29.85	0.00	110	161	PEAK	2	5652.80	68.87	70.29	-1.42	51.55	34.60	12.59	29.87	0.00	110	161	PEAK	3	5785.20	86.17	106.76	-20.59	68.90	34.61	12.65	29.99	0.00	110	161	PEAK	4	5720.80	83.48	112.72	-29.24	66.12	34.64	12.67	29.95	0.00	110	161	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>117.16</td><td>-----</td><td>-----</td><td>99.66</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	117.16	-----	-----	99.66	34.69	12.70	29.89	0.00	110	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5643.60	67.93	68.20	-0.27	50.62	34.59	12.57	29.85	0.00	110	161	PEAK																																																																																																																													
2	5652.80	68.87	70.29	-1.42	51.55	34.60	12.59	29.87	0.00	110	161	PEAK																																																																																																																													
3	5785.20	86.17	106.76	-20.59	68.90	34.61	12.65	29.99	0.00	110	161	PEAK																																																																																																																													
4	5720.80	83.48	112.72	-29.24	66.12	34.64	12.67	29.95	0.00	110	161	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	117.16	-----	-----	99.66	34.69	12.70	29.89	0.00	110	161	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>108.24</td><td>-----</td><td>-----</td><td>90.74</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>110</td><td>161</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	108.24	-----	-----	90.74	34.69	12.70	29.89	0.00	110	161	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	108.24	-----	-----	90.74	34.69	12.70	29.89	0.00	110	161	AVERAGE																																																																																																																													



Mode	1																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>77.09</td><td>111.36</td><td>-34.27</td><td>59.22</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>79.82</td><td>109.95</td><td>-30.13</td><td>61.92</td><td>34.85</td><td>12.87</td><td>29.82</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.88</td><td>69.23</td><td>-15.35</td><td>35.65</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>37.98</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>110</td><td>161</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	77.09	111.36	-34.27	59.22	34.83	12.86	29.82	0.00	110	161	PEAK	2	5858.40	79.82	109.95	-30.13	61.92	34.85	12.87	29.82	0.00	110	161	PEAK	3	5923.60	53.88	69.23	-15.35	35.65	35.10	12.98	29.85	0.00	110	161	PEAK	4	5946.80	56.27	68.20	-11.93	37.98	35.10	13.02	29.83	0.00	110	161	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	77.09	111.36	-34.27	59.22	34.83	12.86	29.82	0.00	110	161	PEAK																																																																									
2	5858.40	79.82	109.95	-30.13	61.92	34.85	12.87	29.82	0.00	110	161	PEAK																																																																									
3	5923.60	53.88	69.23	-15.35	35.65	35.10	12.98	29.85	0.00	110	161	PEAK																																																																									
4	5946.80	56.27	68.20	-11.93	37.98	35.10	13.02	29.83	0.00	110	161	PEAK																																																																									



Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>58.42</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>133</td><td>201 PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>55.19</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>133</td><td>201 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	51.01	74.00	-22.99	58.42	38.05	18.63	64.09	0.00	133	201 PEAK	2	11550.00	47.78	54.00	-6.22	55.19	38.05	18.63	64.09	0.00	133	201 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>54.50</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>41.46</td><td>54.00</td><td>-12.54</td><td>48.87</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.09	74.00	-26.91	54.50	38.05	18.63	64.09	0.00	300	360 PEAK	2	11550.00	41.46	54.00	-12.54	48.87	38.05	18.63	64.09	0.00	300	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11550.00	51.01	74.00	-22.99	58.42	38.05	18.63	64.09	0.00	133	201 PEAK																																																																																																															
2	11550.00	47.78	54.00	-6.22	55.19	38.05	18.63	64.09	0.00	133	201 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11550.00	47.09	74.00	-26.91	54.50	38.05	18.63	64.09	0.00	300	360 PEAK																																																																																																															
2	11550.00	41.46	54.00	-12.54	48.87	38.05	18.63	64.09	0.00	300	360 AVERAGE																																																																																																															

