



Appendix B. Radiated Spurious Emission Test Data

Table of Contents

<SDM mode>B-2

Radiated Spurious Emission Test Modes.....B-2

Summary of each worse modeB-2

Radiated Spurious Emission Test plots.....B-3



Test Engineer:	Koi Ji	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

<SDM mode>**Radiated Spurious Emission Test Modes**





Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-8	6.875-7.125	4S4T	802.11be EHT20	233	7115	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	233	7126.92	80.61	88.20	-7.59	V	-	Pass	Band Edge
1	802.11be EHT20	233	14230.00	48.34	88.20	-39.86	H	PEAK	Pass	Harmonic





Radiated Spurious Emission Test plots

		1																																																																																										
Mode		Band Edge																																																																																										
		U-NII-8_6.875-7.125_802.11be EHT20_CH233_7115MHz																																																																																										
ANT		SDM 4S4T																																																																																										
Pol.		Horizontal						Fundamental																																																																																				
Peak																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	74.50	88.20	-13.70	55.09	35.75	14.26	30.60	0.00	108	145	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>98.92</td><td>-----</td><td>-----</td><td>79.51</td><td>35.76</td><td>14.25</td><td>30.60</td><td>0.00</td><td>108</td><td>145</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	98.92	-----	-----	79.51	35.76	14.25	30.60	0.00	108	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.00	74.50	88.20	-13.70	55.09	35.75	14.26	30.60	0.00	108	145	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	98.92	-----	-----	79.51	35.76	14.25	30.60	0.00	108	145	PEAK																																																																																
Avg																																																																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.05	68.20	-6.15	42.64	35.75	14.26	30.60	0.00	108	145	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>87.70</td><td>-----</td><td>-----</td><td>68.27</td><td>35.78</td><td>14.24</td><td>30.59</td><td>0.00</td><td>108</td><td>145</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	87.70	-----	-----	68.27	35.78	14.24	30.59	0.00	108	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7125.00	62.05	68.20	-6.15	42.64	35.75	14.26	30.60	0.00	108	145	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	7115.00	87.70	-----	-----	68.27	35.78	14.24	30.59	0.00	108	145	AVERAGE																																																																																





		1																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_7115MHz																																																																																																															
ANT	SDM 4S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>81.44</td><td>88.20</td><td>-6.76</td><td>62.03</td><td>35.75</td><td>14.26</td><td>30.60</td><td>0.00</td><td>188</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>7126.92</td><td>80.61</td><td>88.20</td><td>-7.59</td><td>61.20</td><td>35.75</td><td>14.26</td><td>30.60</td><td>0.00</td><td>188</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	81.44	88.20	-6.76	62.03	35.75	14.26	30.60	0.00	188	182	PEAK	2	7126.92	80.61	88.20	-7.59	61.20	35.75	14.26	30.60	0.00	188	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>106.42</td><td>-----</td><td>-----</td><td>86.99</td><td>35.78</td><td>14.24</td><td>30.59</td><td>0.00</td><td>188</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	106.42	-----	-----	86.99	35.78	14.24	30.59	0.00	188	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	81.44	88.20	-6.76	62.03	35.75	14.26	30.60	0.00	188	182	PEAK																																																																																																				
2	7126.92	80.61	88.20	-7.59	61.20	35.75	14.26	30.60	0.00	188	182	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	106.42	-----	-----	86.99	35.78	14.24	30.59	0.00	188	182	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>68.18</td><td>68.20</td><td>-0.02</td><td>48.77</td><td>35.75</td><td>14.26</td><td>30.60</td><td>0.00</td><td>188</td><td>182</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.92</td><td>52.93</td><td>68.20</td><td>-15.27</td><td>33.52</td><td>35.75</td><td>14.26</td><td>30.60</td><td>0.00</td><td>188</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	68.18	68.20	-0.02	48.77	35.75	14.26	30.60	0.00	188	182	AVERAGE	2	7126.92	52.93	68.20	-15.27	33.52	35.75	14.26	30.60	0.00	188	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.82</td><td>-----</td><td>-----</td><td>74.38</td><td>35.80</td><td>14.23</td><td>30.59</td><td>0.00</td><td>188</td><td>182</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.82	-----	-----	74.38	35.80	14.23	30.59	0.00	188	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	68.18	68.20	-0.02	48.77	35.75	14.26	30.60	0.00	188	182	AVERAGE																																																																																																				
2	7126.92	52.93	68.20	-15.27	33.52	35.75	14.26	30.60	0.00	188	182	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	93.82	-----	-----	74.38	35.80	14.23	30.59	0.00	188	182	AVERAGE																																																																																																				



Mode	1																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_7115MHz																																																																																																		
ANT	SDM 4S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>48.34</td><td>88.20</td><td>-39.86</td><td>53.36</td><td>38.96</td><td>20.73</td><td>64.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	48.34	88.20	-39.86	53.36	38.96	20.73	64.71	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>51.74</td><td>38.96</td><td>20.73</td><td>64.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.72	88.20	-41.48	51.74	38.96	20.73	64.71	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14230.00	48.34	88.20	-39.86	53.36	38.96	20.73	64.71	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	14230.00	46.72	88.20	-41.48	51.74	38.96	20.73	64.71	0.00	--	--	PEAK																																																																																							



Mode	1																																																																																																																																																																																																																												
	LF																																																																																																																																																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_7115MHz																																																																																																																																																																																																																												
ANT	SDM 4S4T																																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																																						
Peak																																																																																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>137.91</td><td>23.08</td><td>43.50</td><td>-20.42</td><td>35.88</td><td>17.47</td><td>1.79</td><td>32.06</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>190.78</td><td>20.48</td><td>43.50</td><td>-23.02</td><td>35.77</td><td>14.70</td><td>2.09</td><td>32.08</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>349.37</td><td>17.62</td><td>46.00</td><td>-28.38</td><td>26.55</td><td>20.20</td><td>2.85</td><td>31.98</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>574.41</td><td>24.25</td><td>46.00</td><td>-21.75</td><td>27.11</td><td>25.70</td><td>3.65</td><td>32.21</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>759.93</td><td>26.78</td><td>46.00</td><td>-19.22</td><td>26.34</td><td>27.98</td><td>4.20</td><td>31.74</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>856.20</td><td>28.54</td><td>46.00</td><td>-17.46</td><td>25.86</td><td>29.71</td><td>4.44</td><td>31.47</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	137.91	23.08	43.50	-20.42	35.88	17.47	1.79	32.06	0.00	--	Peak	2	190.78	20.48	43.50	-23.02	35.77	14.70	2.09	32.08	0.00	--	Peak	3	349.37	17.62	46.00	-28.38	26.55	20.20	2.85	31.98	0.00	--	Peak	4	574.41	24.25	46.00	-21.75	27.11	25.70	3.65	32.21	0.00	--	Peak	5	759.93	26.78	46.00	-19.22	26.34	27.98	4.20	31.74	0.00	--	Peak	6	856.20	28.54	46.00	-17.46	25.86	29.71	4.44	31.47	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.06</td><td>28.25</td><td>40.00</td><td>-11.75</td><td>37.69</td><td>21.85</td><td>0.91</td><td>32.20</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>89.66</td><td>21.90</td><td>43.50</td><td>-21.60</td><td>37.90</td><td>14.53</td><td>1.45</td><td>31.98</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>240.73</td><td>16.39</td><td>46.00</td><td>-29.61</td><td>28.58</td><td>17.32</td><td>2.37</td><td>31.88</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>558.89</td><td>23.13</td><td>46.00</td><td>-22.87</td><td>25.94</td><td>25.97</td><td>3.60</td><td>32.38</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>749.50</td><td>25.85</td><td>46.00</td><td>-20.15</td><td>25.32</td><td>28.11</td><td>4.17</td><td>31.75</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>877.78</td><td>27.86</td><td>46.00</td><td>-18.14</td><td>25.70</td><td>29.11</td><td>4.50</td><td>31.45</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	36.06	28.25	40.00	-11.75	37.69	21.85	0.91	32.20	0.00	--	Peak	2	89.66	21.90	43.50	-21.60	37.90	14.53	1.45	31.98	0.00	--	Peak	3	240.73	16.39	46.00	-29.61	28.58	17.32	2.37	31.88	0.00	--	Peak	4	558.89	23.13	46.00	-22.87	25.94	25.97	3.60	32.38	0.00	--	Peak	5	749.50	25.85	46.00	-20.15	25.32	28.11	4.17	31.75	0.00	--	Peak	6	877.78	27.86	46.00	-18.14	25.70	29.11	4.50	31.45	0.00	--	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	137.91	23.08	43.50	-20.42	35.88	17.47	1.79	32.06	0.00	--	Peak																																																																																																																																																																																																																		
2	190.78	20.48	43.50	-23.02	35.77	14.70	2.09	32.08	0.00	--	Peak																																																																																																																																																																																																																		
3	349.37	17.62	46.00	-28.38	26.55	20.20	2.85	31.98	0.00	--	Peak																																																																																																																																																																																																																		
4	574.41	24.25	46.00	-21.75	27.11	25.70	3.65	32.21	0.00	--	Peak																																																																																																																																																																																																																		
5	759.93	26.78	46.00	-19.22	26.34	27.98	4.20	31.74	0.00	--	Peak																																																																																																																																																																																																																		
6	856.20	28.54	46.00	-17.46	25.86	29.71	4.44	31.47	0.00	--	Peak																																																																																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	36.06	28.25	40.00	-11.75	37.69	21.85	0.91	32.20	0.00	--	Peak																																																																																																																																																																																																																		
2	89.66	21.90	43.50	-21.60	37.90	14.53	1.45	31.98	0.00	--	Peak																																																																																																																																																																																																																		
3	240.73	16.39	46.00	-29.61	28.58	17.32	2.37	31.88	0.00	--	Peak																																																																																																																																																																																																																		
4	558.89	23.13	46.00	-22.87	25.94	25.97	3.60	32.38	0.00	--	Peak																																																																																																																																																																																																																		
5	749.50	25.85	46.00	-20.15	25.32	28.11	4.17	31.75	0.00	--	Peak																																																																																																																																																																																																																		
6	877.78	27.86	46.00	-18.14	25.70	29.11	4.50	31.45	0.00	--	Peak																																																																																																																																																																																																																		
Emission above 18GHz																																																																																																																																																																																																																													
Peak	