



Appendix C. Radiated Spurious Emission Test Data

Table of Contents

Radiated Spurious Emission Test Modes.....	C2
Summary of each worse mode	C3
Radiated Spurious Emission Test plots.....	C6
<Co-location>.....	C169
Radiated Spurious Emission Test Modes.....	C169
Summary of each worse mode	C169
Radiated Spurious Emission Test plots.....	C170



Test Engineer:	Jerry Xu	Relative Humidity :	22 ~ 23℃
		Temperature :	41 ~ 42%

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	1	2412	1Mbps	-	-
Mode 2	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	6	2437	1Mbps	-	-
Mode 3	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11g	1	2412	6Mbps	-	-
Mode 5	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11g	6	2437	6Mbps	-	-
Mode 6	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	1	2412	MCS0	-	-
Mode 8	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	6	2437	MCS0	-	-
Mode 9	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	11	2462	MCS0	-	-
Mode 10	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE40	3	2422	MCS0	-	-
Mode 11	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE40	6	2437	MCS0	-	-
Mode 12	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE40	9	2452	MCS0	-	-
Mode 13	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	1	2412	1Mbps	-	-
Mode 14	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	6	2437	1Mbps	-	-
Mode 15	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	11	2462	1Mbps	-	-
Mode 16	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11g	1	2412	6Mbps	-	-
Mode 17	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11g	6	2437	6Mbps	-	-
Mode 18	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11g	11	2462	6Mbps	-	-
Mode 19	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	1	2412	MCS0	-	-
Mode 20	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	6	2437	MCS0	-	-
Mode 21	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	11	2462	MCS0	-	-
Mode 22	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE40	3	2422	MCS0	-	-
Mode 23	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE40	6	2437	MCS0	-	-
Mode 24	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE40	9	2452	MCS0	-	-
Mode 25	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11g	2	2417	6Mbps	-	-
Mode 26	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11g	10	2457	6Mbps	-	-
Mode 27	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	2	2417	MCS0	-	-
Mode 28	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	3	2422	MCS0	-	-
Mode 29	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE20	10	2457	MCS0	-	-
Mode 30	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE40	4	2427	MCS0	-	-
Mode 31	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11ax HE40	8	2447	MCS0	-	-
Mode 32	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11g	2	2417	6Mbps	-	-
Mode 33	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11g	10	2457	6Mbps	-	-
Mode 34	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	2	2417	MCS0	-	-
Mode 35	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	3	2422	MCS0	-	-
Mode 36	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE20	10	2457	MCS0	-	-
Mode 37	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE40	4	2427	MCS0	-	-
Mode 38	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11ax HE40	8	2447	MCS0	-	-
Mode 39	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	2	2417	1Mbps	-	-



Mode 40	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	3	2422	1Mbps	-	-
Mode 41	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	2	2417	1Mbps	-	-
Mode 42	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	3	2422	1Mbps	-	-
Mode 43	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	10	2457	1Mbps	-	-
Mode 44	2400-2483.5	Ant 0(1-A)+Ant 1,NSS1,CDD	802.11b	9	2452	1Mbps	-	-
Mode 45	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	10	2457	1Mbps	-	-
Mode 46	2400-2483.5	Ant 0(1-B)+Ant 1,NSS1,CDD	802.11b	9	2452	1Mbps	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	1	2386.31	53.56	54.00	-0.44	V	AVERAGE	Pass	Band Edge
1	802.11b	1	4824.00	45.23	74.00	-28.77	V	PEAK	Pass	Harmonic
2	802.11b	6	2485.00	51.57	54.00	-2.43	V	AVERAGE	Pass	Band Edge
2	802.11b	6	4874.00	46.16	54.00	-7.84	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2487.70	52.08	54.00	-1.92	V	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	44.43	54.00	-9.57	H	AVERAGE	Pass	Harmonic
4	802.11g	1	2387.22	52.35	54.00	-1.65	V	AVERAGE	Pass	Band Edge
4	802.11g	1	4824.00	47.83	54.00	-6.17	H	AVERAGE	Pass	Harmonic
5	802.11g	6	2312.47	53.10	54.00	-0.90	V	AVERAGE	Pass	Band Edge
5	802.11g	6	7315.00	53.23	54.00	-0.77	H	AVERAGE	Pass	Harmonic
6	802.11g	11	2485.48	53.22	54.00	-0.78	V	AVERAGE	Pass	Band Edge
6	802.11g	11	7390.00	52.5	54.00	-1.5	H	AVERAGE	Pass	Harmonic
7	802.11ax HE20	1	2389.95	53.82	54.00	-0.18	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	4824.00	41.27	54.00	-12.73	H	AVERAGE	Pass	Harmonic
8	802.11ax HE20	6	2484.34	53.57	54.00	-0.43	V	AVERAGE	Pass	Band Edge
8	802.11ax HE20	6	7314.00	53.63	54.00	-0.37	H	AVERAGE	Pass	Harmonic
9	802.11ax HE20	11	2483.50	52.88	54.00	-1.12	V	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	4924.00	44.36	54.00	-9.64	H	AVERAGE	Pass	Harmonic
10	802.11ax HE40	3	2389.17	52.99	54.00	-1.01	V	Peak	Pass	Band Edge
10	802.11ax HE40	3	4844.00	45.22	74.00	-28.78	H	Peak	Pass	Harmonic
11	802.11ax HE40	6	2485.48	53.18	54.00	-0.82	V	AVERAGE	Pass	Band Edge
11	802.11ax HE40	6	4874.00	51.06	54.00	-15.66	H	AVERAGE	Pass	Harmonic
12	802.11ax HE40	9	2483.80	53.07	54.00	-0.93	V	AVERAGE	Pass	Band Edge
12	802.11ax HE40	9	4904.00	43.9	74.00	-30.1	H	AVERAGE	Pass	Harmonic
13	802.11b	1	2386.31	46.51	54.00	-7.49	V	AVERAGE	Pass	Band Edge
13	802.11b	1	4824.00	46.97	74.00	-27.03	H	PEAK	Pass	Harmonic
14	802.11b	6	2499.88	52.72	54.00	-1.28	H	AVERAGE	Pass	Band Edge
14	802.11b	6	4874.00	45.16	54.00	-8.84	H	AVERAGE	Pass	Harmonic
15	802.11b	11	2500.00	53.57	54.00	-0.43	V	AVERAGE	Pass	Band Edge
15	802.11b	11	4924.00	45.05	54.00	-8.95	H	AVERAGE	Pass	Harmonic
16	802.11g	1	2388.26	52.56	54.00	-1.44	V	AVERAGE	Pass	Band Edge
16	802.11g	1	4824.00	46.15	54.00	-7.85	H	AVERAGE	Pass	Harmonic
17	802.11g	6	2361.61	53.61	54.00	-0.39	V	AVERAGE	Pass	Band Edge
17	802.11g	6	7309.00	52.57	54.00	-1.43	H	AVERAGE	Pass	Harmonic
18	802.11g	11	2485.36	53.49	54.00	-0.51	V	AVERAGE	Pass	Band Edge
18	802.11g	11	4926.00	53.27	54.00	-8.1	H	AVERAGE	Pass	Harmonic







19	802.11ax HE20	1	2389.95	53.89	54.00	-0.11	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	1	4824.00	45.45	54.00	-8.55	H	AVERAGE	Pass	Harmonic
20	802.11ax HE20	6	2387.48	53.58	54.00	-0.42	V	PEAK	Pass	Band Edge
20	802.11ax HE20	6	7309.00	52.25	54.00	-1.75	H	AVERAGE	Pass	Harmonic
21	802.11ax HE20	11	2483.50	53.23	54.00	-0.77	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	11	4924.00	44.24	54.00	-9.76	H	AVERAGE	Pass	Harmonic
22	802.11ax HE40	3	2389.95	53.69	54.00	-0.31	V	AVERAGE	Pass	Band Edge
22	802.11ax HE40	3	4844.00	38.83	54.00	-15.17	H	AVERAGE	Pass	Harmonic
23	802.11ax HE40	6	2484.16	52.55	54.00	-1.45	V	AVERAGE	Pass	Band Edge
23	802.11ax HE40	6	4872.00	53.63	54.00	-10.37	H	AVERAGE	Pass	Harmonic
24	802.11ax HE40	9	2483.50	53.19	54.00	-0.81	V	AVERAGE	Pass	Band Edge
24	802.11ax HE40	9	4904.00	37.06	54.00	-16.94	H	AVERAGE	Pass	Harmonic
25	802.11g	2	2386.44	52.33	54.00	-1.67	V	AVERAGE	Pass	Band Edge
25	802.11g	2	4834.00	48.91	54.00	-4.19	H	AVERAGE	Pass	Harmonic
26	802.11g	10	2486.08	53.03	54.00	-0.97	V	AVERAGE	Pass	Band Edge
26	802.11g	10	7371.00	51.3	54.00	-2.7	H	AVERAGE	Pass	Harmonic
27	802.11ax HE20	2	2389.95	53.66	54.00	-0.34	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	2	4834.00	47.69	54.00	-6.31	H	AVERAGE	Pass	Harmonic
28	802.11ax HE20	3	2389.30	53.77	54.00	-0.23	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	3	7266.00	50.81	54.00	-3.19	H	AVERAGE	Pass	Harmonic
29	802.11ax HE20	10	2483.50	53.22	54.00	-0.78	-	AVERAGE	Pass	Band Edge
29	802.11ax HE20	10	4914.00	50.9	54.00	-3.1	H	AVERAGE	Pass	Harmonic
30	802.11ax HE40	4	2389.97	53.66	54.00	-0.34	-	AVERAGE	Pass	Band Edge
30	802.11ax HE40	4	4854.00	43.09	54.00	-10.91	H	AVERAGE	Pass	Harmonic
31	802.11ax HE40	8	2484.05	53.40	54.00	-0.60	-	AVERAGE	Pass	Band Edge
31	802.11ax HE40	8	4894.00	40.41	54.00	-13.59	H	AVERAGE	Pass	Harmonic
32	802.11g	2	2389.30	52.94	54.00	-1.06	-	AVERAGE	Pass	Band Edge
32	802.11g	2	4834.00	51.12	54.00	-2.88	H	AVERAGE	Pass	Harmonic
33	802.11g	10	2485.78	53.80	54.00	-0.20	-	AVERAGE	Pass	Band Edge
33	802.11g	10	4914.00	51.65	54.00	-2.35	H	AVERAGE	Pass	Harmonic
34	802.11ax HE20	2	2389.56	53.72	54.00	-0.28	V	AVERAGE	Pass	Band Edge
34	802.11ax HE20	2	4834.00	48.81	54.00	-5.19	V	AVERAGE	Pass	Harmonic
35	802.11ax HE20	3	2385.53	53.84	54.00	-0.16	-	AVERAGE	Pass	Band Edge
35	802.11ax HE20	3	7266.00	50.68	54.00	-3.32	H	AVERAGE	Pass	Harmonic
36	802.11ax HE20	10	2484.10	53.83	54.00	-0.17	-	AVERAGE	Pass	Band Edge
36	802.11ax HE20	10	4914.00	49.76	54.00	-4.24	H	AVERAGE	Pass	Harmonic
37	802.11ax HE40	4	2389.07	52.90	54.00	-1.10	-	AVERAGE	Pass	Band Edge
37	802.11ax HE40	4	4854.00	43.37	54.00	-10.63	V	AVERAGE	Pass	Harmonic
38	802.11ax HE40	8	2485.05	52.71	54.00	-1.29	-	AVERAGE	Pass	Band Edge
38	802.11ax HE40	8	4894.00	41.94	54.00	-12.06	H	AVERAGE	Pass	Harmonic
39	802.11b	2	2388.13	51.51	54.00	-2.49	V	AVERAGE	Pass	Band Edge
39	802.11b	2	-	-	-	-	-	-	-	Harmonic
40	802.11b	3	2385.14	53.31	54.00	-0.69	V	AVERAGE	Pass	Band Edge
40	802.11b	3	-	-	-	-	-	-	-	Harmonic
41	802.11b	2	2388.13	51.78	54.00	-2.22	V	AVERAGE	Pass	Band Edge
41	802.11b	2	-	-	-	-	-	-	-	Harmonic
42	802.11b	3	2384.23	52.65	54.00	-1.35	V	AVERAGE	Pass	Band Edge







42	802.11b	3	-	-	-	-	-	-	-	Harmonic
43	802.11b	10	2483.48	53.36	54.00	-0.64	V	Peak	Pass	Band Edge
43	802.11b	10	-	-	-	-	-	-	-	Harmonic
44	802.11b	9	2488.17	52.13	54.00	-1.87	V	AVERAGE	Pass	Band Edge
44	802.11b	9	-	-	-	-	-	-	-	Harmonic
45	802.11b	10	2483.50	53.01	54.00	-0.99	V	AVERAGE	Pass	Band Edge
45	802.11b	10	-	-	-	-	-	-	-	Harmonic
46	802.11b	9	2499.83	52.07	54.00	-1.93	V	AVERAGE	Pass	Band Edge
46	802.11b	9	-	-	-	-	-	-	-	Harmonic





Radiated Spurious Emission Test plots

		1																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>47.42</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>152 246 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	55.64	74.00	-18.36	47.42	32.17	7.10	37.05	6.00	152 246 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.70</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>47.42</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>152 246 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	55.64	74.00	-18.36	47.42	32.17	7.10	37.05	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.70	55.64	74.00	-18.36	47.42	32.17	7.10	37.05	6.00	152 246 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.70	55.64	74.00	-18.36	47.42	32.17	7.10	37.05	6.00	152 246 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>37.07</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>152 246 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	45.28	54.00	-8.72	37.07	32.16	7.10	37.05	6.00	152 246 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.86</td><td>-----</td><td>-----</td><td>96.41</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>152 246 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.86	-----	-----	96.41	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.31	45.28	54.00	-8.72	37.07	32.16	7.10	37.05	6.00	152 246 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	104.86	-----	-----	96.41	32.32	7.14	37.01	6.00	152 246 AVERAGE																																																																																								







Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH1_2412MHz																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>62.37</td><td>74.00</td><td>-11.63</td><td>54.16</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300 89 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	62.37	74.00	-11.63	54.16	32.16	7.10	37.05	6.00	300 89 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.71</td><td>-----</td><td>-----</td><td>105.25</td><td>32.33</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300 89 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.71	-----	-----	105.25	32.33	7.14	37.01	6.00	300 89 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.05	62.37	74.00	-11.63	54.16	32.16	7.10	37.05	6.00	300 89 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	113.71	-----	-----	105.25	32.33	7.14	37.01	6.00	300 89 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>53.56</td><td>54.00</td><td>-0.44</td><td>45.35</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300 89 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	53.56	54.00	-0.44	45.35	32.16	7.10	37.05	6.00	300 89 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.65</td><td>-----</td><td>-----</td><td>102.19</td><td>32.33</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300 89 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.65	-----	-----	102.19	32.33	7.14	37.01	6.00	300 89 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.31	53.56	54.00	-0.44	45.35	32.16	7.10	37.05	6.00	300 89 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	110.65	-----	-----	102.19	32.33	7.14	37.01	6.00	300 89 AVERAGE																																																																																





Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>62.28</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.77	74.00	-31.23	62.28	34.15	11.58	65.24	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>64.74</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.23	74.00	-28.77	64.74	34.15	11.58	65.24	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	42.77	74.00	-31.23	62.28	34.15	11.58	65.24	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	45.23	74.00	-28.77	64.74	34.15	11.58	65.24	0.00	--	PEAK																																																																																						







Mode	2																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11b_CH6_2437MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal										Fundamental																																																																																							
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2319.23</td><td>60.78</td><td>74.00</td><td>-13.22</td><td>49.37</td><td>31.49</td><td>7.00</td><td>37.08</td><td>10.00</td><td>310</td><td>13 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2319.23	60.78	74.00	-13.22	49.37	31.49	7.00	37.08	10.00	310	13 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>115.26</td><td>-----</td><td>-----</td><td>102.65</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>310</td><td>13 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2437.00	115.26	-----	-----	102.65	32.38	7.18	36.95	10.00	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2319.23	60.78	74.00	-13.22	49.37	31.49	7.00	37.08	10.00	310	13 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2437.00	115.26	-----	-----	102.65	32.38	7.18	36.95	10.00	310	13 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.91</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>35.16</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>310</td><td>13 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.91	47.40	54.00	-6.60	35.16	32.19	7.10	37.05	10.00	310	13 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>112.28</td><td>-----</td><td>-----</td><td>99.69</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>310</td><td>13 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2437.00	112.28	-----	-----	99.69	32.37	7.18	36.96	10.00	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2388.91	47.40	54.00	-6.60	35.16	32.19	7.10	37.05	10.00	310	13 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 2437.00	112.28	-----	-----	99.69	32.37	7.18	36.96	10.00	310	13 AVERAGE																																																																																								



Mode	2																																																									
	Band Edge - R																																																									
	2400-2483.5_802.11b_CH6_2437MHz																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																									
Pol.	Horizontal										Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.46</td><td>60.08</td><td>74.00</td><td>-13.92</td><td>47.11</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>310</td><td>13</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2499.46	60.08	74.00	-13.92	47.11	32.50	7.28	36.81	10.00	310	13	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2499.46	60.08	74.00	-13.92	47.11	32.50	7.28	36.81	10.00	310	13	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>33.22</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>310</td><td>13</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2500.00	46.19	54.00	-7.81	33.22	32.50	7.28	36.81	10.00	310	13	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2500.00	46.19	54.00	-7.81	33.22	32.50	7.28	36.81	10.00	310	13	AVERAGE																																														





	2																																																																																																		
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11b_CH6_2437MHz																																																																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.98</td><td>63.28</td><td>74.00</td><td>-10.72</td><td>51.13</td><td>32.11</td><td>7.09</td><td>37.05</td><td>10.00</td><td>300 251 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.98	63.28	74.00	-10.72	51.13	32.11	7.09	37.05	10.00	300 251 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>120.39</td><td>-----</td><td>-----</td><td>107.77</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>300 251 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	120.39	-----	-----	107.77	32.38	7.19	36.95	10.00	300 251 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.98	63.28	74.00	-10.72	51.13	32.11	7.09	37.05	10.00	300 251 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	120.39	-----	-----	107.77	32.38	7.19	36.95	10.00	300 251 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>50.12</td><td>54.00</td><td>-3.88</td><td>37.88</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>300 251 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	50.12	54.00	-3.88	37.88	32.19	7.10	37.05	10.00	300 251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.40</td><td>-----</td><td>-----</td><td>104.78</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>300 251 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.40	-----	-----	104.78	32.38	7.19	36.95	10.00	300 251 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.91	50.12	54.00	-3.88	37.88	32.19	7.10	37.05	10.00	300 251 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	117.40	-----	-----	104.78	32.38	7.19	36.95	10.00	300 251 AVERAGE																																																																																									







Mode	2										
	Band Edge - R										
	2400-2483.5_802.11b_CH6_2437MHz										
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD										
Pol.	Vertical										
Peak											







Mode	2																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11b_CH6_2437MHz																																																																																																															
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>63.68</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	44.28	74.00	-29.72	63.68	34.15	11.68	65.23	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>49.68</td><td>74.00</td><td>-24.32</td><td>69.08</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>175</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>65.56</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>175</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	49.68	74.00	-24.32	69.08	34.15	11.68	65.23	0.00	175	331	PEAK	2	4874.00	46.16	54.00	-7.84	65.56	34.15	11.68	65.23	0.00	175	331	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	44.28	74.00	-29.72	63.68	34.15	11.68	65.23	0.00	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4874.00	49.68	74.00	-24.32	69.08	34.15	11.68	65.23	0.00	175	331	PEAK																																																																																																				
2	4874.00	46.16	54.00	-7.84	65.56	34.15	11.68	65.23	0.00	175	331	AVERAGE																																																																																																				





		3																																																						
Mode	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.32</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>46.18</td><td>32.48</td><td>7.27</td><td>36.84</td><td>6.00</td><td>268</td><td>51 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.32	55.09	74.00	-18.91	46.18	32.48	7.27	36.84	6.00	268	51 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2489.32	55.09	74.00	-18.91	46.18	32.48	7.27	36.84	6.00	268	51 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.09</td><td>-----</td><td>-----</td><td>90.35</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>268</td><td>51 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.09	-----	-----	90.35	32.42	7.22	36.90	6.00	268	51 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	99.09	-----	-----	90.35	32.42	7.22	36.90	6.00	268	51 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>37.75</td><td>32.50</td><td>7.28</td><td>36.81</td><td>6.00</td><td>268</td><td>51 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	46.72	54.00	-7.28	37.75	32.50	7.28	36.81	6.00	268	51 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2500.00	46.72	54.00	-7.28	37.75	32.50	7.28	36.81	6.00	268	51 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>96.05</td><td>-----</td><td>-----</td><td>87.31</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>268</td><td>51 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.05	-----	-----	87.31	32.42	7.22	36.90	6.00	268	51 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	96.05	-----	-----	87.31	32.42	7.22	36.90	6.00	268	51 AVERAGE																																													







		3																																																																																																			
Mode	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																				
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>64.11</td><td>74.00</td><td>-9.89</td><td>55.23</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>269</td><td>84 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	64.11	74.00	-9.89	55.23	32.47	7.26	36.85	6.00	269	84 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.99</td><td>-----</td><td>-----</td><td>102.22</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>269</td><td>84 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.99	-----	-----	102.22	32.43	7.23	36.89	6.00	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.92	64.11	74.00	-9.89	55.23	32.47	7.26	36.85	6.00	269	84 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	110.99	-----	-----	102.22	32.43	7.23	36.89	6.00	269	84 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.82</td><td>52.00</td><td>54.00</td><td>-1.92</td><td>43.11</td><td>32.50</td><td>7.28</td><td>36.81</td><td>6.00</td><td>269</td><td>84 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.82	52.00	54.00	-1.92	43.11	32.50	7.28	36.81	6.00	269	84 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.84</td><td>-----</td><td>-----</td><td>99.00</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>269</td><td>84 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.84	-----	-----	99.00	32.43	7.22	36.89	6.00	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2499.82	52.00	54.00	-1.92	43.11	32.50	7.28	36.81	6.00	269	84 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	107.84	-----	-----	99.00	32.43	7.22	36.89	6.00	269	84 AVERAGE																																																																																										







Mode	3																																																																						
	Harmonic																																																																						
	2400-2483.5_802.11b_CH11_2462MHz																																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>67.09</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>64.10</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>100</td><td>212</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	47.42	74.00	-26.58	67.09	34.00	11.78	65.45	0.00	100	212	PEAK	2	4924.00	44.43	54.00	-9.57	64.10	34.00	11.78	65.45	0.00	100	212	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4924.00	47.42	74.00	-26.58	67.09	34.00	11.78	65.45	0.00	100	212	PEAK																																																											
2	4924.00	44.43	54.00	-9.57	64.10	34.00	11.78	65.45	0.00	100	212	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>63.74</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.07	74.00	-29.93	63.74	34.00	11.78	65.45	0.00	--	--	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4924.00	44.07	74.00	-29.93	63.74	34.00	11.78	65.45	0.00	--	--	PEAK																																																											





Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH1_2412MHz																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>62.49</td><td>74.00</td><td>-11.51</td><td>50.23</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>269 230 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	62.49	74.00	-11.51	50.23	32.20	7.11	37.05	10.00	269 230 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>115.19</td><td>-----</td><td>-----</td><td>102.73</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>269 230 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	115.19	-----	-----	102.73	32.33	7.14	37.01	10.00	269 230 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.82	62.49	74.00	-11.51	50.23	32.20	7.11	37.05	10.00	269 230 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	115.19	-----	-----	102.73	32.33	7.14	37.01	10.00	269 230 PEAK																																																																																
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>35.39</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>269 230 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	47.63	54.00	-6.37	35.39	32.19	7.10	37.05	10.00	269 230 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.18</td><td>-----</td><td>-----</td><td>93.73</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>269 230 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.18	-----	-----	93.73	32.32	7.14	37.01	10.00	269 230 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.43	47.63	54.00	-6.37	35.39	32.19	7.10	37.05	10.00	269 230 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	106.18	-----	-----	93.73	32.32	7.14	37.01	10.00	269 230 AVERAGE																																																																																







Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH1_2412MHz																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>67.79</td><td>74.00</td><td>-6.21</td><td>55.55</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>185 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	67.79	74.00	-6.21	55.55	32.19	7.10	37.05	10.00	185 360 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>119.56</td><td>-----</td><td>-----</td><td>107.11</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>185 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	119.56	-----	-----	107.11	32.32	7.14	37.01	10.00	185 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2388.91	67.79	74.00	-6.21	55.55	32.19	7.10	37.05	10.00	185 360 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	119.56	-----	-----	107.11	32.32	7.14	37.01	10.00	185 360 PEAK																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>52.35</td><td>54.00</td><td>-1.65</td><td>40.13</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>185 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	52.35	54.00	-1.65	40.13	32.17	7.10	37.05	10.00	185 360 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.20</td><td>-----</td><td>-----</td><td>98.75</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>185 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.20	-----	-----	98.75	32.32	7.14	37.01	10.00	185 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2387.22	52.35	54.00	-1.65	40.13	32.17	7.10	37.05	10.00	185 360 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	111.20	-----	-----	98.75	32.32	7.14	37.01	10.00	185 360 AVERAGE																																																																																





Mode	4																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																																													
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>78.79</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>293</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>68.05</td><td>34.15</td><td>11.58</td><td>65.95</td><td>0.00</td><td>293</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	58.58	74.00	-15.42	78.79	34.15	11.58	65.94	0.00	293	305	PEAK	2	4824.00	47.83	54.00	-6.17	68.05	34.15	11.58	65.95	0.00	293	305	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4825.00</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>77.28</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>196</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4825.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>64.78</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>196</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4825.00	57.07	74.00	-16.93	77.28	34.15	11.58	65.94	0.00	196	0	PEAK	2	4825.00	44.57	54.00	-9.43	64.78	34.15	11.58	65.94	0.00	196	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4824.00	58.58	74.00	-15.42	78.79	34.15	11.58	65.94	0.00	293	305	PEAK																																																																																																																		
2	4824.00	47.83	54.00	-6.17	68.05	34.15	11.58	65.95	0.00	293	305	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4825.00	57.07	74.00	-16.93	77.28	34.15	11.58	65.94	0.00	196	0	PEAK																																																																																																																		
2	4825.00	44.57	54.00	-9.43	64.78	34.15	11.58	65.94	0.00	196	0	AVERAGE																																																																																																																		







	5																																																																																																		
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.44</td><td>61.98</td><td>74.00</td><td>-12.02</td><td>50.08</td><td>31.90</td><td>7.06</td><td>37.06</td><td>10.00</td><td>219 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.44	61.98	74.00	-12.02	50.08	31.90	7.06	37.06	10.00	219 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>119.24</td><td>-----</td><td>-----</td><td>106.62</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>219 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	119.24	-----	-----	106.62	32.38	7.19	36.95	10.00	219 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2360.44	61.98	74.00	-12.02	50.08	31.90	7.06	37.06	10.00	219 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	119.24	-----	-----	106.62	32.38	7.19	36.95	10.00	219 360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.84</td><td>50.85</td><td>54.00</td><td>-3.15</td><td>38.97</td><td>31.88</td><td>7.06</td><td>37.06</td><td>10.00</td><td>219 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.84	50.85	54.00	-3.15	38.97	31.88	7.06	37.06	10.00	219 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>110.21</td><td>-----</td><td>-----</td><td>97.60</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>219 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.21	-----	-----	97.60	32.38	7.18	36.95	10.00	219 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2357.84	50.85	54.00	-3.15	38.97	31.88	7.06	37.06	10.00	219 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	110.21	-----	-----	97.60	32.38	7.18	36.95	10.00	219 360 AVERAGE																																																																																									





Mode	5																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11g_CH6_2437MHz																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.06</td><td>61.04</td><td>74.00</td><td>-12.96</td><td>48.09</td><td>32.49</td><td>7.28</td><td>36.82</td><td>10.00</td><td>219 360 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.06	61.04	74.00	-12.96	48.09	32.49	7.28	36.82	10.00	219 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2497.06	61.04	74.00	-12.96	48.09	32.49	7.28	36.82	10.00	219 360 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.46</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>35.61</td><td>32.49</td><td>7.28</td><td>36.82</td><td>10.00</td><td>219 360 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.46	48.56	54.00	-5.44	35.61	32.49	7.28	36.82	10.00	219 360 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2496.46	48.56	54.00	-5.44	35.61	32.49	7.28	36.82	10.00	219 360 AVERAGE																																													





		5																																																																																										
Mode		Band Edge - L																																																																																										
		2400-2483.5_802.11g_CH6_2437MHz																																																																																										
ANT		Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.52	68.27	74.00	-5.73	56.03	32.19	7.10	37.05	10.00	134 152 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>126.66</td><td>-----</td><td>-----</td><td>114.04</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>134 152 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	126.66	-----	-----	114.04	32.38	7.19	36.95	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2388.52	68.27	74.00	-5.73	56.03	32.19	7.10	37.05	10.00	134 152 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2437.00	126.66	-----	-----	114.04	32.38	7.19	36.95	10.00	134 152 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.78	52.89	54.00	-1.11	40.65	32.19	7.10	37.05	10.00	134 152 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.36</td><td>-----</td><td>-----</td><td>104.75</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>134 152 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	117.36	-----	-----	104.75	32.38	7.18	36.95	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2388.78	52.89	54.00	-1.11	40.65	32.19	7.10	37.05	10.00	134 152 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	2437.00	117.36	-----	-----	104.75	32.38	7.18	36.95	10.00	134 152 AVERAGE																																																																																		







Mode	5																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11g_CH6_2437MHz																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>67.68</td><td>74.00</td><td>-6.32</td><td>54.80</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>134</td><td>152 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	67.68	74.00	-6.32	54.80
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2483.50	67.68	74.00	-6.32	54.80	32.47	7.26	36.85	10.00	134	152 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2312.47</td><td>53.10</td><td>54.00</td><td>-0.90</td><td>41.77</td><td>31.42</td><td>6.99</td><td>37.08</td><td>10.00</td><td>134</td><td>152 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2312.47	53.10	54.00	-0.90	41.77
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2312.47	53.10	54.00	-0.90	41.77	31.42	6.99	37.08	10.00	134	152 AVERAGE																																								







Mode	5																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																								
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																																																																																																																																																								
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																																																									
	<table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4876.00</td><td>61.98</td><td>74.00</td><td>-12.02</td><td>82.02</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>205</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4876.00</td><td>51.98</td><td>54.00</td><td>-2.02</td><td>72.02</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>205</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7315.00</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>78.78</td><td>35.77</td><td>14.49</td><td>65.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>7315.00</td><td>53.23</td><td>54.00</td><td>-0.77</td><td>68.15</td><td>35.77</td><td>14.49</td><td>65.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.00</td><td>69.02</td><td>97.63</td><td>-28.61</td><td>81.50</td><td>36.89</td><td>16.86</td><td>66.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>64.20</td><td>74.00</td><td>-9.80</td><td>71.25</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>124</td><td>PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>55.66</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>124</td><td>AVERAGE</td></tr></table>						Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4876.00	61.98	74.00	-12.02	82.02	34.15	11.68	65.87	0.00	205	360	PEAK	2	4876.00	51.98	54.00	-2.02	72.02	34.15	11.68	65.87	0.00	205	360	AVERAGE	3	7315.00	63.86	74.00	-10.14	78.78	35.77	14.49	65.18	0.00	100	360	PEAK	4	7315.00	53.23	54.00	-0.77	68.15	35.77	14.49	65.18	0.00	100	360	AVERAGE	5	9748.00	69.02	97.63	-28.61	81.50	36.89	16.86	66.23	0.00	--	--	PEAK	6	12185.00	64.20	74.00	-9.80	71.25	38.70	19.14	64.89	0.00	100	124	PEAK	7	12185.00	48.61	54.00	-5.39	55.66	38.70	19.14	64.89	0.00	100	124	AVERAGE	<table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4873.00</td><td>61.58</td><td>74.00</td><td>-12.42</td><td>81.62</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>300</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>4873.00</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>72.10</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>300</td><td>316</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>73.94</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>294</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>47.32</td><td>54.00</td><td>-6.68</td><td>62.25</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>294</td><td>112</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.00</td><td>59.61</td><td>92.42</td><td>-32.81</td><td>72.09</td><td>36.89</td><td>16.86</td><td>66.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12184.00</td><td>61.29</td><td>74.00</td><td>-12.71</td><td>68.34</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>300</td><td>16</td><td>PEAK</td></tr><tr><td>7</td><td>12184.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>52.61</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>300</td><td>16</td><td>AVERAGE</td></tr></table>						Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4873.00	61.58	74.00	-12.42	81.62	34.15	11.68	65.87	0.00	300	316	PEAK	2	4873.00	52.06	54.00	-1.94	72.10	34.15	11.68	65.87	0.00	300	316	AVERAGE	3	7311.00	59.03	74.00	-14.97	73.94	35.78	14.48	65.17	0.00	294	112	PEAK	4	7311.00	47.32	54.00	-6.68	62.25	35.77	14.48	65.18	0.00	294	112	AVERAGE	5	9748.00	59.61	92.42	-32.81	72.09	36.89	16.86	66.23	0.00	--	--	PEAK	6	12184.00	61.29	74.00	-12.71	68.34	38.70	19.14	64.89	0.00	300	16	PEAK	7	12184.00	45.56	54.00	-8.44	52.61	38.70	19.14	64.89	0.00	300	16
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																	
1	4876.00	61.98	74.00	-12.02	82.02	34.15	11.68	65.87	0.00	205	360	PEAK																																																																																																																																																																																																																													
2	4876.00	51.98	54.00	-2.02	72.02	34.15	11.68	65.87	0.00	205	360	AVERAGE																																																																																																																																																																																																																													
3	7315.00	63.86	74.00	-10.14	78.78	35.77	14.49	65.18	0.00	100	360	PEAK																																																																																																																																																																																																																													
4	7315.00	53.23	54.00	-0.77	68.15	35.77	14.49	65.18	0.00	100	360	AVERAGE																																																																																																																																																																																																																													
5	9748.00	69.02	97.63	-28.61	81.50	36.89	16.86	66.23	0.00	--	--	PEAK																																																																																																																																																																																																																													
6	12185.00	64.20	74.00	-9.80	71.25	38.70	19.14	64.89	0.00	100	124	PEAK																																																																																																																																																																																																																													
7	12185.00	48.61	54.00	-5.39	55.66	38.70	19.14	64.89	0.00	100	124	AVERAGE																																																																																																																																																																																																																													
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																	
1	4873.00	61.58	74.00	-12.42	81.62	34.15	11.68	65.87	0.00	300	316	PEAK																																																																																																																																																																																																																													
2	4873.00	52.06	54.00	-1.94	72.10	34.15	11.68	65.87	0.00	300	316	AVERAGE																																																																																																																																																																																																																													
3	7311.00	59.03	74.00	-14.97	73.94	35.78	14.48	65.17	0.00	294	112	PEAK																																																																																																																																																																																																																													
4	7311.00	47.32	54.00	-6.68	62.25	35.77	14.48	65.18	0.00	294	112	AVERAGE																																																																																																																																																																																																																													
5	9748.00	59.61	92.42	-32.81	72.09	36.89	16.86	66.23	0.00	--	--	PEAK																																																																																																																																																																																																																													
6	12184.00	61.29	74.00	-12.71	68.34	38.70	19.14	64.89	0.00	300	16	PEAK																																																																																																																																																																																																																													
7	12184.00	45.56	54.00	-8.44	52.61	38.70	19.14	64.89	0.00	300	16	AVERAGE																																																																																																																																																																																																																													





	6																																																																																																					
Mode	Band Edge - L																																																																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>60.89</td><td>74.00</td><td>-13.11</td><td>48.01</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>211</td><td>243 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.40	60.89	74.00	-13.11	48.01	32.47	7.26	36.85	10.00	211	243 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.90</td><td>-----</td><td>-----</td><td>101.16</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>211</td><td>243 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	113.90	-----	-----	101.16	32.42	7.22	36.90	10.00	211
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2484.40	60.89	74.00	-13.11	48.01	32.47	7.26	36.85	10.00	211	243 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2462.00	113.90	-----	-----	101.16	32.42	7.22	36.90	10.00	211	243 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>34.61</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>211</td><td>243 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	47.49	54.00	-6.51	34.61	32.47	7.26	36.85	10.00	211	243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.25</td><td>-----</td><td>-----</td><td>92.51</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>211</td><td>243 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	105.25	-----	-----	92.51	32.42	7.22	36.90	10.00	211
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2483.56	47.49	54.00	-6.51	34.61	32.47	7.26	36.85	10.00	211	243 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2462.00	105.25	-----	-----	92.51	32.42	7.22	36.90	10.00	211	243 AVERAGE																																																																																											







	6																																																																																																								
Mode	Band Edge - L																																																																																																								
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																								
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.26</td><td>66.29</td><td>74.00</td><td>-7.71</td><td>53.40</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>100</td><td>160</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.26	66.29	74.00	-7.71	53.40	32.47	7.26	36.84	10.00	100	160	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>118.70</td><td>-----</td><td>-----</td><td>105.93</td><td>32.43</td><td>7.23</td><td>36.89</td><td>10.00</td><td>100</td><td>160</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	118.70	-----	-----	105.93	32.43	7.23	36.89	10.00	100	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2486.26	66.29	74.00	-7.71	53.40	32.47	7.26	36.84	10.00	100	160	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2462.00	118.70	-----	-----	105.93	32.43	7.23	36.89	10.00	100	160	PEAK																																																																																													
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>53.22</td><td>54.00</td><td>-0.78</td><td>40.33</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.48	53.22	54.00	-0.78	40.33	32.47	7.26	36.84	10.00	100	160	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>118.51</td><td>-----</td><td>-----</td><td>97.77</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	118.51	-----	-----	97.77	32.42	7.22	36.90	10.00	100	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2485.48	53.22	54.00	-0.78	40.33	32.47	7.26	36.84	10.00	100	160	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2462.00	118.51	-----	-----	97.77	32.42	7.22	36.90	10.00	100	160	AVERAGE																																																																																													







Mode	6																																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																																										
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																																																																																																										
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																																																										
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4921.00</td><td>61.34</td><td>74.00</td><td>-12.66</td><td></td><td>81.35</td><td>34.02</td><td>11.77</td><td>65.00</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>4921.00</td><td>51.48</td><td>54.00</td><td>-2.52</td><td></td><td>71.49</td><td>34.02</td><td>11.77</td><td>65.00</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr><tr><td>3</td><td>7390.00</td><td>64.34</td><td>74.00</td><td>-9.66</td><td></td><td>79.38</td><td>35.78</td><td>14.59</td><td>65.41</td><td>0.00</td><td>300</td><td>98</td><td>PEAK</td></tr><tr><td>4</td><td>7390.00</td><td>52.50</td><td>54.00</td><td>-1.50</td><td></td><td>67.54</td><td>35.78</td><td>14.59</td><td>65.41</td><td>0.00</td><td>300</td><td>98</td><td>AVERAGE</td></tr><tr><td>5</td><td>9844.00</td><td>62.41</td><td>90.18</td><td>-27.77</td><td></td><td>74.54</td><td>36.99</td><td>16.97</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12310.00</td><td>64.20</td><td>74.00</td><td>-9.80</td><td></td><td>70.94</td><td>38.09</td><td>19.22</td><td>64.85</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>7</td><td>12310.00</td><td>49.40</td><td>54.00</td><td>-4.60</td><td></td><td>56.15</td><td>38.09</td><td>19.21</td><td>64.85</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4921.00	61.34	74.00	-12.66		81.35	34.02	11.77	65.00	0.00	100	171	PEAK	2	4921.00	51.48	54.00	-2.52		71.49	34.02	11.77	65.00	0.00	100	171	AVERAGE	3	7390.00	64.34	74.00	-9.66		79.38	35.78	14.59	65.41	0.00	300	98	PEAK	4	7390.00	52.50	54.00	-1.50		67.54	35.78	14.59	65.41	0.00	300	98	AVERAGE	5	9844.00	62.41	90.18	-27.77		74.54	36.99	16.97	66.09	0.00	--	--	PEAK	6	12310.00	64.20	74.00	-9.80		70.94	38.09	19.22	64.85	0.00	100	147	PEAK	7	12310.00	49.40	54.00	-4.60		56.15	38.09	19.21	64.85	0.00	100	147	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>60.98</td><td>74.00</td><td>-13.02</td><td></td><td>81.00</td><td>34.00</td><td>11.78</td><td>65.00</td><td>0.00</td><td>300</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.80</td><td>54.00</td><td>-3.20</td><td></td><td>70.82</td><td>34.00</td><td>11.78</td><td>65.00</td><td>0.00</td><td>300</td><td>309</td><td>AVERAGE</td></tr><tr><td>3</td><td>7389.00</td><td>58.92</td><td>74.00</td><td>-15.08</td><td></td><td>73.96</td><td>35.78</td><td>14.59</td><td>65.41</td><td>0.00</td><td>300</td><td>107</td><td>PEAK</td></tr><tr><td>4</td><td>7389.00</td><td>46.72</td><td>54.00</td><td>-7.28</td><td></td><td>61.76</td><td>35.78</td><td>14.59</td><td>65.41</td><td>0.00</td><td>300</td><td>107</td><td>AVERAGE</td></tr><tr><td>5</td><td>9846.00</td><td>57.53</td><td>85.17</td><td>-27.64</td><td></td><td>69.66</td><td>36.99</td><td>16.97</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12310.00</td><td>62.61</td><td>74.00</td><td>-11.39</td><td></td><td>69.35</td><td>38.09</td><td>19.22</td><td>64.85</td><td>0.00</td><td>316</td><td>12</td><td>PEAK</td></tr><tr><td>7</td><td>12310.00</td><td>47.45</td><td>54.00</td><td>-6.55</td><td></td><td>54.19</td><td>38.09</td><td>19.22</td><td>64.85</td><td>0.00</td><td>316</td><td>12</td><td>AVERAGE</td></tr></tbody></table>			Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	60.98	74.00	-13.02		81.00	34.00	11.78	65.00	0.00	300	309	PEAK	2	4924.00	50.80	54.00	-3.20		70.82	34.00	11.78	65.00	0.00	300	309	AVERAGE	3	7389.00	58.92	74.00	-15.08		73.96	35.78	14.59	65.41	0.00	300	107	PEAK	4	7389.00	46.72	54.00	-7.28		61.76	35.78	14.59	65.41	0.00	300	107	AVERAGE	5	9846.00	57.53	85.17	-27.64		69.66	36.99	16.97	66.09	0.00	--	--	PEAK	6	12310.00	62.61	74.00	-11.39		69.35	38.09	19.22	64.85	0.00	316	12	PEAK	7	12310.00	47.45	54.00	-6.55		54.19	38.09	19.22	64.85	0.00	316	12
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	4921.00	61.34	74.00	-12.66		81.35	34.02	11.77	65.00	0.00	100	171	PEAK																																																																																																																																																																																																																																																														
2	4921.00	51.48	54.00	-2.52		71.49	34.02	11.77	65.00	0.00	100	171	AVERAGE																																																																																																																																																																																																																																																														
3	7390.00	64.34	74.00	-9.66		79.38	35.78	14.59	65.41	0.00	300	98	PEAK																																																																																																																																																																																																																																																														
4	7390.00	52.50	54.00	-1.50		67.54	35.78	14.59	65.41	0.00	300	98	AVERAGE																																																																																																																																																																																																																																																														
5	9844.00	62.41	90.18	-27.77		74.54	36.99	16.97	66.09	0.00	--	--	PEAK																																																																																																																																																																																																																																																														
6	12310.00	64.20	74.00	-9.80		70.94	38.09	19.22	64.85	0.00	100	147	PEAK																																																																																																																																																																																																																																																														
7	12310.00	49.40	54.00	-4.60		56.15	38.09	19.21	64.85	0.00	100	147	AVERAGE																																																																																																																																																																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	4924.00	60.98	74.00	-13.02		81.00	34.00	11.78	65.00	0.00	300	309	PEAK																																																																																																																																																																																																																																																														
2	4924.00	50.80	54.00	-3.20		70.82	34.00	11.78	65.00	0.00	300	309	AVERAGE																																																																																																																																																																																																																																																														
3	7389.00	58.92	74.00	-15.08		73.96	35.78	14.59	65.41	0.00	300	107	PEAK																																																																																																																																																																																																																																																														
4	7389.00	46.72	54.00	-7.28		61.76	35.78	14.59	65.41	0.00	300	107	AVERAGE																																																																																																																																																																																																																																																														
5	9846.00	57.53	85.17	-27.64		69.66	36.99	16.97	66.09	0.00	--	--	PEAK																																																																																																																																																																																																																																																														
6	12310.00	62.61	74.00	-11.39		69.35	38.09	19.22	64.85	0.00	316	12	PEAK																																																																																																																																																																																																																																																														
7	12310.00	47.45	54.00	-6.55		54.19	38.09	19.22	64.85	0.00	316	12	AVERAGE																																																																																																																																																																																																																																																														





	7																																																																																																		
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>59.02</td><td>74.00</td><td>-14.98</td><td>46.79</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>227 31 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	59.02	74.00	-14.98	46.79	32.18	7.10	37.05	10.00	227 31 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>114.18</td><td>-----</td><td>-----</td><td>101.70</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>227 31 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.18	-----	-----	101.70	32.33	7.15	37.00	10.00	227 31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.74	59.02	74.00	-14.98	46.79	32.18	7.10	37.05	10.00	227 31 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	114.18	-----	-----	101.70	32.33	7.15	37.00	10.00	227 31 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>35.76</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>227 31 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.02	54.00	-5.98	35.76	32.20	7.11	37.05	10.00	227 31 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.59</td><td>-----</td><td>-----</td><td>91.13</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>227 31 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.59	-----	-----	91.13	32.33	7.14	37.01	10.00	227 31 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	48.02	54.00	-5.98	35.76	32.20	7.11	37.05	10.00	227 31 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	103.59	-----	-----	91.13	32.33	7.14	37.01	10.00	227 31 AVERAGE																																																																																									







Mode	7																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																											
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>64.98</td><td>74.00</td><td>-9.02</td><td>52.72</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>156</td><td>145 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	64.98	74.00	-9.02	52.72	32.20	7.11	37.05	10.00	156	145 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>118.50</td><td>-----</td><td>-----</td><td>106.04</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>156</td><td>145 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.50	-----	-----	106.04	32.33	7.14	37.01	10.00	156	145 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.95	64.98	74.00	-9.02	52.72	32.20	7.11	37.05	10.00	156	145 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	118.50	-----	-----	106.04	32.33	7.14	37.01	10.00	156	145 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>53.82</td><td>54.00</td><td>-0.18</td><td>41.56</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>156</td><td>145 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.82	54.00	-0.18	41.56	32.20	7.11	37.05	10.00	156	145 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.47</td><td>-----</td><td>-----</td><td>97.02</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>156</td><td>145 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.47	-----	-----	97.02	32.32	7.14	37.01	10.00	156	145 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.95	53.82	54.00	-0.18	41.56	32.20	7.11	37.05	10.00	156	145 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	109.47	-----	-----	97.02	32.32	7.14	37.01	10.00	156	145 AVERAGE																																																																																	



Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																																													
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>76.02</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>41.27</td><td>54.00</td><td>-12.73</td><td>61.48</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	55.81	74.00	-18.19	76.02	34.15	11.58	65.94	0.00	100	244	PEAK	2	4824.00	41.27	54.00	-12.73	61.48	34.15	11.58	65.94	0.00	100	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>73.53</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>39.74</td><td>54.00</td><td>-14.26</td><td>59.95</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	53.32	74.00	-20.68	73.53	34.15	11.58	65.94	0.00	100	279	PEAK	2	4824.00	39.74	54.00	-14.26	59.95	34.15	11.58	65.94	0.00	100	279	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4824.00	55.81	74.00	-18.19	76.02	34.15	11.58	65.94	0.00	100	244	PEAK																																																																																																																		
2	4824.00	41.27	54.00	-12.73	61.48	34.15	11.58	65.94	0.00	100	244	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4824.00	53.32	74.00	-20.68	73.53	34.15	11.58	65.94	0.00	100	279	PEAK																																																																																																																		
2	4824.00	39.74	54.00	-14.26	59.95	34.15	11.58	65.94	0.00	100	279	AVERAGE																																																																																																																		







	8																																																																																																	
Mode	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2346.14</td><td>61.09</td><td>74.00</td><td>-12.91</td><td>49.36</td><td>31.76</td><td>7.04</td><td>37.07</td><td>10.00</td><td>220</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2346.14	61.09	74.00	-12.91	49.36	31.76	7.04	37.07	10.00	220	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.71</td><td>-----</td><td>-----</td><td>105.10</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>220</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	117.71	-----	-----	105.10	32.38	7.18	36.95	10.00	220	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2346.14	61.09	74.00	-12.91	49.36	31.76	7.04	37.07	10.00	220	0 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2437.00	117.71	-----	-----	105.10	32.38	7.18	36.95	10.00	220	0 PEAK																																																																																							
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2316.63</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>37.82</td><td>31.47</td><td>6.99</td><td>37.08</td><td>10.00</td><td>220</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2316.63	49.20	54.00	-4.80	37.82	31.47	6.99	37.08	10.00	220	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>108.58</td><td>-----</td><td>-----</td><td>95.99</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>220</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	108.58	-----	-----	95.99	32.37	7.18	36.96	10.00	220
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2316.63	49.20	54.00	-4.80	37.82	31.47	6.99	37.08	10.00	220	0 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	2437.00	108.58	-----	-----	95.99	32.37	7.18	36.96	10.00	220	0 AVERAGE																																																																																							





Mode	8										
	Band Edge - R										
	2400-2483.5_802.11ax HE20_CH6_2437MHz										
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





		8																																																																																										
Mode		Band Edge - L																																																																																										
		2400-2483.5_802.11ax HE20_CH6_2437MHz																																																																																										
ANT		Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2356.54	65.74	74.00	-8.26	53.88	31.87	7.05	37.06	10.00	300 78 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>124.75</td><td>-----</td><td>-----</td><td>112.16</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>300 78 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	124.75	-----	-----	112.16	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2356.54	65.74	74.00	-8.26	53.88	31.87	7.05	37.06	10.00	300 78 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	124.75	-----	-----	112.16	32.37	7.18	36.96	10.00	300 78 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.74	53.55	54.00	-0.45	41.63	31.92	7.06	37.06	10.00	300 78 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>113.52</td><td>-----</td><td>-----</td><td>100.93</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>300 78 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	113.52	-----	-----	100.93	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2361.74	53.55	54.00	-0.45	41.63	31.92	7.06	37.06	10.00	300 78 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	113.52	-----	-----	100.93	32.37	7.18	36.96	10.00	300 78 AVERAGE																																																																																		







Mode	8																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.62</td><td>65.18</td><td>74.00</td><td>-8.82</td><td>52.29</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>300</td><td>78 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.62	65.18	74.00	-8.82	52.29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2486.62	65.18	74.00	-8.82	52.29	32.47	7.26	36.84	10.00	300	78 PEAK																																							
Avg							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>53.57</td><td>54.00</td><td>-0.43</td><td>40.69</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>300</td><td>78 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	53.57	54.00	-0.43	40.69
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2484.34	53.57	54.00	-0.43	40.69	32.47	7.26	36.85	10.00	300	78 AVERAGE																																							



Mode	8																																																																																																																																																		
	Harmonic																																																																																																																																																		
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																																																																																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																		
Pol.	Horizontal												Vertical																																																																																																																																						
Peak Avg																																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>4870.00</td><td>60.76</td><td>74.00</td><td>-13.24</td><td>80.81</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>100</td><td>178</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>4870.00</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>70.29</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>100</td><td>178</td><td colspan="3">AVERAGE</td></tr><tr><td>3</td><td>7314.00</td><td>65.08</td><td>74.00</td><td>-8.92</td><td>80.01</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>165</td><td>360</td><td colspan="3">PEAK</td></tr><tr><td>4</td><td>7314.00</td><td>53.63</td><td>54.00</td><td>-0.37</td><td>68.56</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>165</td><td>360</td><td colspan="3">AVERAGE</td></tr><tr><td>5</td><td>9745.00</td><td>65.41</td><td>96.59</td><td>-31.18</td><td>77.92</td><td>36.88</td><td>16.85</td><td>66.24</td><td>0.00</td><td>--</td><td>47</td><td colspan="3">PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>65.15</td><td>74.00</td><td>-8.85</td><td>72.20</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>127</td><td colspan="3">PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>51.10</td><td>54.00</td><td>-2.90</td><td>58.15</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>127</td><td colspan="3">AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	4870.00	60.76	74.00	-13.24	80.81	34.16	11.67	65.88	0.00	100	178	PEAK			2	4870.00	50.24	54.00	-3.76	70.29	34.16	11.67	65.88	0.00	100	178	AVERAGE			3	7314.00	65.08	74.00	-8.92	80.01	35.77	14.48	65.18	0.00	165	360	PEAK			4	7314.00	53.63	54.00	-0.37	68.56	35.77	14.48	65.18	0.00	165	360	AVERAGE			5	9745.00	65.41	96.59	-31.18	77.92	36.88	16.85	66.24	0.00	--	47	PEAK			6	12185.00	65.15	74.00	-8.85	72.20	38.70	19.14	64.89	0.00	100	127	PEAK			7	12185.00	51.10	54.00	-2.90	58.15	38.70	19.14	64.89	0.00	100	127	AVERAGE	
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	4870.00	60.76	74.00	-13.24	80.81	34.16	11.67	65.88	0.00	100	178	PEAK																																																																																																																																							
2	4870.00	50.24	54.00	-3.76	70.29	34.16	11.67	65.88	0.00	100	178	AVERAGE																																																																																																																																							
3	7314.00	65.08	74.00	-8.92	80.01	35.77	14.48	65.18	0.00	165	360	PEAK																																																																																																																																							
4	7314.00	53.63	54.00	-0.37	68.56	35.77	14.48	65.18	0.00	165	360	AVERAGE																																																																																																																																							
5	9745.00	65.41	96.59	-31.18	77.92	36.88	16.85	66.24	0.00	--	47	PEAK																																																																																																																																							
6	12185.00	65.15	74.00	-8.85	72.20	38.70	19.14	64.89	0.00	100	127	PEAK																																																																																																																																							
7	12185.00	51.10	54.00	-2.90	58.15	38.70	19.14	64.89	0.00	100	127	AVERAGE																																																																																																																																							
Peak Avg																																																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>4869.00</td><td>61.65</td><td>74.00</td><td>-12.35</td><td>81.70</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>300</td><td>298</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>4869.00</td><td>50.43</td><td>54.00</td><td>-3.57</td><td>70.48</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>300</td><td>298</td><td colspan="3">AVERAGE</td></tr><tr><td>3</td><td>7308.00</td><td>58.65</td><td>74.00</td><td>-15.35</td><td>73.55</td><td>35.78</td><td>14.48</td><td>65.16</td><td>0.00</td><td>300</td><td>65</td><td colspan="3">PEAK</td></tr><tr><td>4</td><td>7308.00</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>62.58</td><td>35.78</td><td>14.48</td><td>65.16</td><td>0.00</td><td>300</td><td>65</td><td colspan="3">AVERAGE</td></tr><tr><td>5</td><td>9733.00</td><td>58.51</td><td>90.25</td><td>-31.74</td><td>71.09</td><td>36.83</td><td>16.84</td><td>66.25</td><td>0.00</td><td>--</td><td>--</td><td colspan="3">PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>60.00</td><td>74.00</td><td>-13.20</td><td>67.85</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>300</td><td>16</td><td colspan="3">PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>54.72</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>300</td><td>16</td><td colspan="3">AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	4869.00	61.65	74.00	-12.35	81.70	34.16	11.67	65.88	0.00	300	298	PEAK			2	4869.00	50.43	54.00	-3.57	70.48	34.16	11.67	65.88	0.00	300	298	AVERAGE			3	7308.00	58.65	74.00	-15.35	73.55	35.78	14.48	65.16	0.00	300	65	PEAK			4	7308.00	47.68	54.00	-6.32	62.58	35.78	14.48	65.16	0.00	300	65	AVERAGE			5	9733.00	58.51	90.25	-31.74	71.09	36.83	16.84	66.25	0.00	--	--	PEAK			6	12185.00	60.00	74.00	-13.20	67.85	38.70	19.14	64.89	0.00	300	16	PEAK			7	12185.00	47.67	54.00	-6.33	54.72	38.70	19.14	64.89	0.00	300	16	AVERAGE	
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	4869.00	61.65	74.00	-12.35	81.70	34.16	11.67	65.88	0.00	300	298	PEAK																																																																																																																																							
2	4869.00	50.43	54.00	-3.57	70.48	34.16	11.67	65.88	0.00	300	298	AVERAGE																																																																																																																																							
3	7308.00	58.65	74.00	-15.35	73.55	35.78	14.48	65.16	0.00	300	65	PEAK																																																																																																																																							
4	7308.00	47.68	54.00	-6.32	62.58	35.78	14.48	65.16	0.00	300	65	AVERAGE																																																																																																																																							
5	9733.00	58.51	90.25	-31.74	71.09	36.83	16.84	66.25	0.00	--	--	PEAK																																																																																																																																							
6	12185.00	60.00	74.00	-13.20	67.85	38.70	19.14	64.89	0.00	300	16	PEAK																																																																																																																																							
7	12185.00	47.67	54.00	-6.33	54.72	38.70	19.14	64.89	0.00	300	16	AVERAGE																																																																																																																																							





Mode	9																																																									
	Band Edge - L																																																									
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																									
Pol.	Horizontal						Fundamental																																																			
Peak																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>65.08</td><td>74.00</td><td>-8.92</td><td>52.20</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>272</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.34	65.08	74.00	-8.92	52.20	32.47	7.26	36.85	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2484.34	65.08	74.00	-8.92	52.20	32.47	7.26	36.85	10.00	272	360	PEAK																																														
Fundamental																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.41</td><td>-----</td><td>-----</td><td>99.65</td><td>32.43</td><td>7.22</td><td>36.89</td><td>10.00</td><td>272</td><td>360</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	112.41	-----	-----	99.65	32.43	7.22	36.89	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2462.00	112.41	-----	-----	99.65	32.43	7.22	36.89	10.00	272	360	PEAK																																														
Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>48.22</td><td>54.00</td><td>-5.78</td><td>35.34</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>272</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.00	48.22	54.00	-5.78	35.34	32.47	7.26	36.85	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2485.00	48.22	54.00	-5.78	35.34	32.47	7.26	36.85	10.00	272	360	AVERAGE																																														
Fundamental																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.42</td><td>-----</td><td>-----</td><td>89.68</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>272</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.42	-----	-----	89.68	32.42	7.22	36.90	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2462.00	102.42	-----	-----	89.68	32.42	7.22	36.90	10.00	272	360	AVERAGE																																														







Mode	9																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.94</td><td>67.35</td><td>74.00</td><td>-6.65</td><td>54.47</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>151 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.94	67.35	74.00	-6.65	54.47	32.47	7.26	36.85	10.00	151 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>118.43</td><td>-----</td><td>-----</td><td>105.67</td><td>32.43</td><td>7.22</td><td>36.89</td><td>10.00</td><td>151 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	118.43	-----	-----	105.67	32.43	7.22	36.89	10.00	151 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.94	67.35	74.00	-6.65	54.47	32.47	7.26	36.85	10.00	151 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	118.43	-----	-----	105.67	32.43	7.22	36.89	10.00	151 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>40.00</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>151 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.88	54.00	-1.12	40.00	32.47	7.26	36.85	10.00	151 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>108.51</td><td>-----</td><td>-----</td><td>95.75</td><td>32.43</td><td>7.22</td><td>36.89</td><td>10.00</td><td>151 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.51	-----	-----	95.75	32.43	7.22	36.89	10.00	151 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	52.88	54.00	-1.12	40.00	32.47	7.26	36.85	10.00	151 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	108.51	-----	-----	95.75	32.43	7.22	36.89	10.00	151 AVERAGE																																																																																





Mode	9																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																										
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>75.63</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>314</td><td>126</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>64.38</td><td>34.01</td><td>11.77</td><td>65.80</td><td>0.00</td><td>314</td><td>126</td><td>AVERAGE</td></tr><tr><td>3</td><td>7383.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>63.85</td><td>35.77</td><td>14.58</td><td>65.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	55.61	74.00	-18.39	75.63	34.00	11.78	65.80	0.00	314	126	PEAK	2	4924.00	44.36	54.00	-9.64	64.38	34.01	11.77	65.80	0.00	314	126	AVERAGE	3	7383.00	48.81	74.00	-25.19	63.85	35.77	14.58	65.39	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>55.68</td><td>74.00</td><td>-18.32</td><td>75.70</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>287</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>64.29</td><td>34.01</td><td>11.77</td><td>65.80</td><td>0.00</td><td>287</td><td>307</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4924.00	55.68	74.00	-18.32	75.70	34.00	11.78	65.80	0.00	287	307	PEAK	2	4924.00	44.27	54.00	-9.73	64.29	34.01	11.77	65.80	0.00	287	307	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.00	55.61	74.00	-18.39	75.63	34.00	11.78	65.80	0.00	314	126	PEAK																																																																																																																															
2	4924.00	44.36	54.00	-9.64	64.38	34.01	11.77	65.80	0.00	314	126	AVERAGE																																																																																																																															
3	7383.00	48.81	74.00	-25.19	63.85	35.77	14.58	65.39	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	4924.00	55.68	74.00	-18.32	75.70	34.00	11.78	65.80	0.00	287	307	PEAK																																																																																																																															
2	4924.00	44.27	54.00	-9.73	64.29	34.01	11.77	65.80	0.00	287	307	AVERAGE																																																																																																																															







	10																																																																																																			
Mode	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																																																			
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.92</td><td>58.90</td><td>74.00</td><td>-15.10</td><td>46.69</td><td>32.16</td><td>7.10</td><td>37.05</td><td>10.00</td><td>268</td><td>238 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	58.90	74.00	-15.10	46.69	32.16	7.10	37.05	10.00	268	238 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>109.09</td><td>-----</td><td>-----</td><td>96.59</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>268</td><td>238 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	109.09	-----	-----	96.59	32.34	7.15	36.99	10.00	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2385.92	58.90	74.00	-15.10	46.69	32.16	7.10	37.05	10.00	268	238 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2422.00	109.09	-----	-----	96.59	32.34	7.15	36.99	10.00	268	238 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>34.27</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>268</td><td>238 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	46.51	54.00	-7.49	34.27	32.19	7.10	37.05	10.00	268	238 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>98.35</td><td>-----</td><td>-----</td><td>85.87</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>268</td><td>238 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	98.35	-----	-----	85.87	32.33	7.15	37.00	10.00	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.30	46.51	54.00	-7.49	34.27	32.19	7.10	37.05	10.00	268	238 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2422.00	98.35	-----	-----	85.87	32.33	7.15	37.00	10.00	268	238 AVERAGE																																																																																									




Mode	10																																																															
	Band Edge - R																																																															
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																															
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																															
Pol.	Horizontal										Fundamental																																																					
Peak											Blank																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.10</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>44.48</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>268</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>238 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.10	57.40	74.00	-16.60	44.48	32.48	7.27	36.83	10.00	268									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2490.10	57.40	74.00	-16.60	44.48	32.48	7.27	36.83	10.00	268																																																						
										238 PEAK																																																						
Avg											Blank																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.72</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>32.54</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>268</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>238 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.72	45.46	54.00	-8.54	32.54	32.48	7.27	36.83	10.00	268									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2491.72	45.46	54.00	-8.54	32.54	32.48	7.27	36.83	10.00	268																																																						
										238 AVERAGE																																																						





	10																																																																																																				
Mode	Band Edge - L																																																																																																				
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																																																				
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.00</td><td>64.80</td><td>74.00</td><td>-9.20</td><td>52.57</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>215</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.00	64.80	74.00	-9.20	52.57	32.18	7.10	37.05	10.00	215	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>113.35</td><td>-----</td><td>-----</td><td>100.84</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>215</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	113.35	-----	-----	100.84	32.34	7.16	36.99	10.00	215	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.00	64.80	74.00	-9.20	52.57	32.18	7.10	37.05	10.00	215	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2422.00	113.35	-----	-----	100.84	32.34	7.16	36.99	10.00	215	0 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.82</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>35.17</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>215</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.82	48.14	54.00	-5.86	35.17	32.50	7.28	36.81	10.00	215	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>103.45</td><td>-----</td><td>-----</td><td>90.94</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>215</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	103.45	-----	-----	90.94	32.34	7.16	36.99	10.00	215	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2499.82	48.14	54.00	-5.86	35.17	32.50	7.28	36.81	10.00	215	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2422.00	103.45	-----	-----	90.94	32.34	7.16	36.99	10.00	215	0 AVERAGE																																																																																										







Mode	10																																																								
	Band Edge - R																																																								
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																								
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>40.75</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>215</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	52.99	54.00	-1.01	40.75	32.19	7.10	37.05	10.00	215											0 Peak	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2389.17	52.99	54.00	-1.01	40.75	32.19	7.10	37.05	10.00	215																																															
										0 Peak																																															





Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>65.33</td><td>34.19</td><td>11.62</td><td>65.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>57.00</td><td>35.66</td><td>14.42</td><td>65.03</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	45.22	74.00	-28.78	65.33	34.19	11.62	65.92	0.00	--	PEAK	2	7266.00	42.13	74.00	-31.87	57.00	35.66	14.42	65.03	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>62.63</td><td>34.19</td><td>11.62</td><td>65.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>41.85</td><td>74.00</td><td>-32.15</td><td>56.00</td><td>35.66</td><td>14.42</td><td>65.03</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	42.52	74.00	-31.48	62.63	34.19	11.62	65.92	0.00	--	PEAK	2	7266.00	41.85	74.00	-32.15	56.00	35.66	14.42	65.03	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4844.00	45.22	74.00	-28.78	65.33	34.19	11.62	65.92	0.00	--	PEAK																																																																																																															
2	7266.00	42.13	74.00	-31.87	57.00	35.66	14.42	65.03	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4844.00	42.52	74.00	-31.48	62.63	34.19	11.62	65.92	0.00	--	PEAK																																																																																																															
2	7266.00	41.85	74.00	-32.15	56.00	35.66	14.42	65.03	0.00	--	PEAK																																																																																																															







	11																																																																																																	
Mode	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>61.14</td><td>74.00</td><td>-12.86</td><td>48.92</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>304 243 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	61.14	74.00	-12.86	48.92	32.17	7.10	37.05	10.00	304 243 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>111.26</td><td>-----</td><td>-----</td><td>98.70</td><td>32.36</td><td>7.17</td><td>36.97</td><td>10.00</td><td>304 243 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	111.26	-----	-----	98.70	32.36	7.17	36.97	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.22	61.14	74.00	-12.86	48.92	32.17	7.10	37.05	10.00	304 243 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	111.26	-----	-----	98.70	32.36	7.17	36.97	10.00	304 243 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>36.75</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>304 243 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	48.99	54.00	-5.01	36.75	32.19	7.10	37.05	10.00	304 243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>101.68</td><td>-----</td><td>-----</td><td>89.06</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>304 243 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	101.68	-----	-----	89.06	32.38	7.19	36.95	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.43	48.99	54.00	-5.01	36.75	32.19	7.10	37.05	10.00	304 243 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	101.68	-----	-----	89.06	32.38	7.19	36.95	10.00	304 243 AVERAGE																																																																																								





Mode	11																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>46.05</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>304</td><td>243 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.34	58.93	74.00	-15.07	46.05
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2484.34	58.93	74.00	-15.07	46.05	32.47	7.26	36.85	10.00	304	243 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.98</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>33.78</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>304</td><td>243 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.98	46.66	54.00	-7.34	33.78
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2483.98	46.66	54.00	-7.34	33.78	32.47	7.26	36.85	10.00	304	243 AVERAGE																																								





	11																																																					
Mode	Band Edge - L																																																					
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.13</td><td>63.78</td><td>74.00</td><td>-10.22</td><td>51.55</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>206 0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	63.78	74.00	-10.22	51.55	32.18	7.10	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2388.13	63.78	74.00	-10.22	51.55	32.18	7.10	37.05	10.00	206 0 PEAK																																												
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>117.23</td><td>-----</td><td>-----</td><td>104.70</td><td>32.35</td><td>7.16</td><td>36.98</td><td>10.00</td><td>206 0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.23	-----	-----	104.70	32.35	7.16	36.98	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2437.00	117.23	-----	-----	104.70	32.35	7.16	36.98	10.00	206 0 PEAK																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>53.16</td><td>54.00</td><td>-0.84</td><td>40.90</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>206 0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.16	54.00	-0.84	40.90	32.20	7.11	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	53.16	54.00	-0.84	40.90	32.20	7.11	37.05	10.00	206 0 AVERAGE																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>106.34</td><td>-----</td><td>-----</td><td>93.75</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>206 0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.34	-----	-----	93.75	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2437.00	106.34	-----	-----	93.75	32.37	7.18	36.96	10.00	206 0 AVERAGE																																												







Mode	11																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>67.80</td><td>74.00</td><td>-6.20</td><td>54.92</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>206</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.62	67.80	74.00	-6.20	54.92
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2483.62	67.80	74.00	-6.20	54.92	32.47	7.26	36.85	10.00	206	0 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>53.18</td><td>54.00</td><td>-0.82</td><td>40.29</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>206</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.48	53.18	54.00	-0.82	40.29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2485.48	53.18	54.00	-0.82	40.29	32.47	7.26	36.84	10.00	206	0 AVERAGE																																								





Mode	11																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																																																																																																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>4874.00</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>71.10</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>38.34</td><td>54.00</td><td>-15.66</td><td>58.38</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>63.27</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>100</td><td>234</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>35.06</td><td>54.00</td><td>-18.94</td><td>50.02</td><td>35.75</td><td>14.50</td><td>65.21</td><td>0.00</td><td>100</td><td>234</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	4874.00	51.06	74.00	-22.94	71.10	34.15	11.68	65.87	0.00	100	234	PEAK	2	4874.00	38.34	54.00	-15.66	58.38	34.15	11.68	65.87	0.00	100	234	AVERAGE	3	7311.00	48.36	74.00	-25.64	63.27	35.78	14.48	65.17	0.00	100	234	PEAK	4	7311.00	35.06	54.00	-18.94	50.02	35.75	14.50	65.21	0.00	100	234	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>70.43</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>310</td><td>94</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>36.28</td><td>54.00</td><td>-17.72</td><td>56.32</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>310</td><td>94</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>56.72</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB		1	4874.00	50.39	74.00	-23.61	70.43	34.15	11.68	65.87	0.00	310	94	PEAK	2	4874.00	36.28	54.00	-17.72	56.32	34.15	11.68	65.87	0.00	310	94	AVERAGE	3	7311.00	41.81	74.00	-32.19	56.72	35.78	14.48	65.17	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																															
1	4874.00	51.06	74.00	-22.94	71.10	34.15	11.68	65.87	0.00	100	234	PEAK																																																																																																																																																											
2	4874.00	38.34	54.00	-15.66	58.38	34.15	11.68	65.87	0.00	100	234	AVERAGE																																																																																																																																																											
3	7311.00	48.36	74.00	-25.64	63.27	35.78	14.48	65.17	0.00	100	234	PEAK																																																																																																																																																											
4	7311.00	35.06	54.00	-18.94	50.02	35.75	14.50	65.21	0.00	100	234	AVERAGE																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																																																																														
1	4874.00	50.39	74.00	-23.61	70.43	34.15	11.68	65.87	0.00	310	94	PEAK																																																																																																																																																											
2	4874.00	36.28	54.00	-17.72	56.32	34.15	11.68	65.87	0.00	310	94	AVERAGE																																																																																																																																																											
3	7311.00	41.81	74.00	-32.19	56.72	35.78	14.48	65.17	0.00	--	--	PEAK																																																																																																																																																											







Mode	12																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2381.89</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>45.27</td><td>32.12</td><td>7.09</td><td>37.05</td><td>10.00</td><td>244 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.89	57.43	74.00	-16.57	45.27	32.12	7.09	37.05	10.00	244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>106.96</td><td>-----</td><td>-----</td><td>94.27</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>244 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.96	-----	-----	94.27	32.40	7.21	36.92	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.89	57.43	74.00	-16.57	45.27	32.12	7.09	37.05	10.00	244 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	106.96	-----	-----	94.27	32.40	7.21	36.92	10.00	244 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2377.99</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>33.91</td><td>32.00</td><td>7.09</td><td>37.05</td><td>10.00</td><td>244 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.99	46.03	54.00	-7.97	33.91	32.00	7.09	37.05	10.00	244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2452.00</td><td>97.48</td><td>-----</td><td>-----</td><td>84.78</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	97.48	-----	-----	84.78	32.41	7.21	36.92	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2377.99	46.03	54.00	-7.97	33.91	32.00	7.09	37.05	10.00	244 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	97.48	-----	-----	84.78	32.41	7.21	36.92	10.00	244 AVERAGE																																																																																								





Mode	12																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																							
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>44.54</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>300</td><td>244 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	57.42	74.00	-16.58	44.54	32.47	7.26	36.85	10.00	300	244 PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.56	57.42	74.00	-16.58	44.54	32.47	7.26	36.85	10.00	300	244 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>34.33</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>300</td><td>244 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.21	54.00	-6.79	34.33	32.47	7.26	36.85	10.00	300	244 AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	47.21	54.00	-6.79	34.33	32.47	7.26	36.85	10.00	300	244 AVERAGE																																													





		12																																																																																																
Mode		Band Edge - L																																																																																																
		2400-2483.5_802.11ax HE40_CH9_2452MHz																																																																																																
ANT		Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																
Pol.		Vertical						Fundamental																																																																																										
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.67</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>49.09</td><td>32.13</td><td>7.09</td><td>37.05</td><td>10.00</td><td>224 156 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.67	61.26	74.00	-12.74	49.09	32.13	7.09	37.05	10.00	224 156 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>113.26</td><td>-----</td><td>-----</td><td>100.56</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>224 156 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	113.26	-----	-----	100.56	32.41	7.21	36.92	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2382.67	61.26	74.00	-12.74	49.09	32.13	7.09	37.05	10.00	224 156 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	113.26	-----	-----	100.56	32.41	7.21	36.92	10.00	224 156 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>36.75</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>224 156 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	48.99	54.00	-5.01	36.75	32.19	7.10	37.05	10.00	224 156 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>104.24</td><td>-----</td><td>-----</td><td>91.54</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>224 156 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	104.24	-----	-----	91.54	32.41	7.21	36.92	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.30	48.99	54.00	-5.01	36.75	32.19	7.10	37.05	10.00	224 156 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2452.00	104.24	-----	-----	91.54	32.41	7.21	36.92	10.00	224 156 AVERAGE																																																																																								







Mode	12																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																		
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																		
Pol.	Vertical						Fundamental																																												
Peak							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.92</td><td>65.48</td><td>74.00</td><td>-8.52</td><td>52.60</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>224</td><td>156 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.92	65.48	74.00	-8.52	52.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2483.92	65.48	74.00	-8.52	52.60	32.47	7.26	36.85	10.00	224	156 PEAK																																								
Avg							Blank																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>53.07</td><td>54.00</td><td>-0.93</td><td>40.19</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>224</td><td>156 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.80	53.07	54.00	-0.93	40.19
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2483.80	53.07	54.00	-0.93	40.19	32.47	7.26	36.85	10.00	224	156 AVERAGE																																								







Mode	12																																																																	
	Harmonic																																																																	
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>63.91</td><td>34.08</td><td>11.74</td><td>65.83</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>58.78</td><td>35.71</td><td>14.54</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4984.00	43.90	74.00	-30.10	63.91	34.08	11.74	65.83	0.00	--	PEAK	2	7356.00	43.72	74.00	-30.28	58.78	35.71	14.54	65.31	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4984.00	43.90	74.00	-30.10	63.91	34.08	11.74	65.83	0.00	--	PEAK																																																							
2	7356.00	43.72	74.00	-30.28	58.78	35.71	14.54	65.31	0.00	--	PEAK																																																							
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>42.11</td><td>74.00</td><td>-31.89</td><td>62.12</td><td>34.08</td><td>11.74</td><td>65.83</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>58.19</td><td>35.71</td><td>14.54</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4984.00	42.11	74.00	-31.89	62.12	34.08	11.74	65.83	0.00	--	PEAK	2	7356.00	43.13	74.00	-30.87	58.19	35.71	14.54	65.31	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4984.00	42.11	74.00	-31.89	62.12	34.08	11.74	65.83	0.00	--	PEAK																																																							
2	7356.00	43.13	74.00	-30.87	58.19	35.71	14.54	65.31	0.00	--	PEAK																																																							





		13																																																																																																	
Mode		Band Edge - L																																																																																																	
		2400-2483.5_802.11b_CH1_2412MHz																																																																																																	
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2375.91</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>46.72</td><td>32.06</td><td>7.08</td><td>37.05</td><td>6.00</td><td>100</td><td>261 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.91	54.81	74.00	-19.19	46.72	32.06	7.08	37.05	6.00	100	261 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.31</td><td>-----</td><td>-----</td><td>98.86</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>100</td><td>261 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.31	-----	-----	98.86	32.32	7.14	37.01	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2375.91	54.81	74.00	-19.19	46.72	32.06	7.08	37.05	6.00	100	261 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	107.31	-----	-----	98.86	32.32	7.14	37.01	6.00	100	261 PEAK																																																																																								
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.05</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>34.42</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>100</td><td>261 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	42.63	54.00	-11.37	34.42	32.16	7.10	37.05	6.00	100	261 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.33</td><td>-----</td><td>-----</td><td>95.88</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>100</td><td>261 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.33	-----	-----	95.88	32.32	7.14	37.01	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.05	42.63	54.00	-11.37	34.42	32.16	7.10	37.05	6.00	100	261 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.33	-----	-----	95.88	32.32	7.14	37.01	6.00	100	261 AVERAGE																																																																																								







Mode	13																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11b_CH1_2412MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>50.77</td><td>32.17</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300 91 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	58.99	74.00	-15.01	50.77	32.17	7.10	37.05	6.00	300 91 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.73</td><td>-----</td><td>-----</td><td>94.28</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300 91 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.73	-----	-----	94.28	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.22	58.99	74.00	-15.01	50.77	32.17	7.10	37.05	6.00	300 91 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	102.73	-----	-----	94.28	32.32	7.14	37.01	6.00	300 91 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>38.30</td><td>32.16</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300 91 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	46.51	54.00	-7.49	38.30	32.16	7.10	37.05	6.00	300 91 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.93</td><td>-----</td><td>-----</td><td>91.48</td><td>32.32</td><td>7.14</td><td>37.01</td><td>6.00</td><td>300 91 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.93	-----	-----	91.48	32.32	7.14	37.01	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.31	46.51	54.00	-7.49	38.30	32.16	7.10	37.05	6.00	300 91 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	99.93	-----	-----	91.48	32.32	7.14	37.01	6.00	300 91 AVERAGE																																																																																								





Mode	13																																																																																							
	Harmonic																																																																																							
	2400-2483.5_802.11b_CH1_2412MHz																																																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>65.50</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.99	74.00	-28.01	65.50	34.15	11.58	65.24	0.00	--	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>66.48</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	46.97	74.00	-27.03	66.48	34.15	11.58	65.24	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	4824.00	45.99	74.00	-28.01	65.50	34.15	11.58	65.24	0.00	--	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	4824.00	46.97	74.00	-27.03	66.48	34.15	11.58	65.24	0.00	--	PEAK																																																																													







Mode	14																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11b_CH6_2437MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>61.25</td><td>74.00</td><td>-12.75</td><td>48.99</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>199</td><td>233 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	61.25	74.00	-12.75	48.99	32.20	7.11	37.05	10.00	199	233 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>116.14</td><td>-----</td><td>-----</td><td>103.53</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>199</td><td>233 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	116.14	-----	-----	103.53	32.38	7.18	36.95	10.00	199
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.82	61.25	74.00	-12.75	48.99	32.20	7.11	37.05	10.00	199	233 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	116.14	-----	-----	103.53	32.38	7.18	36.95	10.00	199	233 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>36.90</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>199</td><td>233 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	49.14	54.00	-4.86	36.90	32.19	7.10	37.05	10.00	199	233 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>113.34</td><td>-----</td><td>-----</td><td>100.75</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>199</td><td>233 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	113.34	-----	-----	100.75	32.37	7.18	36.96	10.00	199
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.04	49.14	54.00	-4.86	36.90	32.19	7.10	37.05	10.00	199	233 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	113.34	-----	-----	100.75	32.37	7.18	36.96	10.00	199	233 AVERAGE																																																																																									





Mode	14																																																									
	Band Edge - R																																																									
	2400-2483.5_802.11b_CH6_2437MHz																																																									
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																									
Pol.	Horizontal							Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>60.29</td><td>74.00</td><td>-13.71</td><td>47.40</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>199</td><td>233</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.30	60.29	74.00	-13.71	47.40	32.47	7.26	36.84	10.00	199	233	PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2485.30	60.29	74.00	-13.71	47.40	32.47	7.26	36.84	10.00	199	233	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.88</td><td>52.72</td><td>54.00</td><td>-1.28</td><td>39.75</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>199</td><td>233</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2499.88	52.72	54.00	-1.28	39.75	32.50	7.28	36.81	10.00	199	233	AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2499.88	52.72	54.00	-1.28	39.75	32.50	7.28	36.81	10.00	199	233	AVERAGE																																														



Mode	14																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11b_CH6_2437MHz																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2354.20</td><td>65.28</td><td>74.00</td><td>-8.72</td><td>53.45</td><td>31.84</td><td>7.05</td><td>37.06</td><td>10.00</td><td>267 80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.20	65.28	74.00	-8.72	53.45	31.84	7.05	37.06	10.00	267 80 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2354.20	65.28	74.00	-8.72	53.45	31.84	7.05	37.06	10.00	267 80 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>121.43</td><td>-----</td><td>-----</td><td>108.81</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>267 80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	121.43	-----	-----	108.81	32.38	7.19	36.95	10.00	267 80 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	121.43	-----	-----	108.81	32.38	7.19	36.95	10.00	267 80 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2354.07</td><td>52.38</td><td>54.00</td><td>-1.62</td><td>40.55</td><td>31.84</td><td>7.05</td><td>37.06</td><td>10.00</td><td>267 80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2354.07	52.38	54.00	-1.62	40.55	31.84	7.05	37.06	10.00	267 80 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2354.07	52.38	54.00	-1.62	40.55	31.84	7.05	37.06	10.00	267 80 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>118.47</td><td>-----</td><td>-----</td><td>105.85</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>267 80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	118.47	-----	-----	105.85	32.38	7.19	36.95	10.00	267 80 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	118.47	-----	-----	105.85	32.38	7.19	36.95	10.00	267 80 AVERAGE																																													







	14																																																									
Mode	Band Edge - R																																																									
	2400-2483.5_802.11b_CH6_2437MHz																																																									
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																									
Pol.	Vertical						Fundamental																																																			
Peak							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.86</td><td>64.91</td><td>74.00</td><td>-9.09</td><td>52.02</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>267</td><td>80</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.86	64.91	74.00	-9.09	52.02	32.47	7.26	36.84	10.00	267	80
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2486.86	64.91	74.00	-9.09	52.02	32.47	7.26	36.84	10.00	267	80	PEAK																																														
Avg							Blank																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.88</td><td>52.43</td><td>54.00</td><td>-1.57</td><td>39.55</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>267</td><td>80</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.88	52.43	54.00	-1.57	39.55	32.47	7.26	36.85	10.00	267	80
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2484.88	52.43	54.00	-1.57	39.55	32.47	7.26	36.85	10.00	267	80	AVERAGE																																														







		14																																																																					
Mode		Harmonic																																																																					
		2400-2483.5_802.11b_CH6_2437MHz																																																																					
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>68.27</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>100</td><td>12</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>64.56</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>100</td><td>12</td><td>AVERAGE</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	48.87	74.00	-25.13	68.27	34.15	11.68	65.23	0.00	100	12	PEAK	2	4874.00	45.16	54.00	-8.84	64.56	34.15	11.68	65.23	0.00	100	12	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4874.00	48.87	74.00	-25.13	68.27	34.15	11.68	65.23	0.00	100	12	PEAK																																																											
2	4874.00	45.16	54.00	-8.84	64.56	34.15	11.68	65.23	0.00	100	12	AVERAGE																																																											
	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>65.62</td><td>34.15</td><td>11.68</td><td>65.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	46.22	74.00	-27.78	65.62	34.15	11.68	65.23	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4874.00	46.22	74.00	-27.78	65.62	34.15	11.68	65.23	0.00	--	--	PEAK																																																											



Mode	15																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>49.63</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>241 220 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	58.51	74.00	-15.49	49.63	32.47	7.26	36.85	6.00	241 220 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.25</td><td>-----</td><td>-----</td><td>102.49</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>241 220 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.25	-----	-----	102.49	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.56	58.51	74.00	-15.49	49.63	32.47	7.26	36.85	6.00	241 220 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	111.25	-----	-----	102.49	32.43	7.22	36.89	6.00	241 220 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.88</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>40.62</td><td>32.50</td><td>7.28</td><td>36.81</td><td>6.00</td><td>241 220 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.88	49.59	54.00	-4.41	40.62	32.50	7.28	36.81	6.00	241 220 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.21</td><td>-----</td><td>-----</td><td>99.47</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>241 220 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.21	-----	-----	99.47	32.42	7.22	36.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2499.88	49.59	54.00	-4.41	40.62	32.50	7.28	36.81	6.00	241 220 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	108.21	-----	-----	99.47	32.42	7.22	36.90	6.00	241 220 AVERAGE																																																																																								







Mode	15																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.10</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>51.91</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>250 254 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.10	60.79	74.00	-13.21	51.91	32.47	7.26	36.85	6.00	250 254 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.07</td><td>-----</td><td>-----</td><td>92.31</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>250 254 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.07	-----	-----	92.31	32.43	7.22	36.89	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.10	60.79	74.00	-13.21	51.91	32.47	7.26	36.85	6.00	250 254 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	101.07	-----	-----	92.31	32.43	7.22	36.89	6.00	250 254 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2500.00</td><td>53.57</td><td>54.00</td><td>-0.43</td><td>44.60</td><td>32.50</td><td>7.28</td><td>36.81</td><td>6.00</td><td>254 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	53.57	54.00	-0.43	44.60	32.50	7.28	36.81	6.00	254 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.09</td><td>-----</td><td>-----</td><td>89.35</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>254 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.09	-----	-----	89.35	32.42	7.22	36.90	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2500.00	53.57	54.00	-0.43	44.60	32.50	7.28	36.81	6.00	254 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	98.09	-----	-----	89.35	32.42	7.22	36.90	6.00	254 AVERAGE																																																																																								







		15																																																																
Mode		Harmonic																																																																
		2400-2483.5_802.11b_CH11_2462MHz																																																																
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																
Pol.		Horizontal					Vertical																																																											
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 65.0 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 48.8 dBuV/m at 4924 MHz.																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>67.77</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>116</td><td>217 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.05</td><td>54.00</td><td>-8.95</td><td>64.72</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>116</td><td>217 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	48.10	74.00	-25.90	67.77	34.00	11.78	65.45	0.00	116	217 PEAK	2	4924.00	45.05	54.00	-8.95	64.72	34.00	11.78	65.45	0.00	116	217 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4924.00	48.10	74.00	-25.90	67.77	34.00	11.78	65.45	0.00	116	217 PEAK																																																							
2	4924.00	45.05	54.00	-8.95	64.72	34.00	11.78	65.45	0.00	116	217 AVERAGE																																																							
Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 65.0 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 44.82 dBuV/m at 4924 MHz.																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>64.49</td><td>34.00</td><td>11.78</td><td>65.45</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	44.82	74.00	-29.18	64.49	34.00	11.78	65.45	0.00	--	-- PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4924.00	44.82	74.00	-29.18	64.49	34.00	11.78	65.45	0.00	--	-- PEAK																																																							





		16																																																																																										
Mode		Band Edge																																																																																										
		2400-2483.5_802.11g_CH1_2412MHz																																																																																										
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.27	59.25	74.00	-14.75	47.05	32.15	7.10	37.05	10.00	300 32 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.80</td><td>-----</td><td>-----</td><td>101.35</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>300 32 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.80	-----	-----	101.35	32.32	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2385.27	59.25	74.00	-14.75	47.05	32.15	7.10	37.05	10.00	300 32 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	113.80	-----	-----	101.35	32.32	7.14	37.01	10.00	300 32 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.94	54.00	-7.06	34.68	32.20	7.11	37.05	10.00	300 32 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.57</td><td>-----</td><td>-----</td><td>92.12</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>300 32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.57	-----	-----	92.12	32.32	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.95	46.94	54.00	-7.06	34.68	32.20	7.11	37.05	10.00	300 32 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2412.00	104.57	-----	-----	92.12	32.32	7.14	37.01	10.00	300 32 AVERAGE																																																																																		







Mode	16																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>65.99</td><td>74.00</td><td>-8.01</td><td>53.73</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>207</td><td>154 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	65.99	74.00	-8.01	53.73	32.20	7.11	37.05	10.00	207	154 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>120.55</td><td>-----</td><td>-----</td><td>108.10</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>207</td><td>154 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	120.55	-----	-----	108.10	32.32	7.14	37.01	10.00	207
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2389.95	65.99	74.00	-8.01	53.73	32.20	7.11	37.05	10.00	207	154 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	120.55	-----	-----	108.10	32.32	7.14	37.01	10.00	207	154 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>52.56</td><td>54.00</td><td>-1.44</td><td>40.33</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>207</td><td>159 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	52.56	54.00	-1.44	40.33	32.18	7.10	37.05	10.00	207	159 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.29</td><td>-----</td><td>-----</td><td>98.84</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>207</td><td>154 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.29	-----	-----	98.84	32.32	7.14	37.01	10.00	207
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.26	52.56	54.00	-1.44	40.33	32.18	7.10	37.05	10.00	207	159 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	111.29	-----	-----	98.84	32.32	7.14	37.01	10.00	207	154 AVERAGE																																																																																									





Mode	16																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11g_CH1_2412MHz																																																																																																																								
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4824.00</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>76.46</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>252</td><td>4</td><td>PEAK</td></tr><tr><td>2 4824.00</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>66.36</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>252</td><td>4</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4824.00	56.25	74.00	-17.75	76.46	34.15	11.58	65.94	0.00	252	4	PEAK	2 4824.00	46.15	54.00	-7.85	66.36	34.15	11.58	65.94	0.00	252	4	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4824.00</td><td>57.36</td><td>74.00</td><td>-16.64</td><td>77.57</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>208</td><td>329</td><td>PEAK</td></tr><tr><td>2 4824.00</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>64.37</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>208</td><td>329</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4824.00	57.36	74.00	-16.64	77.57	34.15	11.58	65.94	0.00	208	329	PEAK	2 4824.00	44.16	54.00	-9.84	64.37	34.15	11.58	65.94	0.00	208	329	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 4824.00	56.25	74.00	-17.75	76.46	34.15	11.58	65.94	0.00	252	4	PEAK																																																																																																														
2 4824.00	46.15	54.00	-7.85	66.36	34.15	11.58	65.94	0.00	252	4	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 4824.00	57.36	74.00	-16.64	77.57	34.15	11.58	65.94	0.00	208	329	PEAK																																																																																																														
2 4824.00	44.16	54.00	-9.84	64.37	34.15	11.58	65.94	0.00	208	329	AVERAGE																																																																																																														







Mode	17																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.74</td><td>62.05</td><td>74.00</td><td>-11.95</td><td>50.13</td><td>31.92</td><td>7.06</td><td>37.06</td><td>10.00</td><td>218</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.74	62.05	74.00	-11.95	50.13	31.92	7.06	37.06	10.00	218	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>118.90</td><td>-----</td><td>-----</td><td>106.31</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>218</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	118.90	-----	-----	106.31	32.37	7.18	36.96	10.00	218
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2361.74	62.05	74.00	-11.95	50.13	31.92	7.06	37.06	10.00	218	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	118.90	-----	-----	106.31	32.37	7.18	36.96	10.00	218	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.18</td><td>50.00</td><td>54.00</td><td>-3.20</td><td>38.90</td><td>31.90</td><td>7.06</td><td>37.06</td><td>10.00</td><td>218</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.18	50.00	54.00	-3.20	38.90	31.90	7.06	37.06	10.00	218	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>110.41</td><td>-----</td><td>-----</td><td>97.82</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>218</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.41	-----	-----	97.82	32.37	7.18	36.96	10.00	218
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2360.18	50.00	54.00	-3.20	38.90	31.90	7.06	37.06	10.00	218	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	110.41	-----	-----	97.82	32.37	7.18	36.96	10.00	218	0 AVERAGE																																																																																									





Mode	17																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11g_CH6_2437MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.58</td><td>61.02</td><td>74.00</td><td>-12.98</td><td>48.09</td><td>32.49</td><td>7.27</td><td>36.83</td><td>10.00</td><td>218</td><td>0 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.58	61.02	74.00	-12.98	48.09	32.49	7.27	36.83	10.00	218	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.58	61.02	74.00	-12.98	48.09	32.49	7.27	36.83	10.00	218	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.44</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>35.79</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>218</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.44	48.76	54.00	-5.24	35.79	32.50	7.28	36.81	10.00	218	0 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2498.44	48.76	54.00	-5.24	35.79	32.50	7.28	36.81	10.00	218	0 AVERAGE																																													





Mode	17																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>68.78</td><td>74.00</td><td>-5.22</td><td>56.57</td><td>32.16</td><td>7.10</td><td>37.05</td><td>10.00</td><td>135 150 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	68.78	74.00	-5.22	56.57	32.16	7.10	37.05	10.00	135 150 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>125.99</td><td>-----</td><td>-----</td><td>113.40</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>135 150 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	125.99	-----	-----	113.40	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.05	68.78	74.00	-5.22	56.57	32.16	7.10	37.05	10.00	135 150 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	125.99	-----	-----	113.40	32.37	7.18	36.96	10.00	135 150 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.61</td><td>53.61</td><td>54.00</td><td>-0.39</td><td>41.69</td><td>31.92</td><td>7.06</td><td>37.06</td><td>10.00</td><td>135 150 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.61	53.61	54.00	-0.39	41.69	31.92	7.06	37.06	10.00	135 150 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.24</td><td>-----</td><td>-----</td><td>104.65</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>135 150 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.24	-----	-----	104.65	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2361.61	53.61	54.00	-0.39	41.69	31.92	7.06	37.06	10.00	135 150 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	117.24	-----	-----	104.65	32.37	7.18	36.96	10.00	135 150 AVERAGE																																																																																								







Mode	17																																																				
	Band Edge - R																																																				
	2400-2483.5_802.11g_CH6_2437MHz																																																				
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																				
Pol.	Vertical										Fundamental																																										
Peak											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>67.12</td><td>74.00</td><td>-6.88</td><td>54.24</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>135 150 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	67.12	74.00	-6.88	54.24	32.47	7.26	36.85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.58	67.12	74.00	-6.88	54.24	32.47	7.26	36.85	10.00	135 150 PEAK																																											
Avg											Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>53.31</td><td>54.00</td><td>-0.69</td><td>40.42</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>135 150 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.48	53.31	54.00	-0.69	40.42	32.47	7.26	36.84
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2485.48	53.31	54.00	-0.69	40.42	32.47	7.26	36.84	10.00	135 150 AVERAGE																																											







Mode	17																																																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																																																														
	2400-2483.5_802.11g_CH6_2437MHz																																																																																																																																																																																																																																																														
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>81.95</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>4875.00</td><td>49.91</td><td>54.00</td><td>-4.09</td><td>69.95</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr><tr><td>3</td><td>7309.00</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>78.48</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>7309.00</td><td>52.57</td><td>54.00</td><td>-1.43</td><td>67.48</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>300</td><td>303</td><td>AVERAGE</td></tr><tr><td>5</td><td>9745.00</td><td>60.79</td><td>97.63</td><td>-36.84</td><td>73.30</td><td>36.88</td><td>16.85</td><td>66.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>63.49</td><td>74.00</td><td>-10.51</td><td>70.54</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>54.61</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>230</td><td>AVERAGE</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4873.00</td><td>61.71</td><td>74.00</td><td>-12.29</td><td>81.75</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>110</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4873.00</td><td>48.71</td><td>54.00</td><td>-5.29</td><td>68.75</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>110</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7314.00</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>77.06</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>4</td><td>7314.00</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>65.06</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>300</td><td>291</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.00</td><td>63.69</td><td>92.42</td><td>-28.73</td><td>76.17</td><td>36.89</td><td>16.86</td><td>66.23</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>60.56</td><td>74.00</td><td>-13.44</td><td>67.61</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>51.93</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4875.00	61.91	74.00	-12.09	81.95	34.15	11.68	65.87	0.00	100	240	PEAK	2	4875.00	49.91	54.00	-4.09	69.95	34.15	11.68	65.87	0.00	100	240	AVERAGE	3	7309.00	63.57	74.00	-10.43	78.48	35.78	14.48	65.17	0.00	300	303	PEAK	4	7309.00	52.57	54.00	-1.43	67.48	35.78	14.48	65.17	0.00	300	303	AVERAGE	5	9745.00	60.79	97.63	-36.84	73.30	36.88	16.85	66.24	0.00	--	--	PEAK	6	12185.00	63.49	74.00	-10.51	70.54	38.70	19.14	64.89	0.00	100	230	PEAK	7	12185.00	47.56	54.00	-6.44	54.61	38.70	19.14	64.89	0.00	100	230	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4873.00	61.71	74.00	-12.29	81.75	34.15	11.68	65.87	0.00	110	0	PEAK	2	4873.00	48.71	54.00	-5.29	68.75	34.15	11.68	65.87	0.00	110	0	AVERAGE	3	7314.00	62.13	74.00	-11.87	77.06	35.77	14.48	65.18	0.00	300	291	PEAK	4	7314.00	50.13	54.00	-3.87	65.06	35.77	14.48	65.18	0.00	300	291	AVERAGE	5	9748.00	63.69	92.42	-28.73	76.17	36.89	16.86	66.23	0.00	--	--	PEAK	6	12185.00	60.56	74.00	-13.44	67.61	38.70	19.14	64.89	0.00	100	304	PEAK	7	12185.00	44.88	54.00	-9.12	51.93	38.70	19.14	64.89	0.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																					
1	4875.00	61.91	74.00	-12.09	81.95	34.15	11.68	65.87	0.00	100	240	PEAK																																																																																																																																																																																																																																																			
2	4875.00	49.91	54.00	-4.09	69.95	34.15	11.68	65.87	0.00	100	240	AVERAGE																																																																																																																																																																																																																																																			
3	7309.00	63.57	74.00	-10.43	78.48	35.78	14.48	65.17	0.00	300	303	PEAK																																																																																																																																																																																																																																																			
4	7309.00	52.57	54.00	-1.43	67.48	35.78	14.48	65.17	0.00	300	303	AVERAGE																																																																																																																																																																																																																																																			
5	9745.00	60.79	97.63	-36.84	73.30	36.88	16.85	66.24	0.00	--	--	PEAK																																																																																																																																																																																																																																																			
6	12185.00	63.49	74.00	-10.51	70.54	38.70	19.14	64.89	0.00	100	230	PEAK																																																																																																																																																																																																																																																			
7	12185.00	47.56	54.00	-6.44	54.61	38.70	19.14	64.89	0.00	100	230	AVERAGE																																																																																																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																					
1	4873.00	61.71	74.00	-12.29	81.75	34.15	11.68	65.87	0.00	110	0	PEAK																																																																																																																																																																																																																																																			
2	4873.00	48.71	54.00	-5.29	68.75	34.15	11.68	65.87	0.00	110	0	AVERAGE																																																																																																																																																																																																																																																			
3	7314.00	62.13	74.00	-11.87	77.06	35.77	14.48	65.18	0.00	300	291	PEAK																																																																																																																																																																																																																																																			
4	7314.00	50.13	54.00	-3.87	65.06	35.77	14.48	65.18	0.00	300	291	AVERAGE																																																																																																																																																																																																																																																			
5	9748.00	63.69	92.42	-28.73	76.17	36.89	16.86	66.23	0.00	--	--	PEAK																																																																																																																																																																																																																																																			
6	12185.00	60.56	74.00	-13.44	67.61	38.70	19.14	64.89	0.00	100	304	PEAK																																																																																																																																																																																																																																																			
7	12185.00	44.88	54.00	-9.12	51.93	38.70	19.14	64.89	0.00	100	304	AVERAGE																																																																																																																																																																																																																																																			



		18																																																																																																							
Mode	Band Edge - L																																																																																																								
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																								
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.76</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>48.38</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>272</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.76	61.26	74.00	-12.74	48.38	32.47	7.26	36.85	10.00	272	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.13</td><td>-----</td><td>-----</td><td>100.39</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>272</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	113.13	-----	-----	100.39	32.42	7.22	36.90	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2484.76	61.26	74.00	-12.74	48.38	32.47	7.26	36.85	10.00	272	360	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2462.00	113.13	-----	-----	100.39	32.42	7.22	36.90	10.00	272	360	PEAK																																																																																													
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>48.33</td><td>54.00</td><td>-5.67</td><td>35.45</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>272</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	48.33	54.00	-5.67	35.45	32.47	7.26	36.85	10.00	272	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.37</td><td>-----</td><td>-----</td><td>91.63</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>272</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	104.37	-----	-----	91.63	32.42	7.22	36.90	10.00	272	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2483.56	48.33	54.00	-5.67	35.45	32.47	7.26	36.85	10.00	272	360	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2462.00	104.37	-----	-----	91.63	32.42	7.22	36.90	10.00	272	360	AVERAGE																																																																																													







	18																																																																																																		
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>66.83</td><td>74.00</td><td>-7.17</td><td>53.95</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>185 156 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	66.83	74.00	-7.17	53.95	32.47	7.26	36.85	10.00	185 156 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>119.55</td><td>-----</td><td>-----</td><td>106.79</td><td>32.43</td><td>7.22</td><td>36.89</td><td>10.00</td><td>185 156 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	119.55	-----	-----	106.79	32.43	7.22	36.89	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	66.83	74.00	-7.17	53.95	32.47	7.26	36.85	10.00	185 156 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	119.55	-----	-----	106.79	32.43	7.22	36.89	10.00	185 156 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>53.49</td><td>54.00</td><td>-0.51</td><td>40.60</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>185 156 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	53.49	54.00	-0.51	40.60	32.47	7.26	36.84	10.00	185 156 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.71</td><td>-----</td><td>-----</td><td>97.97</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>185 156 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.71	-----	-----	97.97	32.42	7.22	36.90	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	53.49	54.00	-0.51	40.60	32.47	7.26	36.84	10.00	185 156 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	110.71	-----	-----	97.97	32.42	7.22	36.90	10.00	185 156 AVERAGE																																																																																									







		18																																																																																																										
Mode	Harmonic																																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																											
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																											
Pol.	Horizontal											Vertical																																																																																																
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>75.92</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>300</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>4926.00</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>65.92</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>300</td><td>127</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>68.32</td><td>35.77</td><td>14.58</td><td>65.40</td><td>0.00</td><td>100</td><td>344</td><td>PEAK</td></tr><tr><td>4</td><td>7386.00</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>57.28</td><td>35.78</td><td>14.58</td><td>65.41</td><td>0.00</td><td>100</td><td>344</td><td>AVERAGE</td></tr><tr><td>5</td><td>9847.00</td><td>54.00</td><td>90.18</td><td>-36.18</td><td>66.20</td><td>36.99</td><td>16.98</td><td>66.09</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4926.00	55.90	74.00	-18.10	75.92	34.00	11.78	65.80	0.00	300	127	PEAK	2	4926.00	45.90	54.00	-8.10	65.92	34.00	11.78	65.80	0.00	300	127	AVERAGE	3	7386.00	53.27	74.00	-20.73	68.32	35.77	14.58	65.40	0.00	100	344	PEAK	4	7386.00	42.23	54.00	-11.77	57.28	35.78	14.58	65.41	0.00	100	344	AVERAGE	5	9847.00	54.00	90.18	-36.18	66.20	36.99	16.98	66.09	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	4926.00	55.90	74.00	-18.10	75.92	34.00	11.78	65.80	0.00	300	127	PEAK																																																																																																
2	4926.00	45.90	54.00	-8.10	65.92	34.00	11.78	65.80	0.00	300	127	AVERAGE																																																																																																
3	7386.00	53.27	74.00	-20.73	68.32	35.77	14.58	65.40	0.00	100	344	PEAK																																																																																																
4	7386.00	42.23	54.00	-11.77	57.28	35.78	14.58	65.41	0.00	100	344	AVERAGE																																																																																																
5	9847.00	54.00	90.18	-36.18	66.20	36.99	16.98	66.09	0.00	--	--	PEAK																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>74.87</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>233</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>64.82</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>233</td><td>212</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>61.93</td><td>35.77</td><td>14.58</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>9849.00</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>68.98</td><td>37.00</td><td>16.98</td><td>66.09</td><td>0.00</td><td>300</td><td>277</td><td></td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4924.00	54.85	74.00	-19.15	74.87	34.00	11.78	65.80	0.00	233	212	PEAK	2	4924.00	44.80	54.00	-9.20	64.82	34.00	11.78	65.80	0.00	233	212	AVERAGE	3	7386.00	46.88	74.00	-27.12	61.93	35.77	14.58	65.40	0.00	--	--	PEAK	4	9849.00	56.87	74.00	-17.13	68.98	37.00	16.98	66.09	0.00	300	277												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																	
1	4924.00	54.85	74.00	-19.15	74.87	34.00	11.78	65.80	0.00	233	212	PEAK																																																																																																
2	4924.00	44.80	54.00	-9.20	64.82	34.00	11.78	65.80	0.00	233	212	AVERAGE																																																																																																
3	7386.00	46.88	74.00	-27.12	61.93	35.77	14.58	65.40	0.00	--	--	PEAK																																																																																																
4	9849.00	56.87	74.00	-17.13	68.98	37.00	16.98	66.09	0.00	300	277																																																																																																	





Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>46.60</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>225 29 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	58.86	74.00	-15.14	46.60	32.20	7.11	37.05	10.00	225 29 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.24</td><td>-----</td><td>-----</td><td>100.78</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>225 29 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.24	-----	-----	100.78	32.33	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	58.86	74.00	-15.14	46.60	32.20	7.11	37.05	10.00	225 29 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	113.24	-----	-----	100.78	32.33	7.14	37.01	10.00	225 29 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>36.36</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>225 29 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	48.62	54.00	-5.38	36.36	32.20	7.11	37.05	10.00	225 29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.95</td><td>-----</td><td>-----</td><td>91.49</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>225 29 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.95	-----	-----	91.49	32.33	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.82	48.62	54.00	-5.38	36.36	32.20	7.11	37.05	10.00	225 29 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	103.95	-----	-----	91.49	32.33	7.14	37.01	10.00	225 29 AVERAGE																																																																																								







Mode	19																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																									
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 2310 to 2440 MHz. The signal peaks at approximately 2412 MHz, exceeding the FCC PART 15C limit of 70.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.14</td><td>66.05</td><td>74.00</td><td>-7.95</td><td>53.85</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>157 147 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.14	66.05	74.00	-7.95	53.85	32.15	7.10	37.05	10.00	157 147 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 3000 MHz. The signal peaks at approximately 2412 MHz, exceeding the FCC PART 15C limit of 70.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>118.27</td><td>-----</td><td>-----</td><td>105.82</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>157 147 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.27	-----	-----	105.82	32.32	7.14	37.01	10.00	157 147 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2385.14	66.05	74.00	-7.95	53.85	32.15	7.10	37.05	10.00	157 147 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	118.27	-----	-----	105.82	32.32	7.14	37.01	10.00	157 147 PEAK																																																																																
Avg	 Vertical Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 2310 to 2440 MHz. The signal peaks at approximately 2412 MHz, exceeding the FCC PART 15C (AVG) limit of 52.5 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>53.89</td><td>54.00</td><td>-0.11</td><td>41.63</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>157 147 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.89	54.00	-0.11	41.63	32.20	7.11	37.05	10.00	157 147 AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 3000 MHz. The signal peaks at approximately 2412 MHz, exceeding the FCC PART 15C (AVG) limit of 52.5 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.32</td><td>-----</td><td>-----</td><td>96.87</td><td>32.32</td><td>7.14</td><td>37.01</td><td>10.00</td><td>157 147 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.32	-----	-----	96.87	32.32	7.14	37.01	10.00	157 147 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2389.95	53.89	54.00	-0.11	41.63	32.20	7.11	37.05	10.00	157 147 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	109.32	-----	-----	96.87	32.32	7.14	37.01	10.00	157 147 AVERAGE																																																																																





Mode	19																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																																													
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>77.05</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>65.66</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	56.84	74.00	-17.16	77.05	34.15	11.58	65.94	0.00	100	241	PEAK	2	4824.00	45.45	54.00	-8.55	65.66	34.15	11.58	65.94	0.00	100	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>74.99</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>103</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>64.06</td><td>34.15</td><td>11.58</td><td>65.94</td><td>0.00</td><td>103</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	54.78	74.00	-19.22	74.99	34.15	11.58	65.94	0.00	103	309	PEAK	2	4824.00	43.85	54.00	-10.15	64.06	34.15	11.58	65.94	0.00	103	309	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4824.00	56.84	74.00	-17.16	77.05	34.15	11.58	65.94	0.00	100	241	PEAK																																																																																																																		
2	4824.00	45.45	54.00	-8.55	65.66	34.15	11.58	65.94	0.00	100	241	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4824.00	54.78	74.00	-19.22	74.99	34.15	11.58	65.94	0.00	103	309	PEAK																																																																																																																		
2	4824.00	43.85	54.00	-10.15	64.06	34.15	11.58	65.94	0.00	103	309	AVERAGE																																																																																																																		







	20																																																						
Mode	Band Edge - L																																																						
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2314.29</td><td>60.04</td><td>74.00</td><td>-13.96</td><td>48.69</td><td>31.44</td><td>6.99</td><td>37.08</td><td>10.00</td><td>219</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2314.29	60.04	74.00	-13.96	48.69	31.44	6.99	37.08	10.00	219
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2314.29	60.04	74.00	-13.96	48.69	31.44	6.99	37.08	10.00	219	0 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.35</td><td>-----</td><td>-----</td><td>104.74</td><td>32.38</td><td>7.18</td><td>36.95</td><td>10.00</td><td>219</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.35	-----	-----	104.74	32.38	7.18	36.95	10.00	219
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	117.35	-----	-----	104.74	32.38	7.18	36.95	10.00	219	0 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2317.67</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>36.57</td><td>31.48</td><td>6.99</td><td>37.08</td><td>10.00</td><td>219</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2317.67	47.96	54.00	-6.04	36.57	31.48	6.99	37.08	10.00	219	0 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2317.67	47.96	54.00	-6.04	36.57	31.48	6.99	37.08	10.00	219	0 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>107.78</td><td>-----</td><td>-----</td><td>95.19</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>219</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	107.78	-----	-----	95.19	32.37	7.18	36.96	10.00	219	0 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	107.78	-----	-----	95.19	32.37	7.18	36.96	10.00	219	0 AVERAGE																																												




Mode	20																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.40</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>46.41</td><td>32.49</td><td>7.27</td><td>36.83</td><td>10.00</td><td>219</td><td>0 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.40	59.34	74.00	-14.66	46.41	32.49	7.27	36.83	10.00	219	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.40	59.34	74.00	-14.66	46.41	32.49	7.27	36.83	10.00	219	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.84</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>34.15</td><td>32.49</td><td>7.27</td><td>36.82</td><td>10.00</td><td>219</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.84	47.09	54.00	-6.91	34.15	32.49	7.27	36.82	10.00	219	0 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2494.84	47.09	54.00	-6.91	34.15	32.49	7.27	36.82	10.00	219	0 AVERAGE																																													





	20																																																																																																																						
Mode	Band Edge - L																																																																																																																						
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																																																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2375.39</td><td>66.07</td><td>74.00</td><td>-7.93</td><td>53.99</td><td>32.05</td><td>7.08</td><td>37.05</td><td>10.00</td><td>136</td><td>332 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2375.39	66.07	74.00	-7.93	53.99	32.05	7.08	37.05	10.00	136	332 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>125.66</td><td>-----</td><td>-----</td><td>113.07</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>136</td><td>332 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2437.00	125.66	-----	-----	113.07	32.37	7.18	36.96	10.00	136
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2375.39	66.07	74.00	-7.93	53.99	32.05	7.08	37.05	10.00	136	332 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2437.00	125.66	-----	-----	113.07	32.37	7.18	36.96	10.00	136	332 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.52</td><td>53.16</td><td>54.00</td><td>-0.84</td><td>40.28</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>136</td><td>332 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.52	53.16	54.00	-0.84	40.28	32.47	7.26	36.85	10.00	136	332 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>114.00</td><td>-----</td><td>-----</td><td>101.41</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>136</td><td>332 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2437.00	114.00	-----	-----	101.41	32.37	7.18	36.96	10.00	136
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2484.52	53.16	54.00	-0.84	40.28	32.47	7.26	36.85	10.00	136	332 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2437.00	114.00	-----	-----	101.41	32.37	7.18	36.96	10.00	136	332 AVERAGE																																																																																																												



Mode	20																																													
	Band Edge - R																																													
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																													
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>53.58</td><td>54.00</td><td>-0.42</td><td>41.36</td><td>32.17</td><td>7.18</td><td>37.05</td><td>10.00</td><td>136 332 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	53.58	54.00	-0.42	41.36	32.17	7.18	37.05	10.00	136 332 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2387.48	53.58	54.00	-0.42	41.36	32.17	7.18	37.05	10.00	136 332 PEAK																																				







Mode	20																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_802.11ax HE20_CH6_2437MHz																																																																																																																																										
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																										
Pol.	Horizontal												Vertical																																																																																																																														
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4875.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>78.81</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>218</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4875.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>69.81</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>100</td><td>218</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7309.00</td><td>64.25</td><td>74.00</td><td>-9.75</td><td>79.16</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>100</td><td>276</td><td>97</td><td>PEAK</td></tr><tr><td>4</td><td>7309.00</td><td>52.25</td><td>54.00</td><td>-1.75</td><td>67.16</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>100</td><td>276</td><td>97</td><td>AVERAGE</td></tr><tr><td>5</td><td>9748.00</td><td>63.19</td><td>96.59</td><td>-33.40</td><td>75.67</td><td>36.89</td><td>16.86</td><td>66.23</td><td>0.00</td><td>--</td><td>--</td><td>0</td><td>PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>63.35</td><td>74.00</td><td>-10.65</td><td>70.40</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>230</td><td>281</td><td>PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>57.32</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>100</td><td>230</td><td>281</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4875.00	58.77	74.00	-15.23	78.81	34.15	11.68	65.87	0.00	100	218	0	PEAK	2	4875.00	49.77	54.00	-4.23	69.81	34.15	11.68	65.87	0.00	100	218	0	AVERAGE	3	7309.00	64.25	74.00	-9.75	79.16	35.78	14.48	65.17	0.00	100	276	97	PEAK	4	7309.00	52.25	54.00	-1.75	67.16	35.78	14.48	65.17	0.00	100	276	97	AVERAGE	5	9748.00	63.19	96.59	-33.40	75.67	36.89	16.86	66.23	0.00	--	--	0	PEAK	6	12185.00	63.35	74.00	-10.65	70.40	38.70	19.14	64.89	0.00	100	230	281	PEAK	7	12185.00	50.27	54.00	-3.73	57.32	38.70	19.14	64.89	0.00	100	230	281
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	4875.00	58.77	74.00	-15.23	78.81	34.15	11.68	65.87	0.00	100	218	0	PEAK																																																																																																																														
2	4875.00	49.77	54.00	-4.23	69.81	34.15	11.68	65.87	0.00	100	218	0	AVERAGE																																																																																																																														
3	7309.00	64.25	74.00	-9.75	79.16	35.78	14.48	65.17	0.00	100	276	97	PEAK																																																																																																																														
4	7309.00	52.25	54.00	-1.75	67.16	35.78	14.48	65.17	0.00	100	276	97	AVERAGE																																																																																																																														
5	9748.00	63.19	96.59	-33.40	75.67	36.89	16.86	66.23	0.00	--	--	0	PEAK																																																																																																																														
6	12185.00	63.35	74.00	-10.65	70.40	38.70	19.14	64.89	0.00	100	230	281	PEAK																																																																																																																														
7	12185.00	50.27	54.00	-3.73	57.32	38.70	19.14	64.89	0.00	100	230	281	AVERAGE																																																																																																																														
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4873.00</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>77.06</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>101</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4873.00</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>68.06</td><td>34.15</td><td>11.68</td><td>65.87</td><td>0.00</td><td>101</td><td>0</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7314.00</td><td>62.65</td><td>74.00</td><td>-11.35</td><td>77.58</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>100</td><td>97</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>7314.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>65.58</td><td>35.77</td><td>14.48</td><td>65.18</td><td>0.00</td><td>100</td><td>97</td><td>281</td><td>AVERAGE</td></tr><tr><td>5</td><td>9754.00</td><td>61.98</td><td>90.23</td><td>-28.25</td><td>74.44</td><td>36.90</td><td>16.86</td><td>66.22</td><td>0.00</td><td>--</td><td>--</td><td>0</td><td>PEAK</td></tr><tr><td>6</td><td>12185.00</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>69.18</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>310</td><td>281</td><td>281</td><td>PEAK</td></tr><tr><td>7</td><td>12185.00</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>56.24</td><td>38.70</td><td>19.14</td><td>64.89</td><td>0.00</td><td>310</td><td>281</td><td>281</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4873.00	57.02	74.00	-16.98	77.06	34.15	11.68	65.87	0.00	101	0	0	PEAK	2	4873.00	48.02	54.00	-5.98	68.06	34.15	11.68	65.87	0.00	101	0	0	AVERAGE	3	7314.00	62.65	74.00	-11.35	77.58	35.77	14.48	65.18	0.00	100	97	281	PEAK	4	7314.00	50.65	54.00	-3.35	65.58	35.77	14.48	65.18	0.00	100	97	281	AVERAGE	5	9754.00	61.98	90.23	-28.25	74.44	36.90	16.86	66.22	0.00	--	--	0	PEAK	6	12185.00	62.13	74.00	-11.87	69.18	38.70	19.14	64.89	0.00	310	281	281	PEAK	7	12185.00	49.19	54.00	-4.81	56.24	38.70	19.14	64.89	0.00	310	281	281
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	4873.00	57.02	74.00	-16.98	77.06	34.15	11.68	65.87	0.00	101	0	0	PEAK																																																																																																																														
2	4873.00	48.02	54.00	-5.98	68.06	34.15	11.68	65.87	0.00	101	0	0	AVERAGE																																																																																																																														
3	7314.00	62.65	74.00	-11.35	77.58	35.77	14.48	65.18	0.00	100	97	281	PEAK																																																																																																																														
4	7314.00	50.65	54.00	-3.35	65.58	35.77	14.48	65.18	0.00	100	97	281	AVERAGE																																																																																																																														
5	9754.00	61.98	90.23	-28.25	74.44	36.90	16.86	66.22	0.00	--	--	0	PEAK																																																																																																																														
6	12185.00	62.13	74.00	-11.87	69.18	38.70	19.14	64.89	0.00	310	281	281	PEAK																																																																																																																														
7	12185.00	49.19	54.00	-4.81	56.24	38.70	19.14	64.89	0.00	310	281	281	AVERAGE																																																																																																																														





Mode	21																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.70</td><td>65.38</td><td>74.00</td><td>-8.62</td><td>52.50</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>273</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.70	65.38	74.00	-8.62	52.50	32.47	7.26	36.85	10.00	273	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.60</td><td>-----</td><td>99.83</td><td>32.43</td><td>7.23</td><td>36.89</td><td>10.00</td><td>273</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.60	-----	99.83	32.43	7.23	36.89	10.00	273	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.70	65.38	74.00	-8.62	52.50	32.47	7.26	36.85	10.00	273	360	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	112.60	-----	99.83	32.43	7.23	36.89	10.00	273	360	PEAK																																																																																								
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>35.26</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>273</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.14	54.00	-5.86	35.26	32.47	7.26	36.85	10.00	273	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.62</td><td>-----</td><td>89.88</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>273</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.62	-----	89.88	32.42	7.22	36.90	10.00	273	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	48.14	54.00	-5.86	35.26	32.47	7.26	36.85	10.00	273	360	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	102.62	-----	89.88	32.42	7.22	36.90	10.00	273	360	AVERAGE																																																																																								







		21																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical										Fundamental																																																																																							
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>66.77</td><td>74.00</td><td>-7.23</td><td>53.89</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>147 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	66.77	74.00	-7.23	53.89	32.47	7.26	36.85	10.00	147 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>117.99</td><td>-----</td><td>-----</td><td>105.25</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>147 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	117.99	-----	-----	105.25	32.42	7.22	36.90	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.56	66.77	74.00	-7.23	53.89	32.47	7.26	36.85	10.00	147 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	117.99	-----	-----	105.25	32.42	7.22	36.90	10.00	147 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.23</td><td>54.00</td><td>-0.77</td><td>40.35</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>147 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.23	54.00	-0.77	40.35	32.47	7.26	36.85	10.00	147 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.74</td><td>-----</td><td>-----</td><td>95.98</td><td>32.43</td><td>7.22</td><td>36.89</td><td>10.00</td><td>147 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.74	-----	-----	95.98	32.43	7.22	36.89	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	53.23	54.00	-0.77	40.35	32.47	7.26	36.85	10.00	147 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	108.74	-----	-----	95.98	32.43	7.22	36.89	10.00	147 AVERAGE																																																																																								





Mode	21																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_802.11ax HE20_CH11_2462MHz																																																																																																																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>74.80</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>250</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>64.26</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>250</td><td>50</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>64.32</td><td>35.77</td><td>14.58</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	54.78	74.00	-19.22	74.80	34.00	11.78	65.80	0.00	250	50	PEAK	2	4924.00	44.24	54.00	-9.76	64.26	34.00	11.78	65.80	0.00	250	50	AVERAGE	3	7386.00	49.27	74.00	-24.73	64.32	35.77	14.58	65.40	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>72.50</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>62.13</td><td>34.00</td><td>11.78</td><td>65.80</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>62.52</td><td>35.77</td><td>14.58</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	52.48	74.00	-21.52	72.50	34.00	11.78	65.80	0.00	100	0	PEAK	2	4924.00	42.11	54.00	-11.89	62.13	34.00	11.78	65.80	0.00	100	0	AVERAGE	3	7386.00	47.47	74.00	-26.53	62.52	35.77	14.58	65.40	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	54.78	74.00	-19.22	74.80	34.00	11.78	65.80	0.00	250	50	PEAK																																																																																																																																											
2	4924.00	44.24	54.00	-9.76	64.26	34.00	11.78	65.80	0.00	250	50	AVERAGE																																																																																																																																											
3	7386.00	49.27	74.00	-24.73	64.32	35.77	14.58	65.40	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4924.00	52.48	74.00	-21.52	72.50	34.00	11.78	65.80	0.00	100	0	PEAK																																																																																																																																											
2	4924.00	42.11	54.00	-11.89	62.13	34.00	11.78	65.80	0.00	100	0	AVERAGE																																																																																																																																											
3	7386.00	47.47	74.00	-26.53	62.52	35.77	14.58	65.40	0.00	--	--	PEAK																																																																																																																																											







Mode	22																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>47.30</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>259 209 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	59.50	74.00	-14.50	47.30	32.15	7.10	37.05	10.00	259 209 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>108.00</td><td>-----</td><td>-----</td><td>95.58</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>259 209 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	108.00	-----	-----	95.58	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2384.75	59.50	74.00	-14.50	47.30	32.15	7.10	37.05	10.00	259 209 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	108.00	-----	-----	95.58	32.34	7.15	36.99	10.00	259 209 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.09</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>35.70</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>259 209 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	47.92	54.00	-6.08	35.70	32.17	7.10	37.05	10.00	259 209 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>98.72</td><td>-----</td><td>-----</td><td>86.22</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>259 209 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	98.72	-----	-----	86.22	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.09	47.92	54.00	-6.08	35.70	32.17	7.10	37.05	10.00	259 209 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	98.72	-----	-----	86.22	32.34	7.15	36.99	10.00	259 209 AVERAGE																																																																																								





Mode	22																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.90</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>44.88</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>259</td><td>209 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.90	57.80	74.00	-16.20	44.88	32.48	7.27	36.83	10.00	259	209 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2491.90	57.80	74.00	-16.20	44.88	32.48	7.27	36.83	10.00	259	209 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.76</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>32.88</td><td>32.49</td><td>7.28</td><td>36.82</td><td>10.00</td><td>259</td><td>209 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.76	45.83	54.00	-8.17	32.88	32.49	7.28	36.82	10.00	259	209 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2496.76	45.83	54.00	-8.17	32.88	32.49	7.28	36.82	10.00	259	209 AVERAGE																																													





		22																																																																																										
Mode		Band Edge - L																																																																																										
		2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																																										
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	65.68	74.00	-8.32	53.45	32.18	7.10	37.05	10.00	184 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>114.48</td><td>-----</td><td>-----</td><td>102.00</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>184 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	114.48	-----	-----	102.00	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.39	65.68	74.00	-8.32	53.45	32.18	7.10	37.05	10.00	184 360 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	114.48	-----	-----	102.00	32.33	7.15	37.00	10.00	184 360 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.69	54.00	-0.31	41.43	32.20	7.11	37.05	10.00	184 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>104.54</td><td>-----</td><td>-----</td><td>92.06</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>184 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	104.54	-----	-----	92.06	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.95	53.69	54.00	-0.31	41.43	32.20	7.11	37.05	10.00	184 360 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2422.00	104.54	-----	-----	92.06	32.33	7.15	37.00	10.00	184 360 AVERAGE																																																																																		







Mode	22																																																									
	Band Edge - R																																																									
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																									
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.06</td><td>60.41</td><td>74.00</td><td>-13.59</td><td>47.51</td><td>32.48</td><td>7.26</td><td>36.84</td><td>10.00</td><td>184</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.06	60.41	74.00	-13.59	47.51	32.48	7.26	36.84	10.00	184	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2488.06	60.41	74.00	-13.59	47.51	32.48	7.26	36.84	10.00	184	360	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.06</td><td>48.42</td><td>54.00</td><td>-5.58</td><td>35.50</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>184</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2491.06	48.42	54.00	-5.58	35.50	32.48	7.27	36.83	10.00	184	360	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	2491.06	48.42	54.00	-5.58	35.50	32.48	7.27	36.83	10.00	184	360	AVERAGE																																														



Mode	22																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11ax HE40_CH3_2422MHz																																																																											
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4844.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>66.69</td><td>34.19</td><td>11.62</td><td>65.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>43.66</td><td>74.00</td><td>-30.34</td><td>58.61</td><td>35.66</td><td>14.42</td><td>65.03</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4844.00	46.58	74.00	-27.42	66.69	34.19	11.62	65.92	0.00	--	--	PEAK	2	7266.00	43.66	74.00	-30.34	58.61	35.66	14.42	65.03	0.00	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1	4844.00	46.58	74.00	-27.42	66.69	34.19	11.62	65.92	0.00	--	--	PEAK																																																																
2	7266.00	43.66	74.00	-30.34	58.61	35.66	14.42	65.03	0.00	--	--	PEAK																																																																







Mode	23																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2348.09</td><td>59.07</td><td>74.00</td><td>-14.93</td><td>47.32</td><td>31.78</td><td>7.04</td><td>37.07</td><td>10.00</td><td>218 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2348.09	59.07	74.00	-14.93	47.32	31.78	7.04	37.07	10.00	218 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>110.57</td><td>-----</td><td>-----</td><td>97.98</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>218 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.57	-----	-----	97.98	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2348.09	59.07	74.00	-14.93	47.32	31.78	7.04	37.07	10.00	218 360 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	110.57	-----	-----	97.98	32.37	7.18	36.96	10.00	218 360 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>34.59</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>218 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	46.85	54.00	-7.15	34.59	32.20	7.11	37.05	10.00	218 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>100.63</td><td>-----</td><td>-----</td><td>88.04</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>218 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	100.63	-----	-----	88.04	32.37	7.18	36.96	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.69	46.85	54.00	-7.15	34.59	32.20	7.11	37.05	10.00	218 360 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	100.63	-----	-----	88.04	32.37	7.18	36.96	10.00	218 360 AVERAGE																																																																																								





Mode	23																																																		
	Band Edge - R																																																		
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																		
Pol.	Horizontal						Fundamental																																												
Peak							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.52</td><td>59.02</td><td>74.00</td><td>-14.98</td><td>46.14</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>218</td><td>360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.52	59.02	74.00	-14.98	46.14
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2484.52	59.02	74.00	-14.98	46.14	32.47	7.26	36.85	10.00	218	360 PEAK																																								
Avg							Blank																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.52</td><td>46.45</td><td>54.00</td><td>-7.55</td><td>33.53</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>218</td><td>360 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2490.52	46.45	54.00	-7.55	33.53
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2490.52	46.45	54.00	-7.55	33.53	32.48	7.27	36.83	10.00	218	360 AVERAGE																																								





Mode	23																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																																																																				
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.83</td><td>64.24</td><td>74.00</td><td>-9.76</td><td>52.02</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>300</td><td>69 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.83	64.24	74.00	-9.76	52.02	32.17	7.10	37.05	10.00	300	69 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>117.88</td><td>-----</td><td>-----</td><td>105.29</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>300</td><td>69 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	117.88	-----	-----	105.29	32.37	7.18	36.96	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2386.83	64.24	74.00	-9.76	52.02	32.17	7.10	37.05	10.00	300	69 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	117.88	-----	-----	105.29	32.37	7.18	36.96	10.00	300	69 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>52.44</td><td>54.00</td><td>-1.56</td><td>40.20</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>300</td><td>69 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	52.44	54.00	-1.56	40.20	32.19	7.10	37.05	10.00	300	69 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>107.20</td><td>-----</td><td>-----</td><td>94.58</td><td>32.38</td><td>7.19</td><td>36.95</td><td>10.00</td><td>300</td><td>69 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	107.20	-----	-----	94.58	32.38	7.19	36.95	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2388.91	52.44	54.00	-1.56	40.20	32.19	7.10	37.05	10.00	300	69 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	107.20	-----	-----	94.58	32.38	7.19	36.95	10.00	300	69 AVERAGE																																																																																										







Mode	23																																																			
	Band Edge - R																																																			
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																			
Pol.	Vertical						Fundamental																																													
Peak							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.68</td><td>67.27</td><td>74.00</td><td>-6.73</td><td>54.38</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>300</td><td>69</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.68	67.27	74.00	-6.73	54.38	32.47
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2486.68	67.27	74.00	-6.73	54.38	32.47	7.26	36.84	10.00	300	69	PEAK																																								
Avg							Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>52.55</td><td>54.00</td><td>-1.45</td><td>39.67</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>300</td><td>69</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.16	52.55	54.00	-1.45	39.67	32.47
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2484.16	52.55	54.00	-1.45	39.67	32.47	7.26	36.85	10.00	300	69	AVERAGE																																								



Mode	23																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11ax HE40_CH6_2437MHz																																																																																															
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>73.67</td><td>34.16</td><td>11.67</td><td>65.87</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr><tr><td>2</td><td>4872.00</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>63.67</td><td>34.16</td><td>11.67</td><td>65.87</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr><tr><td>3</td><td>7300.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>66.07</td><td>35.80</td><td>14.47</td><td>65.14</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr><tr><td>4</td><td>7300.00</td><td>41.20</td><td>54.00</td><td>-12.80</td><td>56.07</td><td>35.80</td><td>14.47</td><td>65.14</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4872.00	53.63	74.00	-20.37	73.67	34.16	11.67	65.87	0.00	100	245 PEAK	2	4872.00	43.63	54.00	-10.37	63.67	34.16	11.67	65.87	0.00	100	245 AVERAGE	3	7300.00	51.20	74.00	-22.80	66.07	35.80	14.47	65.14	0.00	100	245 PEAK	4	7300.00	41.20	54.00	-12.80	56.07	35.80	14.47	65.14	0.00	100	245 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	4872.00	53.63	74.00	-20.37	73.67	34.16	11.67	65.87	0.00	100	245 PEAK																																																																																					
2	4872.00	43.63	54.00	-10.37	63.67	34.16	11.67	65.87	0.00	100	245 AVERAGE																																																																																					
3	7300.00	51.20	74.00	-22.80	66.07	35.80	14.47	65.14	0.00	100	245 PEAK																																																																																					
4	7300.00	41.20	54.00	-12.80	56.07	35.80	14.47	65.14	0.00	100	245 AVERAGE																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4870.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>73.09</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>300</td><td>114 PEAK</td></tr><tr><td>2</td><td>4870.00</td><td>43.04</td><td>54.00</td><td>-10.96</td><td>63.09</td><td>34.16</td><td>11.67</td><td>65.88</td><td>0.00</td><td>300</td><td>114 AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>63.87</td><td>35.78</td><td>14.48</td><td>65.17</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4870.00	53.04	74.00	-20.96	73.09	34.16	11.67	65.88	0.00	300	114 PEAK	2	4870.00	43.04	54.00	-10.96	63.09	34.16	11.67	65.88	0.00	300	114 AVERAGE	3	7311.00	48.96	74.00	-25.04	63.87	35.78	14.48	65.17	0.00	--	-- PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	4870.00	53.04	74.00	-20.96	73.09	34.16	11.67	65.88	0.00	300	114 PEAK																																																																																					
2	4870.00	43.04	54.00	-10.96	63.09	34.16	11.67	65.88	0.00	300	114 AVERAGE																																																																																					
3	7311.00	48.96	74.00	-25.04	63.87	35.78	14.48	65.17	0.00	--	-- PEAK																																																																																					







Mode	24																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.13</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>43.73</td><td>31.92</td><td>7.06</td><td>37.06</td><td>10.00</td><td>272 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.13	55.65	74.00	-18.35	43.73	31.92	7.06	37.06	10.00	272 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2362.13	55.65	74.00	-18.35	43.73	31.92	7.06	37.06	10.00	272 360 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>106.40</td><td>-----</td><td>-----</td><td>93.66</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>272 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	106.40	-----	-----	93.66	32.42	7.22	36.90	10.00	272 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	106.40	-----	-----	93.66	32.42	7.22	36.90	10.00	272 360 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2341.85</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>31.66</td><td>31.72</td><td>7.03</td><td>37.07</td><td>10.00</td><td>272 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2341.85	43.34	54.00	-10.66	31.66	31.72	7.03	37.07	10.00	272 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2341.85	43.34	54.00	-10.66	31.66	31.72	7.03	37.07	10.00	272 360 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>96.45</td><td>-----</td><td>-----</td><td>83.73</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>272 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	96.45	-----	-----	83.73	32.42	7.21	36.91	10.00	272 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2452.00	96.45	-----	-----	83.73	32.42	7.21	36.91	10.00	272 360 AVERAGE																																													





Mode	24																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.06</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>46.96</td><td>32.48</td><td>7.26</td><td>36.84</td><td>10.00</td><td>272 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.06	59.86	74.00	-14.14	46.96	32.48	7.26	36.84	10.00	272 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.06	59.86	74.00	-14.14	46.96	32.48	7.26	36.84	10.00	272 360 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>46.49</td><td>54.00</td><td>-7.51</td><td>33.60</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>272 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.54	46.49	54.00	-7.51	33.60	32.47	7.26	36.84	10.00	272 360 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2485.54	46.49	54.00	-7.51	33.60	32.47	7.26	36.84	10.00	272 360 AVERAGE																																													





Mode	24																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.62</td><td>60.42</td><td>74.00</td><td>-13.58</td><td>48.37</td><td>32.02</td><td>7.08</td><td>37.05</td><td>10.00</td><td>300</td><td>69 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.62	60.42	74.00	-13.58	48.37	32.02	7.08	37.05	10.00	300	69 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>112.91</td><td>-----</td><td>-----</td><td>100.25</td><td>32.39</td><td>7.20</td><td>36.93</td><td>10.00</td><td>300</td><td>69 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	112.91	-----	-----	100.25	32.39	7.20	36.93	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2371.62	60.42	74.00	-13.58	48.37	32.02	7.08	37.05	10.00	300	69 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	112.91	-----	-----	100.25	32.39	7.20	36.93	10.00	300	69 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.01</td><td>48.30</td><td>54.00</td><td>-5.70</td><td>36.25</td><td>32.02</td><td>7.08</td><td>37.05</td><td>10.00</td><td>300</td><td>69 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.01	48.30	54.00	-5.70	36.25	32.02	7.08	37.05	10.00	300	69 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>103.13</td><td>-----</td><td>-----</td><td>90.46</td><td>32.40</td><td>7.20</td><td>36.93</td><td>10.00</td><td>300</td><td>69 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	103.13	-----	-----	90.46	32.40	7.20	36.93	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2372.01	48.30	54.00	-5.70	36.25	32.02	7.08	37.05	10.00	300	69 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	103.13	-----	-----	90.46	32.40	7.20	36.93	10.00	300	69 AVERAGE																																																																																									







Mode	24																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>65.98</td><td>74.00</td><td>-8.02</td><td>53.10</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>69 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	65.98	74.00	-8.02
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.56	65.98	74.00	-8.02	53.10	32.47	7.26	36.85	10.00	69 PEAK																																							
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.19</td><td>54.00</td><td>-0.81</td><td>40.31</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>69 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.19	54.00	-0.81
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.50	53.19	54.00	-0.81	40.31	32.47	7.26	36.85	10.00	69 AVERAGE																																							







Mode	24																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11ax HE40_CH9_2452MHz																																																																																																																																											
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>65.17</td><td>34.08</td><td>11.74</td><td>65.83</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.41</td><td>74.00</td><td>-30.59</td><td>58.47</td><td>35.71</td><td>14.54</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4904.00	45.16	74.00	-28.84	65.17	34.08	11.74	65.83	0.00	--	--	PEAK	2	7356.00	43.41	74.00	-30.59	58.47	35.71	14.54	65.31	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>46.99</td><td>74.00</td><td>-27.01</td><td>67.00</td><td>34.08</td><td>11.74</td><td>65.83</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4904.00</td><td>37.06</td><td>54.00</td><td>-16.94</td><td>57.07</td><td>34.08</td><td>11.74</td><td>65.83</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7356.00</td><td>43.19</td><td>74.00</td><td>-30.81</td><td>58.25</td><td>35.71</td><td>14.54</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4904.00	46.99	74.00	-27.01	67.00	34.08	11.74	65.83	0.00	100	360	PEAK	2	4904.00	37.06	54.00	-16.94	57.07	34.08	11.74	65.83	0.00	100	360	AVERAGE	3	7356.00	43.19	74.00	-30.81	58.25	35.71	14.54	65.31	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	4904.00	45.16	74.00	-28.84	65.17	34.08	11.74	65.83	0.00	--	--	PEAK																																																																																																																																
2	7356.00	43.41	74.00	-30.59	58.47	35.71	14.54	65.31	0.00	--	--	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	4904.00	46.99	74.00	-27.01	67.00	34.08	11.74	65.83	0.00	100	360	PEAK																																																																																																																																
2	4904.00	37.06	54.00	-16.94	57.07	34.08	11.74	65.83	0.00	100	360	AVERAGE																																																																																																																																
3	7356.00	43.19	74.00	-30.81	58.25	35.71	14.54	65.31	0.00	--	--	PEAK																																																																																																																																





		25																																																																																																										
Mode		Band Edge																																																																																																										
		2400-2483.5_802.11g_CH2_2417MHz																																																																																																										
ANT		Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																										
Pol.		Horizontal					Fundamental																																																																																																					
Peak																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>66.64</td><td>74.00</td><td>-7.36</td><td>54.38</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>260 218 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	66.64	74.00	-7.36	54.38	32.20	7.11	37.05	10.00	260 218 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>116.73</td><td>-----</td><td>-----</td><td>104.23</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>260 218 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	116.73	-----	-----	104.23	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2389.82	66.64	74.00	-7.36	54.38	32.20	7.11	37.05	10.00	260 218 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2417.00	116.73	-----	-----	104.23	32.34	7.15	36.99	10.00	260 218 PEAK																																																																																																		
Avg																																																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>36.55</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>260 218 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	48.81	54.00	-5.19	36.55	32.20	7.11	37.05	10.00	260 218 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>107.68</td><td>-----</td><td>-----</td><td>95.18</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>260 218 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	107.68	-----	-----	95.18	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2389.69	48.81	54.00	-5.19	36.55	32.20	7.11	37.05	10.00	260 218 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2417.00	107.68	-----	-----	95.18	32.34	7.15	36.99	10.00	260 218 AVERAGE																																																																																																		







	25																																																																																																	
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH2_2417MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.70</td><td>66.83</td><td>74.00</td><td>-7.17</td><td>54.61</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>183 360 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.70	66.83	74.00	-7.17	54.61	32.17	7.10	37.05	10.00	183 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>122.96</td><td>-----</td><td>-----</td><td>110.48</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>183 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	122.96	-----	-----	110.48	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.70	66.83	74.00	-7.17	54.61	32.17	7.10	37.05	10.00	183 360 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	122.96	-----	-----	110.48	32.33	7.15	37.00	10.00	183 360 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>52.33</td><td>54.00</td><td>-1.67</td><td>40.12</td><td>32.16</td><td>7.10</td><td>37.05</td><td>10.00</td><td>183 360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	52.33	54.00	-1.67	40.12	32.16	7.10	37.05	10.00	183 360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>113.11</td><td>-----</td><td>-----</td><td>100.63</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>183 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	113.11	-----	-----	100.63	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.44	52.33	54.00	-1.67	40.12	32.16	7.10	37.05	10.00	183 360 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	113.11	-----	-----	100.63	32.33	7.15	37.00	10.00	183 360 AVERAGE																																																																																								







		25																																																																																																																																																																																																											
Mode	Harmonic																																																																																																																																																																																																												
	2400-2483.5_802.11g_CH2_2417MHz																																																																																																																																																																																																												
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4834.00</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>75.89</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>100</td><td>302</td><td>PEAK</td></tr><tr><td>2 4834.00</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>64.42</td><td>34.16</td><td>11.59</td><td>61.26</td><td>0.00</td><td>100</td><td>302</td><td>AVERAGE</td></tr><tr><td>3 7257.00</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>61.04</td><td>35.63</td><td>14.41</td><td>60.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 9661.00</td><td>50.44</td><td>92.33</td><td>-41.89</td><td>58.08</td><td>36.78</td><td>16.77</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5 12079.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>51.72</td><td>38.68</td><td>19.08</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4834.00	60.40	74.00	-13.60	75.89	34.17	11.60	61.26	0.00	100	302	PEAK	2 4834.00	48.91	54.00	-5.09	64.42	34.16	11.59	61.26	0.00	100	302	AVERAGE	3 7257.00	50.47	74.00	-23.53	61.04	35.63	14.41	60.61	0.00	--	--	PEAK	4 9661.00	50.44	92.33	-41.89	58.08	36.78	16.77	61.19	0.00	--	--	PEAK	5 12079.00	48.47	74.00	-25.53	51.72	38.68	19.08	61.01	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4834.00</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>74.01</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>106</td><td>6</td><td>PEAK</td></tr><tr><td>2 4834.00</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>65.30</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>106</td><td>6</td><td>AVERAGE</td></tr><tr><td>3 7251.00</td><td>59.98</td><td>74.00</td><td>-14.02</td><td>70.57</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>4 7251.00</td><td>49.66</td><td>54.00</td><td>-4.34</td><td>60.25</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr><tr><td>5 9664.00</td><td>56.15</td><td>89.11</td><td>-32.96</td><td>63.80</td><td>36.77</td><td>16.77</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6 12091.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>57.13</td><td>38.69</td><td>19.08</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4834.00	58.52	74.00	-15.48	74.01	34.17	11.60	61.26	0.00	106	6	PEAK	2 4834.00	49.81	54.00	-4.19	65.30	34.17	11.60	61.26	0.00	106	6	AVERAGE	3 7251.00	59.98	74.00	-14.02	70.57	35.60	14.40	60.59	0.00	100	281	PEAK	4 7251.00	49.66	54.00	-4.34	60.25	35.60	14.40	60.59	0.00	100	281	AVERAGE	5 9664.00	56.15	89.11	-32.96	63.80	36.77	16.77	61.19	0.00	--	--	PEAK	6 12091.00	53.89	74.00	-20.11	57.13	38.69	19.08	61.01	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																			
1 4834.00	60.40	74.00	-13.60	75.89	34.17	11.60	61.26	0.00	100	302	PEAK																																																																																																																																																																																																		
2 4834.00	48.91	54.00	-5.09	64.42	34.16	11.59	61.26	0.00	100	302	AVERAGE																																																																																																																																																																																																		
3 7257.00	50.47	74.00	-23.53	61.04	35.63	14.41	60.61	0.00	--	--	PEAK																																																																																																																																																																																																		
4 9661.00	50.44	92.33	-41.89	58.08	36.78	16.77	61.19	0.00	--	--	PEAK																																																																																																																																																																																																		
5 12079.00	48.47	74.00	-25.53	51.72	38.68	19.08	61.01	0.00	--	--	PEAK																																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																			
1 4834.00	58.52	74.00	-15.48	74.01	34.17	11.60	61.26	0.00	106	6	PEAK																																																																																																																																																																																																		
2 4834.00	49.81	54.00	-4.19	65.30	34.17	11.60	61.26	0.00	106	6	AVERAGE																																																																																																																																																																																																		
3 7251.00	59.98	74.00	-14.02	70.57	35.60	14.40	60.59	0.00	100	281	PEAK																																																																																																																																																																																																		
4 7251.00	49.66	54.00	-4.34	60.25	35.60	14.40	60.59	0.00	100	281	AVERAGE																																																																																																																																																																																																		
5 9664.00	56.15	89.11	-32.96	63.80	36.77	16.77	61.19	0.00	--	--	PEAK																																																																																																																																																																																																		
6 12091.00	53.89	74.00	-20.11	57.13	38.69	19.08	61.01	0.00	--	--	PEAK																																																																																																																																																																																																		





Mode	26																																																																																																					
	Band Edge - L																																																																																																					
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.26</td><td>64.54</td><td>74.00</td><td>-9.46</td><td>51.65</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>300</td><td>41 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.26	64.54	74.00	-9.46	51.65	32.47	7.26	36.84	10.00	300	41 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>115.07</td><td>-----</td><td>-----</td><td>102.35</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>300</td><td>41 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	115.07	-----	-----	102.35	32.42	7.21	36.91	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2486.26	64.54	74.00	-9.46	51.65	32.47	7.26	36.84	10.00	300	41 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2457.00	115.07	-----	-----	102.35	32.42	7.21	36.91	10.00	300	41 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.20</td><td>49.98</td><td>54.00</td><td>-4.02</td><td>37.09</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>300</td><td>41 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.20	49.98	54.00	-4.02	37.09	32.47	7.26	36.84	10.00	300	41 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>106.17</td><td>-----</td><td>-----</td><td>93.46</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>300</td><td>41 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	106.17	-----	-----	93.46	32.41	7.21	36.91	10.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2486.20	49.98	54.00	-4.02	37.09	32.47	7.26	36.84	10.00	300	41 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2457.00	106.17	-----	-----	93.46	32.41	7.21	36.91	10.00	300	41 AVERAGE																																																																																											







Mode	26																																																																																													
	Band Edge - L																																																																																													
	2400-2483.5_802.11g_CH10_2457MHz																																																																																													
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>66.50</td><td>74.00</td><td>-7.50</td><td>53.61</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>231</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.54	66.50	74.00	-7.50	53.61	32.47	7.26	36.84	10.00	231	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>121.58</td><td>-----</td><td>-----</td><td>108.86</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>231</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	121.58	-----	-----	108.86	32.42	7.21	36.91	10.00	231	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2485.54	66.50	74.00	-7.50	53.61	32.47	7.26	36.84	10.00	231	0 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2457.00	121.58	-----	-----	108.86	32.42	7.21	36.91	10.00	231	0 PEAK																																																																																			
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.08</td><td>53.03</td><td>54.00</td><td>-0.97</td><td>40.14</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>231</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.08	53.03	54.00	-0.97	40.14	32.47	7.26	36.84	10.00	231	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>113.51</td><td>-----</td><td>-----</td><td>100.80</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>231</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	113.51	-----	-----	100.80	32.41	7.21	36.91	10.00	231	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2486.08	53.03	54.00	-0.97	40.14	32.47	7.26	36.84	10.00	231	0 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2457.00	113.51	-----	-----	100.80	32.41	7.21	36.91	10.00	231	0 AVERAGE																																																																																			







Mode	26																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																			
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																																																																																																			
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																													
Peak Avg																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 4918.00</td><td>63.82</td><td>74.00</td><td>-10.18</td><td>79.21</td><td>34.03</td><td>11.77</td><td>61.19</td><td>0.00</td><td>263 173 PEAK</td></tr><tr><td>2 4918.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>66.05</td><td>34.03</td><td>11.77</td><td>61.19</td><td>0.00</td><td>263 173 AVERAGE</td></tr><tr><td>3 7371.00</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>72.67</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>103 234 PEAK</td></tr><tr><td>4 7371.00</td><td>51.30</td><td>54.00</td><td>-2.70</td><td>61.86</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>103 234 AVERAGE</td></tr><tr><td>5 9826.00</td><td>59.60</td><td>92.34</td><td>-32.74</td><td>66.95</td><td>36.95</td><td>16.95</td><td>61.25</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>6 12279.00</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>59.20</td><td>38.86</td><td>19.20</td><td>60.99</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4918.00	63.82	74.00	-10.18	79.21	34.03	11.77	61.19	0.00	263 173 PEAK	2 4918.00	50.66	54.00	-3.34	66.05	34.03	11.77	61.19	0.00	263 173 AVERAGE	3 7371.00	62.11	74.00	-11.89	72.67	35.74	14.56	60.86	0.00	103 234 PEAK	4 7371.00	51.30	54.00	-2.70	61.86	35.74	14.56	60.86	0.00	103 234 AVERAGE	5 9826.00	59.60	92.34	-32.74	66.95	36.95	16.95	61.25	0.00	-- -- PEAK	6 12279.00	56.27	74.00	-17.73	59.20	38.86	19.20	60.99	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 4914.00</td><td>61.39</td><td>74.00</td><td>-12.61</td><td>76.78</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100 312 PEAK</td></tr><tr><td>2 4914.00</td><td>49.07</td><td>54.00</td><td>-4.93</td><td>64.46</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100 312 AVERAGE</td></tr><tr><td>3 7368.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>61.72</td><td>35.74</td><td>14.56</td><td>60.85</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>4 9832.50</td><td>54.67</td><td>89.75</td><td>-35.08</td><td>61.99</td><td>36.97</td><td>16.96</td><td>61.25</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>5 12280.50</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>55.46</td><td>38.86</td><td>19.20</td><td>60.99</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4914.00	61.39	74.00	-12.61	76.78	34.04	11.76	61.19	0.00	100 312 PEAK	2 4914.00	49.07	54.00	-4.93	64.46	34.04	11.76	61.19	0.00	100 312 AVERAGE	3 7368.00	51.17	74.00	-22.83	61.72	35.74	14.56	60.85	0.00	-- -- PEAK	4 9832.50	54.67	89.75	-35.08	61.99	36.97	16.96	61.25	0.00	-- -- PEAK	5 12280.50	52.53	74.00	-21.47	55.46	38.86	19.20	60.99	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																											
1 4918.00	63.82	74.00	-10.18	79.21	34.03	11.77	61.19	0.00	263 173 PEAK																																																																																																																																																																											
2 4918.00	50.66	54.00	-3.34	66.05	34.03	11.77	61.19	0.00	263 173 AVERAGE																																																																																																																																																																											
3 7371.00	62.11	74.00	-11.89	72.67	35.74	14.56	60.86	0.00	103 234 PEAK																																																																																																																																																																											
4 7371.00	51.30	54.00	-2.70	61.86	35.74	14.56	60.86	0.00	103 234 AVERAGE																																																																																																																																																																											
5 9826.00	59.60	92.34	-32.74	66.95	36.95	16.95	61.25	0.00	-- -- PEAK																																																																																																																																																																											
6 12279.00	56.27	74.00	-17.73	59.20	38.86	19.20	60.99	0.00	-- -- PEAK																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																											
1 4914.00	61.39	74.00	-12.61	76.78	34.04	11.76	61.19	0.00	100 312 PEAK																																																																																																																																																																											
2 4914.00	49.07	54.00	-4.93	64.46	34.04	11.76	61.19	0.00	100 312 AVERAGE																																																																																																																																																																											
3 7368.00	51.17	74.00	-22.83	61.72	35.74	14.56	60.85	0.00	-- -- PEAK																																																																																																																																																																											
4 9832.50	54.67	89.75	-35.08	61.99	36.97	16.96	61.25	0.00	-- -- PEAK																																																																																																																																																																											
5 12280.50	52.53	74.00	-21.47	55.46	38.86	19.20	60.99	0.00	-- -- PEAK																																																																																																																																																																											



Mode	27																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																																																																																				
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2331.32</td><td>59.78</td><td>74.00</td><td>-14.22</td><td>48.22</td><td>31.61</td><td>7.02</td><td>37.07</td><td>10.00</td><td>260</td><td>215</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2331.32	59.78	74.00	-14.22	48.22	31.61	7.02	37.07	10.00	260	215	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>115.30</td><td>-----</td><td>-----</td><td>102.81</td><td>32.34</td><td>7.15</td><td>37.00</td><td>10.00</td><td>260</td><td>215</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	115.30	-----	-----	102.81	32.34	7.15	37.00	10.00	260	215
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2331.32	59.78	74.00	-14.22	48.22	31.61	7.02	37.07	10.00	260	215	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2417.00	115.30	-----	-----	102.81	32.34	7.15	37.00	10.00	260	215	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.75</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>35.01</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>260</td><td>215</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2384.75	47.21	54.00	-6.79	35.01	32.15	7.10	37.05	10.00	260	215	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>105.11</td><td>-----</td><td>-----</td><td>92.63</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>260</td><td>215</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	105.11	-----	-----	92.63	32.33	7.15	37.00	10.00	260	215
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2384.75	47.21	54.00	-6.79	35.01	32.15	7.10	37.05	10.00	260	215	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2417.00	105.11	-----	-----	92.63	32.33	7.15	37.00	10.00	260	215	AVERAGE																																																																																																									



	27																																																					
Mode	Band Edge																																																					
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.61</td><td>66.24</td><td>74.00</td><td>-7.76</td><td>54.01</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>233 152 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.61	66.24	74.00	-7.76	54.01	32.18	7.10	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2387.61	66.24	74.00	-7.76	54.01	32.18	7.10	37.05	10.00	233 152 PEAK																																												
Fundamental																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>121.02</td><td>-----</td><td>-----</td><td>108.54</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>233 152 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	121.02	-----	-----	108.54	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2417.00	121.02	-----	-----	108.54	32.33	7.15	37.00	10.00	233 152 PEAK																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>53.66</td><td>54.00</td><td>-0.34</td><td>41.40</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>233 152 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	53.66	54.00	-0.34	41.40	32.20	7.11	37.05	10.00	233 152 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	53.66	54.00	-0.34	41.40	32.20	7.11	37.05	10.00	233 152 AVERAGE																																												
																																																						
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>111.55</td><td>-----</td><td>-----</td><td>99.07</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>233 152 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	111.55	-----	-----	99.07	32.33	7.15	37.00	10.00	233 152 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2417.00	111.55	-----	-----	99.07	32.33	7.15	37.00	10.00	233 152 AVERAGE																																												



Mode	27																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																																																																																																																																									
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																																																																															
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 65.0 dBuV/m (FCC PART 15C (AVG)). Four peaks are marked with vertical blue lines and numbered 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4834.00</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>72.49</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>290 179 PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>63.18</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>290 179 AVERAGE</td></tr><tr><td>3</td><td>7260.00</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>63.38</td><td>35.64</td><td>14.41</td><td>60.61</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>4</td><td>9669.00</td><td>54.75</td><td>90.91</td><td>-36.16</td><td>62.40</td><td>36.76</td><td>16.78</td><td>61.19</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	57.00	74.00	-17.00	72.49	34.17	11.60	61.26	0.00	290 179 PEAK	2	4834.00	47.69	54.00	-6.31	63.18	34.17	11.60	61.26	0.00	290 179 AVERAGE	3	7260.00	52.82	74.00	-21.18	63.38	35.64	14.41	60.61	0.00	-- -- PEAK	4	9669.00	54.75	90.91	-36.16	62.40	36.76	16.78	61.19	0.00	-- -- PEAK	Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal trace, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 65.0 dBuV/m (FCC PART 15C (AVG)). Four peaks are marked with vertical blue lines and numbered 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4834.00</td><td>56.32</td><td>74.00</td><td>-17.68</td><td>71.81</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>102 300 PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>47.69</td><td>54.00</td><td>-6.31</td><td>63.18</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>102 300 AVERAGE</td></tr><tr><td>3</td><td>7254.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>56.35</td><td>35.62</td><td>14.40</td><td>60.60</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>4</td><td>9673.00</td><td>48.66</td><td>87.45</td><td>-38.79</td><td>56.32</td><td>36.75</td><td>16.78</td><td>61.19</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	56.32	74.00	-17.68	71.81	34.17	11.60	61.26	0.00	102 300 PEAK	2	4834.00	47.69	54.00	-6.31	63.18	34.17	11.60	61.26	0.00	102 300 AVERAGE	3	7254.00	45.77	74.00	-28.23	56.35	35.62	14.40	60.60	0.00	-- -- PEAK	4	9673.00	48.66	87.45	-38.79	56.32	36.75	16.78	61.19	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
	Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
	1	4834.00	57.00	74.00	-17.00	72.49	34.17	11.60	61.26	0.00	290 179 PEAK																																																																																																																																																															
2	4834.00	47.69	54.00	-6.31	63.18	34.17	11.60	61.26	0.00	290 179 AVERAGE																																																																																																																																																																
3	7260.00	52.82	74.00	-21.18	63.38	35.64	14.41	60.61	0.00	-- -- PEAK																																																																																																																																																																
4	9669.00	54.75	90.91	-36.16	62.40	36.76	16.78	61.19	0.00	-- -- PEAK																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																	
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																
1	4834.00	56.32	74.00	-17.68	71.81	34.17	11.60	61.26	0.00	102 300 PEAK																																																																																																																																																																
2	4834.00	47.69	54.00	-6.31	63.18	34.17	11.60	61.26	0.00	102 300 AVERAGE																																																																																																																																																																
3	7254.00	45.77	74.00	-28.23	56.35	35.62	14.40	60.60	0.00	-- -- PEAK																																																																																																																																																																
4	9673.00	48.66	87.45	-38.79	56.32	36.75	16.78	61.19	0.00	-- -- PEAK																																																																																																																																																																