













	28																																																					
Mode	Band Edge - L																																																					
	2400-2483.5_802.11ax HE20_CH3_2422MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.27</td><td>60.74</td><td>74.00</td><td>-13.26</td><td>48.54</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>260 219 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.27	60.74	74.00	-13.26	48.54	32.15	7.10	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2385.27	60.74	74.00	-13.26	48.54	32.15	7.10	37.05	10.00	260 219 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>116.36</td><td>-----</td><td>-----</td><td>103.83</td><td>32.35</td><td>7.16</td><td>36.98</td><td>10.00</td><td>260 219 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	116.36	-----	-----	103.83	32.35	7.16	36.98	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2422.00	116.36	-----	-----	103.83	32.35	7.16	36.98	10.00	260 219 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.14</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>37.30</td><td>31.63</td><td>7.02</td><td>37.07</td><td>10.00</td><td>260 219 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2333.14	48.88	54.00	-5.12	37.30	31.63	7.02	37.07	10.00	260 219 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2333.14	48.88	54.00	-5.12	37.30	31.63	7.02	37.07	10.00	260 219 AVERAGE																																												
																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>108.15</td><td>-----</td><td>-----</td><td>95.64</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>260 219 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	108.15	-----	-----	95.64	32.34	7.16	36.99	10.00	260 219 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2422.00	108.15	-----	-----	95.64	32.34	7.16	36.99	10.00	260 219 AVERAGE																																												







	28																																																																																																														
Mode	Band Edge - L																																																																																																														
	2400-2483.5_802.11ax HE20_CH3_2422MHz																																																																																																														
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>66.98</td><td>74.00</td><td>-7.02</td><td>54.74</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>213</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	66.98	74.00	-7.02	54.74	32.19	7.10	37.05	10.00	213	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>121.77</td><td>-----</td><td>-----</td><td>109.26</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>213</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	121.77	-----	-----	109.26	32.34	7.16	36.99	10.00	213
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.30	66.98	74.00	-7.02	54.74	32.19	7.10	37.05	10.00	213	0 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2422.00	121.77	-----	-----	109.26	32.34	7.16	36.99	10.00	213	0 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>53.77</td><td>54.00</td><td>-0.23</td><td>41.53</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>213</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	53.77	54.00	-0.23	41.53	32.19	7.10	37.05	10.00	213	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>111.86</td><td>-----</td><td>-----</td><td>99.34</td><td>32.35</td><td>7.16</td><td>36.99</td><td>10.00</td><td>213</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	111.86	-----	-----	99.34	32.35	7.16	36.99	10.00	213
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.30	53.77	54.00	-0.23	41.53	32.19	7.10	37.05	10.00	213	0 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2422.00	111.86	-----	-----	99.34	32.35	7.16	36.99	10.00	213	0 AVERAGE																																																																																																				







		28																																																																																																																																																																																																																																				
Mode		Harmonic																																																																																																																																																																																																																																				
		2400-2483.5_802.11ax HE20_CH3_2422MHz																																																																																																																																																																																																																																				
ANT		Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																				
Pol.		Horizontal					Vertical																																																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>75.45</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>107</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>4844.00</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>65.85</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>107</td><td>236</td><td>AVERAGE</td></tr><tr><td>3</td><td>7266.00</td><td>61.42</td><td>74.00</td><td>-12.58</td><td>71.97</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>105</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>7266.00</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>61.37</td><td>35.65</td><td>14.41</td><td>60.62</td><td>0.00</td><td>105</td><td>243</td><td>AVERAGE</td></tr><tr><td>5</td><td>9691.00</td><td>56.88</td><td>94.41</td><td>-37.53</td><td>64.56</td><td>36.72</td><td>16.80</td><td>61.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12103.00</td><td>53.00</td><td>74.00</td><td>-20.20</td><td>57.02</td><td>38.70</td><td>19.09</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	60.01	74.00	-13.99	75.45	34.19	11.62	61.25	0.00	107	236	PEAK	2	4844.00	50.41	54.00	-3.59	65.85	34.19	11.62	61.25	0.00	107	236	AVERAGE	3	7266.00	61.42	74.00	-12.58	71.97	35.66	14.42	60.63	0.00	105	243	PEAK	4	7266.00	50.81	54.00	-3.19	61.37	35.65	14.41	60.62	0.00	105	243	AVERAGE	5	9691.00	56.88	94.41	-37.53	64.56	36.72	16.80	61.20	0.00	--	--	PEAK	6	12103.00	53.00	74.00	-20.20	57.02	38.70	19.09	61.01	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>58.78</td><td>74.00</td><td>-15.22</td><td>74.22</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>4844.00</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>65.22</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>100</td><td>309</td><td>AVERAGE</td></tr><tr><td>3</td><td>7264.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>62.27</td><td>35.66</td><td>14.42</td><td>60.62</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>9690.00</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>60.58</td><td>36.72</td><td>16.80</td><td>61.20</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>12109.00</td><td>53.46</td><td>90.22</td><td>-36.76</td><td>56.67</td><td>38.70</td><td>19.10</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	58.78	74.00	-15.22	74.22	34.19	11.62	61.25	0.00	100	309	PEAK	2	4844.00	49.78	54.00	-4.22	65.22	34.19	11.62	61.25	0.00	100	309	AVERAGE	3	7264.00	51.73	74.00	-22.27	62.27	35.66	14.42	60.62	0.00	--	--	PEAK	4	9690.00	52.90	74.00	-21.10	60.58	36.72	16.80	61.20	0.00	--	--	PEAK	5	12109.00	53.46	90.22	-36.76	56.67	38.70	19.10	61.01	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	4844.00	60.01	74.00	-13.99	75.45	34.19	11.62	61.25	0.00	107	236	PEAK																																																																																																																																																																																																																										
2	4844.00	50.41	54.00	-3.59	65.85	34.19	11.62	61.25	0.00	107	236	AVERAGE																																																																																																																																																																																																																										
3	7266.00	61.42	74.00	-12.58	71.97	35.66	14.42	60.63	0.00	105	243	PEAK																																																																																																																																																																																																																										
4	7266.00	50.81	54.00	-3.19	61.37	35.65	14.41	60.62	0.00	105	243	AVERAGE																																																																																																																																																																																																																										
5	9691.00	56.88	94.41	-37.53	64.56	36.72	16.80	61.20	0.00	--	--	PEAK																																																																																																																																																																																																																										
6	12103.00	53.00	74.00	-20.20	57.02	38.70	19.09	61.01	0.00	--	--	PEAK																																																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																												
1	4844.00	58.78	74.00	-15.22	74.22	34.19	11.62	61.25	0.00	100	309	PEAK																																																																																																																																																																																																																										
2	4844.00	49.78	54.00	-4.22	65.22	34.19	11.62	61.25	0.00	100	309	AVERAGE																																																																																																																																																																																																																										
3	7264.00	51.73	74.00	-22.27	62.27	35.66	14.42	60.62	0.00	--	--	PEAK																																																																																																																																																																																																																										
4	9690.00	52.90	74.00	-21.10	60.58	36.72	16.80	61.20	0.00	--	--	PEAK																																																																																																																																																																																																																										
5	12109.00	53.46	90.22	-36.76	56.67	38.70	19.10	61.01	0.00	--	--	PEAK																																																																																																																																																																																																																										





		29																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal										Fundamental																																																																																							
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.18</td><td>62.76</td><td>74.00</td><td>-11.24</td><td>49.87</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>271 40 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.18	62.76	74.00	-11.24	49.87	32.47	7.26	36.84	10.00	271 40 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>116.77</td><td>-----</td><td>-----</td><td>104.03</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>271 40 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	116.77	-----	-----	104.03	32.42	7.22	36.90	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.18	62.76	74.00	-11.24	49.87	32.47	7.26	36.84	10.00	271 40 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	116.77	-----	-----	104.03	32.42	7.22	36.90	10.00	271 40 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.24</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>37.31</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>271 40 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.24	50.20	54.00	-3.80	37.31	32.47	7.26	36.84	10.00	271 40 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.39</td><td>-----</td><td>-----</td><td>94.68</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>271 40 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.39	-----	-----	94.68	32.41	7.21	36.91	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.24	50.20	54.00	-3.80	37.31	32.47	7.26	36.84	10.00	271 40 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	107.39	-----	-----	94.68	32.41	7.21	36.91	10.00	271 40 AVERAGE																																																																																								







		29																																																				
Mode	Band Edge																																																					
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>65.99</td><td>74.00</td><td>-8.01</td><td>53.11</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>231 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	65.99	74.00	-8.01	53.11	32.47	7.26	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.62	65.99	74.00	-8.01	53.11	32.47	7.26	36.85	10.00	231 360 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>122.00</td><td>-----</td><td>-----</td><td>109.29</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>231 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	122.00	-----	-----	109.29	32.41	7.21	36.91	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	122.00	-----	-----	109.29	32.41	7.21	36.91	10.00	231 360 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.22</td><td>54.00</td><td>-0.78</td><td>40.34</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>231 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.22	54.00	-0.78	40.34	32.47	7.26	36.85	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	53.22	54.00	-0.78	40.34	32.47	7.26	36.85	10.00	231 360 AVERAGE																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>111.74</td><td>-----</td><td>-----</td><td>99.03</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>231 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	111.74	-----	-----	99.03	32.41	7.21	36.91	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	111.74	-----	-----	99.03	32.41	7.21	36.91	10.00	231 360 AVERAGE																																												





Mode	29																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																														
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																														
Pol.	Horizontal																																																																																														
Peak Avg																																																																																															
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	59.18	74.00	-14.82	74.57	34.04	11.76	61.19	0.00	300	177 PEAK	2	4914.00	50.90	54.00	-3.10	66.29	34.04	11.76	61.19	0.00	300	177 AVERAGE	3	7371.00	60.16	74.00	-13.84	70.72	35.74	14.56	60.86	0.00	100	234 PEAK	4	7371.00	50.46	54.00	-3.54	61.02	35.74	14.56	60.86	0.00	100	234 AVERAGE	5	9816.00	58.72	74.00	-15.28	66.10	36.93	16.93	61.24	0.00	--	-- PEAK	6	12283.00	55.55	93.07	-37.52	58.47	38.87	19.20	60.99	0.00	--
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	4914.00	59.18	74.00	-14.82	74.57	34.04	11.76	61.19	0.00	300	177 PEAK																																																																																				
2	4914.00	50.90	54.00	-3.10	66.29	34.04	11.76	61.19	0.00	300	177 AVERAGE																																																																																				
3	7371.00	60.16	74.00	-13.84	70.72	35.74	14.56	60.86	0.00	100	234 PEAK																																																																																				
4	7371.00	50.46	54.00	-3.54	61.02	35.74	14.56	60.86	0.00	100	234 AVERAGE																																																																																				
5	9816.00	58.72	74.00	-15.28	66.10	36.93	16.93	61.24	0.00	--	-- PEAK																																																																																				
6	12283.00	55.55	93.07	-37.52	58.47	38.87	19.20	60.99	0.00	--	-- PEAK																																																																																				
Peak Avg																																																																																															
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	58.19	74.00	-15.81	73.58	34.04	11.76	61.19	0.00	100	328 PEAK	2	4914.00	48.93	54.00	-5.07	64.32	34.04	11.76	61.19	0.00	100	328 AVERAGE	3	7371.00	52.83	74.00	-21.17	63.39	35.74	14.56	60.86	0.00	300	262 PEAK	4	7371.00	43.39	54.00	-10.61	53.95	35.73	14.56	60.85	0.00	300	262 AVERAGE	5	9825.00	55.64	90.39	-34.75	63.00	36.95	16.94	61.25	0.00	--	-- PEAK	6	12285.00	52.39	74.00	-21.61	55.31	38.87	19.20	60.99	0.00	--
Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	4914.00	58.19	74.00	-15.81	73.58	34.04	11.76	61.19	0.00	100	328 PEAK																																																																																				
2	4914.00	48.93	54.00	-5.07	64.32	34.04	11.76	61.19	0.00	100	328 AVERAGE																																																																																				
3	7371.00	52.83	74.00	-21.17	63.39	35.74	14.56	60.86	0.00	300	262 PEAK																																																																																				
4	7371.00	43.39	54.00	-10.61	53.95	35.73	14.56	60.85	0.00	300	262 AVERAGE																																																																																				
5	9825.00	55.64	90.39	-34.75	63.00	36.95	16.94	61.25	0.00	--	-- PEAK																																																																																				
6	12285.00	52.39	74.00	-21.61	55.31	38.87	19.20	60.99	0.00	--	-- PEAK																																																																																				







		30																																																							
Mode	Band Edge - L																																																								
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																								
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																								
Pol.	Horizontal																																																								
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>60.52</td><td>74.00</td><td>-13.48</td><td>48.28</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>261</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.41	60.52	74.00	-13.48	48.28	32.19	7.10	37.05	10.00	261	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2389.41	60.52	74.00	-13.48	48.28	32.19	7.10	37.05	10.00	261	217 PEAK																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>110.31</td><td>-----</td><td>-----</td><td>97.79</td><td>32.35</td><td>7.16</td><td>36.99</td><td>10.00</td><td>261</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2427.00	110.31	-----	-----	97.79	32.35	7.16	36.99	10.00	261	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2427.00	110.31	-----	-----	97.79	32.35	7.16	36.99	10.00	261	217 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.41</td><td>48.49</td><td>54.00</td><td>-5.51</td><td>36.25</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>261</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.41	48.49	54.00	-5.51	36.25	32.19	7.10	37.05	10.00	261	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2389.41	48.49	54.00	-5.51	36.25	32.19	7.10	37.05	10.00	261	217 AVERAGE																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>100.34</td><td>-----</td><td>-----</td><td>87.83</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>261</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2427.00	100.34	-----	-----	87.83	32.34	7.16	36.99	10.00	261	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2427.00	100.34	-----	-----	87.83	32.34	7.16	36.99	10.00	261	217 AVERAGE																																														





Mode	30																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																							
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.14</td><td>57.50</td><td>74.00</td><td>-16.50</td><td>44.53</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>261</td><td>217 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.14	57.50	74.00	-16.50	44.53	32.50	7.28	36.81	10.00	261	217 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.14	57.50	74.00	-16.50	44.53	32.50	7.28	36.81	10.00	261	217 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.55</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>32.53</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>261</td><td>217 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.55	45.45	54.00	-8.55	32.53	32.48	7.27	36.83	10.00	261	217 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.55	45.45	54.00	-8.55	32.53	32.48	7.27	36.83	10.00	261	217 AVERAGE																																													



Mode	30																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																																																																	
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.62</td><td>66.52</td><td>74.00</td><td>-7.48</td><td>54.29</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>213 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.62	66.52	74.00	-7.48	54.29	32.18	7.10	37.05	10.00	213 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>116.09</td><td>-----</td><td>-----</td><td>103.53</td><td>32.36</td><td>7.17</td><td>36.97</td><td>10.00</td><td>213 360 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	116.09	-----	-----	103.53	32.36	7.17	36.97	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.62	66.52	74.00	-7.48	54.29	32.18	7.10	37.05	10.00	213 360 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2427.00	116.09	-----	-----	103.53	32.36	7.17	36.97	10.00	213 360 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>53.66</td><td>54.00</td><td>-0.34</td><td>41.40</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>213 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	53.66	54.00	-0.34	41.40	32.20	7.11	37.05	10.00	213 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>105.31</td><td>-----</td><td>-----</td><td>92.78</td><td>32.35</td><td>7.16</td><td>36.98</td><td>10.00</td><td>213 360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	105.31	-----	-----	92.78	32.35	7.16	36.98	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.97	53.66	54.00	-0.34	41.40	32.20	7.11	37.05	10.00	213 360 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2427.00	105.31	-----	-----	92.78	32.35	7.16	36.98	10.00	213 360 AVERAGE																																																																																								







Mode	30																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.41</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>47.41</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>213 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.41	60.33	74.00	-13.67	47.41	32.48	7.27	36.83	10.00	213 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2490.41	60.33	74.00	-13.67	47.41	32.48	7.27	36.83	10.00	213 360 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.14</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>35.71</td><td>32.48</td><td>7.26</td><td>36.84</td><td>10.00</td><td>213 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.14	48.61	54.00	-5.39	35.71	32.48	7.26	36.84	10.00	213 360 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2488.14	48.61	54.00	-5.39	35.71	32.48	7.26	36.84	10.00	213 360 AVERAGE																																													





Mode	30																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																																																																																																																							
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Horizontal polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line for the measured signal, a red line for the FCC PART 15C limit, and a red line for the FCC PART 15C (AVG) limit. Two peaks are marked with vertical lines and labeled 1 and 2. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>69.28</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>4854.00</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>58.50</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>100</td><td>236</td><td>AVERAGE</td></tr><tr><td>3</td><td>7281.00</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>60.37</td><td>35.72</td><td>14.44</td><td>60.66</td><td>0.00</td><td>100</td><td>236</td><td>PEAK</td></tr><tr><td>4</td><td>7281.00</td><td>40.21</td><td>54.00</td><td>-13.79</td><td>50.70</td><td>35.73</td><td>14.44</td><td>60.66</td><td>0.00</td><td>100</td><td>236</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4854.00	53.87	74.00	-20.13	69.28	34.19	11.64	61.24	0.00	100	236	PEAK	2	4854.00	43.09	54.00	-10.91	58.50	34.19	11.64	61.24	0.00	100	236	AVERAGE	3	7281.00	49.87	74.00	-24.13	60.37	35.72	14.44	60.66	0.00	100	236	PEAK	4	7281.00	40.21	54.00	-13.79	50.70	35.73	14.44	60.66	0.00	100	236	AVERAGE	Vertical polarization spectrum plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue line for the measured signal, a red line for the FCC PART 15C limit, and a red line for the FCC PART 15C (AVG) limit. One peak is marked with a vertical line and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4854.00</td><td>53.16</td><td>74.00</td><td>-20.84</td><td>68.57</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>4854.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>58.33</td><td>34.20</td><td>11.63</td><td>61.24</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4854.00	53.16	74.00	-20.84	68.57	34.19	11.64	61.24	0.00	100	310	PEAK	2	4854.00	42.92	54.00	-11.08	58.33	34.20	11.63	61.24	0.00	100	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4854.00	53.87	74.00	-20.13	69.28	34.19	11.64	61.24	0.00	100	236	PEAK																																																																																																																																												
2	4854.00	43.09	54.00	-10.91	58.50	34.19	11.64	61.24	0.00	100	236	AVERAGE																																																																																																																																												
3	7281.00	49.87	74.00	-24.13	60.37	35.72	14.44	60.66	0.00	100	236	PEAK																																																																																																																																												
4	7281.00	40.21	54.00	-13.79	50.70	35.73	14.44	60.66	0.00	100	236	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4854.00	53.16	74.00	-20.84	68.57	34.19	11.64	61.24	0.00	100	310	PEAK																																																																																																																																												
2	4854.00	42.92	54.00	-11.08	58.33	34.20	11.63	61.24	0.00	100	310	AVERAGE																																																																																																																																												







Mode	31																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																																																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2322.09</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>45.98</td><td>31.52</td><td>7.00</td><td>37.08</td><td>10.00</td><td>250</td><td>40 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2322.09	57.42	74.00	-16.58	45.98	31.52	7.00	37.08	10.00	250	40 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>108.63</td><td>-----</td><td>-----</td><td>96.00</td><td>32.38</td><td>7.19</td><td>36.94</td><td>10.00</td><td>250</td><td>40 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	108.63	-----	-----	96.00	32.38	7.19	36.94	10.00	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2322.09	57.42	74.00	-16.58	45.98	31.52	7.00	37.08	10.00	250	40 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2447.00	108.63	-----	-----	96.00	32.38	7.19	36.94	10.00	250	40 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.71</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>33.41</td><td>32.01</td><td>7.00</td><td>37.05</td><td>10.00</td><td>250</td><td>40 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2370.71	45.45	54.00	-8.55	33.41	32.01	7.00	37.05	10.00	250	40 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>99.81</td><td>-----</td><td>-----</td><td>87.17</td><td>32.39</td><td>7.19</td><td>36.94</td><td>10.00</td><td>250</td><td>40 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	99.81	-----	-----	87.17	32.39	7.19	36.94	10.00	250
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2370.71	45.45	54.00	-8.55	33.41	32.01	7.00	37.05	10.00	250	40 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	2447.00	99.81	-----	-----	87.17	32.39	7.19	36.94	10.00	250	40 AVERAGE																																																																																																												



Mode	31																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.21</td><td>60.15</td><td>74.00</td><td>-13.85</td><td>47.27</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>250 40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.21	60.15	74.00	-13.85
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.21	60.15	74.00	-13.85	47.27	32.47	7.26	36.85	10.00	250 40 PEAK																																							
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.05</td><td>48.52</td><td>54.00</td><td>-5.48</td><td>35.64</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>250 40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	48.52	54.00	-5.48
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.05	48.52	54.00	-5.48	35.64	32.47	7.26	36.85	10.00	250 40 AVERAGE																																							





Mode	31																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																																																																			
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.20</td><td>61.21</td><td>74.00</td><td>-12.79</td><td>49.07</td><td>32.10</td><td>7.09</td><td>37.05</td><td>10.00</td><td>160</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.20	61.21	74.00	-12.79	49.07	32.10	7.09	37.05	10.00	160	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>113.35</td><td>-----</td><td>-----</td><td>100.69</td><td>32.39</td><td>7.20</td><td>36.93</td><td>10.00</td><td>160</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	113.35	-----	-----	100.69	32.39	7.20	36.93	10.00	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.20	61.21	74.00	-12.79	49.07	32.10	7.09	37.05	10.00	160	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	113.35	-----	-----	100.69	32.39	7.20	36.93	10.00	160	0 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2384.36</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>37.05</td><td>32.14</td><td>7.10</td><td>37.05</td><td>10.00</td><td>160</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.36	49.24	54.00	-4.76	37.05	32.14	7.10	37.05	10.00	160	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>104.13</td><td>-----</td><td>-----</td><td>91.46</td><td>32.40</td><td>7.20</td><td>36.93</td><td>10.00</td><td>160</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	104.13	-----	-----	91.46	32.40	7.20	36.93	10.00	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2384.36	49.24	54.00	-4.76	37.05	32.14	7.10	37.05	10.00	160	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	104.13	-----	-----	91.46	32.40	7.20	36.93	10.00	160	0 AVERAGE																																																																																									







Mode	31																																																								
	Band Edge - R																																																								
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																								
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																								
Pol.	Vertical																																																								
Peak	Level (dBuV/m) FCC PART 15C Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.42</td><td>64.89</td><td>74.00</td><td>-9.11</td><td>52.01</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>160</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	64.89	74.00	-9.11	52.01	32.47	7.26	36.85	10.00	160	0 PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2484.42	64.89	74.00	-9.11	52.01	32.47	7.26	36.85	10.00	160	0 PEAK																																														
Avg	Level (dBuV/m) FCC PART 15C (AVG) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.05</td><td>53.40</td><td>54.00</td><td>-0.60</td><td>40.52</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>160</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.05	53.40	54.00	-0.60	40.52	32.47	7.26	36.85	10.00	160	0 AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2484.05	53.40	54.00	-0.60	40.52	32.47	7.26	36.85	10.00	160	0 AVERAGE																																														







Mode	31																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																																																																																																																																			
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>65.01</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>105</td><td>236</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>55.79</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>105</td><td>236</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>60.84</td><td>35.72</td><td>14.52</td><td>60.79</td><td>0.00</td><td>105</td><td>236</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>40.25</td><td>54.00</td><td>-13.75</td><td>50.77</td><td>35.74</td><td>14.51</td><td>60.77</td><td>0.00</td><td>105</td><td>236</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4894.00	49.63	74.00	-24.37	65.01	34.11	11.72	61.21	0.00	105	236	PEAK	2	4894.00	40.41	54.00	-13.59	55.79	34.11	11.72	61.21	0.00	105	236	AVERAGE	3	7341.00	50.29	74.00	-23.71	60.84	35.72	14.52	60.79	0.00	105	236	PEAK	4	7341.00	40.25	54.00	-13.75	50.77	35.74	14.51	60.77	0.00	105	236	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>62.85</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>37.14</td><td>54.00</td><td>-16.86</td><td>52.52</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>55.40</td><td>35.72</td><td>14.52</td><td>60.79</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4894.00	47.47	74.00	-26.53	62.85	34.11	11.72	61.21	0.00	300	360	PEAK	2	4894.00	37.14	54.00	-16.86	52.52	34.11	11.72	61.21	0.00	300	360	AVERAGE	3	7341.00	44.85	74.00	-29.15	55.40	35.72	14.52	60.79	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4894.00	49.63	74.00	-24.37	65.01	34.11	11.72	61.21	0.00	105	236	PEAK																																																																																																																																																								
2	4894.00	40.41	54.00	-13.59	55.79	34.11	11.72	61.21	0.00	105	236	AVERAGE																																																																																																																																																								
3	7341.00	50.29	74.00	-23.71	60.84	35.72	14.52	60.79	0.00	105	236	PEAK																																																																																																																																																								
4	7341.00	40.25	54.00	-13.75	50.77	35.74	14.51	60.77	0.00	105	236	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4894.00	47.47	74.00	-26.53	62.85	34.11	11.72	61.21	0.00	300	360	PEAK																																																																																																																																																								
2	4894.00	37.14	54.00	-16.86	52.52	34.11	11.72	61.21	0.00	300	360	AVERAGE																																																																																																																																																								
3	7341.00	44.85	74.00	-29.15	55.40	35.72	14.52	60.79	0.00	--	--	PEAK																																																																																																																																																								



		32																																																																																										
Mode		Band Edge - L																																																																																										
		2400-2483.5_802.11g_CH2_2417MHz																																																																																										
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	62.58	74.00	-11.42	50.36	32.17	7.10	37.05	10.00	259 216 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>117.28</td><td>-----</td><td>-----</td><td>104.79</td><td>32.34</td><td>7.15</td><td>37.00</td><td>10.00</td><td>259 216 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	117.28	-----	-----	104.79	32.34	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2387.48	62.58	74.00	-11.42	50.36	32.17	7.10	37.05	10.00	259 216 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	117.28	-----	-----	104.79	32.34	7.15	37.00	10.00	259 216 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	47.99	54.00	-6.01	35.75	32.19	7.10	37.05	10.00	259 216 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.28</td><td>-----</td><td>-----</td><td>95.79</td><td>32.34</td><td>7.15</td><td>37.00</td><td>10.00</td><td>259 216 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.28	-----	-----	95.79	32.34	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2388.65	47.99	54.00	-6.01	35.75	32.19	7.10	37.05	10.00	259 216 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2417.00	108.28	-----	-----	95.79	32.34	7.15	37.00	10.00	259 216 AVERAGE																																																																																		







	32																																																																																																
Mode	Band Edge - L																																																																																																
	2400-2483.5_802.11g_CH2_2417MHz																																																																																																
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>71.46</td><td>74.00</td><td>-2.54</td><td>59.20</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>181</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	71.46	74.00	-2.54	59.20	32.20	7.11	37.05	10.00	181	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2417.00</td><td>122.35</td><td>-----</td><td>-----</td><td>109.85</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>181</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	122.35	-----	-----	109.85	32.34	7.15	36.99	10.00	181
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2389.95	71.46	74.00	-2.54	59.20	32.20	7.11	37.05	10.00	181	0 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2417.00	122.35	-----	-----	109.85	32.34	7.15	36.99	10.00	181	0 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.30</td><td>52.94</td><td>54.00</td><td>-1.06</td><td>40.70</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>181</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.30	52.94	54.00	-1.06	40.70	32.19	7.10	37.05	10.00	181	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2417.00</td><td>112.98</td><td>-----</td><td>-----</td><td>100.48</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>181</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	112.98	-----	-----	100.48	32.34	7.15	36.99	10.00	181
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2389.30	52.94	54.00	-1.06	40.70	32.19	7.10	37.05	10.00	181	0 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2417.00	112.98	-----	-----	100.48	32.34	7.15	36.99	10.00	181	0 AVERAGE																																																																																							







		32																																																																																																																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																																																																																																																		
	2400-2483.5_802.11g_CH2_2417MHz																																																																																																																																																																																																																																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																																																		
Pol.	Horizontal												Vertical																																																																																																																																																																																																																																																						
Peak Avg																																																																																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4834.00</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>75.50</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>106</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>51.12</td><td>54.00</td><td>-2.88</td><td>66.61</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>106</td><td>239</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>60.68</td><td>74.00</td><td>-13.32</td><td>71.27</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>49.46</td><td>54.00</td><td>-4.54</td><td>60.05</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>101</td><td>242</td><td>AVERAGE</td></tr><tr><td>5</td><td>9664.00</td><td>56.15</td><td>92.33</td><td>-36.18</td><td>63.80</td><td>36.77</td><td>16.77</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12081.00</td><td>53.84</td><td>92.33</td><td>-38.49</td><td>57.09</td><td>38.68</td><td>19.08</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4834.00	60.01	74.00	-13.99	75.50	34.17	11.60	61.26	0.00	106	239	PEAK	2	4834.00	51.12	54.00	-2.88	66.61	34.17	11.60	61.26	0.00	106	239	AVERAGE	3	7251.00	60.68	74.00	-13.32	71.27	35.60	14.40	60.59	0.00	101	242	PEAK	4	7251.00	49.46	54.00	-4.54	60.05	35.60	14.40	60.59	0.00	101	242	AVERAGE	5	9664.00	56.15	92.33	-36.18	63.80	36.77	16.77	61.19	0.00	--	--	PEAK	6	12081.00	53.84	92.33	-38.49	57.09	38.68	19.08	61.01	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="4">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>4834.00</td><td>60.78</td><td>74.00</td><td>-13.22</td><td>76.27</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>100</td><td>308</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>49.88</td><td>54.00</td><td>-4.12</td><td>65.37</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>100</td><td>308</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>65.85</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>347</td><td>262</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>55.21</td><td>35.61</td><td>14.40</td><td>60.59</td><td>0.00</td><td>347</td><td>262</td><td>AVERAGE</td></tr><tr><td>5</td><td>9667.00</td><td>51.32</td><td>89.11</td><td>-37.79</td><td>58.96</td><td>36.77</td><td>16.78</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12085.00</td><td>48.85</td><td>89.11</td><td>-40.26</td><td>52.09</td><td>38.69</td><td>19.08</td><td>61.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4834.00	60.78	74.00	-13.22	76.27	34.17	11.60	61.26	0.00	100	308	PEAK	2	4834.00	49.88	54.00	-4.12	65.37	34.17	11.60	61.26	0.00	100	308	AVERAGE	3	7251.00	55.26	74.00	-18.74	65.85	35.60	14.40	60.59	0.00	347	262	PEAK	4	7251.00	44.63	54.00	-9.37	55.21	35.61	14.40	60.59	0.00	347	262	AVERAGE	5	9667.00	51.32	89.11	-37.79	58.96	36.77	16.78	61.19	0.00	--	--	PEAK	6	12085.00	48.85	89.11	-40.26	52.09	38.69	19.08	61.01	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																									
1	4834.00	60.01	74.00	-13.99	75.50	34.17	11.60	61.26	0.00	106	239	PEAK																																																																																																																																																																																																																																																							
2	4834.00	51.12	54.00	-2.88	66.61	34.17	11.60	61.26	0.00	106	239	AVERAGE																																																																																																																																																																																																																																																							
3	7251.00	60.68	74.00	-13.32	71.27	35.60	14.40	60.59	0.00	101	242	PEAK																																																																																																																																																																																																																																																							
4	7251.00	49.46	54.00	-4.54	60.05	35.60	14.40	60.59	0.00	101	242	AVERAGE																																																																																																																																																																																																																																																							
5	9664.00	56.15	92.33	-36.18	63.80	36.77	16.77	61.19	0.00	--	--	PEAK																																																																																																																																																																																																																																																							
6	12081.00	53.84	92.33	-38.49	57.09	38.68	19.08	61.01	0.00	--	--	PEAK																																																																																																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																									
1	4834.00	60.78	74.00	-13.22	76.27	34.17	11.60	61.26	0.00	100	308	PEAK																																																																																																																																																																																																																																																							
2	4834.00	49.88	54.00	-4.12	65.37	34.17	11.60	61.26	0.00	100	308	AVERAGE																																																																																																																																																																																																																																																							
3	7251.00	55.26	74.00	-18.74	65.85	35.60	14.40	60.59	0.00	347	262	PEAK																																																																																																																																																																																																																																																							
4	7251.00	44.63	54.00	-9.37	55.21	35.61	14.40	60.59	0.00	347	262	AVERAGE																																																																																																																																																																																																																																																							
5	9667.00	51.32	89.11	-37.79	58.96	36.77	16.78	61.19	0.00	--	--	PEAK																																																																																																																																																																																																																																																							
6	12085.00	48.85	89.11	-40.26	52.09	38.69	19.08	61.01	0.00	--	--	PEAK																																																																																																																																																																																																																																																							





Mode	33																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>65.45</td><td>74.00</td><td>-8.55</td><td>52.57</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>209</td><td>220 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	65.45	74.00	-8.55	52.57	32.47	7.26	36.85	10.00	209	220 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>115.71</td><td>-----</td><td>-----</td><td>102.97</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>209</td><td>220 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	115.71	-----	-----	102.97	32.42	7.22	36.90	10.00	209
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.58	65.45	74.00	-8.55	52.57	32.47	7.26	36.85	10.00	209	220 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2457.00	115.71	-----	-----	102.97	32.42	7.22	36.90	10.00	209	220 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>37.62</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>209</td><td>220 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	50.50	54.00	-3.50	37.62	32.47	7.26	36.85	10.00	209	220 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>108.01</td><td>-----</td><td>-----</td><td>95.31</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>209</td><td>220 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	108.01	-----	-----	95.31	32.41	7.21	36.92	10.00	209
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.04	50.50	54.00	-3.50	37.62	32.47	7.26	36.85	10.00	209	220 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2457.00	108.01	-----	-----	95.31	32.41	7.21	36.92	10.00	209	220 AVERAGE																																																																																									







Mode	33																																																																																																					
	Band Edge - L																																																																																																					
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																					
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.14</td><td>68.00</td><td>74.00</td><td>-6.00</td><td>55.11</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>230</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.14	68.00	74.00	-6.00	55.11	32.47	7.26	36.84	10.00	230	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>122.72</td><td>-----</td><td>-----</td><td>110.00</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>230</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	122.72	-----	-----	110.00	32.42	7.21	36.91	10.00	230
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2486.14	68.00	74.00	-6.00	55.11	32.47	7.26	36.84	10.00	230	0 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2457.00	122.72	-----	-----	110.00	32.42	7.21	36.91	10.00	230	0 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.78</td><td>53.00</td><td>54.00</td><td>-0.20</td><td>40.91</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>230</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.78	53.00	54.00	-0.20	40.91	32.47	7.26	36.84	10.00	230	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>113.80</td><td>-----</td><td>-----</td><td>101.09</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>230</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	113.80	-----	-----	101.09	32.41	7.21	36.91	10.00	230
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2485.78	53.00	54.00	-0.20	40.91	32.47	7.26	36.84	10.00	230	0 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2457.00	113.80	-----	-----	101.09	32.41	7.21	36.91	10.00	230	0 AVERAGE																																																																																											







Mode	33																																																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																																																								
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																																																																																																																																																																																								
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>62.65</td><td>74.00</td><td>-11.35</td><td>78.04</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>300</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>51.65</td><td>54.00</td><td>-2.35</td><td>67.04</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>300</td><td>180</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>60.56</td><td>74.00</td><td>-13.44</td><td>71.12</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>282</td><td>259</td><td>PEAK</td></tr><tr><td>4</td><td>7371.00</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>60.35</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>282</td><td>259</td><td>AVERAGE</td></tr><tr><td>5</td><td>9826.00</td><td>58.77</td><td>92.34</td><td>-33.57</td><td>66.12</td><td>36.95</td><td>16.95</td><td>61.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12285.00</td><td>59.70</td><td>74.00</td><td>-14.30</td><td>62.62</td><td>38.87</td><td>19.20</td><td>60.99</td><td>0.00</td><td>300</td><td>214</td><td>PEAK</td></tr><tr><td>7</td><td>12285.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>48.54</td><td>38.87</td><td>19.20</td><td>60.99</td><td>0.00</td><td>300</td><td>214</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4914.00	62.65	74.00	-11.35	78.04	34.04	11.76	61.19	0.00	300	180	PEAK	2	4914.00	51.65	54.00	-2.35	67.04	34.04	11.76	61.19	0.00	300	180	AVERAGE	3	7371.00	60.56	74.00	-13.44	71.12	35.74	14.56	60.86	0.00	282	259	PEAK	4	7371.00	49.79	54.00	-4.21	60.35	35.74	14.56	60.86	0.00	282	259	AVERAGE	5	9826.00	58.77	92.34	-33.57	66.12	36.95	16.95	61.25	0.00	--	--	PEAK	6	12285.00	59.70	74.00	-14.30	62.62	38.87	19.20	60.99	0.00	300	214	PEAK	7	12285.00	45.62	54.00	-8.38	48.54	38.87	19.20	60.99	0.00	300	214	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>60.21</td><td>74.00</td><td>-13.79</td><td>75.60</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>49.43</td><td>54.00</td><td>-4.57</td><td>64.82</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>65.33</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>100</td><td>225</td><td>PEAK</td></tr><tr><td>4</td><td>7371.00</td><td>43.95</td><td>54.00</td><td>-10.05</td><td>54.51</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>100</td><td>225</td><td>AVERAGE</td></tr><tr><td>5</td><td>9825.00</td><td>55.59</td><td>89.75</td><td>-34.16</td><td>62.95</td><td>36.95</td><td>16.94</td><td>61.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>12285.00</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>60.27</td><td>38.87</td><td>19.20</td><td>60.99</td><td>0.00</td><td>274</td><td>53</td><td>PEAK</td></tr><tr><td>7</td><td>12285.00</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>46.80</td><td>38.88</td><td>19.20</td><td>60.99</td><td>0.00</td><td>274</td><td>53</td><td>AVERAGE</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4914.00	60.21	74.00	-13.79	75.60	34.04	11.76	61.19	0.00	100	304	PEAK	2	4914.00	49.43	54.00	-4.57	64.82	34.04	11.76	61.19	0.00	100	304	AVERAGE	3	7371.00	54.77	74.00	-19.23	65.33	35.74	14.56	60.86	0.00	100	225	PEAK	4	7371.00	43.95	54.00	-10.05	54.51	35.74	14.56	60.86	0.00	100	225	AVERAGE	5	9825.00	55.59	89.75	-34.16	62.95	36.95	16.94	61.25	0.00	--	--	PEAK	6	12285.00	57.35	74.00	-16.65	60.27	38.87	19.20	60.99	0.00	274	53	PEAK	7	12285.00	43.89	54.00	-10.11	46.80	38.88	19.20	60.99	0.00	274	53
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																													
1	4914.00	62.65	74.00	-11.35	78.04	34.04	11.76	61.19	0.00	300	180	PEAK																																																																																																																																																																																																																																																													
2	4914.00	51.65	54.00	-2.35	67.04	34.04	11.76	61.19	0.00	300	180	AVERAGE																																																																																																																																																																																																																																																													
3	7371.00	60.56	74.00	-13.44	71.12	35.74	14.56	60.86	0.00	282	259	PEAK																																																																																																																																																																																																																																																													
4	7371.00	49.79	54.00	-4.21	60.35	35.74	14.56	60.86	0.00	282	259	AVERAGE																																																																																																																																																																																																																																																													
5	9826.00	58.77	92.34	-33.57	66.12	36.95	16.95	61.25	0.00	--	--	PEAK																																																																																																																																																																																																																																																													
6	12285.00	59.70	74.00	-14.30	62.62	38.87	19.20	60.99	0.00	300	214	PEAK																																																																																																																																																																																																																																																													
7	12285.00	45.62	54.00	-8.38	48.54	38.87	19.20	60.99	0.00	300	214	AVERAGE																																																																																																																																																																																																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																													
1	4914.00	60.21	74.00	-13.79	75.60	34.04	11.76	61.19	0.00	100	304	PEAK																																																																																																																																																																																																																																																													
2	4914.00	49.43	54.00	-4.57	64.82	34.04	11.76	61.19	0.00	100	304	AVERAGE																																																																																																																																																																																																																																																													
3	7371.00	54.77	74.00	-19.23	65.33	35.74	14.56	60.86	0.00	100	225	PEAK																																																																																																																																																																																																																																																													
4	7371.00	43.95	54.00	-10.05	54.51	35.74	14.56	60.86	0.00	100	225	AVERAGE																																																																																																																																																																																																																																																													
5	9825.00	55.59	89.75	-34.16	62.95	36.95	16.94	61.25	0.00	--	--	PEAK																																																																																																																																																																																																																																																													
6	12285.00	57.35	74.00	-16.65	60.27	38.87	19.20	60.99	0.00	274	53	PEAK																																																																																																																																																																																																																																																													
7	12285.00	43.89	54.00	-10.11	46.80	38.88	19.20	60.99	0.00	274	53	AVERAGE																																																																																																																																																																																																																																																													





		34																																																							
Mode	Band Edge																																																								
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																								
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																								
Pol.	Horizontal																																																								
Peak	Fundamental																																																								
																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.10</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>48.29</td><td>32.01</td><td>7.08</td><td>37.05</td><td>10.00</td><td>259</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2371.10	60.33	74.00	-13.67	48.29	32.01	7.08	37.05	10.00	259	217 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2371.10	60.33	74.00	-13.67	48.29	32.01	7.08	37.05	10.00	259	217 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.72</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>35.46</td><td>32.11</td><td>7.09</td><td>37.05</td><td>10.00</td><td>259</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2380.72	47.61	54.00	-6.39	35.46	32.11	7.09	37.05	10.00	259	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2380.72	47.61	54.00	-6.39	35.46	32.11	7.09	37.05	10.00	259	217 AVERAGE																																														
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>114.87</td><td>-----</td><td>-----</td><td>102.39</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>259</td><td>217 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	114.87	-----	-----	102.39	32.33	7.15	37.00	10.00	259	217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2417.00	114.87	-----	-----	102.39	32.33	7.15	37.00	10.00	259	217 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>106.18</td><td>-----</td><td>-----</td><td>93.70</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>259</td><td>217 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	106.18	-----	-----	93.70	32.33	7.15	37.00	10.00	259	217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2417.00	106.18	-----	-----	93.70	32.33	7.15	37.00	10.00	259	217 AVERAGE																																														







Mode	34																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																																																																																								
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2387.35</td><td>66.26</td><td>74.00</td><td>-7.74</td><td>54.04</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>232</td><td>149</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2387.35	66.26	74.00	-7.74	54.04	32.17	7.10	37.05	10.00	232	149	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2417.00</td><td>121.15</td><td>-----</td><td>-----</td><td>108.67</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>232</td><td>149</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2417.00	121.15	-----	-----	108.67	32.33	7.15	37.00	10.00	232	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	2387.35	66.26	74.00	-7.74	54.04	32.17	7.10	37.05	10.00	232	149	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	2417.00	121.15	-----	-----	108.67	32.33	7.15	37.00	10.00	232	149	PEAK																																																																																																													
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2389.56</td><td>53.72</td><td>54.00</td><td>-0.28</td><td>41.47</td><td>32.20</td><td>7.10</td><td>37.05</td><td>10.00</td><td>232</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2389.56	53.72	54.00	-0.28	41.47	32.20	7.10	37.05	10.00	232	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2417.00</td><td>111.37</td><td>-----</td><td>-----</td><td>98.89</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>232</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2417.00	111.37	-----	-----	98.89	32.33	7.15	37.00	10.00	232	149
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	2389.56	53.72	54.00	-0.28	41.47	32.20	7.10	37.05	10.00	232	149	AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																
1	2417.00	111.37	-----	-----	98.89	32.33	7.15	37.00	10.00	232	149	AVERAGE																																																																																																													







Mode	34																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	2400-2483.5_802.11ax HE20_CH2_2417MHz																																																																																																																																																																																																																
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																																																
Pol.	Horizontal							Vertical																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4834.00</td><td>57.85</td><td>74.00</td><td>-16.15</td><td></td><td>73.34</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>100</td><td>245</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>47.99</td><td>54.00</td><td>-6.01</td><td></td><td>63.48</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>100</td><td>245</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>56.17</td><td>74.00</td><td>-17.83</td><td></td><td>66.76</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td></td><td>56.52</td><td>35.61</td><td>14.39</td><td>60.58</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr><tr><td>5</td><td>9664.00</td><td>54.72</td><td>90.91</td><td>-36.19</td><td></td><td>62.37</td><td>36.77</td><td>16.77</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4834.00	57.85	74.00	-16.15		73.34	34.17	11.60	61.26	0.00	100	245	PEAK	2	4834.00	47.99	54.00	-6.01		63.48	34.17	11.60	61.26	0.00	100	245	AVERAGE	3	7251.00	56.17	74.00	-17.83		66.76	35.60	14.40	60.59	0.00	100	287	PEAK	4	7251.00	45.94	54.00	-8.06		56.52	35.61	14.39	60.58	0.00	100	287	AVERAGE	5	9664.00	54.72	90.91	-36.19		62.37	36.77	16.77	61.19	0.00	--	--	PEAK	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4834.00</td><td>57.85</td><td>74.00</td><td>-16.15</td><td></td><td>73.34</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>282</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>48.81</td><td>54.00</td><td>-5.19</td><td></td><td>64.30</td><td>34.17</td><td>11.60</td><td>61.26</td><td>0.00</td><td>282</td><td>303</td><td>AVERAGE</td></tr><tr><td>3</td><td>7251.00</td><td>51.27</td><td>74.00</td><td>-22.73</td><td></td><td>61.06</td><td>35.60</td><td>14.40</td><td>60.59</td><td>0.00</td><td>336</td><td>259</td><td>PEAK</td></tr><tr><td>4</td><td>7251.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td></td><td>51.93</td><td>35.61</td><td>14.39</td><td>60.58</td><td>0.00</td><td>336</td><td>259</td><td>AVERAGE</td></tr><tr><td>5</td><td>9654.00</td><td>51.37</td><td>87.45</td><td>-36.08</td><td></td><td>59.01</td><td>36.79</td><td>16.76</td><td>61.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4834.00	57.85	74.00	-16.15		73.34	34.17	11.60	61.26	0.00	282	303	PEAK	2	4834.00	48.81	54.00	-5.19		64.30	34.17	11.60	61.26	0.00	282	303	AVERAGE	3	7251.00	51.27	74.00	-22.73		61.06	35.60	14.40	60.59	0.00	336	259	PEAK	4	7251.00	41.35	54.00	-12.65		51.93	35.61	14.39	60.58	0.00	336	259	AVERAGE	5	9654.00	51.37	87.45	-36.08		59.01	36.79	16.76	61.19	0.00	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4834.00	57.85	74.00	-16.15		73.34	34.17	11.60	61.26	0.00	100	245	PEAK																																																																																																																																																																																																				
2	4834.00	47.99	54.00	-6.01		63.48	34.17	11.60	61.26	0.00	100	245	AVERAGE																																																																																																																																																																																																				
3	7251.00	56.17	74.00	-17.83		66.76	35.60	14.40	60.59	0.00	100	287	PEAK																																																																																																																																																																																																				
4	7251.00	45.94	54.00	-8.06		56.52	35.61	14.39	60.58	0.00	100	287	AVERAGE																																																																																																																																																																																																				
5	9664.00	54.72	90.91	-36.19		62.37	36.77	16.77	61.19	0.00	--	--	PEAK																																																																																																																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																					
1	4834.00	57.85	74.00	-16.15		73.34	34.17	11.60	61.26	0.00	282	303	PEAK																																																																																																																																																																																																				
2	4834.00	48.81	54.00	-5.19		64.30	34.17	11.60	61.26	0.00	282	303	AVERAGE																																																																																																																																																																																																				
3	7251.00	51.27	74.00	-22.73		61.06	35.60	14.40	60.59	0.00	336	259	PEAK																																																																																																																																																																																																				
4	7251.00	41.35	54.00	-12.65		51.93	35.61	14.39	60.58	0.00	336	259	AVERAGE																																																																																																																																																																																																				
5	9654.00	51.37	87.45	-36.08		59.01	36.79	16.76	61.19	0.00	--	--	PEAK																																																																																																																																																																																																				





Mode	35																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH3_2422MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>49.45</td><td>32.17</td><td>7.10</td><td>37.05</td><td>10.00</td><td>260 216 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	61.67	74.00	-12.33	49.45	32.17	7.10	37.05	10.00	260 216 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>117.09</td><td>-----</td><td>-----</td><td>104.59</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>260 216 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	117.09	-----	-----	104.59	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2387.48	61.67	74.00	-12.33	49.45	32.17	7.10	37.05	10.00	260 216 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	117.09	-----	-----	104.59	32.34	7.15	36.99	10.00	260 216 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2334.31</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>37.42</td><td>31.64</td><td>7.02</td><td>37.07</td><td>10.00</td><td>260 216 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2334.31	49.01	54.00	-4.99	37.42	31.64	7.02	37.07	10.00	260 216 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>107.86</td><td>-----</td><td>-----</td><td>95.36</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>260 216 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	107.86	-----	-----	95.36	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2334.31	49.01	54.00	-4.99	37.42	31.64	7.02	37.07	10.00	260 216 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	107.86	-----	-----	95.36	32.34	7.15	36.99	10.00	260 216 AVERAGE																																																																																								







		35																																																																																												
Mode		Band Edge																																																																																												
		2400-2483.5_802.11ax HE20_CH3_2422MHz																																																																																												
ANT		Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.79	65.42	74.00	-8.58	53.21	32.16	7.10	37.05	10.00	183	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>122.15</td><td>-----</td><td>-----</td><td>109.63</td><td>32.35</td><td>7.16</td><td>36.99</td><td>10.00</td><td>183</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	122.15	-----	-----	109.63	32.35	7.16	36.99	10.00	183
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2385.79	65.42	74.00	-8.58	53.21	32.16	7.10	37.05	10.00	183	0 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2422.00	122.15	-----	-----	109.63	32.35	7.16	36.99	10.00	183	0 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.53	53.84	54.00	-0.16	41.63	32.16	7.10	37.05	10.00	183	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>112.93</td><td>-----</td><td>-----</td><td>100.43</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>183</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	112.93	-----	-----	100.43	32.34	7.15	36.99	10.00	183
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2385.53	53.84	54.00	-0.16	41.63	32.16	7.10	37.05	10.00	183	0 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2422.00	112.93	-----	-----	100.43	32.34	7.15	36.99	10.00	183	0 AVERAGE																																																																																			







Mode	35																																																																																																																					
	Harmonic																																																																																																																					
	2400-2483.5_802.11ax HE20_CH3_2422MHz																																																																																																																					
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																					
Pol.	Horizontal																																																																																																																					
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>59.47</td><td>74.00</td><td>-14.53</td><td>74.91</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>342</td><td>185 PEAK</td></tr><tr><td>2</td><td>4844.00</td><td>50.61</td><td>54.00</td><td>-3.39</td><td>66.05</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>342</td><td>185 AVERAGE</td></tr><tr><td>3</td><td>7266.00</td><td>60.57</td><td>74.00</td><td>-13.43</td><td>71.12</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>4</td><td>7266.00</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>61.23</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr><tr><td>5</td><td>9682.00</td><td>55.55</td><td>94.41</td><td>-38.86</td><td>63.22</td><td>36.74</td><td>16.79</td><td>61.20</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>6</td><td>12110.00</td><td>59.05</td><td>74.00</td><td>-14.95</td><td>62.26</td><td>38.70</td><td>19.10</td><td>61.01</td><td>0.00</td><td>100</td><td>296 PEAK</td></tr><tr><td>7</td><td>12110.00</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>48.11</td><td>38.70</td><td>19.09</td><td>61.01</td><td>0.00</td><td>100</td><td>296 AVERAGE</td></tr></table>												Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	59.47	74.00	-14.53	74.91	34.19	11.62	61.25	0.00	342	185 PEAK	2	4844.00	50.61	54.00	-3.39	66.05	34.19	11.62	61.25	0.00	342	185 AVERAGE	3	7266.00	60.57	74.00	-13.43	71.12	35.66	14.42	60.63	0.00	100	244 PEAK	4	7266.00	50.68	54.00	-3.32	61.23	35.66	14.42	60.63	0.00	100	244 AVERAGE	5	9682.00	55.55	94.41	-38.86	63.22	36.74	16.79	61.20	0.00	--	-- PEAK	6	12110.00	59.05	74.00	-14.95	62.26	38.70	19.10	61.01	0.00	100	296 PEAK	7	12110.00	44.89	54.00	-9.11	48.11	38.70	19.09	61.01	0.00	100
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	4844.00	59.47	74.00	-14.53	74.91	34.19	11.62	61.25	0.00	342	185 PEAK																																																																																																											
2	4844.00	50.61	54.00	-3.39	66.05	34.19	11.62	61.25	0.00	342	185 AVERAGE																																																																																																											
3	7266.00	60.57	74.00	-13.43	71.12	35.66	14.42	60.63	0.00	100	244 PEAK																																																																																																											
4	7266.00	50.68	54.00	-3.32	61.23	35.66	14.42	60.63	0.00	100	244 AVERAGE																																																																																																											
5	9682.00	55.55	94.41	-38.86	63.22	36.74	16.79	61.20	0.00	--	-- PEAK																																																																																																											
6	12110.00	59.05	74.00	-14.95	62.26	38.70	19.10	61.01	0.00	100	296 PEAK																																																																																																											
7	12110.00	44.89	54.00	-9.11	48.11	38.70	19.09	61.01	0.00	100	296 AVERAGE																																																																																																											
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>59.52</td><td>74.00</td><td>-14.48</td><td>74.96</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>300</td><td>304 PEAK</td></tr><tr><td>2</td><td>4844.00</td><td>50.50</td><td>54.00</td><td>-3.50</td><td>65.94</td><td>34.19</td><td>11.62</td><td>61.25</td><td>0.00</td><td>300</td><td>304 AVERAGE</td></tr><tr><td>3</td><td>7266.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>64.60</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>300</td><td>291 PEAK</td></tr><tr><td>4</td><td>7266.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>54.51</td><td>35.66</td><td>14.42</td><td>60.63</td><td>0.00</td><td>300</td><td>291 AVERAGE</td></tr><tr><td>5</td><td>9688.00</td><td>51.38</td><td>90.22</td><td>-38.84</td><td>59.06</td><td>36.72</td><td>16.80</td><td>61.20</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>6</td><td>12110.00</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>61.35</td><td>38.70</td><td>19.10</td><td>61.01</td><td>0.00</td><td>276</td><td>331 PEAK</td></tr><tr><td>7</td><td>12110.00</td><td>43.14</td><td>54.00</td><td>-10.86</td><td>46.35</td><td>38.70</td><td>19.10</td><td>61.01</td><td>0.00</td><td>276</td><td>331 AVERAGE</td></tr></table>												Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	59.52	74.00	-14.48	74.96	34.19	11.62	61.25	0.00	300	304 PEAK	2	4844.00	50.50	54.00	-3.50	65.94	34.19	11.62	61.25	0.00	300	304 AVERAGE	3	7266.00	54.05	74.00	-19.95	64.60	35.66	14.42	60.63	0.00	300	291 PEAK	4	7266.00	43.96	54.00	-10.04	54.51	35.66	14.42	60.63	0.00	300	291 AVERAGE	5	9688.00	51.38	90.22	-38.84	59.06	36.72	16.80	61.20	0.00	--	-- PEAK	6	12110.00	58.14	74.00	-15.86	61.35	38.70	19.10	61.01	0.00	276	331 PEAK	7	12110.00	43.14	54.00	-10.86	46.35	38.70	19.10	61.01	0.00	276
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	4844.00	59.52	74.00	-14.48	74.96	34.19	11.62	61.25	0.00	300	304 PEAK																																																																																																											
2	4844.00	50.50	54.00	-3.50	65.94	34.19	11.62	61.25	0.00	300	304 AVERAGE																																																																																																											
3	7266.00	54.05	74.00	-19.95	64.60	35.66	14.42	60.63	0.00	300	291 PEAK																																																																																																											
4	7266.00	43.96	54.00	-10.04	54.51	35.66	14.42	60.63	0.00	300	291 AVERAGE																																																																																																											
5	9688.00	51.38	90.22	-38.84	59.06	36.72	16.80	61.20	0.00	--	-- PEAK																																																																																																											
6	12110.00	58.14	74.00	-15.86	61.35	38.70	19.10	61.01	0.00	276	331 PEAK																																																																																																											
7	12110.00	43.14	54.00	-10.86	46.35	38.70	19.10	61.01	0.00	276	331 AVERAGE																																																																																																											





Mode	36																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																									
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.46</td><td>62.41</td><td>74.00</td><td>-11.59</td><td>49.53</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>257 217 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	62.41	74.00	-11.59	49.53	32.47	7.26	36.85	10.00	257 217 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>116.19</td><td>-----</td><td>-----</td><td>103.45</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>257 217 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	116.19	-----	-----	103.45	32.42	7.22	36.90	10.00	257 217 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.46	62.41	74.00	-11.59	49.53	32.47	7.26	36.85	10.00	257 217 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2457.00	116.19	-----	-----	103.45	32.42	7.22	36.90	10.00	257 217 PEAK																																																																																
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>36.81</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>257 217 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.69	54.00	-4.31	36.81	32.47	7.26	36.85	10.00	257 217 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>106.31</td><td>-----</td><td>-----</td><td>93.60</td><td>32.41</td><td>7.21</td><td>36.91</td><td>10.00</td><td>257 217 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	106.31	-----	-----	93.60	32.41	7.21	36.91	10.00	257 217 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	49.69	54.00	-4.31	36.81	32.47	7.26	36.85	10.00	257 217 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2457.00	106.31	-----	-----	93.60	32.41	7.21	36.91	10.00	257 217 AVERAGE																																																																																







		36																																																																																																	
Mode	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>67.86</td><td>74.00</td><td>-6.14</td><td>54.97</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>230 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.44	67.86	74.00	-6.14	54.97	32.47	7.26	36.84	10.00	230 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>120.55</td><td>-----</td><td>-----</td><td>107.81</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>230 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	120.55	-----	-----	107.81	32.42	7.22	36.90	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2486.44	67.86	74.00	-6.14	54.97	32.47	7.26	36.84	10.00	230 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2457.00	120.55	-----	-----	107.81	32.42	7.22	36.90	10.00	230 360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>53.83</td><td>54.00</td><td>-0.17</td><td>40.95</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>230 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.10	53.83	54.00	-0.17	40.95	32.47	7.26	36.85	10.00	230 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>111.36</td><td>-----</td><td>-----</td><td>98.62</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>230 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2457.00	111.36	-----	-----	98.62	32.42	7.22	36.90	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2484.10	53.83	54.00	-0.17	40.95	32.47	7.26	36.85	10.00	230 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2457.00	111.36	-----	-----	98.62	32.42	7.22	36.90	10.00	230 360 AVERAGE																																																																																									





Mode	36																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																														
	2400-2483.5_802.11ax HE20_CH10_2457MHz																																																																																																																																																																																														
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 4914.00</td><td>58.84</td><td>74.00</td><td>-15.16</td><td>74.23</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>300</td></tr><tr><td>2 4914.00</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>65.15</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>300</td></tr><tr><td>3 7371.00</td><td>57.53</td><td>74.00</td><td>-16.47</td><td>68.09</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>100</td></tr><tr><td>4 7371.00</td><td>47.89</td><td>54.00</td><td>-6.11</td><td>58.45</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>100</td></tr><tr><td>5 9832.00</td><td>57.53</td><td>93.07</td><td>-35.54</td><td>64.87</td><td>36.96</td><td>16.95</td><td>61.25</td><td>0.00</td><td>--</td></tr><tr><td>6 12285.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>55.02</td><td>38.87</td><td>19.20</td><td>60.99</td><td>0.00</td><td>--</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4914.00	58.84	74.00	-15.16	74.23	34.04	11.76	61.19	0.00	300	2 4914.00	49.76	54.00	-4.24	65.15	34.04	11.76	61.19	0.00	300	3 7371.00	57.53	74.00	-16.47	68.09	35.74	14.56	60.86	0.00	100	4 7371.00	47.89	54.00	-6.11	58.45	35.74	14.56	60.86	0.00	100	5 9832.00	57.53	93.07	-35.54	64.87	36.96	16.95	61.25	0.00	--	6 12285.00	52.10	74.00	-21.90	55.02	38.87	19.20	60.99	0.00	--	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 4914.00</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>71.33</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100</td></tr><tr><td>2 4914.00</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>62.61</td><td>34.04</td><td>11.76</td><td>61.19</td><td>0.00</td><td>100</td></tr><tr><td>3 7371.00</td><td>51.23</td><td>74.00</td><td>-22.77</td><td>61.79</td><td>35.74</td><td>14.56</td><td>60.86</td><td>0.00</td><td>300</td></tr><tr><td>4 7371.00</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>52.17</td><td>35.73</td><td>14.56</td><td>60.85</td><td>0.00</td><td>300</td></tr><tr><td>5 9831.00</td><td>52.75</td><td>90.39</td><td>-37.64</td><td>60.09</td><td>36.96</td><td>16.95</td><td>61.25</td><td>0.00</td><td>--</td></tr><tr><td>6 12286.00</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>52.20</td><td>38.87</td><td>19.20</td><td>60.99</td><td>0.00</td><td>--</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4914.00	55.94	74.00	-18.06	71.33	34.04	11.76	61.19	0.00	100	2 4914.00	47.22	54.00	-6.78	62.61	34.04	11.76	61.19	0.00	100	3 7371.00	51.23	74.00	-22.77	61.79	35.74	14.56	60.86	0.00	300	4 7371.00	41.61	54.00	-12.39	52.17	35.73	14.56	60.85	0.00	300	5 9831.00	52.75	90.39	-37.64	60.09	36.96	16.95	61.25	0.00	--	6 12286.00	49.28	74.00	-24.72	52.20	38.87	19.20	60.99	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																						
1 4914.00	58.84	74.00	-15.16	74.23	34.04	11.76	61.19	0.00	300																																																																																																																																																																																						
2 4914.00	49.76	54.00	-4.24	65.15	34.04	11.76	61.19	0.00	300																																																																																																																																																																																						
3 7371.00	57.53	74.00	-16.47	68.09	35.74	14.56	60.86	0.00	100																																																																																																																																																																																						
4 7371.00	47.89	54.00	-6.11	58.45	35.74	14.56	60.86	0.00	100																																																																																																																																																																																						
5 9832.00	57.53	93.07	-35.54	64.87	36.96	16.95	61.25	0.00	--																																																																																																																																																																																						
6 12285.00	52.10	74.00	-21.90	55.02	38.87	19.20	60.99	0.00	--																																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																						
1 4914.00	55.94	74.00	-18.06	71.33	34.04	11.76	61.19	0.00	100																																																																																																																																																																																						
2 4914.00	47.22	54.00	-6.78	62.61	34.04	11.76	61.19	0.00	100																																																																																																																																																																																						
3 7371.00	51.23	74.00	-22.77	61.79	35.74	14.56	60.86	0.00	300																																																																																																																																																																																						
4 7371.00	41.61	54.00	-12.39	52.17	35.73	14.56	60.85	0.00	300																																																																																																																																																																																						
5 9831.00	52.75	90.39	-37.64	60.09	36.96	16.95	61.25	0.00	--																																																																																																																																																																																						
6 12286.00	49.28	74.00	-24.72	52.20	38.87	19.20	60.99	0.00	--																																																																																																																																																																																						







Mode	37																																																																																																					
	Band Edge - L																																																																																																					
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																																																																					
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.51</td><td>61.27</td><td>74.00</td><td>-12.73</td><td>49.03</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>259</td><td>219 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.51	61.27	74.00	-12.73	49.03	32.19	7.10	37.05	10.00	259	219 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>110.21</td><td>-----</td><td>-----</td><td>97.69</td><td>32.35</td><td>7.16</td><td>36.99</td><td>10.00</td><td>259</td><td>219 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2427.00	110.21	-----	-----	97.69	32.35	7.16	36.99	10.00	259
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2388.51	61.27	74.00	-12.73	49.03	32.19	7.10	37.05	10.00	259	219 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2427.00	110.21	-----	-----	97.69	32.35	7.16	36.99	10.00	259	219 PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.40</td><td>48.40</td><td>54.00</td><td>-5.60</td><td>36.17</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>259</td><td>219 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.40	48.40	54.00	-5.60	36.17	32.18	7.10	37.05	10.00	259	219 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>100.43</td><td>-----</td><td>-----</td><td>87.91</td><td>32.35</td><td>7.16</td><td>36.99</td><td>10.00</td><td>259</td><td>219 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2427.00	100.43	-----	-----	87.91	32.35	7.16	36.99	10.00	259
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2388.40	48.40	54.00	-5.60	36.17	32.18	7.10	37.05	10.00	259	219 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2427.00	100.43	-----	-----	87.91	32.35	7.16	36.99	10.00	259	219 AVERAGE																																																																																											





Mode	37																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.36</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>45.14</td><td>32.48</td><td>7.27</td><td>36.83</td><td>10.00</td><td>259</td><td>219 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.36	58.06	74.00	-15.94	45.14	32.48	7.27	36.83	10.00	259	219 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2492.36	58.06	74.00	-15.94	45.14	32.48	7.27	36.83	10.00	259	219 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.60</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>32.82</td><td>32.49</td><td>7.27</td><td>36.83</td><td>10.00</td><td>259</td><td>219 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.60	45.75	54.00	-8.25	32.82	32.49	7.27	36.83	10.00	259	219 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.60	45.75	54.00	-8.25	32.82	32.49	7.27	36.83	10.00	259	219 AVERAGE																																													





Mode	37																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.07</td><td>66.07</td><td>74.00</td><td>-7.93</td><td>53.83</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.07	66.07	74.00	-7.93	53.83	32.19	7.10	37.05	10.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.07	66.07	74.00	-7.93	53.83	32.19	7.10	37.05	10.00	210	0 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>114.22</td><td>-----</td><td>-----</td><td>101.71</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	114.22	-----	-----	101.71	32.34	7.16	36.99	10.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2427.00	114.22	-----	-----	101.71	32.34	7.16	36.99	10.00	210	0 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.07</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>40.66</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>210</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.07	52.90	54.00	-1.10	40.66	32.19	7.10	37.05	10.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.07	52.90	54.00	-1.10	40.66	32.19	7.10	37.05	10.00	210	0 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>105.30</td><td>-----</td><td>-----</td><td>92.74</td><td>32.36</td><td>7.17</td><td>36.97</td><td>10.00</td><td>210</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	105.30	-----	-----	92.74	32.36	7.17	36.97	10.00	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2427.00	105.30	-----	-----	92.74	32.36	7.17	36.97	10.00	210	0 AVERAGE																																												







Mode	37																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.93</td><td>68.78</td><td>74.00</td><td>-13.22</td><td>47.90</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>210</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.93	68.78	74.00	-13.22	47.90	32.47	7.26	36.85	10.00	210	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.93	68.78	74.00	-13.22	47.90	32.47	7.26	36.85	10.00	210	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.01</td><td>48.75</td><td>54.00</td><td>-5.25</td><td>35.87</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>210</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.01	48.75	54.00	-5.25	35.87	32.47	7.26	36.85	10.00	210	0 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.01	48.75	54.00	-5.25	35.87	32.47	7.26	36.85	10.00	210	0 AVERAGE																																													





Mode	37																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11ax HE40_CH4_2427MHz																																																																																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4854.00</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>67.72</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>339</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>4854.00</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>58.47</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>339</td><td>183</td><td>AVERAGE</td></tr><tr><td>3</td><td>7281.00</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>61.11</td><td>35.72</td><td>14.44</td><td>60.66</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>7281.00</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>51.64</td><td>35.72</td><td>14.44</td><td>60.65</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	52.31	74.00	-21.69	67.72	34.19	11.64	61.24	0.00	339	183	PEAK	2	4854.00	43.06	54.00	-10.94	58.47	34.19	11.64	61.24	0.00	339	183	AVERAGE	3	7281.00	50.61	74.00	-23.39	61.11	35.72	14.44	60.66	0.00	100	244	PEAK	4	7281.00	41.15	54.00	-12.85	51.64	35.72	14.44	60.65	0.00	100	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4854.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>68.07</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>300</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>4854.00</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>58.78</td><td>34.19</td><td>11.64</td><td>61.24</td><td>0.00</td><td>300</td><td>307</td><td>AVERAGE</td></tr><tr><td>3</td><td>7281.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>55.18</td><td>35.72</td><td>14.44</td><td>60.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	52.66	74.00	-21.34	68.07	34.19	11.64	61.24	0.00	300	307	PEAK	2	4854.00	43.37	54.00	-10.63	58.78	34.19	11.64	61.24	0.00	300	307	AVERAGE	3	7281.00	44.68	74.00	-29.32	55.18	35.72	14.44	60.66	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4854.00	52.31	74.00	-21.69	67.72	34.19	11.64	61.24	0.00	339	183	PEAK																																																																																																																																																								
2	4854.00	43.06	54.00	-10.94	58.47	34.19	11.64	61.24	0.00	339	183	AVERAGE																																																																																																																																																								
3	7281.00	50.61	74.00	-23.39	61.11	35.72	14.44	60.66	0.00	100	244	PEAK																																																																																																																																																								
4	7281.00	41.15	54.00	-12.85	51.64	35.72	14.44	60.65	0.00	100	244	AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4854.00	52.66	74.00	-21.34	68.07	34.19	11.64	61.24	0.00	300	307	PEAK																																																																																																																																																								
2	4854.00	43.37	54.00	-10.63	58.78	34.19	11.64	61.24	0.00	300	307	AVERAGE																																																																																																																																																								
3	7281.00	44.68	74.00	-29.32	55.18	35.72	14.44	60.66	0.00	--	--	PEAK																																																																																																																																																								



	38																																																							
Mode	Band Edge - L																																																							
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																							
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.25</td><td>58.20</td><td>74.00</td><td>-15.80</td><td>46.08</td><td>32.08</td><td>7.09</td><td>37.05</td><td>10.00</td><td>251</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2378.25	58.20	74.00	-15.80	46.08	32.08	7.09	37.05	10.00	251
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2378.25	58.20	74.00	-15.80	46.08	32.08	7.09	37.05	10.00	251	40 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.45</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>33.70</td><td>32.00</td><td>7.08</td><td>37.05</td><td>10.00</td><td>251</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2378.45	45.73	54.00	-8.27	33.70	32.00	7.08	37.05	10.00	251
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2378.45	45.73	54.00	-8.27	33.70	32.00	7.08	37.05	10.00	251	40 AVERAGE																																													
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>109.70</td><td>-----</td><td>-----</td><td>97.11</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>251</td><td>40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	109.70	-----	-----	97.11	32.37	7.18	36.96	10.00	251
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2447.00	109.70	-----	-----	97.11	32.37	7.18	36.96	10.00	251	40 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>100.44</td><td>-----</td><td>-----</td><td>87.78</td><td>32.39</td><td>7.20</td><td>36.93</td><td>10.00</td><td>251</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	100.44	-----	-----	87.78	32.39	7.20	36.93	10.00	251
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2447.00	100.44	-----	-----	87.78	32.39	7.20	36.93	10.00	251	40 AVERAGE																																													





Mode	38																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.55</td><td>59.64</td><td>74.00</td><td>-14.36</td><td>46.74</td><td>32.48</td><td>7.26</td><td>36.84</td><td>10.00</td><td>251 40 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.55	59.64	74.00	-14.36
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2487.55	59.64	74.00	-14.36	46.74	32.48	7.26	36.84	10.00	251 40 PEAK																																							
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.68</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>35.70</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>251 40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.68	48.58	54.00	-5.42
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.68	48.58	54.00	-5.42	35.70	32.47	7.26	36.85	10.00	251 40 AVERAGE																																							





	38																																																																																																			
Mode	Band Edge - L																																																																																																			
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																																																																			
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.13</td><td>60.93</td><td>74.00</td><td>-13.07</td><td>48.70</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>206</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	60.93	74.00	-13.07	48.70	32.18	7.10	37.05	10.00	206	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>115.81</td><td>-----</td><td>-----</td><td>103.22</td><td>32.37</td><td>7.18</td><td>36.96</td><td>10.00</td><td>206</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	115.81	-----	-----	103.22	32.37	7.18	36.96	10.00	206
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.13	60.93	74.00	-13.07	48.70	32.18	7.10	37.05	10.00	206	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	115.81	-----	-----	103.22	32.37	7.18	36.96	10.00	206	0 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2380.20</td><td>48.71</td><td>54.00</td><td>-5.29</td><td>36.57</td><td>32.10</td><td>7.09</td><td>37.05</td><td>10.00</td><td>206</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.20	48.71	54.00	-5.29	36.57	32.10	7.09	37.05	10.00	206	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2447.00</td><td>104.61</td><td>-----</td><td>-----</td><td>91.97</td><td>32.39</td><td>7.19</td><td>36.94</td><td>10.00</td><td>206</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	104.61	-----	-----	91.97	32.39	7.19	36.94	10.00	206
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2380.20	48.71	54.00	-5.29	36.57	32.10	7.09	37.05	10.00	206	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2447.00	104.61	-----	-----	91.97	32.39	7.19	36.94	10.00	206	0 AVERAGE																																																																																									







Mode	38																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																	
Pol.	Vertical						Fundamental																																											
Peak							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.12</td><td>64.03</td><td>74.00</td><td>-9.97</td><td>51.14</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>206</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.12	64.03	74.00	-9.97	51.14
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2487.12	64.03	74.00	-9.97	51.14	32.47	7.26	36.84	10.00	206	0 PEAK																																							
Avg							Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.05</td><td>52.71</td><td>54.00</td><td>-1.29</td><td>39.83</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>206</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.05	52.71	54.00	-1.29	39.83
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																								
1	2485.05	52.71	54.00	-1.29	39.83	32.47	7.26	36.85	10.00	206	0 AVERAGE																																							







Mode	38																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	2400-2483.5_802.11ax HE40_CH8_2447MHz																																																																																																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>51.11</td><td>74.00</td><td>-22.89</td><td>66.49</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>294</td><td>186</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>57.32</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>294</td><td>186</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>57.55</td><td>35.72</td><td>14.52</td><td>60.79</td><td>0.00</td><td>294</td><td>186</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>37.36</td><td>54.00</td><td>-16.64</td><td>47.88</td><td>35.74</td><td>14.51</td><td>60.77</td><td>0.00</td><td>294</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	51.11	74.00	-22.89	66.49	34.11	11.72	61.21	0.00	294	186	PEAK	2	4894.00	41.94	54.00	-12.06	57.32	34.11	11.72	61.21	0.00	294	186	AVERAGE	3	7341.00	47.00	74.00	-27.00	57.55	35.72	14.52	60.79	0.00	294	186	PEAK	4	7341.00	37.36	54.00	-16.64	47.88	35.74	14.51	60.77	0.00	294	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>66.78</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>294</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>4894.00</td><td>41.38</td><td>54.00</td><td>-12.62</td><td>56.76</td><td>34.11</td><td>11.72</td><td>61.21</td><td>0.00</td><td>294</td><td>306</td><td>AVERAGE</td></tr><tr><td>3</td><td>7341.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>57.26</td><td>35.72</td><td>14.52</td><td>60.79</td><td>0.00</td><td>294</td><td>306</td><td>PEAK</td></tr><tr><td>4</td><td>7341.00</td><td>35.46</td><td>54.00</td><td>-18.54</td><td>46.02</td><td>35.71</td><td>14.53</td><td>60.80</td><td>0.00</td><td>294</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	51.40	74.00	-22.60	66.78	34.11	11.72	61.21	0.00	294	306	PEAK	2	4894.00	41.38	54.00	-12.62	56.76	34.11	11.72	61.21	0.00	294	306	AVERAGE	3	7341.00	46.71	74.00	-27.29	57.26	35.72	14.52	60.79	0.00	294	306	PEAK	4	7341.00	35.46	54.00	-18.54	46.02	35.71	14.53	60.80	0.00	294	306	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	4894.00	51.11	74.00	-22.89	66.49	34.11	11.72	61.21	0.00	294	186	PEAK																																																																																																																																																																						
2	4894.00	41.94	54.00	-12.06	57.32	34.11	11.72	61.21	0.00	294	186	AVERAGE																																																																																																																																																																						
3	7341.00	47.00	74.00	-27.00	57.55	35.72	14.52	60.79	0.00	294	186	PEAK																																																																																																																																																																						
4	7341.00	37.36	54.00	-16.64	47.88	35.74	14.51	60.77	0.00	294	186	AVERAGE																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	4894.00	51.40	74.00	-22.60	66.78	34.11	11.72	61.21	0.00	294	306	PEAK																																																																																																																																																																						
2	4894.00	41.38	54.00	-12.62	56.76	34.11	11.72	61.21	0.00	294	306	AVERAGE																																																																																																																																																																						
3	7341.00	46.71	74.00	-27.29	57.26	35.72	14.52	60.79	0.00	294	306	PEAK																																																																																																																																																																						
4	7341.00	35.46	54.00	-18.54	46.02	35.71	14.53	60.80	0.00	294	306	AVERAGE																																																																																																																																																																						







Mode	39																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH2_2417MHz																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2388.91</td><td>59.89</td><td>74.00</td><td>-14.11</td><td>47.65</td><td>32.19</td><td>7.10</td><td>37.05</td><td>10.00</td><td>392</td><td>56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.91	59.89	74.00	-14.11	47.65	32.19	7.10	37.05	10.00	392	56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2388.91	59.89	74.00	-14.11	47.65	32.19	7.10	37.05	10.00	392	56 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2417.00</td><td>113.70</td><td>-----</td><td>-----</td><td>101.22</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>392</td><td>56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	113.70	-----	-----	101.22	32.33	7.15	37.00	10.00	392	56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2417.00	113.70	-----	-----	101.22	32.33	7.15	37.00	10.00	392	56 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.95</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>35.95</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>392</td><td>56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	48.21	54.00	-5.79	35.95	32.20	7.11	37.05	10.00	392	56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2389.95	48.21	54.00	-5.79	35.95	32.20	7.11	37.05	10.00	392	56 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2417.00</td><td>110.72</td><td>-----</td><td>-----</td><td>98.26</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>392</td><td>56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	110.72	-----	-----	98.26	32.33	7.14	37.01	10.00	392	56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2417.00	110.72	-----	-----	98.26	32.33	7.14	37.01	10.00	392	56 AVERAGE																																													







Mode	39																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_802.11b_CH2_2417MHz																																																																																																						
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.30</td><td>64.29</td><td>74.00</td><td>-9.71</td><td>52.20</td><td>32.06</td><td>7.08</td><td>37.05</td><td>10.00</td><td>246</td><td>84 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2376.30	64.29	74.00	-9.71	52.20	32.06	7.08	37.05	10.00	246	84 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>109.15</td><td>-----</td><td>-----</td><td>96.67</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>246</td><td>84 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	109.15	-----	-----	96.67	32.33	7.15	37.00	10.00	246
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2376.30	64.29	74.00	-9.71	52.20	32.06	7.08	37.05	10.00	246	84 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2417.00	109.15	-----	-----	96.67	32.33	7.15	37.00	10.00	246	84 PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>51.51</td><td>54.00</td><td>-2.49</td><td>39.28</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>246</td><td>84 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.13	51.51	54.00	-2.49	39.28	32.18	7.10	37.05	10.00	246	84 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>106.30</td><td>-----</td><td>-----</td><td>93.84</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>246</td><td>84 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	106.30	-----	-----	93.84	32.33	7.14	37.01	10.00	246
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2388.13	51.51	54.00	-2.49	39.28	32.18	7.10	37.05	10.00	246	84 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2417.00	106.30	-----	-----	93.84	32.33	7.14	37.01	10.00	246	84 AVERAGE																																																																																												







Mode	40																																																																																																																				
	Band Edge																																																																																																																				
	2400-2483.5_802.11b_CH3_2422MHz																																																																																																																				
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.05</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>49.57</td><td>31.90</td><td>7.06</td><td>37.06</td><td>10.00</td><td>283</td><td>214</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2368.05	61.47	74.00	-12.53	49.57	31.90	7.06	37.06	10.00	283	214	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>112.93</td><td>-----</td><td>-----</td><td>100.42</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>283</td><td>214</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	112.93	-----	-----	100.42	32.34	7.16	36.99	10.00	283	214
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2368.05	61.47	74.00	-12.53	49.57	31.90	7.06	37.06	10.00	283	214	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2422.00	112.93	-----	-----	100.42	32.34	7.16	36.99	10.00	283	214	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>36.00</td><td>32.16</td><td>7.10</td><td>37.05</td><td>10.00</td><td>283</td><td>214</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.44	48.21	54.00	-5.79	36.00	32.16	7.10	37.05	10.00	283	214	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>110.21</td><td>-----</td><td>-----</td><td>97.71</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>283</td><td>214</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	110.21	-----	-----	97.71	32.34	7.15	36.99	10.00	283	214
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2386.44	48.21	54.00	-5.79	36.00	32.16	7.10	37.05	10.00	283	214	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	2422.00	110.21	-----	-----	97.71	32.34	7.15	36.99	10.00	283	214	AVERAGE																																																																																																									







	40																																																					
Mode	Band Edge																																																					
	2400-2483.5_802.11b_CH3_2422MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.01</td><td>65.78</td><td>74.00</td><td>-8.22</td><td>53.58</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>300 86 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.01	65.78	74.00	-8.22	53.58	32.15	7.10	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2385.01	65.78	74.00	-8.22	53.58	32.15	7.10	37.05	10.00	300 86 PEAK																																												
Fundamental																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>119.27</td><td>-----</td><td>-----</td><td>106.76</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>300 86 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	119.27	-----	-----	106.76	32.34	7.16	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2422.00	119.27	-----	-----	106.76	32.34	7.16	36.99	10.00	300 86 PEAK																																												
Avg																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2385.14</td><td>53.31</td><td>54.00</td><td>-0.69</td><td>41.11</td><td>32.15</td><td>7.10</td><td>37.05</td><td>10.00</td><td>300 86 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.14	53.31	54.00	-0.69	41.11	32.15	7.10	37.05	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2385.14	53.31	54.00	-0.69	41.11	32.15	7.10	37.05	10.00	300 86 AVERAGE																																												
Fundamental																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>116.34</td><td>-----</td><td>-----</td><td>103.84</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>300 86 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	116.34	-----	-----	103.84	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2422.00	116.34	-----	-----	103.84	32.34	7.15	36.99	10.00	300 86 AVERAGE																																												







	41																																																																																																	
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH2_2417MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2326.77</td><td>60.71</td><td>74.00</td><td>-13.29</td><td>49.21</td><td>31.57</td><td>7.01</td><td>37.08</td><td>10.00</td><td>58 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2326.77	60.71	74.00	-13.29	49.21	31.57	7.01	37.08	10.00	58 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>113.41</td><td>-----</td><td>-----</td><td>100.93</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>58 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	113.41	-----	-----	100.93	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2326.77	60.71	74.00	-13.29	49.21	31.57	7.01	37.08	10.00	58 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	113.41	-----	-----	100.93	32.33	7.15	37.00	10.00	58 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>35.81</td><td>32.20</td><td>7.11</td><td>37.05</td><td>10.00</td><td>58 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.07	54.00	-5.93	35.81	32.20	7.11	37.05	10.00	58 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>110.40</td><td>-----</td><td>-----</td><td>97.94</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>58 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.40	-----	-----	97.94	32.33	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	48.07	54.00	-5.93	35.81	32.20	7.11	37.05	10.00	58 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	110.40	-----	-----	97.94	32.33	7.14	37.01	10.00	58 AVERAGE																																																																																								







Mode	41																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH2_2417MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.38</td><td>65.38</td><td>74.00</td><td>-8.62</td><td>53.26</td><td>32.08</td><td>7.09</td><td>37.05</td><td>10.00</td><td>245 87 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.38	65.38	74.00	-8.62	53.26	32.08	7.09	37.05	10.00	245 87 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>109.43</td><td>-----</td><td>-----</td><td>96.95</td><td>32.33</td><td>7.15</td><td>37.00</td><td>10.00</td><td>245 87 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	109.43	-----	-----	96.95	32.33	7.15	37.00	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2378.38	65.38	74.00	-8.62	53.26	32.08	7.09	37.05	10.00	245 87 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	109.43	-----	-----	96.95	32.33	7.15	37.00	10.00	245 87 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>51.78</td><td>54.00</td><td>-2.22</td><td>39.55</td><td>32.18</td><td>7.10</td><td>37.05</td><td>10.00</td><td>245 87 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	51.78	54.00	-2.22	39.55	32.18	7.10	37.05	10.00	245 87 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>106.60</td><td>-----</td><td>-----</td><td>94.14</td><td>32.33</td><td>7.14</td><td>37.01</td><td>10.00</td><td>245 87 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	106.60	-----	-----	94.14	32.33	7.14	37.01	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.13	51.78	54.00	-2.22	39.55	32.18	7.10	37.05	10.00	245 87 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	106.60	-----	-----	94.14	32.33	7.14	37.01	10.00	245 87 AVERAGE																																																																																								







	42																																																																																																					
Mode	Band Edge																																																																																																					
	2400-2483.5_802.11b_CH3_2422MHz																																																																																																					
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.76</td><td>62.39</td><td>74.00</td><td>-11.61</td><td>50.23</td><td>32.12</td><td>7.09</td><td>37.05</td><td>10.00</td><td>284</td><td>216 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2381.76	62.39	74.00	-11.61	50.23	32.12	7.09	37.05	10.00	284	216 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>113.27</td><td>-----</td><td>-----</td><td>100.76</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>284</td><td>216 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	113.27	-----	-----	100.76	32.34	7.16	36.99	10.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2381.76	62.39	74.00	-11.61	50.23	32.12	7.09	37.05	10.00	284	216 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2422.00	113.27	-----	-----	100.76	32.34	7.16	36.99	10.00	284	216 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>48.77</td><td>54.00</td><td>-5.23</td><td>36.56</td><td>32.16</td><td>7.10</td><td>37.05</td><td>10.00</td><td>284</td><td>216 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.31	48.77	54.00	-5.23	36.56	32.16	7.10	37.05	10.00	284	216 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>110.43</td><td>-----</td><td>-----</td><td>97.93</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>284</td><td>216 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	110.43	-----	-----	97.93	32.34	7.15	36.99	10.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2386.31	48.77	54.00	-5.23	36.56	32.16	7.10	37.05	10.00	284	216 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2422.00	110.43	-----	-----	97.93	32.34	7.15	36.99	10.00	284	216 AVERAGE																																																																																											







Mode	42																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH3_2422MHz																																																																																																	
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																	
Pol.	Vertical										Fundamental																																																																																							
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2317.28</td><td>65.84</td><td>74.00</td><td>-8.16</td><td>54.46</td><td>31.47</td><td>6.99</td><td>37.08</td><td>10.00</td><td>86 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2317.28	65.84	74.00	-8.16	54.46	31.47	6.99	37.08	10.00	86 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>119.26</td><td>-----</td><td>-----</td><td>106.75</td><td>32.34</td><td>7.16</td><td>36.99</td><td>10.00</td><td>86 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	119.26	-----	-----	106.75	32.34	7.16	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2317.28	65.84	74.00	-8.16	54.46	31.47	6.99	37.08	10.00	86 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	119.26	-----	-----	106.75	32.34	7.16	36.99	10.00	86 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2384.23</td><td>52.65</td><td>54.00</td><td>-1.35</td><td>40.46</td><td>32.14</td><td>7.10</td><td>37.05</td><td>10.00</td><td>86 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.23	52.65	54.00	-1.35	40.46	32.14	7.10	37.05	10.00	86 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>116.28</td><td>-----</td><td>-----</td><td>103.78</td><td>32.34</td><td>7.15</td><td>36.99</td><td>10.00</td><td>86 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	116.28	-----	-----	103.78	32.34	7.15	36.99	10.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2384.23	52.65	54.00	-1.35	40.46	32.14	7.10	37.05	10.00	86 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2422.00	116.28	-----	-----	103.78	32.34	7.15	36.99	10.00	86 AVERAGE																																																																																								







Mode	43																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH10_2457MHz																																																																																																		
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>59.40</td><td>74.00</td><td>-14.60</td><td>46.52</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>102</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	59.40	74.00	-14.60	46.52	32.47	7.26	36.85	10.00	102	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>109.97</td><td>74.00</td><td>35.97</td><td>97.25</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>102</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	109.97	74.00	35.97	97.25	32.42	7.21	36.91	10.00	102	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	59.40	74.00	-14.60	46.52	32.47	7.26	36.85	10.00	102	264	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	109.97	74.00	35.97	97.25	32.42	7.21	36.91	10.00	102	264	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>37.16</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>102</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	50.13	54.00	-3.87	37.16	32.50	7.28	36.81	10.00	102	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>107.11</td><td>54.00</td><td>53.11</td><td>94.41</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>102</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.11	54.00	53.11	94.41	32.41	7.21	36.92	10.00	102	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2500.00	50.13	54.00	-3.87	37.16	32.50	7.28	36.81	10.00	102	264	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	107.11	54.00	53.11	94.41	32.41	7.21	36.92	10.00	102	264	AVERAGE																																																																																							







		43																																																																																														
Mode	Band Edge																																																																																															
	2400-2483.5_802.11b_CH10_2457MHz																																																																																															
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>64.48</td><td>74.00</td><td>-9.52</td><td>51.60</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>211</td><td>79 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	64.48	74.00	-9.52	51.60	32.47	7.26	36.85	10.00	211	79 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>117.56</td><td>74.00</td><td>43.56</td><td>104.84</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>211</td><td>79 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	117.56	74.00	43.56	104.84	32.42	7.21	36.91	10.00	211
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.56	64.48	74.00	-9.52	51.60	32.47	7.26	36.85	10.00	211	79 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2457.00	117.56	74.00	43.56	104.84	32.42	7.21	36.91	10.00	211	79 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.48</td><td>53.36</td><td>54.00</td><td>-0.64</td><td>40.48</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>211</td><td>79 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.48	53.36	54.00	-0.64	40.48	32.47	7.26	36.85	10.00	211	79 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>114.54</td><td>54.00</td><td>60.54</td><td>101.84</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>211</td><td>79 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	114.54	54.00	60.54	101.84	32.41	7.21	36.92	10.00	211
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.48	53.36	54.00	-0.64	40.48	32.47	7.26	36.85	10.00	211	79 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2457.00	114.54	54.00	60.54	101.84	32.41	7.21	36.92	10.00	211	79 AVERAGE																																																																																					







	44																																																																																																						
Mode	Band Edge																																																																																																						
	2400-2483.5_802.11b_CH9_2452MHz																																																																																																						
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.38</td><td>58.47</td><td>74.00</td><td>-15.53</td><td>45.56</td><td>32.48</td><td>7.27</td><td>36.84</td><td>10.00</td><td>100</td><td>267 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2489.38	58.47	74.00	-15.53	45.56	32.48	7.27	36.84	10.00	100	267 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>111.89</td><td>-----</td><td>-----</td><td>99.20</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>100</td><td>267 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	111.89	-----	-----	99.20	32.40	7.21	36.92	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2489.38	58.47	74.00	-15.53	45.56	32.48	7.27	36.84	10.00	100	267 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2452.00	111.89	-----	-----	99.20	32.40	7.21	36.92	10.00	100	267 PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>32.44</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>100</td><td>267 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.28	45.32	54.00	-8.68	32.44	32.47	7.26	36.85	10.00	100	267 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>108.98</td><td>-----</td><td>-----</td><td>96.29</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>100</td><td>267 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2452.00	108.98	-----	-----	96.29	32.40	7.21	36.92	10.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2484.28	45.32	54.00	-8.68	32.44	32.47	7.26	36.85	10.00	100	267 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2452.00	108.98	-----	-----	96.29	32.40	7.21	36.92	10.00	100	267 AVERAGE																																																																																												







Mode	44																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH9_2452MHz																																																																																																														
ANT	Ant 0(1-A)+Ant 1,NSS1,CDD																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>65.08</td><td>74.00</td><td>-8.92</td><td>52.19</td><td>32.47</td><td>7.26</td><td>36.84</td><td>10.00</td><td>209</td><td>83</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.30	65.08	74.00	-8.92	52.19	32.47	7.26	36.84	10.00	209	83	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>118.92</td><td>74.00</td><td>44.92</td><td>106.22</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>209</td><td>83</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	118.92	74.00	44.92	106.22	32.41	7.21	36.92	10.00	209	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2485.30	65.08	74.00	-8.92	52.19	32.47	7.26	36.84	10.00	209	83	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	118.92	74.00	44.92	106.22	32.41	7.21	36.92	10.00	209	83	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.17</td><td>52.13</td><td>54.00</td><td>-1.87</td><td>39.23</td><td>32.48</td><td>7.26</td><td>36.84</td><td>10.00</td><td>209</td><td>83</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.17	52.13	54.00	-1.87	39.23	32.48	7.26	36.84	10.00	209	83	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>115.93</td><td>54.00</td><td>61.93</td><td>103.23</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>209</td><td>83</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	115.93	54.00	61.93	103.23	32.41	7.21	36.92	10.00	209	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2488.17	52.13	54.00	-1.87	39.23	32.48	7.26	36.84	10.00	209	83	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	115.93	54.00	61.93	103.23	32.41	7.21	36.92	10.00	209	83	AVERAGE																																																																																																			







		45																																																		
Mode	Band Edge																																																			
	2400-2483.5_802.11b_CH10_2457MHz																																																			
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																			
Pol.	Horizontal					Fundamental																																														
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.12</td><td>60.40</td><td>74.00</td><td>-13.60</td><td>47.52</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>268 68 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.12	60.40	74.00	-13.60	47.52	32.47	7.26	36.85	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.12	60.40	74.00	-13.60	47.52	32.47	7.26	36.85	10.00	268 68 PEAK																																										
Peak																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>111.24</td><td>74.00</td><td>37.24</td><td>98.50</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>268 68 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	111.24	74.00	37.24	98.50	32.42	7.22	36.90	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2457.00	111.24	74.00	37.24	98.50	32.42	7.22	36.90	10.00	268 68 PEAK																																										
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.48</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>34.61</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>268 68 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.48	47.49	54.00	-6.51	34.61	32.47	7.26	36.85	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2483.48	47.49	54.00	-6.51	34.61	32.47	7.26	36.85	10.00	268 68 AVERAGE																																										
Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>108.04</td><td>54.00</td><td>54.04</td><td>95.30</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>268 68 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	108.04	54.00	54.04	95.30	32.42	7.22	36.90	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	2457.00	108.04	54.00	54.04	95.30	32.42	7.22	36.90	10.00	268 68 AVERAGE																																										








		45																																																				
Mode	Band Edge																																																					
	2400-2483.5_802.11b_CH10_2457MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>63.76</td><td>74.00</td><td>-10.24</td><td>50.88</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>249</td><td>247 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	63.76	74.00	-10.24	50.88	32.47	7.26	36.85	10.00	249	247 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.80	63.76	74.00	-10.24	50.88	32.47	7.26	36.85	10.00	249	247 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>116.65</td><td>74.00</td><td>42.65</td><td>103.91</td><td>32.42</td><td>7.22</td><td>36.90</td><td>10.00</td><td>249</td><td>247 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	116.65	74.00	42.65	103.91	32.42	7.22	36.90	10.00	249	247 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	116.65	74.00	42.65	103.91	32.42	7.22	36.90	10.00	249	247 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>40.13</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>249</td><td>247 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.01	54.00	-0.99	40.13	32.47	7.26	36.85	10.00	249	247 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	53.01	54.00	-0.99	40.13	32.47	7.26	36.85	10.00	249	247 AVERAGE																																											
AVERAGE																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>113.64</td><td>54.00</td><td>59.64</td><td>100.92</td><td>32.42</td><td>7.21</td><td>36.91</td><td>10.00</td><td>249</td><td>247 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	113.64	54.00	59.64	100.92	32.42	7.21	36.91	10.00	249	247 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2457.00	113.64	54.00	59.64	100.92	32.42	7.21	36.91	10.00	249	247 AVERAGE																																											



Mode	46																																																					
	Band Edge																																																					
	2400-2483.5_802.11b_CH9_2452MHz																																																					
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>59.52</td><td>74.00</td><td>-14.48</td><td>46.64</td><td>32.47</td><td>7.26</td><td>36.85</td><td>10.00</td><td>267</td><td>71 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	59.52	74.00	-14.48	46.64	32.47	7.26	36.85	10.00	267	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.00	59.52	74.00	-14.48	46.64	32.47	7.26	36.85	10.00	267	71 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>113.65</td><td>74.00</td><td>39.65</td><td>100.95</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>267</td><td>71 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	113.65	74.00	39.65	100.95	32.41	7.21	36.92	10.00	267	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2452.00	113.65	74.00	39.65	100.95	32.41	7.21	36.92	10.00	267	71 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>37.22</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>267</td><td>71 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	50.19	54.00	-3.81	37.22	32.50	7.28	36.81	10.00	267	71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2500.00	50.19	54.00	-3.81	37.22	32.50	7.28	36.81	10.00	267	71 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.56</td><td>54.00</td><td>56.56</td><td>97.86</td><td>32.41</td><td>7.21</td><td>36.92</td><td>10.00</td><td>267</td><td>71 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.56	54.00	56.56	97.86	32.41	7.21	36.92	10.00	267	71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2452.00	110.56	54.00	56.56	97.86	32.41	7.21	36.92	10.00	267	71 AVERAGE																																											



Mode	46																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11b_CH9_2452MHz																																																																																																														
ANT	Ant 0(1-B)+Ant 1,NSS1,CDD																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.06</td><td>64.33</td><td>74.00</td><td>-9.67</td><td>51.39</td><td>32.49</td><td>7.27</td><td>36.82</td><td>10.00</td><td>104</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.06	64.33	74.00	-9.67	51.39	32.49	7.27	36.82	10.00	104	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>118.07</td><td>74.00</td><td>44.07</td><td>105.38</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>104</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	118.07	74.00	44.07	105.38	32.40	7.21	36.92	10.00	104	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2494.06	64.33	74.00	-9.67	51.39	32.49	7.27	36.82	10.00	104	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	118.07	74.00	44.07	105.38	32.40	7.21	36.92	10.00	104	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.83</td><td>52.07</td><td>54.00</td><td>-1.93</td><td>39.10</td><td>32.50</td><td>7.28</td><td>36.81</td><td>10.00</td><td>104</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.83	52.07	54.00	-1.93	39.10	32.50	7.28	36.81	10.00	104	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>115.06</td><td>54.00</td><td>61.06</td><td>102.37</td><td>32.40</td><td>7.21</td><td>36.92</td><td>10.00</td><td>104</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	115.06	54.00	61.06	102.37	32.40	7.21	36.92	10.00	104	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2499.83	52.07	54.00	-1.93	39.10	32.50	7.28	36.81	10.00	104	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2452.00	115.06	54.00	61.06	102.37	32.40	7.21	36.92	10.00	104	360	AVERAGE																																																																																																			



**<Co-location>****Radiated Spurious Emission Test Modes**




Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-3	5.725-5.85	0	802.11ax HE80	155	5775	MCS0	-	-
Mode 2	2400-2483.5	2400-2483.5	Ant.0(1-A)	802.11ax HE20	1	2412	MCS0	-	-

Summary of each worse mode


Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11ax HE80	155	5649.60	63.86	68.20	-4.34	H	PEAK	Pass	Band Edge
1	802.11ax HE80	155	9642.93	58.15	68.20	-10.05	H	PEAK	Pass	Harmonic
2	802.11ax HE20	1	2389.95	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
2	802.11ax HE20	1	4824.00	41.40	54.00	-12.60	H	AVERAGE	Pass	Harmonic






Radiated Spurious Emission Test plots

		1																																																																																	
Mode		Band Edge - L																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																	
ANT		CDD 1S2T																																																																																	
Pol.		Horizontal																																																																																	
Peak																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5649.60	63.86	68.20	-4.34	46.54	34.60	12.58	29.86	0.00	255	0 PEAK	2	5650.40	63.76	68.50	-4.74	46.45	34.60	12.58	29.87	0.00	255	0 PEAK	3	5719.20	74.42	110.68	-36.26	57.06	34.64	12.67	29.95	0.00	255	0 PEAK	4	5720.40	74.92	111.81	-36.89	57.56	34.64	12.67	29.95	0.00	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5649.60	63.86	68.20	-4.34	46.54	34.60	12.58	29.86	0.00	255	0 PEAK																																																																								
2	5650.40	63.76	68.50	-4.74	46.45	34.60	12.58	29.87	0.00	255	0 PEAK																																																																								
3	5719.20	74.42	110.68	-36.26	57.06	34.64	12.67	29.95	0.00	255	0 PEAK																																																																								
4	5720.40	74.92	111.81	-36.89	57.56	34.64	12.67	29.95	0.00	255	0 PEAK																																																																								
Fundamental																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2416.00	111.21	-----	-----	101.56	32.23	8.10	30.68	0.00	--	-- PEAK	2	5806.00	110.82	122.30	-11.48	93.00	34.80	12.78	29.76	0.00	255	0 PEAK																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2416.00	111.21	-----	-----	101.56	32.23	8.10	30.68	0.00	--	-- PEAK																																																																								
2	5806.00	110.82	122.30	-11.48	93.00	34.80	12.78	29.76	0.00	255	0 PEAK																																																																								
Avg	Blank																																																																																		
																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2410.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	--	-- AVERAGE	2	5775.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	255	0 AVERAGE																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	2410.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	--	-- AVERAGE																																																																								
2	5775.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	255	0 AVERAGE																																																																								




Mode	1																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	CDD 1S2T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>68.93</td><td>111.36</td><td>-42.43</td><td>51.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>72.69</td><td>107.37</td><td>-34.68</td><td>54.73</td><td>34.91</td><td>12.88</td><td>29.83</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>60.17</td><td>69.23</td><td>-9.06</td><td>41.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>61.46</td><td>68.20</td><td>-6.74</td><td>43.20</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	68.93	111.36	-42.43	51.06	34.83	12.86	29.82	0.00	255	0	PEAK	2	5867.60	72.69	107.37	-34.68	54.73	34.91	12.88	29.83	0.00	255	0	PEAK	3	5923.60	60.17	69.23	-9.06	41.94	35.10	12.98	29.85	0.00	255	0	PEAK	4	5932.80	61.46	68.20	-6.74	43.20	35.10	13.00	29.84	0.00	255	0	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	68.93	111.36	-42.43	51.06	34.83	12.86	29.82	0.00	255	0	PEAK																																																																									
2	5867.60	72.69	107.37	-34.68	54.73	34.91	12.88	29.83	0.00	255	0	PEAK																																																																									
3	5923.60	60.17	69.23	-9.06	41.94	35.10	12.98	29.85	0.00	255	0	PEAK																																																																									
4	5932.80	61.46	68.20	-6.74	43.20	35.10	13.00	29.84	0.00	255	0	PEAK																																																																									







		1																																																																															
Mode		Band Edge - L																																																																															
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																															
ANT		CDD 1S2T																																																																															
Pol.		Vertical																																																																															
Peak																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.40	63.77	68.20	-4.43	46.45	34.60	12.58	29.86	0.00	349	124 PEAK	2	5650.40	63.14	68.50	-5.36	45.83	34.60	12.58	29.87	0.00	349	124 PEAK	3	5701.20	69.15	105.64	-36.49	51.90	34.60	12.65	30.00	0.00	349	124 PEAK	4	5720.80	73.23	112.72	-39.49	55.87	34.64	12.67	29.95	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	5648.40	63.77	68.20	-4.43	46.45	34.60	12.58	29.86	0.00	349	124 PEAK																																																																						
2	5650.40	63.14	68.50	-5.36	45.83	34.60	12.58	29.87	0.00	349	124 PEAK																																																																						
3	5701.20	69.15	105.64	-36.49	51.90	34.60	12.65	30.00	0.00	349	124 PEAK																																																																						
4	5720.80	73.23	112.72	-39.49	55.87	34.64	12.67	29.95	0.00	349	124 PEAK																																																																						
Fundamental																																																																																	
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2410.00	111.18	-----	-----	101.55	32.22	8.09	30.68	0.00	--	-- PEAK	2	5788.00	110.18	122.30	-12.12	92.42	34.78	12.76	29.78	0.00	349	124 PEAK																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	2410.00	111.18	-----	-----	101.55	32.22	8.09	30.68	0.00	--	-- PEAK																																																																						
2	5788.00	110.18	122.30	-12.12	92.42	34.78	12.76	29.78	0.00	349	124 PEAK																																																																						
Avg		Blank																																																																															
																																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2416.00</td><td>104.39</td><td>-----</td><td>-----</td><td>94.74</td><td>32.23</td><td>8.10</td><td>30.68</td><td>0.00</td><td>--</td><td>-- AVERAGE</td></tr><tr><td>2</td><td>5800.00</td><td>102.45</td><td>-----</td><td>-----</td><td>84.63</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>349</td><td>124 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2416.00	104.39	-----	-----	94.74	32.23	8.10	30.68	0.00	--	-- AVERAGE	2	5800.00	102.45	-----	-----	84.63	34.80	12.77	29.75	0.00	349	124 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	2416.00	104.39	-----	-----	94.74	32.23	8.10	30.68	0.00	--	-- AVERAGE																																																																						
2	5800.00	102.45	-----	-----	84.63	34.80	12.77	29.75	0.00	349	124 AVERAGE																																																																						







Mode	1																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																														
ANT	CDD 1S2T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.73</td><td>112.27</td><td>-44.54</td><td>49.86</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>73.86</td><td>109.39</td><td>-35.53</td><td>55.95</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>61.95</td><td>69.23</td><td>-7.28</td><td>43.72</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5929.20</td><td>63.43</td><td>68.20</td><td>-4.77</td><td>45.19</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.73	112.27	-44.54	49.86	34.83	12.86	29.82	0.00	349	124	PEAK	2	5860.40	73.86	109.39	-35.53	55.95	34.86	12.87	29.82	0.00	349	124	PEAK	3	5923.60	61.95	69.23	-7.28	43.72	35.10	12.98	29.85	0.00	349	124	PEAK	4	5929.20	63.43	68.20	-4.77	45.19	35.10	12.99	29.85	0.00	349	124	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.40	67.73	112.27	-44.54	49.86	34.83	12.86	29.82	0.00	349	124	PEAK																																																																																			
2	5860.40	73.86	109.39	-35.53	55.95	34.86	12.87	29.82	0.00	349	124	PEAK																																																																																			
3	5923.60	61.95	69.23	-7.28	43.72	35.10	12.98	29.85	0.00	349	124	PEAK																																																																																			
4	5929.20	63.43	68.20	-4.77	45.19	35.10	12.99	29.85	0.00	349	124	PEAK																																																																																			





Mode	2																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2392.03</td><td>64.53</td><td>74.00</td><td>-9.47</td><td>49.00</td><td>32.15</td><td>8.06</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2392.03	64.53	74.00	-9.47	49.00	32.15	8.06	30.68	6.00	297	178	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>118.96</td><td>-----</td><td>-----</td><td>103.31</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.96	-----	-----	103.31	32.23	8.10	30.68	6.00	297	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2392.03	64.53	74.00	-9.47	49.00	32.15	8.06	30.68	6.00	297	178	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	118.96	-----	-----	103.31	32.23	8.10	30.68	6.00	297	178	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>34.84</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>297</td><td>178</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.34	54.00	-3.66	34.84	32.14	8.05	30.69	6.00	297	178	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.36</td><td>-----</td><td>-----</td><td>93.73</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.36	-----	-----	93.73	32.22	8.09	30.68	6.00	297	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	50.34	54.00	-3.66	34.84	32.14	8.05	30.69	6.00	297	178	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	109.36	-----	-----	93.73	32.22	8.09	30.68	6.00	297	178	AVERAGE																																																																																																			



Mode	2																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>58.70</td><td>74.00</td><td>-15.30</td><td>43.20</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	58.70	74.00	-15.30	43.20	32.14	8.05	30.69	6.00	300	255	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.73</td><td>-----</td><td>-----</td><td>98.08</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>300</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.73	-----	-----	98.08	32.23	8.10	30.68	6.00	300	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	58.70	74.00	-15.30	43.20	32.14	8.05	30.69	6.00	300	255	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	113.73	-----	-----	98.08	32.23	8.10	30.68	6.00	300	255	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>30.60</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	46.10	54.00	-7.90	30.60	32.14	8.05	30.69	6.00	300	255	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.05</td><td>-----</td><td>-----</td><td>87.40</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>300</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.05	-----	-----	87.40	32.23	8.10	30.68	6.00	300	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.43	46.10	54.00	-7.90	30.60	32.14	8.05	30.69	6.00	300	255	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.05	-----	-----	87.40	32.23	8.10	30.68	6.00	300	255	AVERAGE																																																																																																			



Mode	2																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																																																																																																																																
ANT	CDD 1S2T																																																																																																																																																																																																																
Pol.	Horizontal								Vertical																																																																																																																																																																																																								
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4824.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>72.59</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>218</td><td>129</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>41.40</td><td>54.00</td><td>-12.60</td><td>60.91</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>218</td><td>129</td><td colspan="4">AVERAGE</td></tr><tr><td>3</td><td>5775.00</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>76.25</td><td>34.71</td><td>12.71</td><td>66.44</td><td>0.00</td><td>--</td><td>--</td><td colspan="4">PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	4824.00	53.08	74.00	-20.92	72.59	34.15	11.58	65.24	0.00	218	129	PEAK				2	4824.00	41.40	54.00	-12.60	60.91	34.15	11.58	65.24	0.00	218	129	AVERAGE				3	5775.00	57.23	74.00	-16.77	76.25	34.71	12.71	66.44	0.00	--	--	PEAK				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><td colspan="4"></td></tr><tr><td>1</td><td>4824.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>71.16</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>100</td><td>305</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>60.68</td><td>34.15</td><td>11.58</td><td>65.23</td><td>0.00</td><td>100</td><td>305</td><td colspan="4">AVERAGE</td></tr><tr><td>3</td><td>5775.00</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>75.93</td><td>34.71</td><td>12.71</td><td>66.44</td><td>0.00</td><td>--</td><td>--</td><td colspan="4">PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	4824.00	51.65	74.00	-22.35	71.16	34.15	11.58	65.24	0.00	100	305	PEAK				2	4824.00	41.18	54.00	-12.82	60.68	34.15	11.58	65.23	0.00	100	305	AVERAGE				3	5775.00	56.91	74.00	-17.09	75.93	34.71	12.71	66.44	0.00	--	--	PEAK		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	4824.00	53.08	74.00	-20.92	72.59	34.15	11.58	65.24	0.00	218	129	PEAK																																																																																																																																																																																																					
2	4824.00	41.40	54.00	-12.60	60.91	34.15	11.58	65.24	0.00	218	129	AVERAGE																																																																																																																																																																																																					
3	5775.00	57.23	74.00	-16.77	76.25	34.71	12.71	66.44	0.00	--	--	PEAK																																																																																																																																																																																																					
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																						
1	4824.00	51.65	74.00	-22.35	71.16	34.15	11.58	65.24	0.00	100	305	PEAK																																																																																																																																																																																																					
2	4824.00	41.18	54.00	-12.82	60.68	34.15	11.58	65.23	0.00	100	305	AVERAGE																																																																																																																																																																																																					
3	5775.00	56.91	74.00	-17.09	75.93	34.71	12.71	66.44	0.00	--	--	PEAK																																																																																																																																																																																																					