










Mode	25																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>62.14</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>129</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>49.94</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>129</td><td>100</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>59.52</td><td>68.20</td><td>-8.68</td><td>59.70</td><td>41.41</td><td>22.74</td><td>64.33</td><td>0.00</td><td>221</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	54.41	74.00	-19.59	62.14	38.00	18.50	64.23	0.00	129	100	PEAK	2	11400.00	42.21	54.00	-11.79	49.94	38.00	18.50	64.23	0.00	129	100	AVERAGE	3	17100.00	59.52	68.20	-8.68	59.70	41.41	22.74	64.33	0.00	221	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>60.22</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>115</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>40.63</td><td>54.00</td><td>-13.37</td><td>48.36</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>115</td><td>146</td><td>AVERAGE</td></tr><tr><td>3</td><td>11985.93</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>58.89</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17100.00</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>57.67</td><td>41.41</td><td>22.74</td><td>64.33</td><td>0.00</td><td>280</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	52.49	74.00	-21.51	60.22	38.00	18.50	64.23	0.00	115	146	PEAK	2	11400.00	40.63	54.00	-13.37	48.36	38.00	18.50	64.23	0.00	115	146	AVERAGE	3	11985.93	51.58	74.00	-22.42	58.89	38.59	19.02	64.92	0.00	--	--	PEAK	4	17100.00	57.49	68.20	-10.71	57.67	41.41	22.74	64.33	0.00	280	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11400.00	54.41	74.00	-19.59	62.14	38.00	18.50	64.23	0.00	129	100	PEAK																																																																																																																																																								
2	11400.00	42.21	54.00	-11.79	49.94	38.00	18.50	64.23	0.00	129	100	AVERAGE																																																																																																																																																								
3	17100.00	59.52	68.20	-8.68	59.70	41.41	22.74	64.33	0.00	221	296	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11400.00	52.49	74.00	-21.51	60.22	38.00	18.50	64.23	0.00	115	146	PEAK																																																																																																																																																								
2	11400.00	40.63	54.00	-13.37	48.36	38.00	18.50	64.23	0.00	115	146	AVERAGE																																																																																																																																																								
3	11985.93	51.58	74.00	-22.42	58.89	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																																								
4	17100.00	57.49	68.20	-10.71	57.67	41.41	22.74	64.33	0.00	280	116	PEAK																																																																																																																																																								







	26																																																																																																									
Mode	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																									
ANT	CDD 1S2T																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																				
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.93</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>43.55</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>367 21 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>64.35</td><td>68.20</td><td>-3.85</td><td>47.34</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>367 21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.93	60.59	74.00	-13.41	43.55	34.59	12.32	29.87	0.00	367 21 PEAK	2	5470.00	64.35	68.20	-3.85	47.34	34.56	12.34	29.89	0.00	367 21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>108.41</td><td>-----</td><td>-----</td><td>91.37</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>367 21 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.41	-----	-----	91.37	34.50	12.42	29.88	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5454.93	60.59	74.00	-13.41	43.55	34.59	12.32	29.87	0.00	367 21 PEAK																																																																																																
2	5470.00	64.35	68.20	-3.85	47.34	34.56	12.34	29.89	0.00	367 21 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	108.41	-----	-----	91.37	34.50	12.42	29.88	0.00	367 21 PEAK																																																																																																
Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.34</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>31.12</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>367 21 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.34	48.16	54.00	-5.84	31.12	34.58	12.33	29.87	0.00	367 21 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.40</td><td>-----</td><td>-----</td><td>81.44</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>367 21 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.40	-----	-----	81.44	34.52	12.37	29.93	0.00	367 21 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.34	48.16	54.00	-5.84	31.12	34.58	12.33	29.87	0.00	367 21 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	98.40	-----	-----	81.44	34.52	12.37	29.93	0.00	367 21 AVERAGE																																																																																																




Mode	26																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.29</td><td>60.67</td><td>68.20</td><td>-7.53</td><td>43.10</td><td>34.71</td><td>12.72</td><td>29.86</td><td>0.00</td><td>367</td><td>21</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.29	60.67	68.20	-7.53	43.10	34.71	12.72	29.86	0.00	367	21	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.29	60.67	68.20	-7.53	43.10	34.71	12.72	29.86	0.00	367	21	PEAK																																												





		26																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																											
ANT	CDD 1S2T																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.08</td><td>66.09</td><td>74.00</td><td>-7.91</td><td>49.04</td><td>34.59</td><td>12.32</td><td>29.86</td><td>0.00</td><td>160</td><td>74 PEAK</td></tr><tr><td>2</td><td>5468.16</td><td>67.28</td><td>68.20</td><td>-0.92</td><td>50.27</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>160</td><td>74 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.08	66.09	74.00	-7.91	49.04	34.59	12.32	29.86	0.00	160	74 PEAK	2	5468.16	67.28	68.20	-0.92	50.27	34.56	12.34	29.89	0.00	160	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>111.68</td><td>-----</td><td>-----</td><td>94.64</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>160</td><td>74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	111.68	-----	-----	94.64	34.50	12.42	29.88	0.00	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5453.08	66.09	74.00	-7.91	49.04	34.59	12.32	29.86	0.00	160	74 PEAK																																																																																																	
2	5468.16	67.28	68.20	-0.92	50.27	34.56	12.34	29.89	0.00	160	74 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	111.68	-----	-----	94.64	34.50	12.42	29.88	0.00	160	74 PEAK																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.75</td><td>51.92</td><td>54.00</td><td>-2.08</td><td>34.87</td><td>34.60</td><td>12.31</td><td>29.86</td><td>0.00</td><td>160</td><td>74 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.75	51.92	54.00	-2.08	34.87	34.60	12.31	29.86	0.00	160	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>93.19</td><td>-----</td><td>-----</td><td>76.23</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>160</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.19	-----	-----	76.23	34.52	12.37	29.93	0.00	160	74 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5447.75	51.92	54.00	-2.08	34.87	34.60	12.31	29.86	0.00	160	74 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5510.00	93.19	-----	-----	76.23	34.52	12.37	29.93	0.00	160	74 AVERAGE																																																																																																	







Mode	26																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.54</td><td>61.82</td><td>68.20</td><td>-6.38</td><td>44.41</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>160</td><td>74</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5728.54	61.82	68.20	-6.38	44.41	34.66	12.68	29.93	0.00	160	74	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																														
1	5728.54	61.82	68.20	-6.38	44.41	34.66	12.68	29.93	0.00	160	74	PEAK																																											




		26																																																																																	
Mode		Harmonic																																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																	
ANT		CDD 1S2T																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>54.58</td><td>37.82</td><td>18.17</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>55.99</td><td>41.64</td><td>22.36</td><td>64.43</td><td>0.00</td><td>100</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.90	74.00	-28.10	54.58	37.82	18.17	64.67	0.00	--	--	PEAK	2	16530.00	55.56	68.20	-12.64	55.99	41.64	22.36	64.43	0.00	100	196	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11020.00	45.90	74.00	-28.10	54.58	37.82	18.17	64.67	0.00	--	--	PEAK																																																																							
2	16530.00	55.56	68.20	-12.64	55.99	41.64	22.36	64.43	0.00	100	196	PEAK																																																																							
																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>54.05</td><td>37.82</td><td>18.17</td><td>64.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11983.73</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>58.52</td><td>38.58</td><td>19.02</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16530.00</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>55.59</td><td>41.63</td><td>22.36</td><td>64.43</td><td>0.00</td><td>282</td><td>214</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.37	74.00	-28.63	54.05	37.82	18.17	64.67	0.00	--	--	PEAK	2	11983.73	51.21	74.00	-22.79	58.52	38.58	19.02	64.91	0.00	--	--	PEAK	3	16530.00	55.15	68.20	-13.05	55.59	41.63	22.36	64.43	0.00	282	214	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	11020.00	45.37	74.00	-28.63	54.05	37.82	18.17	64.67	0.00	--	--	PEAK																																																																							
2	11983.73	51.21	74.00	-22.79	58.52	38.58	19.02	64.91	0.00	--	--	PEAK																																																																							
3	16530.00	55.15	68.20	-13.05	55.59	41.63	22.36	64.43	0.00	282	214	PEAK																																																																							







		27																																																																																																																									
Mode		Band Edge - L																																																																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																																									
ANT		CDD 1S2T																																																																																																																									
Pol.	Horizontal											Fundamental																																																																																																															
Peak																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5415.08</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>44.36</td><td>34.60</td><td>12.27</td><td>29.00</td><td>0.00</td><td>222</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5462.32</td><td>59.20</td><td>68.20</td><td>-9.00</td><td>42.17</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>222</td><td>30</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.08	61.43	74.00	-12.57	44.36	34.60	12.27	29.00	0.00	222	30	PEAK	2	5462.32	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	222	30	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>110.43</td><td>-----</td><td>-----</td><td>93.34</td><td>34.50</td><td>12.44</td><td>29.85</td><td>0.00</td><td>222</td><td>30</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	110.43	-----	-----	93.34	34.50	12.44	29.85	0.00	222	30	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5415.08	61.43	74.00	-12.57	44.36	34.60	12.27	29.00	0.00	222	30	PEAK																																																																																																															
2	5462.32	59.20	68.20	-9.00	42.17	34.58	12.33	29.88	0.00	222	30	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5550.00	110.43	-----	-----	93.34	34.50	12.44	29.85	0.00	222	30	PEAK																																																																																																															
Avg																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.81</td><td>48.01</td><td>54.00</td><td>-5.99</td><td>30.95</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>222</td><td>30</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.81	48.01	54.00	-5.99	30.95	34.59	12.25	29.78	0.00	222	30	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>100.70</td><td>-----</td><td>-----</td><td>83.61</td><td>34.50</td><td>12.44</td><td>29.85</td><td>0.00</td><td>222</td><td>30</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.70	-----	-----	83.61	34.50	12.44	29.85	0.00	222	30	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5396.81	48.01	54.00	-5.99	30.95	34.59	12.25	29.78	0.00	222	30	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5550.00	100.70	-----	-----	83.61	34.50	12.44	29.85	0.00	222	30	AVERAGE																																																																																																															




Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.87</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>42.80</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>222</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.87	60.39	68.20	-7.81	42.80	34.72	12.72	29.85	0.00	222	30	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.87	60.39	68.20	-7.81	42.80	34.72	12.72	29.85	0.00	222	30	PEAK																																												





		27																																																																																																							
Mode	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																								
ANT	CDD 1S2T																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.53	63.00	74.00	-11.00	45.95	34.59	12.33	29.87	0.00	150	243	PEAK	2	5465.52	62.67	68.20	-5.53	45.64	34.57	12.34	29.88	0.00	150	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>117.07</td><td>-----</td><td>-----</td><td>99.98</td><td>34.50</td><td>12.44</td><td>29.85</td><td>0.00</td><td>150</td><td>243</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	117.07	-----	-----	99.98	34.50	12.44	29.85	0.00	150	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5456.53	63.00	74.00	-11.00	45.95	34.59	12.33	29.87	0.00	150	243	PEAK																																																																																													
2	5465.52	62.67	68.20	-5.53	45.64	34.57	12.34	29.88	0.00	150	243	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5550.00	117.07	-----	-----	99.98	34.50	12.44	29.85	0.00	150	243	PEAK																																																																																													
Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.75</td><td>51.76</td><td>54.00</td><td>-2.24</td><td>34.74</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>150</td><td>243</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5392.75	51.76	54.00	-2.24	34.74	34.57	12.24	29.79	0.00	150	243	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>106.55</td><td>-----</td><td>-----</td><td>89.46</td><td>34.50</td><td>12.44</td><td>29.85</td><td>0.00</td><td>150</td><td>243</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	106.55	-----	-----	89.46	34.50	12.44	29.85	0.00	150	243	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5392.75	51.76	54.00	-2.24	34.74	34.57	12.24	29.79	0.00	150	243	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5550.00	106.55	-----	-----	89.46	34.50	12.44	29.85	0.00	150	243	AVERAGE																																																																																													







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.13</td><td>62.43</td><td>68.20</td><td>-5.77</td><td>45.00</td><td>34.66</td><td>12.69</td><td>29.92</td><td>0.00</td><td>150</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.13	62.43	68.20	-5.77	45.00	34.66	12.69	29.92	0.00	150	243	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.13	62.43	68.20	-5.77	45.00	34.66	12.69	29.92	0.00	150	243	PEAK																																												




Mode	27																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																																																																																																																							
ANT	CDD 1S2T																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11100.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>53.25</td><td>37.90</td><td>18.24</td><td>64.58</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 16650.00</td><td>55.97</td><td>68.20</td><td>-12.23</td><td>56.20</td><td>41.78</td><td>22.42</td><td>64.43</td><td>0.00</td><td></td><td>103</td><td>198</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11100.00	44.81	74.00	-29.19	53.25	37.90	18.24	64.58	0.00	--	--	--	PEAK	2 16650.00	55.97	68.20	-12.23	56.20	41.78	22.42	64.43	0.00		103	198	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11100.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>53.96</td><td>37.90</td><td>18.24</td><td>64.58</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11989.60</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>58.04</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 16650.00</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>56.51</td><td>41.77</td><td>22.42</td><td>64.43</td><td>0.00</td><td></td><td>133</td><td>243</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11100.00	45.52	74.00	-28.48	53.96	37.90	18.24	64.58	0.00	--	--	--	PEAK	2 11989.60	50.73	74.00	-23.27	58.04	38.59	19.02	64.92	0.00	--	--	--	PEAK	3 16650.00	56.27	68.20	-11.93	56.51	41.77	22.42	64.43	0.00		133	243
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1 11100.00	44.81	74.00	-29.19	53.25	37.90	18.24	64.58	0.00	--	--	--	PEAK																																																																																																																																												
2 16650.00	55.97	68.20	-12.23	56.20	41.78	22.42	64.43	0.00		103	198	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1 11100.00	45.52	74.00	-28.48	53.96	37.90	18.24	64.58	0.00	--	--	--	PEAK																																																																																																																																												
2 11989.60	50.73	74.00	-23.27	58.04	38.59	19.02	64.92	0.00	--	--	--	PEAK																																																																																																																																												
3 16650.00	56.27	68.20	-11.93	56.51	41.77	22.42	64.43	0.00		133	243	PEAK																																																																																																																																												







Mode	28																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																				
ANT	CDD 1S2T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.42	58.85	74.00	-15.15	41.81	34.58	12.33	29.87	0.00	293	320	PEAK	2	5465.60	57.42	68.20	-10.78	40.39	34.57	12.34	29.88	0.00	293	320	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>110.04</td><td>-----</td><td>-----</td><td>92.76</td><td>34.60</td><td>12.61</td><td>29.93</td><td>0.00</td><td>293</td><td>320</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	110.04	-----	-----	92.76	34.60	12.61	29.93	0.00	293	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.42	58.85	74.00	-15.15	41.81	34.58	12.33	29.87	0.00	293	320	PEAK																																																																																									
2	5465.60	57.42	68.20	-10.78	40.39	34.57	12.34	29.88	0.00	293	320	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	110.04	-----	-----	92.76	34.60	12.61	29.93	0.00	293	320	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.66	47.35	54.00	-6.65	30.28	34.60	12.27	29.80	0.00	293	320	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.98</td><td>-----</td><td>-----</td><td>80.70</td><td>34.60</td><td>12.61</td><td>29.93</td><td>0.00</td><td>293</td><td>320</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.98	-----	-----	80.70	34.60	12.61	29.93	0.00	293	320	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5413.66	47.35	54.00	-6.65	30.28	34.60	12.27	29.80	0.00	293	320	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	97.98	-----	-----	80.70	34.60	12.61	29.93	0.00	293	320	AVERAGE																																																																																									




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.00</td><td>62.09</td><td>68.20</td><td>-6.11</td><td>44.68</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>293</td><td>320</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.00	62.09	68.20	-6.11	44.68	34.66	12.68	29.93	0.00	293	320	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.00	62.09	68.20	-6.11	44.68	34.66	12.68	29.93	0.00	293	320	PEAK																																												





Mode	28																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.18</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>43.53</td><td>34.60</td><td>12.29</td><td>29.82</td><td>0.00</td><td>155</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5464.67</td><td>61.05</td><td>68.20</td><td>-7.15</td><td>44.02</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>155</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.18	60.60	74.00	-13.40	43.53	34.60	12.29	29.82	0.00	155	105	PEAK	2	5464.67	61.05	68.20	-7.15	44.02	34.57	12.34	29.88	0.00	155	105	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>114.98</td><td>-----</td><td>-----</td><td>97.69</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>155</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	114.98	-----	-----	97.69	34.60	12.60	29.91	0.00	155	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5426.18	60.60	74.00	-13.40	43.53	34.60	12.29	29.82	0.00	155	105	PEAK																																																																																																				
2	5464.67	61.05	68.20	-7.15	44.02	34.57	12.34	29.88	0.00	155	105	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	114.98	-----	-----	97.69	34.60	12.60	29.91	0.00	155	105	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.86</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>32.16</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>155</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.86	49.21	54.00	-4.79	32.16	34.59	12.33	29.87	0.00	155	105	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>104.69</td><td>-----</td><td>-----</td><td>87.38</td><td>34.60</td><td>12.59</td><td>29.88</td><td>0.00</td><td>155</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.69	-----	-----	87.38	34.60	12.59	29.88	0.00	155	105	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.86	49.21	54.00	-4.79	32.16	34.59	12.33	29.87	0.00	155	105	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	104.69	-----	-----	87.38	34.60	12.59	29.88	0.00	155	105	AVERAGE																																																																																																				







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.15</td><td>67.47</td><td>68.20</td><td>-0.73</td><td>50.07</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>155</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.15	67.47	68.20	-0.73	50.07	34.65	12.68	29.93	0.00	155	105	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.15	67.47	68.20	-0.73	50.07	34.65	12.68	29.93	0.00	155	105	PEAK																																												



Mode	28																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>58.63</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>300</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>47.11</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>300</td><td>175</td><td>AVERAGE</td></tr><tr><td>3</td><td>17010.00</td><td>48.19</td><td>68.20</td><td>-20.01</td><td>48.36</td><td>41.58</td><td>22.66</td><td>64.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	50.72	74.00	-23.28	58.63	37.94	18.45	64.30	0.00	300	175	PEAK	2	11340.00	39.20	54.00	-14.80	47.11	37.94	18.45	64.30	0.00	300	175	AVERAGE	3	17010.00	48.19	68.20	-20.01	48.36	41.58	22.66	64.41	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>55.39</td><td>37.94</td><td>18.45</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>36.19</td><td>54.00</td><td>-17.81</td><td>44.09</td><td>37.94</td><td>18.45</td><td>64.29</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>11996.20</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>58.61</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17010.00</td><td>54.76</td><td>68.20</td><td>-13.44</td><td>54.93</td><td>41.58</td><td>22.66</td><td>64.41</td><td>0.00</td><td>316</td><td>219</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	47.48	74.00	-26.52	55.39	37.94	18.45	64.30	0.00	300	360	PEAK	2	11340.00	36.19	54.00	-17.81	44.09	37.94	18.45	64.29	0.00	300	360	AVERAGE	3	11996.20	51.31	74.00	-22.69	58.61	38.60	19.03	64.93	0.00	--	--	PEAK	4	17010.00	54.76	68.20	-13.44	54.93	41.58	22.66	64.41	0.00	316	219
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11340.00	50.72	74.00	-23.28	58.63	37.94	18.45	64.30	0.00	300	175	PEAK																																																																																																																																																								
2	11340.00	39.20	54.00	-14.80	47.11	37.94	18.45	64.30	0.00	300	175	AVERAGE																																																																																																																																																								
3	17010.00	48.19	68.20	-20.01	48.36	41.58	22.66	64.41	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11340.00	47.48	74.00	-26.52	55.39	37.94	18.45	64.30	0.00	300	360	PEAK																																																																																																																																																								
2	11340.00	36.19	54.00	-17.81	44.09	37.94	18.45	64.29	0.00	300	360	AVERAGE																																																																																																																																																								
3	11996.20	51.31	74.00	-22.69	58.61	38.60	19.03	64.93	0.00	--	--	PEAK																																																																																																																																																								
4	17010.00	54.76	68.20	-13.44	54.93	41.58	22.66	64.41	0.00	316	219	PEAK																																																																																																																																																								







		29																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																									
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.85</td><td>64.60</td><td>74.00</td><td>-9.40</td><td>47.55</td><td>34.59</td><td>12.32</td><td>29.86</td><td>0.00</td><td>312</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>66.42</td><td>68.20</td><td>-1.78</td><td>49.41</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>312</td><td>342</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.85	64.60	74.00	-9.40	47.55	34.59	12.32	29.86	0.00	312	342	PEAK	2	5467.60	66.42	68.20	-1.78	49.41	34.56	12.34	29.89	0.00	312	342	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>106.01</td><td>-----</td><td>-----</td><td>89.00</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>312</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	106.01	-----	-----	89.00	34.50	12.41	29.90	0.00	312	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5452.85	64.60	74.00	-9.40	47.55	34.59	12.32	29.86	0.00	312	342	PEAK																																																																																																			
2	5467.60	66.42	68.20	-1.78	49.41	34.56	12.34	29.89	0.00	312	342	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5530.00	106.01	-----	-----	89.00	34.50	12.41	29.90	0.00	312	342	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.42</td><td>52.68</td><td>54.00</td><td>-1.32</td><td>35.64</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>312</td><td>342</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.42	52.68	54.00	-1.32	35.64	34.58	12.33	29.87	0.00	312	342	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>95.83</td><td>-----</td><td>-----</td><td>78.79</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>312</td><td>342</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	95.83	-----	-----	78.79	34.50	12.42	29.88	0.00	312	342	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5458.42	52.68	54.00	-1.32	35.64	34.58	12.33	29.87	0.00	312	342	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5530.00	95.83	-----	-----	78.79	34.50	12.42	29.88	0.00	312	342	AVERAGE																																																																																																			



Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.39</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>42.83</td><td>34.71</td><td>12.71</td><td>29.86</td><td>0.00</td><td>312</td><td>342</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.39	60.39	68.20	-7.81	42.83	34.71	12.71	29.86	0.00	312	342	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.39	60.39	68.20	-7.81	42.83	34.71	12.71	29.86	0.00	312	342	PEAK																																												





		29																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																	
ANT		CDD 1S2T																																																																	
Pol.		Vertical						Fundamental																																																											
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.12</td><td>68.03</td><td>74.00</td><td>-5.97</td><td>50.97</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>159</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>5466.52</td><td>65.40</td><td>68.20</td><td>-2.80</td><td>48.38</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>159</td><td>90</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.12	68.03	74.00	-5.97	50.97	34.60	12.31	29.85	0.00	159	90	PEAK	2	5466.52	65.40	68.20	-2.80	48.38	34.57	12.34	29.89	0.00	159
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5446.12	68.03	74.00	-5.97	50.97	34.60	12.31	29.85	0.00	159	90	PEAK																																																							
2	5466.52	65.40	68.20	-2.80	48.38	34.57	12.34	29.89	0.00	159	90	PEAK																																																							
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.30</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>35.82</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>159</td><td>90</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5450.30	52.88	54.00	-1.12	35.82	34.60	12.32	29.86	0.00	159	90	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5450.30	52.88	54.00	-1.12	35.82	34.60	12.32	29.86	0.00	159	90	AVERAGE																																																							
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>108.27</td><td>-----</td><td>-----</td><td>91.26</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>159</td><td>90</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	108.27	-----	-----	91.26	34.50	12.41	29.90	0.00	159	90	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5530.00	108.27	-----	-----	91.26	34.50	12.41	29.90	0.00	159	90	PEAK																																																							
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>86.62</td><td>-----</td><td>-----</td><td>69.43</td><td>34.50</td><td>12.48</td><td>29.79</td><td>0.00</td><td>159</td><td>90</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	86.62	-----	-----	69.43	34.50	12.48	29.79	0.00	159	90	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5530.00	86.62	-----	-----	69.43	34.50	12.48	29.79	0.00	159	90	AVERAGE																																																							







Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.00</td><td>64.61</td><td>68.20</td><td>-3.59</td><td>47.20</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>159</td><td>90</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.00	64.61	68.20	-3.59	47.20	34.66	12.68	29.93	0.00	159	90	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.00	64.61	68.20	-3.59	47.20	34.66	12.68	29.93	0.00	159	90	PEAK																																												




Mode	29																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_5530MHz																																																																																																																																																								
ANT	CDD 1S2T																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>54.64</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16590.00</td><td>47.59</td><td>68.20</td><td>-20.61</td><td>47.88</td><td>41.73</td><td>22.41</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11060.00	46.07	74.00	-27.93	54.64	37.86	18.20	64.63	0.00	--	--	PEAK	2	16590.00	47.59	68.20	-20.61	47.88	41.73	22.41	64.43	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>53.81</td><td>37.86</td><td>18.20</td><td>64.63</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11994.73</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>58.16</td><td>38.59</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16590.00</td><td>47.51</td><td>68.20</td><td>-20.69</td><td>47.89</td><td>41.67</td><td>22.38</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11060.00	45.24	74.00	-28.76	53.81	37.86	18.20	64.63	0.00	--	--	PEAK	2	11994.73	50.85	74.00	-23.15	58.16	38.59	19.03	64.93	0.00	--	--	PEAK	3	16590.00	47.51	68.20	-20.69	47.89	41.67	22.38	64.43	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	11060.00	46.07	74.00	-27.93	54.64	37.86	18.20	64.63	0.00	--	--	PEAK																																																																																																																																													
2	16590.00	47.59	68.20	-20.61	47.88	41.73	22.41	64.43	0.00	--	--	PEAK																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1	11060.00	45.24	74.00	-28.76	53.81	37.86	18.20	64.63	0.00	--	--	PEAK																																																																																																																																													
2	11994.73	50.85	74.00	-23.15	58.16	38.59	19.03	64.93	0.00	--	--	PEAK																																																																																																																																													
3	16590.00	47.51	68.20	-20.69	47.89	41.67	22.38	64.43	0.00	--	--	PEAK																																																																																																																																													







Mode	30																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																				
ANT	CDD 1S2T																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.99	61.23	74.00	-12.77	44.16	34.60	12.25	29.78	0.00	300	340	PEAK	2	5461.42	60.81	68.20	-7.39	43.78	34.58	12.33	29.88	0.00	300	340	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>107.95</td><td>-----</td><td>-----</td><td>90.65</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	107.95	-----	-----	90.65	34.54	12.55	29.79	0.00	300	340
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5402.99	61.23	74.00	-12.77	44.16	34.60	12.25	29.78	0.00	300	340	PEAK																																																																																									
2	5461.42	60.81	68.20	-7.39	43.78	34.58	12.33	29.88	0.00	300	340	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	107.95	-----	-----	90.65	34.54	12.55	29.79	0.00	300	340	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.57	48.71	54.00	-5.29	31.68	34.58	12.33	29.88	0.00	300	340	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.80</td><td>-----</td><td>-----</td><td>80.50</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>300</td><td>340</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.80	-----	-----	80.50	34.53	12.54	29.77	0.00	300	340	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.57	48.71	54.00	-5.29	31.68	34.58	12.33	29.88	0.00	300	340	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	97.80	-----	-----	80.50	34.53	12.54	29.77	0.00	300	340	AVERAGE																																																																																									




Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.88</td><td>64.10</td><td>68.20</td><td>-4.10</td><td>46.71</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>300</td><td>340</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.88	64.10	68.20	-4.10	46.71	34.65	12.68	29.94	0.00	300	340	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.88	64.10	68.20	-4.10	46.71	34.65	12.68	29.94	0.00	300	340	PEAK																																												





Mode	30																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																																
ANT	CDD 1S2T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.40</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>46.53</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>152</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>63.46</td><td>68.20</td><td>-4.74</td><td>46.45</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>152</td><td>91</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.40	63.57	74.00	-10.43	46.53	34.59	12.32	29.87	0.00	152	91	PEAK	2	5467.69	63.46	68.20	-4.74	46.45	34.56	12.34	29.89	0.00	152	91	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>112.20</td><td>-----</td><td>-----</td><td>94.96</td><td>34.50</td><td>12.50</td><td>29.76</td><td>0.00</td><td>152</td><td>91</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.20	-----	-----	94.96	34.50	12.50	29.76	0.00	152	91	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.40	63.57	74.00	-10.43	46.53	34.59	12.32	29.87	0.00	152	91	PEAK																																																																																																					
2	5467.69	63.46	68.20	-4.74	46.45	34.56	12.34	29.89	0.00	152	91	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	112.20	-----	-----	94.96	34.50	12.50	29.76	0.00	152	91	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.35</td><td>51.78</td><td>54.00</td><td>-2.22</td><td>34.71</td><td>34.60</td><td>12.27</td><td>29.80</td><td>0.00</td><td>152</td><td>91</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.35	51.78	54.00	-2.22	34.71	34.60	12.27	29.80	0.00	152	91	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.85</td><td>-----</td><td>-----</td><td>73.53</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>152</td><td>91</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.85	-----	-----	73.53	34.60	12.58	29.86	0.00	152	91	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5414.35	51.78	54.00	-2.22	34.71	34.60	12.27	29.80	0.00	152	91	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	90.85	-----	-----	73.53	34.60	12.58	29.86	0.00	152	91	AVERAGE																																																																																																					







Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.05</td><td>67.43</td><td>68.20</td><td>-0.77</td><td>50.01</td><td>34.66</td><td>12.68</td><td>29.92</td><td>0.00</td><td>152</td><td>91</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.05	67.43	68.20	-0.77	50.01	34.66	12.68	29.92	0.00	152	91	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.05	67.43	68.20	-0.77	50.01	34.66	12.68	29.92	0.00	152	91	PEAK																																												




Mode	30																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_5610MHz																																																																																																																																					
ANT	CDD 1S2T																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>54.17</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16830.00</td><td>47.94</td><td>68.20</td><td>-20.26</td><td>47.86</td><td>41.97</td><td>22.54</td><td>64.43</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.05	74.00	-27.95	54.17	37.98	18.34	64.44	0.00	--	PEAK	2	16830.00	47.94	68.20	-20.26	47.86	41.97	22.54	64.43	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.68</td><td>37.98</td><td>18.34</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11987.40</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>58.35</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16830.00</td><td>49.20</td><td>68.20</td><td>-19.00</td><td>49.11</td><td>41.96</td><td>22.55</td><td>64.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.56	74.00	-28.44	53.68	37.98	18.34	64.44	0.00	--	PEAK	2	11987.40	51.04	74.00	-22.96	58.35	38.59	19.02	64.92	0.00	--	PEAK	3	16830.00	49.20	68.20	-19.00	49.11	41.96	22.55	64.42	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11220.00	46.05	74.00	-27.95	54.17	37.98	18.34	64.44	0.00	--	PEAK																																																																																																																											
2	16830.00	47.94	68.20	-20.26	47.86	41.97	22.54	64.43	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	11220.00	45.56	74.00	-28.44	53.68	37.98	18.34	64.44	0.00	--	PEAK																																																																																																																											
2	11987.40	51.04	74.00	-22.96	58.35	38.59	19.02	64.92	0.00	--	PEAK																																																																																																																											
3	16830.00	49.20	68.20	-19.00	49.11	41.96	22.55	64.42	0.00	--	PEAK																																																																																																																											







		31																																																													
Mode		Band Edge - L																																																													
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																													
ANT		CDD 1S2T																																																													
Pol.		Horizontal					Fundamental																																																								
Peak																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5435.48</td><td>63.80</td><td>74.00</td><td>-10.20</td><td>46.74</td><td>34.60</td><td>12.30</td><td>29.84</td><td>0.00</td><td>296</td><td>28 PEAK</td></tr><tr><td>2 5465.62</td><td>59.67</td><td>68.20</td><td>-8.53</td><td>42.64</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>296</td><td>28 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5435.48	63.80	74.00	-10.20	46.74	34.60	12.30	29.84	0.00	296	28 PEAK	2 5465.62	59.67	68.20	-8.53	42.64	34.57	12.34	29.88	0.00	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5435.48	63.80	74.00	-10.20	46.74	34.60	12.30	29.84	0.00	296	28 PEAK																																																					
2 5465.62	59.67	68.20	-8.53	42.64	34.57	12.34	29.88	0.00	296	28 PEAK																																																					
Avg																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5448.68</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>31.96</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>296</td><td>28 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5448.68	49.02	54.00	-4.98	31.96	34.60	12.32	29.86	0.00	296	28 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5448.68	49.02	54.00	-4.98	31.96	34.60	12.32	29.86	0.00	296	28 AVERAGE																																																					
																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>100.82</td><td>-----</td><td>-----</td><td>83.55</td><td>34.50</td><td>12.51</td><td>29.74</td><td>0.00</td><td>296</td><td>28 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	100.82	-----	-----	83.55	34.50	12.51	29.74	0.00	296	28 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5570.00	100.82	-----	-----	83.55	34.50	12.51	29.74	0.00	296	28 PEAK																																																					
																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5570.00</td><td>89.69</td><td>-----</td><td>-----</td><td>72.45</td><td>34.50</td><td>12.50</td><td>29.76</td><td>0.00</td><td>296</td><td>28 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5570.00	89.69	-----	-----	72.45	34.50	12.50	29.76	0.00	296	28 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5570.00	89.69	-----	-----	72.45	34.50	12.50	29.76	0.00	296	28 AVERAGE																																																					



Mode	31																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.91</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>42.90</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>296</td><td>28</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.91	60.29	68.20	-7.91	42.90	34.65	12.68	29.94	0.00	296	28	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.91	60.29	68.20	-7.91	42.90	34.65	12.68	29.94	0.00	296	28	PEAK																																												





Mode	31																																																																							
	Band Edge - L																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																							
ANT	CDD 1S2T																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5434.60</td><td>67.66</td><td>74.00</td><td>-6.34</td><td>50.60</td><td>34.60</td><td>12.30</td><td>29.84</td><td>0.00</td><td>151</td><td>83 PEAK</td></tr><tr><td>2</td><td>5467.16</td><td>63.72</td><td>68.20</td><td>-4.48</td><td>46.70</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>151</td><td>83 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5434.60	67.66	74.00	-6.34	50.60	34.60	12.30	29.84	0.00	151	83 PEAK	2	5467.16	63.72	68.20	-4.48	46.70	34.57	12.34	29.89	0.00	151	83 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1	5434.60	67.66	74.00	-6.34	50.60	34.60	12.30	29.84	0.00	151	83 PEAK																																																													
2	5467.16	63.72	68.20	-4.48	46.70	34.57	12.34	29.89	0.00	151	83 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5458.12</td><td>53.64</td><td>54.00</td><td>-0.36</td><td>36.60</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>151</td><td>83 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5458.12	53.64	54.00	-0.36	36.60	34.58	12.33	29.87	0.00	151	83 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1	5458.12	53.64	54.00	-0.36	36.60	34.58	12.33	29.87	0.00	151	83 AVERAGE																																																													
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5570.00</td><td>107.36</td><td>-----</td><td>-----</td><td>90.30</td><td>34.50</td><td>12.43</td><td>29.87</td><td>0.00</td><td>151</td><td>83 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5570.00	107.36	-----	-----	90.30	34.50	12.43	29.87	0.00	151	83 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1	5570.00	107.36	-----	-----	90.30	34.50	12.43	29.87	0.00	151	83 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>5570.00</td><td>95.55</td><td>-----</td><td>-----</td><td>78.36</td><td>34.50</td><td>12.48</td><td>29.79</td><td>0.00</td><td>151</td><td>83 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB				1	5570.00	95.55	-----	-----	78.36	34.50	12.48	29.79	0.00	151	83 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																
1	5570.00	95.55	-----	-----	78.36	34.50	12.48	29.79	0.00	151	83 AVERAGE																																																													






Mode	31																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.30</td><td>63.16</td><td>68.20</td><td>-5.04</td><td>45.76</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>151</td><td>83</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.30	63.16	68.20	-5.04	45.76	34.65	12.68	29.93	0.00	151	83	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.30	63.16	68.20	-5.04	45.76	34.65	12.68	29.93	0.00	151	83	PEAK																																												






Mode	31																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_5570MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>52.90</td><td>37.94</td><td>18.27</td><td>64.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16710.00</td><td>47.89</td><td>68.20</td><td>-20.31</td><td>47.87</td><td>41.95</td><td>22.50</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.58	74.00	-29.42	52.90	37.94	18.27	64.53	0.00	--	--	PEAK	2	16710.00	47.89	68.20	-20.31	47.87	41.95	22.50	64.43	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>53.45</td><td>37.94</td><td>18.27</td><td>64.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11990.33</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>58.13</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16710.00</td><td>47.49</td><td>68.20</td><td>-20.71</td><td>47.73</td><td>41.77</td><td>22.42</td><td>64.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.13	74.00	-28.87	53.45	37.94	18.27	64.53	0.00	--	--	PEAK	2	11990.33	50.82	74.00	-23.18	58.13	38.59	19.02	64.92	0.00	--	--	PEAK	3	16710.00	47.49	68.20	-20.71	47.73	41.77	22.42	64.43	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11140.00	44.58	74.00	-29.42	52.90	37.94	18.27	64.53	0.00	--	--	PEAK																																																																																																																															
2	16710.00	47.89	68.20	-20.31	47.87	41.95	22.50	64.43	0.00	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11140.00	45.13	74.00	-28.87	53.45	37.94	18.27	64.53	0.00	--	--	PEAK																																																																																																																															
2	11990.33	50.82	74.00	-23.18	58.13	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																															
3	16710.00	47.49	68.20	-20.71	47.73	41.77	22.42	64.43	0.00	--	--	PEAK																																																																																																																															





Mode	36																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.00</td><td>60.00</td><td>68.20</td><td>-8.20</td><td>42.69</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>60.66</td><td>69.39</td><td>-8.73</td><td>43.35</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>89.16</td><td>109.78</td><td>-20.62</td><td>71.83</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>86.66</td><td>110.90</td><td>-24.24</td><td>69.30</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.00	60.00	68.20	-8.20	42.69	34.56	12.56	29.81	0.00	280	360	PEAK	2	5651.60	60.66	69.39	-8.73	43.35	34.60	12.58	29.87	0.00	280	360	PEAK	3	5716.00	89.16	109.78	-20.62	71.83	34.63	12.66	29.96	0.00	280	360	PEAK	4	5720.00	86.66	110.90	-24.24	69.30	34.64	12.67	29.95	0.00	280	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>120.02</td><td>-----</td><td>-----</td><td>102.52</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>280</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	120.02	-----	-----	102.52	34.69	12.70	29.89	0.00	280	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5628.00	60.00	68.20	-8.20	42.69	34.56	12.56	29.81	0.00	280	360	PEAK																																																																																																																														
2	5651.60	60.66	69.39	-8.73	43.35	34.60	12.58	29.87	0.00	280	360	PEAK																																																																																																																														
3	5716.00	89.16	109.78	-20.62	71.83	34.63	12.66	29.96	0.00	280	360	PEAK																																																																																																																														
4	5720.00	86.66	110.90	-24.24	69.30	34.64	12.67	29.95	0.00	280	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	120.02	-----	-----	102.52	34.69	12.70	29.89	0.00	280	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.87</td><td>-----</td><td>-----</td><td>93.40</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>280</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.87	-----	-----	93.40	34.68	12.69	29.90	0.00	280	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	110.87	-----	-----	93.40	34.68	12.69	29.90	0.00	280	360	AVERAGE																																																																																																																														






Mode	36																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.80</td><td>63.76</td><td>68.20</td><td>-4.44</td><td>46.45</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>127</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>62.50</td><td>68.80</td><td>-6.30</td><td>45.19</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>127</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5716.40</td><td>90.54</td><td>109.89</td><td>-19.35</td><td>73.20</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>127</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>93.80</td><td>114.55</td><td>-20.75</td><td>76.44</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>127</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.80	63.76	68.20	-4.44	46.45	34.56	12.56	29.81	0.00	127	78	PEAK	2	5650.80	62.50	68.80	-6.30	45.19	34.60	12.58	29.87	0.00	127	78	PEAK	3	5716.40	90.54	109.89	-19.35	73.20	34.63	12.67	29.96	0.00	127	78	PEAK	4	5721.60	93.80	114.55	-20.75	76.44	34.64	12.67	29.95	0.00	127	78	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>125.94</td><td>-----</td><td>-----</td><td>108.44</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>127</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	125.94	-----	-----	108.44	34.69	12.70	29.89	0.00	127	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5630.80	63.76	68.20	-4.44	46.45	34.56	12.56	29.81	0.00	127	78	PEAK																																																																																																																															
2	5650.80	62.50	68.80	-6.30	45.19	34.60	12.58	29.87	0.00	127	78	PEAK																																																																																																																															
3	5716.40	90.54	109.89	-19.35	73.20	34.63	12.67	29.96	0.00	127	78	PEAK																																																																																																																															
4	5721.60	93.80	114.55	-20.75	76.44	34.64	12.67	29.95	0.00	127	78	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	125.94	-----	-----	108.44	34.69	12.70	29.89	0.00	127	78	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.85</td><td>-----</td><td>-----</td><td>99.35</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>127</td><td>78</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	116.85	-----	-----	99.35	34.69	12.70	29.89	0.00	127	78	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	116.85	-----	-----	99.35	34.69	12.70	29.89	0.00	127	78	AVERAGE																																																																																																																															




Mode	36																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>60.64</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>300</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>49.88</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>300</td><td>250</td><td>AVERAGE</td></tr><tr><td>3</td><td>17235.00</td><td>63.66</td><td>68.20</td><td>-4.54</td><td>63.62</td><td>41.40</td><td>22.85</td><td>64.21</td><td>0.00</td><td>176</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	53.10	74.00	-20.90	60.64	38.00	18.58	64.12	0.00	300	250	PEAK	2	11490.00	42.34	54.00	-11.66	49.88	38.00	18.58	64.12	0.00	300	250	AVERAGE	3	17235.00	63.66	68.20	-4.54	63.62	41.40	22.85	64.21	0.00	176	265	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>62.64</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>311</td><td>199</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>50.40</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>311</td><td>199</td><td>AVERAGE</td></tr><tr><td>3</td><td>11990.40</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>57.93</td><td>38.60</td><td>19.03</td><td>64.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17235.00</td><td>67.28</td><td>68.20</td><td>-0.92</td><td>67.24</td><td>41.40</td><td>22.85</td><td>64.21</td><td>0.00</td><td>300</td><td>318</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	55.10	74.00	-18.90	62.64	38.00	18.58	64.12	0.00	311	199	PEAK	2	11490.00	42.86	54.00	-11.14	50.40	38.00	18.58	64.12	0.00	311	199	AVERAGE	3	11990.40	50.62	74.00	-23.38	57.93	38.60	19.03	64.94	0.00	--	--	PEAK	4	17235.00	67.28	68.20	-0.92	67.24	41.40	22.85	64.21	0.00	300	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11490.00	53.10	74.00	-20.90	60.64	38.00	18.58	64.12	0.00	300	250	PEAK																																																																																																																																																								
2	11490.00	42.34	54.00	-11.66	49.88	38.00	18.58	64.12	0.00	300	250	AVERAGE																																																																																																																																																								
3	17235.00	63.66	68.20	-4.54	63.62	41.40	22.85	64.21	0.00	176	265	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11490.00	55.10	74.00	-18.90	62.64	38.00	18.58	64.12	0.00	311	199	PEAK																																																																																																																																																								
2	11490.00	42.86	54.00	-11.14	50.40	38.00	18.58	64.12	0.00	311	199	AVERAGE																																																																																																																																																								
3	11990.40	50.62	74.00	-23.38	57.93	38.60	19.03	64.94	0.00	--	--	PEAK																																																																																																																																																								
4	17235.00	67.28	68.20	-0.92	67.24	41.40	22.85	64.21	0.00	300	318	PEAK																																																																																																																																																								






Mode	37																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																									
ANT	CDD 1S2T																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5602.00</td><td>59.42</td><td>68.20</td><td>-8.78</td><td>42.13</td><td>34.51</td><td>12.52</td><td>29.74</td><td>0.00</td><td>246 360 PEAK</td></tr><tr><td>2 5651.60</td><td>59.37</td><td>69.39</td><td>-10.02</td><td>42.06</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>246 360 PEAK</td></tr><tr><td>3 5700.00</td><td>60.36</td><td>105.52</td><td>-45.16</td><td>43.11</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>246 360 PEAK</td></tr><tr><td>4 5720.40</td><td>64.36</td><td>111.81</td><td>-47.45</td><td>47.00</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>246 360 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5602.00	59.42	68.20	-8.78	42.13	34.51	12.52	29.74	0.00	246 360 PEAK	2 5651.60	59.37	69.39	-10.02	42.06	34.60	12.58	29.87	0.00	246 360 PEAK	3 5700.00	60.36	105.52	-45.16	43.11	34.60	12.65	30.00	0.00	246 360 PEAK	4 5720.40	64.36	111.81	-47.45	47.00	34.64	12.67	29.95	0.00	246 360 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5785.00</td><td>118.63</td><td>-----</td><td>-----</td><td>100.92</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>246 360 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	118.63	-----	-----	100.92	34.76	12.75	29.80	0.00	246 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5602.00	59.42	68.20	-8.78	42.13	34.51	12.52	29.74	0.00	246 360 PEAK																																																																																																																	
2 5651.60	59.37	69.39	-10.02	42.06	34.60	12.58	29.87	0.00	246 360 PEAK																																																																																																																	
3 5700.00	60.36	105.52	-45.16	43.11	34.60	12.65	30.00	0.00	246 360 PEAK																																																																																																																	
4 5720.40	64.36	111.81	-47.45	47.00	34.64	12.67	29.95	0.00	246 360 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5785.00	118.63	-----	-----	100.92	34.76	12.75	29.80	0.00	246 360 PEAK																																																																																																																	
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5785.00</td><td>110.84</td><td>-----</td><td>-----</td><td>93.13</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>246 360 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	110.84	-----	-----	93.13	34.76	12.75	29.80	0.00	246 360 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5785.00	110.84	-----	-----	93.13	34.76	12.75	29.80	0.00	246 360 AVERAGE																																																																																																																	




Mode	37																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	CDD 1S2T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.45</td><td>111.36</td><td>-50.91</td><td>42.58</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>61.83</td><td>106.25</td><td>-44.42</td><td>43.85</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.87</td><td>68.35</td><td>-8.48</td><td>41.64</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5954.00</td><td>61.30</td><td>68.20</td><td>-6.90</td><td>43.00</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	60.45	111.36	-50.91	42.58	34.83	12.86	29.82	0.00	246	360	PEAK	2	5871.60	61.83	106.25	-44.42	43.85	34.93	12.89	29.84	0.00	246	360	PEAK	3	5924.00	59.87	68.35	-8.48	41.64	35.10	12.98	29.85	0.00	246	360	PEAK	4	5954.00	61.30	68.20	-6.90	43.00	35.10	13.03	29.83	0.00	246	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	60.45	111.36	-50.91	42.58	34.83	12.86	29.82	0.00	246	360	PEAK																																																																																			
2	5871.60	61.83	106.25	-44.42	43.85	34.93	12.89	29.84	0.00	246	360	PEAK																																																																																			
3	5924.00	59.87	68.35	-8.48	41.64	35.10	12.98	29.85	0.00	246	360	PEAK																																																																																			
4	5954.00	61.30	68.20	-6.90	43.00	35.10	13.03	29.83	0.00	246	360	PEAK																																																																																			





Mode	37																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.20</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>45.98</td><td>34.54</td><td>12.55</td><td>29.79</td><td>0.00</td><td>79 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.53</td><td>68.20</td><td>-7.67</td><td>43.21</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>79 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>64.79</td><td>105.64</td><td>-40.85</td><td>47.54</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.77</td><td>110.90</td><td>-43.13</td><td>50.41</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>79 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5621.20	63.28	68.20	-4.92	45.98	34.54	12.55	29.79	0.00	79 PEAK	2	5650.00	60.53	68.20	-7.67	43.21	34.60	12.58	29.86	0.00	79 PEAK	3	5701.20	64.79	105.64	-40.85	47.54	34.60	12.65	30.00	0.00	79 PEAK	4	5720.00	67.77	110.90	-43.13	50.41	34.64	12.67	29.95	0.00	79 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>125.07</td><td>-----</td><td>-----</td><td>107.31</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>147 79 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	125.07	-----	-----	107.31	34.78	12.76	29.78	0.00	147 79 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5621.20	63.28	68.20	-4.92	45.98	34.54	12.55	29.79	0.00	79 PEAK																																																																																																																										
2	5650.00	60.53	68.20	-7.67	43.21	34.60	12.58	29.86	0.00	79 PEAK																																																																																																																										
3	5701.20	64.79	105.64	-40.85	47.54	34.60	12.65	30.00	0.00	79 PEAK																																																																																																																										
4	5720.00	67.77	110.90	-43.13	50.41	34.64	12.67	29.95	0.00	79 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5785.00	125.07	-----	-----	107.31	34.78	12.76	29.78	0.00	147 79 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>116.20</td><td>-----</td><td>-----</td><td>98.44</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>147 79 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	116.20	-----	-----	98.44	34.78	12.76	29.78	0.00	147 79 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5785.00	116.20	-----	-----	98.44	34.78	12.76	29.78	0.00	147 79 AVERAGE																																																																																																																										






Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 1S2T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>64.68</td><td>111.36</td><td>-46.68</td><td>46.81</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>147</td><td>79</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>65.05</td><td>105.92</td><td>-40.87</td><td>47.06</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>147</td><td>79</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>61.61</td><td>68.35</td><td>-6.74</td><td>43.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>147</td><td>79</td><td>PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>64.48</td><td>68.20</td><td>-3.72</td><td>46.22</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>147</td><td>79</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	64.68	111.36	-46.68	46.81	34.83	12.86	29.82	0.00	147	79	PEAK	2	5872.80	65.05	105.92	-40.87	47.06	34.94	12.89	29.84	0.00	147	79	PEAK	3	5924.80	61.61	68.35	-6.74	43.38	35.10	12.98	29.85	0.00	147	79	PEAK	4	5936.80	64.48	68.20	-3.72	46.22	35.10	13.00	29.84	0.00	147	79	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	64.68	111.36	-46.68	46.81	34.83	12.86	29.82	0.00	147	79	PEAK																																																																									
2	5872.80	65.05	105.92	-40.87	47.06	34.94	12.89	29.84	0.00	147	79	PEAK																																																																									
3	5924.80	61.61	68.35	-6.74	43.38	35.10	12.98	29.85	0.00	147	79	PEAK																																																																									
4	5936.80	64.48	68.20	-3.72	46.22	35.10	13.00	29.84	0.00	147	79	PEAK																																																																									



Mode	37																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																						
ANT	CDD 1S2T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>54.24</td><td>74.00</td><td>-19.76</td><td>61.75</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>138</td><td>97</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>50.02</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>138</td><td>97</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>64.13</td><td>41.20</td><td>22.95</td><td>64.10</td><td>0.00</td><td>300</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.24	74.00	-19.76	61.75	38.07	18.65	64.23	0.00	138	97	PEAK	2	11570.00	42.51	54.00	-11.49	50.02	38.07	18.65	64.23	0.00	138	97	AVERAGE	3	17355.00	64.18	68.20	-4.02	64.13	41.20	22.95	64.10	0.00	300	24	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.17</td><td>74.00</td><td>-21.83</td><td>59.68</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>48.46</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>100</td><td>282</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>68.03</td><td>68.20</td><td>-0.17</td><td>67.97</td><td>41.20</td><td>22.96</td><td>64.10</td><td>0.00</td><td>165</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	52.17	74.00	-21.83	59.68	38.07	18.65	64.23	0.00	100	282	PEAK	2	11570.00	40.95	54.00	-13.05	48.46	38.07	18.65	64.23	0.00	100	282	AVERAGE	3	17355.00	68.03	68.20	-0.17	67.97	41.20	22.96	64.10	0.00	165	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11570.00	54.24	74.00	-19.76	61.75	38.07	18.65	64.23	0.00	138	97	PEAK																																																																																																																																											
2	11570.00	42.51	54.00	-11.49	50.02	38.07	18.65	64.23	0.00	138	97	AVERAGE																																																																																																																																											
3	17355.00	64.18	68.20	-4.02	64.13	41.20	22.95	64.10	0.00	300	24	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11570.00	52.17	74.00	-21.83	59.68	38.07	18.65	64.23	0.00	100	282	PEAK																																																																																																																																											
2	11570.00	40.95	54.00	-13.05	48.46	38.07	18.65	64.23	0.00	100	282	AVERAGE																																																																																																																																											
3	17355.00	68.03	68.20	-0.17	67.97	41.20	22.96	64.10	0.00	165	235	PEAK																																																																																																																																											





Mode	38																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>81.37</td><td>111.36</td><td>-29.99</td><td>63.50</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>82.33</td><td>110.73</td><td>-28.40</td><td>64.46</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.23</td><td>68.35</td><td>-9.12</td><td>41.00</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5986.00</td><td>61.86</td><td>68.20</td><td>-6.34</td><td>43.47</td><td>35.10</td><td>13.09</td><td>29.80</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	81.37	111.36	-29.99	63.50	34.83	12.86	29.82	0.00	243	360	PEAK	2	5855.60	82.33	110.73	-28.40	64.46	34.83	12.86	29.82	0.00	243	360	PEAK	3	5924.00	59.23	68.35	-9.12	41.00	35.10	12.98	29.85	0.00	243	360	PEAK	4	5986.00	61.86	68.20	-6.34	43.47	35.10	13.09	29.80	0.00	243	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>119.48</td><td>-----</td><td>-----</td><td>101.65</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>243</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	119.48	-----	-----	101.65	34.80	12.81	29.78	0.00	243	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.00	81.37	111.36	-29.99	63.50	34.83	12.86	29.82	0.00	243	360	PEAK																																																																																																																															
2	5855.60	82.33	110.73	-28.40	64.46	34.83	12.86	29.82	0.00	243	360	PEAK																																																																																																																															
3	5924.00	59.23	68.35	-9.12	41.00	35.10	12.98	29.85	0.00	243	360	PEAK																																																																																																																															
4	5986.00	61.86	68.20	-6.34	43.47	35.10	13.09	29.80	0.00	243	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	119.48	-----	-----	101.65	34.80	12.81	29.78	0.00	243	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.46</td><td>-----</td><td>-----</td><td>92.63</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>243</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.46	-----	-----	92.63	34.80	12.81	29.78	0.00	243	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	110.46	-----	-----	92.63	34.80	12.81	29.78	0.00	243	360	AVERAGE																																																																																																																															








Mode	38																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																		
ANT	CDD 1S2T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5852.00</td><td>90.52</td><td>115.92</td><td>-25.40</td><td>72.65</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>145</td><td>80 PEAK</td></tr><tr><td>2 5861.20</td><td>83.95</td><td>109.16</td><td>-25.21</td><td>66.03</td><td>34.87</td><td>12.87</td><td>29.82</td><td>0.00</td><td>145</td><td>80 PEAK</td></tr><tr><td>3 5924.00</td><td>63.96</td><td>68.94</td><td>-4.98</td><td>45.73</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>145</td><td>80 PEAK</td></tr><tr><td>4 5992.40</td><td>64.26</td><td>68.20</td><td>-3.94</td><td>45.86</td><td>35.10</td><td>29.80</td><td>0.00</td><td>145</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5852.00	90.52	115.92	-25.40	72.65	34.82	12.86	29.81	0.00	145	80 PEAK	2 5861.20	83.95	109.16	-25.21	66.03	34.87	12.87	29.82	0.00	145	80 PEAK	3 5924.00	63.96	68.94	-4.98	45.73	35.10	12.98	29.85	0.00	145	80 PEAK	4 5992.40	64.26	68.20	-3.94	45.86	35.10	29.80	0.00	145	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>124.44</td><td>-----</td><td>-----</td><td>106.61</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>145</td><td>80 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	124.44	-----	-----	106.61	34.80	12.81	29.78	0.00	145
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1 5852.00	90.52	115.92	-25.40	72.65	34.82	12.86	29.81	0.00	145	80 PEAK																																																																																																																									
2 5861.20	83.95	109.16	-25.21	66.03	34.87	12.87	29.82	0.00	145	80 PEAK																																																																																																																									
3 5924.00	63.96	68.94	-4.98	45.73	35.10	12.98	29.85	0.00	145	80 PEAK																																																																																																																									
4 5992.40	64.26	68.20	-3.94	45.86	35.10	29.80	0.00	145	80	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	124.44	-----	-----	106.61	34.80	12.81	29.78	0.00	145	80 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>115.34</td><td>-----</td><td>-----</td><td>97.51</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>145</td><td>80 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	115.34	-----	-----	97.51	34.80	12.81	29.78	0.00	145	80 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	115.34	-----	-----	97.51	34.80	12.81	29.78	0.00	145	80 AVERAGE																																																																																																																									






Mode	38																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 38 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>60.88</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>274</td><td>251 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>48.69</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>274</td><td>251 AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>67.08</td><td>68.20</td><td>-1.12</td><td>66.75</td><td>41.28</td><td>23.05</td><td>64.00</td><td>0.00</td><td>186</td><td>328 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	53.44	74.00	-20.56	60.88	38.20	18.72	64.36	0.00	274	251 PEAK	2	11650.00	41.25	54.00	-12.75	48.69	38.20	18.72	64.36	0.00	274	251 AVERAGE	3	17475.00	67.08	68.20	-1.12	66.75	41.28	23.05	64.00	0.00	186	328 PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 38 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>64.82</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>182</td><td>242 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>52.01</td><td>38.21</td><td>18.73</td><td>64.36</td><td>0.00</td><td>182</td><td>242 AVERAGE</td></tr><tr><td>3</td><td>11992.53</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>58.65</td><td>38.59</td><td>19.02</td><td>64.93</td><td>0.00</td><td>213</td><td>360 PEAK</td></tr><tr><td>4</td><td>17475.00</td><td>67.25</td><td>68.20</td><td>-0.95</td><td>66.92</td><td>41.28</td><td>23.05</td><td>64.00</td><td>0.00</td><td>180</td><td>227 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	57.38	74.00	-16.62	64.82	38.20	18.72	64.36	0.00	182	242 PEAK	2	11650.00	44.59	54.00	-9.41	52.01	38.21	18.73	64.36	0.00	182	242 AVERAGE	3	11992.53	51.33	74.00	-22.67	58.65	38.59	19.02	64.93	0.00	213	360 PEAK	4	17475.00	67.25	68.20	-0.95	66.92	41.28	23.05	64.00	0.00	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	11650.00	53.44	74.00	-20.56	60.88	38.20	18.72	64.36	0.00	274	251 PEAK																																																																																																																																																	
2	11650.00	41.25	54.00	-12.75	48.69	38.20	18.72	64.36	0.00	274	251 AVERAGE																																																																																																																																																	
3	17475.00	67.08	68.20	-1.12	66.75	41.28	23.05	64.00	0.00	186	328 PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	11650.00	57.38	74.00	-16.62	64.82	38.20	18.72	64.36	0.00	182	242 PEAK																																																																																																																																																	
2	11650.00	44.59	54.00	-9.41	52.01	38.21	18.73	64.36	0.00	182	242 AVERAGE																																																																																																																																																	
3	11992.53	51.33	74.00	-22.67	58.65	38.59	19.02	64.93	0.00	213	360 PEAK																																																																																																																																																	
4	17475.00	67.25	68.20	-0.95	66.92	41.28	23.05	64.00	0.00	180	227 PEAK																																																																																																																																																	





Mode	39																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.60</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>42.54</td><td>34.56</td><td>12.56</td><td>29.82</td><td>0.00</td><td>210</td><td>0 PEAK</td></tr><tr><td>2 5650.00</td><td>59.13</td><td>68.20</td><td>-9.07</td><td>41.81</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>210</td><td>0 PEAK</td></tr><tr><td>3 5720.00</td><td>90.17</td><td>110.90</td><td>-20.73</td><td>72.81</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>210</td><td>0 PEAK</td></tr><tr><td>4 5720.40</td><td>93.27</td><td>111.81</td><td>-18.54</td><td>75.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>210</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5631.60	59.84	68.20	-8.36	42.54	34.56	12.56	29.82	0.00	210	0 PEAK	2 5650.00	59.13	68.20	-9.07	41.81	34.60	12.58	29.86	0.00	210	0 PEAK	3 5720.00	90.17	110.90	-20.73	72.81	34.64	12.67	29.95	0.00	210	0 PEAK	4 5720.40	93.27	111.81	-18.54	75.91	34.64	12.67	29.95	0.00	210	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>120.17</td><td>-----</td><td>-----</td><td>102.63</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>210</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	120.17	-----	-----	102.63	34.70	12.71	29.87	0.00	210	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5631.60	59.84	68.20	-8.36	42.54	34.56	12.56	29.82	0.00	210	0 PEAK																																																																																																																										
2 5650.00	59.13	68.20	-9.07	41.81	34.60	12.58	29.86	0.00	210	0 PEAK																																																																																																																										
3 5720.00	90.17	110.90	-20.73	72.81	34.64	12.67	29.95	0.00	210	0 PEAK																																																																																																																										
4 5720.40	93.27	111.81	-18.54	75.91	34.64	12.67	29.95	0.00	210	0 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	120.17	-----	-----	102.63	34.70	12.71	29.87	0.00	210	0 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>109.95</td><td>-----</td><td>-----</td><td>92.45</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>210</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.95	-----	-----	92.45	34.69	12.70	29.89	0.00	210	0 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	109.95	-----	-----	92.45	34.69	12.70	29.89	0.00	210	0 AVERAGE																																																																																																																										






Mode	39																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																													
ANT	CDD 1S2T																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>63.04</td><td>68.20</td><td>-5.16</td><td>45.72</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.91</td><td>68.80</td><td>-6.89</td><td>44.60</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>95.48</td><td>110.56</td><td>-15.08</td><td>78.12</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>95.56</td><td>110.90</td><td>-15.34</td><td>78.20</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.20	63.04	68.20	-5.16	45.72	34.60	12.58	29.86	0.00	100	257	PEAK	2	5650.00	61.91	68.80	-6.89	44.60	34.60	12.58	29.87	0.00	100	257	PEAK	3	5718.00	95.48	110.56	-15.08	78.12	34.64	12.67	29.95	0.00	100	257	PEAK	4	5720.00	95.56	110.90	-15.34	78.20	34.64	12.67	29.95	0.00	100	257	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>123.88</td><td>-----</td><td>-----</td><td>106.38</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	123.88	-----	-----	106.38	34.69	12.70	29.89	0.00	100	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5649.20	63.04	68.20	-5.16	45.72	34.60	12.58	29.86	0.00	100	257	PEAK																																																																																																																																		
2	5650.00	61.91	68.80	-6.89	44.60	34.60	12.58	29.87	0.00	100	257	PEAK																																																																																																																																		
3	5718.00	95.48	110.56	-15.08	78.12	34.64	12.67	29.95	0.00	100	257	PEAK																																																																																																																																		
4	5720.00	95.56	110.90	-15.34	78.20	34.64	12.67	29.95	0.00	100	257	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	123.88	-----	-----	106.38	34.69	12.70	29.89	0.00	100	257	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.46</td><td>-----</td><td>-----</td><td>96.96</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.46	-----	-----	96.96	34.69	12.70	29.89	0.00	100	257	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	114.46	-----	-----	96.96	34.69	12.70	29.89	0.00	100	257	AVERAGE																																																																																																																																		




Mode	39																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 39 Setting : 25.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>60.51</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>100</td><td>102</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>49.30</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>100</td><td>102</td><td>AVERAGE</td></tr><tr><td>3 17235.00</td><td>64.10</td><td>68.20</td><td>-4.10</td><td>64.07</td><td>41.41</td><td>22.84</td><td>64.22</td><td>0.00</td><td>144</td><td>184</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	52.97	74.00	-21.03	60.51	38.00	18.58	64.12	0.00	100	102	PEAK	2 11490.00	41.76	54.00	-12.24	49.30	38.00	18.58	64.12	0.00	100	102	AVERAGE	3 17235.00	64.10	68.20	-4.10	64.07	41.41	22.84	64.22	0.00	144	184	PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 39 Setting : 25.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>60.81</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>300</td><td>196</td><td>PEAK</td></tr><tr><td>2 11490.00</td><td>41.28</td><td>54.00</td><td>-12.72</td><td>48.82</td><td>38.00</td><td>18.58</td><td>64.12</td><td>0.00</td><td>300</td><td>196</td><td>AVERAGE</td></tr><tr><td>3 11988.13</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>58.71</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>204</td><td>360</td><td>PEAK</td></tr><tr><td>4 17235.00</td><td>67.63</td><td>68.20</td><td>-0.57</td><td>67.60</td><td>41.41</td><td>22.84</td><td>64.22</td><td>0.00</td><td>119</td><td>262</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	53.27	74.00	-20.73	60.81	38.00	18.58	64.12	0.00	300	196	PEAK	2 11490.00	41.28	54.00	-12.72	48.82	38.00	18.58	64.12	0.00	300	196	AVERAGE	3 11988.13	51.40	74.00	-22.60	58.71	38.59	19.02	64.92	0.00	204	360	PEAK	4 17235.00	67.63	68.20	-0.57	67.60	41.41	22.84	64.22	0.00	119	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11490.00	52.97	74.00	-21.03	60.51	38.00	18.58	64.12	0.00	100	102	PEAK																																																																																																																																																	
2 11490.00	41.76	54.00	-12.24	49.30	38.00	18.58	64.12	0.00	100	102	AVERAGE																																																																																																																																																	
3 17235.00	64.10	68.20	-4.10	64.07	41.41	22.84	64.22	0.00	144	184	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11490.00	53.27	74.00	-20.73	60.81	38.00	18.58	64.12	0.00	300	196	PEAK																																																																																																																																																	
2 11490.00	41.28	54.00	-12.72	48.82	38.00	18.58	64.12	0.00	300	196	AVERAGE																																																																																																																																																	
3 11988.13	51.40	74.00	-22.60	58.71	38.59	19.02	64.92	0.00	204	360	PEAK																																																																																																																																																	
4 17235.00	67.63	68.20	-0.57	67.60	41.41	22.84	64.22	0.00	119	262	PEAK																																																																																																																																																	






Mode	40																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.20</td><td>61.50</td><td>68.20</td><td>-6.70</td><td>44.21</td><td>34.53</td><td>12.54</td><td>29.78</td><td>0.00</td><td>305</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.00</td><td>68.20</td><td>-9.40</td><td>41.48</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>305</td><td>21</td><td>PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>66.00</td><td>108.66</td><td>-42.66</td><td>48.69</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>305</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>67.41</td><td>112.72</td><td>-45.31</td><td>50.05</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>305</td><td>21</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5617.20	61.50	68.20	-6.70	44.21	34.53	12.54	29.78	0.00	305	21	PEAK	2	5650.00	58.00	68.20	-9.40	41.48	34.60	12.58	29.86	0.00	305	21	PEAK	3	5712.00	66.00	108.66	-42.66	48.69	34.62	12.66	29.97	0.00	305	21	PEAK	4	5720.80	67.41	112.72	-45.31	50.05	34.64	12.67	29.95	0.00	305	21	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>121.36</td><td>-----</td><td>-----</td><td>103.65</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>305</td><td>21</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	121.36	-----	-----	103.65	34.76	12.75	29.80	0.00	305	21	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5617.20	61.50	68.20	-6.70	44.21	34.53	12.54	29.78	0.00	305	21	PEAK																																																																																																																															
2	5650.00	58.00	68.20	-9.40	41.48	34.60	12.58	29.86	0.00	305	21	PEAK																																																																																																																															
3	5712.00	66.00	108.66	-42.66	48.69	34.62	12.66	29.97	0.00	305	21	PEAK																																																																																																																															
4	5720.80	67.41	112.72	-45.31	50.05	34.64	12.67	29.95	0.00	305	21	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	121.36	-----	-----	103.65	34.76	12.75	29.80	0.00	305	21	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.37</td><td>-----</td><td>-----</td><td>93.61</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>305</td><td>21</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	111.37	-----	-----	93.61	34.78	12.76	29.78	0.00	305	21	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	111.37	-----	-----	93.61	34.78	12.76	29.78	0.00	305	21	AVERAGE																																																																																																																															




Mode	40																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																									
ANT	CDD 1S2T																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>63.95</td><td>111.36</td><td>-47.41</td><td>46.08</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>305</td><td>21 PEAK</td></tr><tr><td>2</td><td>5865.20</td><td>65.94</td><td>108.04</td><td>-42.10</td><td>48.00</td><td>34.89</td><td>12.88</td><td>29.83</td><td>0.00</td><td>305</td><td>21 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.23</td><td>68.35</td><td>-8.12</td><td>42.00</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>305</td><td>21 PEAK</td></tr><tr><td>4</td><td>5952.80</td><td>62.61</td><td>68.20</td><td>-5.59</td><td>44.31</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>305</td><td>21 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	63.95	111.36	-47.41	46.08	34.83	12.86	29.82	0.00	305	21 PEAK	2	5865.20	65.94	108.04	-42.10	48.00	34.89	12.88	29.83	0.00	305	21 PEAK	3	5924.80	60.23	68.35	-8.12	42.00	35.10	12.98	29.85	0.00	305	21 PEAK	4	5952.80	62.61	68.20	-5.59	44.31	35.10	13.03	29.83	0.00	305	21 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.80	63.95	111.36	-47.41	46.08	34.83	12.86	29.82	0.00	305	21 PEAK																																																																															
2	5865.20	65.94	108.04	-42.10	48.00	34.89	12.88	29.83	0.00	305	21 PEAK																																																																															
3	5924.80	60.23	68.35	-8.12	42.00	35.10	12.98	29.85	0.00	305	21 PEAK																																																																															
4	5952.80	62.61	68.20	-5.59	44.31	35.10	13.03	29.83	0.00	305	21 PEAK																																																																															





Mode	40																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.80</td><td>65.72</td><td>68.20</td><td>-2.48</td><td>48.42</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>60.61</td><td>68.20</td><td>-7.59</td><td>43.29</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>3</td><td>5709.60</td><td>72.72</td><td>107.99</td><td>-35.27</td><td>55.42</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>73.58</td><td>114.55</td><td>-40.97</td><td>56.22</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.80	65.72	68.20	-2.48	48.42	34.55	12.55	29.80	0.00	152	82	PEAK	2	5650.00	60.61	68.20	-7.59	43.29	34.60	12.58	29.86	0.00	152	82	PEAK	3	5709.60	72.72	107.99	-35.27	55.42	34.62	12.66	29.98	0.00	152	82	PEAK	4	5721.60	73.58	114.55	-40.97	56.22	34.64	12.67	29.95	0.00	152	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>125.21</td><td>-----</td><td>-----</td><td>107.42</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	125.21	-----	-----	107.42	34.79	12.76	29.76	0.00	152	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5626.80	65.72	68.20	-2.48	48.42	34.55	12.55	29.80	0.00	152	82	PEAK																																																																																																																														
2	5650.00	60.61	68.20	-7.59	43.29	34.60	12.58	29.86	0.00	152	82	PEAK																																																																																																																														
3	5709.60	72.72	107.99	-35.27	55.42	34.62	12.66	29.98	0.00	152	82	PEAK																																																																																																																														
4	5721.60	73.58	114.55	-40.97	56.22	34.64	12.67	29.95	0.00	152	82	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	125.21	-----	-----	107.42	34.79	12.76	29.76	0.00	152	82	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>115.50</td><td>-----</td><td>-----</td><td>97.74</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>152</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	115.50	-----	-----	97.74	34.78	12.76	29.78	0.00	152	82	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	115.50	-----	-----	97.74	34.78	12.76	29.78	0.00	152	82	AVERAGE																																																																																																																														






Mode	40																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																													
ANT	CDD 1S2T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.28</td><td>111.36</td><td>-42.08</td><td>51.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>66.47</td><td>105.69</td><td>-39.22</td><td>48.47</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>61.92</td><td>68.35</td><td>-6.43</td><td>43.69</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>64.87</td><td>68.20</td><td>-3.33</td><td>46.60</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>152</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	69.28	111.36	-42.08	51.41	34.83	12.86	29.82	0.00	152	82	PEAK	2	5873.60	66.47	105.69	-39.22	48.47	34.94	12.90	29.84	0.00	152	82	PEAK	3	5924.80	61.92	68.35	-6.43	43.69	35.10	12.98	29.85	0.00	152	82	PEAK	4	5942.40	64.87	68.20	-3.33	46.60	35.10	13.01	29.84	0.00	152	82	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	69.28	111.36	-42.08	51.41	34.83	12.86	29.82	0.00	152	82	PEAK																																																																																		
2	5873.60	66.47	105.69	-39.22	48.47	34.94	12.90	29.84	0.00	152	82	PEAK																																																																																		
3	5924.80	61.92	68.35	-6.43	43.69	35.10	12.98	29.85	0.00	152	82	PEAK																																																																																		
4	5942.40	64.87	68.20	-3.33	46.60	35.10	13.01	29.84	0.00	152	82	PEAK																																																																																		






Mode	40																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																			
Pol.	Horizontal					Vertical																																																																																																																																														
Peak Avg																																																																																																																																																				
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 40 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>61.66</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>294</td><td>251 PEAK</td></tr><tr><td>2 11570.00</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>50.32</td><td>38.07</td><td>18.65</td><td>64.22</td><td>0.00</td><td>294</td><td>251 AVERAGE</td></tr><tr><td>3 17355.00</td><td>66.51</td><td>68.20</td><td>-1.69</td><td>66.48</td><td>41.20</td><td>22.94</td><td>64.11</td><td>0.00</td><td>171</td><td>266 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	54.15	74.00	-19.85	61.66	38.07	18.65	64.23	0.00	294	251 PEAK	2 11570.00	42.82	54.00	-11.18	50.32	38.07	18.65	64.22	0.00	294	251 AVERAGE	3 17355.00	66.51	68.20	-1.69	66.48	41.20	22.94	64.11	0.00	171	266 PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 40 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11570.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>61.13</td><td>38.07</td><td>18.65</td><td>64.23</td><td>0.00</td><td>300</td><td>203 PEAK</td></tr><tr><td>2 11570.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>47.51</td><td>38.07</td><td>18.65</td><td>64.22</td><td>0.00</td><td>300</td><td>203 AVERAGE</td></tr><tr><td>3 11994.73</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>58.06</td><td>38.59</td><td>19.03</td><td>64.93</td><td>0.00</td><td>211</td><td>0 PEAK</td></tr><tr><td>4 17355.00</td><td>67.34</td><td>68.20</td><td>-0.86</td><td>67.31</td><td>41.20</td><td>22.94</td><td>64.11</td><td>0.00</td><td>300</td><td>325 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	53.62	74.00	-20.38	61.13	38.07	18.65	64.23	0.00	300	203 PEAK	2 11570.00	40.01	54.00	-13.99	47.51	38.07	18.65	64.22	0.00	300	203 AVERAGE	3 11994.73	50.75	74.00	-23.25	58.06	38.59	19.03	64.93	0.00	211	0 PEAK	4 17355.00	67.34	68.20	-0.86	67.31	41.20	22.94	64.11	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1 11570.00	54.15	74.00	-19.85	61.66	38.07	18.65	64.23	0.00	294	251 PEAK																																																																																																																																										
2 11570.00	42.82	54.00	-11.18	50.32	38.07	18.65	64.22	0.00	294	251 AVERAGE																																																																																																																																										
3 17355.00	66.51	68.20	-1.69	66.48	41.20	22.94	64.11	0.00	171	266 PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1 11570.00	53.62	74.00	-20.38	61.13	38.07	18.65	64.23	0.00	300	203 PEAK																																																																																																																																										
2 11570.00	40.01	54.00	-13.99	47.51	38.07	18.65	64.22	0.00	300	203 AVERAGE																																																																																																																																										
3 11994.73	50.75	74.00	-23.25	58.06	38.59	19.03	64.93	0.00	211	0 PEAK																																																																																																																																										
4 17355.00	67.34	68.20	-0.86	67.31	41.20	22.94	64.11	0.00	300	325 PEAK																																																																																																																																										





Mode	41																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>86.41</td><td>111.36</td><td>-24.95</td><td>68.54</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>22</td><td>PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>86.43</td><td>110.51</td><td>-24.08</td><td>68.54</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>300</td><td>22</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.88</td><td>68.35</td><td>-8.47</td><td>41.65</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>22</td><td>PEAK</td></tr><tr><td>4</td><td>5954.00</td><td>62.00</td><td>68.20</td><td>-6.20</td><td>43.70</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>300</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	86.41	111.36	-24.95	68.54	34.83	12.86	29.82	0.00	300	22	PEAK	2	5856.40	86.43	110.51	-24.08	68.54	34.84	12.87	29.82	0.00	300	22	PEAK	3	5924.00	59.88	68.35	-8.47	41.65	35.10	12.98	29.85	0.00	300	22	PEAK	4	5954.00	62.00	68.20	-6.20	43.70	35.10	13.03	29.83	0.00	300	22	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>120.93</td><td>-----</td><td>-----</td><td>103.10</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>22</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	120.93	-----	-----	103.10	34.80	12.81	29.78	0.00	300	22	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.00	86.41	111.36	-24.95	68.54	34.83	12.86	29.82	0.00	300	22	PEAK																																																																																																																															
2	5856.40	86.43	110.51	-24.08	68.54	34.84	12.87	29.82	0.00	300	22	PEAK																																																																																																																															
3	5924.00	59.88	68.35	-8.47	41.65	35.10	12.98	29.85	0.00	300	22	PEAK																																																																																																																															
4	5954.00	62.00	68.20	-6.20	43.70	35.10	13.03	29.83	0.00	300	22	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	120.93	-----	-----	103.10	34.80	12.81	29.78	0.00	300	22	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.78</td><td>-----</td><td>-----</td><td>93.95</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>22</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.78	-----	-----	93.95	34.80	12.81	29.78	0.00	300	22	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	111.78	-----	-----	93.95	34.80	12.81	29.78	0.00	300	22	AVERAGE																																																																																																																															






Mode	41																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																								
ANT	CDD 1S2T																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>90.68</td><td>111.36</td><td>-20.68</td><td>72.81</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>156</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>89.75</td><td>110.40</td><td>-20.65</td><td>71.86</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>156</td><td>240</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>63.41</td><td>68.94</td><td>-5.53</td><td>45.18</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>156</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>5986.00</td><td>64.26</td><td>68.20</td><td>-3.94</td><td>45.87</td><td>35.10</td><td>13.09</td><td>29.80</td><td>0.00</td><td>156</td><td>240</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	90.68	111.36	-20.68	72.81	34.83	12.86	29.82	0.00	156	240	PEAK	2	5856.00	89.75	110.40	-20.65	71.86	34.84	12.87	29.82	0.00	156	240	PEAK	3	5924.00	63.41	68.94	-5.53	45.18	35.10	12.98	29.85	0.00	156	240	PEAK	4	5986.00	64.26	68.20	-3.94	45.87	35.10	13.09	29.80	0.00	156	240	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>125.26</td><td>-----</td><td>-----</td><td>107.43</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>156</td><td>240</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	125.26	-----	-----	107.43	34.80	12.81	29.78	0.00	156	240
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.00	90.68	111.36	-20.68	72.81	34.83	12.86	29.82	0.00	156	240	PEAK																																																																																																																													
2	5856.00	89.75	110.40	-20.65	71.86	34.84	12.87	29.82	0.00	156	240	PEAK																																																																																																																													
3	5924.00	63.41	68.94	-5.53	45.18	35.10	12.98	29.85	0.00	156	240	PEAK																																																																																																																													
4	5986.00	64.26	68.20	-3.94	45.87	35.10	13.09	29.80	0.00	156	240	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	125.26	-----	-----	107.43	34.80	12.81	29.78	0.00	156	240	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>114.77</td><td>-----</td><td>-----</td><td>96.94</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>156</td><td>240</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.77	-----	-----	96.94	34.80	12.81	29.78	0.00	156	240	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	114.77	-----	-----	96.94	34.80	12.81	29.78	0.00	156	240	AVERAGE																																																																																																																													




Mode	41																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 41 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>60.76</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>255</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>48.17</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>300</td><td>255</td><td>AVERAGE</td></tr><tr><td>3 17475.00</td><td>66.44</td><td>68.20</td><td>-1.76</td><td>66.11</td><td>41.28</td><td>23.05</td><td>64.00</td><td>0.00</td><td>186</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	53.32	74.00	-20.68	60.76	38.20	18.72	64.36	0.00	300	255	PEAK	2 11650.00	40.73	54.00	-13.27	48.17	38.20	18.72	64.36	0.00	300	255	AVERAGE	3 17475.00	66.44	68.20	-1.76	66.11	41.28	23.05	64.00	0.00	186	356	PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 41 Setting : 27.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11650.00</td><td>58.69</td><td>74.00</td><td>-15.31</td><td>66.13</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>144</td><td>286</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>53.11</td><td>38.20</td><td>18.72</td><td>64.36</td><td>0.00</td><td>144</td><td>286</td><td>AVERAGE</td></tr><tr><td>3 11985.93</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>58.39</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>209</td><td>0</td><td>PEAK</td></tr><tr><td>4 17475.00</td><td>67.34</td><td>68.20</td><td>-0.86</td><td>67.01</td><td>41.28</td><td>23.05</td><td>64.00</td><td>0.00</td><td>308</td><td>286</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11650.00	58.69	74.00	-15.31	66.13	38.20	18.72	64.36	0.00	144	286	PEAK	2 11650.00	45.67	54.00	-8.33	53.11	38.20	18.72	64.36	0.00	144	286	AVERAGE	3 11985.93	51.08	74.00	-22.92	58.39	38.59	19.02	64.92	0.00	209	0	PEAK	4 17475.00	67.34	68.20	-0.86	67.01	41.28	23.05	64.00	0.00	308	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11650.00	53.32	74.00	-20.68	60.76	38.20	18.72	64.36	0.00	300	255	PEAK																																																																																																																																																	
2 11650.00	40.73	54.00	-13.27	48.17	38.20	18.72	64.36	0.00	300	255	AVERAGE																																																																																																																																																	
3 17475.00	66.44	68.20	-1.76	66.11	41.28	23.05	64.00	0.00	186	356	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11650.00	58.69	74.00	-15.31	66.13	38.20	18.72	64.36	0.00	144	286	PEAK																																																																																																																																																	
2 11650.00	45.67	54.00	-8.33	53.11	38.20	18.72	64.36	0.00	144	286	AVERAGE																																																																																																																																																	
3 11985.93	51.08	74.00	-22.92	58.39	38.59	19.02	64.92	0.00	209	0	PEAK																																																																																																																																																	
4 17475.00	67.34	68.20	-0.86	67.01	41.28	23.05	64.00	0.00	308	286	PEAK																																																																																																																																																	






Mode	42																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.76</td><td>60.58</td><td>68.20</td><td>-7.62</td><td>43.26</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>62.14</td><td>69.29</td><td>-7.15</td><td>44.83</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5718.11</td><td>88.60</td><td>110.37</td><td>-21.77</td><td>71.24</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5728.59</td><td>89.96</td><td>112.25</td><td>-22.29</td><td>72.60</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.76	60.58	68.20	-7.62	43.26	34.60	12.58	29.86	0.00	289	337	PEAK	2	5651.46	62.14	69.29	-7.15	44.83	34.60	12.58	29.87	0.00	289	337	PEAK	3	5718.11	88.60	110.37	-21.77	71.24	34.64	12.67	29.95	0.00	289	337	PEAK	4	5728.59	89.96	112.25	-22.29	72.60	34.64	12.67	29.95	0.00	289	337	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>115.81</td><td>-----</td><td>-----</td><td>98.22</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	115.81	-----	-----	98.22	34.72	12.72	29.85	0.00	289	337	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5649.76	60.58	68.20	-7.62	43.26	34.60	12.58	29.86	0.00	289	337	PEAK																																																																																																																														
2	5651.46	62.14	69.29	-7.15	44.83	34.60	12.58	29.87	0.00	289	337	PEAK																																																																																																																														
3	5718.11	88.60	110.37	-21.77	71.24	34.64	12.67	29.95	0.00	289	337	PEAK																																																																																																																														
4	5728.59	89.96	112.25	-22.29	72.60	34.64	12.67	29.95	0.00	289	337	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	115.81	-----	-----	98.22	34.72	12.72	29.85	0.00	289	337	PEAK																																																																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.73</td><td>-----</td><td>-----</td><td>86.23</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>289</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.73	-----	-----	86.23	34.69	12.70	29.89	0.00	289	337	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	103.73	-----	-----	86.23	34.69	12.70	29.89	0.00	289	337	AVERAGE																																																																																																																														




Mode	42																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																													
ANT	CDD 1S2T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.87</td><td>67.32</td><td>113.49</td><td>-46.17</td><td>49.45</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>61.56</td><td>105.59</td><td>-44.03</td><td>43.56</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>60.06</td><td>68.89</td><td>-8.83</td><td>41.83</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5935.18</td><td>61.44</td><td>68.20</td><td>-6.76</td><td>43.18</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>289</td><td>337</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	67.32	113.49	-46.17	49.45	34.82	12.86	29.81	0.00	289	337	PEAK	2	5873.95	61.56	105.59	-44.03	43.56	34.94	12.90	29.84	0.00	289	337	PEAK	3	5924.07	60.06	68.89	-8.83	41.83	35.10	12.98	29.85	0.00	289	337	PEAK	4	5935.18	61.44	68.20	-6.76	43.18	35.10	13.00	29.84	0.00	289	337	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5853.87	67.32	113.49	-46.17	49.45	34.82	12.86	29.81	0.00	289	337	PEAK																																																																																		
2	5873.95	61.56	105.59	-44.03	43.56	34.94	12.90	29.84	0.00	289	337	PEAK																																																																																		
3	5924.07	60.06	68.89	-8.83	41.83	35.10	12.98	29.85	0.00	289	337	PEAK																																																																																		
4	5935.18	61.44	68.20	-6.76	43.18	35.10	13.00	29.84	0.00	289	337	PEAK																																																																																		





Mode	42																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																								
ANT	CDD 1S2T																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.67</td><td>67.20</td><td>68.20</td><td>-1.00</td><td>49.88</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>5652.55</td><td>68.57</td><td>70.10</td><td>-1.53</td><td>51.25</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>3</td><td>5717.03</td><td>97.07</td><td>110.07</td><td>-13.00</td><td>79.73</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>4</td><td>5721.52</td><td>95.79</td><td>114.37</td><td>-18.58</td><td>78.43</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.67	67.20	68.20	-1.00	49.88	34.60	12.58	29.86	0.00	145	83	PEAK	2	5652.55	68.57	70.10	-1.53	51.25	34.60	12.59	29.87	0.00	145	83	PEAK	3	5717.03	97.07	110.07	-13.00	79.73	34.63	12.67	29.96	0.00	145	83	PEAK	4	5721.52	95.79	114.37	-18.58	78.43	34.64	12.67	29.95	0.00	145	83	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>116.62</td><td>-----</td><td>-----</td><td>99.03</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	116.62	-----	-----	99.03	34.72	12.72	29.85	0.00	145	83
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5648.67	67.20	68.20	-1.00	49.88	34.60	12.58	29.86	0.00	145	83	PEAK																																																																																																																													
2	5652.55	68.57	70.10	-1.53	51.25	34.60	12.59	29.87	0.00	145	83	PEAK																																																																																																																													
3	5717.03	97.07	110.07	-13.00	79.73	34.63	12.67	29.96	0.00	145	83	PEAK																																																																																																																													
4	5721.52	95.79	114.37	-18.58	78.43	34.64	12.67	29.95	0.00	145	83	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	116.62	-----	-----	99.03	34.72	12.72	29.85	0.00	145	83	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.68</td><td>-----</td><td>-----</td><td>81.00</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>145</td><td>83</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.68	-----	-----	81.00	34.75	12.74	29.81	0.00	145	83	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	98.68	-----	-----	81.00	34.75	12.74	29.81	0.00	145	83	AVERAGE																																																																																																																													






Mode	42																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																														
ANT	CDD 1S2T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.48</td><td>72.06</td><td>114.38</td><td>-42.32</td><td>54.19</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>5861.86</td><td>70.66</td><td>108.98</td><td>-38.32</td><td>52.73</td><td>34.87</td><td>12.88</td><td>29.82</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>62.86</td><td>69.18</td><td>-6.32</td><td>44.63</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr><tr><td>4</td><td>5944.15</td><td>63.97</td><td>68.20</td><td>-4.23</td><td>45.68</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>145</td><td>83</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.48	72.06	114.38	-42.32	54.19	34.82	12.86	29.81	0.00	145	83	PEAK	2	5861.86	70.66	108.98	-38.32	52.73	34.87	12.88	29.82	0.00	145	83	PEAK	3	5923.68	62.86	69.18	-6.32	44.63	35.10	12.98	29.85	0.00	145	83	PEAK	4	5944.15	63.97	68.20	-4.23	45.68	35.10	13.02	29.83	0.00	145	83	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5853.48	72.06	114.38	-42.32	54.19	34.82	12.86	29.81	0.00	145	83	PEAK																																																																																			
2	5861.86	70.66	108.98	-38.32	52.73	34.87	12.88	29.82	0.00	145	83	PEAK																																																																																			
3	5923.68	62.86	69.18	-6.32	44.63	35.10	12.98	29.85	0.00	145	83	PEAK																																																																																			
4	5944.15	63.97	68.20	-4.23	45.68	35.10	13.02	29.83	0.00	145	83	PEAK																																																																																			




Mode	42																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																																																		
ANT	CDD 1S2T																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 42 Setting : 26.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>60.64</td><td>38.01</td><td>18.60</td><td>64.13</td><td>0.00</td><td>117</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>49.05</td><td>38.01</td><td>18.60</td><td>64.12</td><td>0.00</td><td>117</td><td>99</td><td>AVERAGE</td></tr><tr><td>3</td><td>17265.00</td><td>60.84</td><td>68.20</td><td>-7.36</td><td>60.87</td><td>41.27</td><td>22.88</td><td>64.18</td><td>0.00</td><td>188</td><td>266</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	53.12	74.00	-20.88	60.64	38.01	18.60	64.13	0.00	117	99	PEAK	2	11510.00	41.54	54.00	-12.46	49.05	38.01	18.60	64.12	0.00	117	99	AVERAGE	3	17265.00	60.84	68.20	-7.36	60.87	41.27	22.88	64.18	0.00	188	266	PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 42 Setting : 26.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>51.13</td><td>74.00</td><td>-22.87</td><td>58.65</td><td>38.01</td><td>18.60</td><td>64.13</td><td>0.00</td><td>112</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>46.91</td><td>38.01</td><td>18.59</td><td>64.12</td><td>0.00</td><td>112</td><td>147</td><td>AVERAGE</td></tr><tr><td>3</td><td>11985.20</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>58.62</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>300</td><td>21</td><td>PEAK</td></tr><tr><td>4</td><td>17265.00</td><td>64.39</td><td>68.20</td><td>-3.81</td><td>64.41</td><td>41.28</td><td>22.88</td><td>64.18</td><td>0.00</td><td>309</td><td>322</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	51.13	74.00	-22.87	58.65	38.01	18.60	64.13	0.00	112	147	PEAK	2	11510.00	39.39	54.00	-14.61	46.91	38.01	18.59	64.12	0.00	112	147	AVERAGE	3	11985.20	51.31	74.00	-22.69	58.62	38.59	19.02	64.92	0.00	300	21	PEAK	4	17265.00	64.39	68.20	-3.81	64.41	41.28	22.88	64.18	0.00	309	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	11510.00	53.12	74.00	-20.88	60.64	38.01	18.60	64.13	0.00	117	99	PEAK																																																																																																																																																							
2	11510.00	41.54	54.00	-12.46	49.05	38.01	18.60	64.12	0.00	117	99	AVERAGE																																																																																																																																																							
3	17265.00	60.84	68.20	-7.36	60.87	41.27	22.88	64.18	0.00	188	266	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	11510.00	51.13	74.00	-22.87	58.65	38.01	18.60	64.13	0.00	112	147	PEAK																																																																																																																																																							
2	11510.00	39.39	54.00	-14.61	46.91	38.01	18.59	64.12	0.00	112	147	AVERAGE																																																																																																																																																							
3	11985.20	51.31	74.00	-22.69	58.62	38.59	19.02	64.92	0.00	300	21	PEAK																																																																																																																																																							
4	17265.00	64.39	68.20	-3.81	64.41	41.28	22.88	64.18	0.00	309	322	PEAK																																																																																																																																																							






Mode	43																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>60.25</td><td>68.20</td><td>-7.95</td><td>42.93</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>60.00</td><td>69.39</td><td>-9.39</td><td>42.69</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>71.18</td><td>105.41</td><td>-34.23</td><td>53.93</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.07</td><td>110.90</td><td>-39.83</td><td>53.71</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	60.25	68.20	-7.95	42.93	34.59	12.58	29.85	0.00	300	337	PEAK	2	5651.60	60.00	69.39	-9.39	42.69	34.60	12.58	29.87	0.00	300	337	PEAK	3	5700.40	71.18	105.41	-34.23	53.93	34.60	12.65	30.00	0.00	300	337	PEAK	4	5720.00	71.07	110.90	-39.83	53.71	34.64	12.67	29.95	0.00	300	337	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>115.55</td><td>-----</td><td>-----</td><td>97.76</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	115.55	-----	-----	97.76	34.79	12.76	29.76	0.00	300	337
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5646.00	60.25	68.20	-7.95	42.93	34.59	12.58	29.85	0.00	300	337	PEAK																																																																																																																														
2	5651.60	60.00	69.39	-9.39	42.69	34.60	12.58	29.87	0.00	300	337	PEAK																																																																																																																														
3	5700.40	71.18	105.41	-34.23	53.93	34.60	12.65	30.00	0.00	300	337	PEAK																																																																																																																														
4	5720.00	71.07	110.90	-39.83	53.71	34.64	12.67	29.95	0.00	300	337	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	115.55	-----	-----	97.76	34.79	12.76	29.76	0.00	300	337	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.93</td><td>-----</td><td>-----</td><td>87.14</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>337</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.93	-----	-----	87.14	34.79	12.76	29.76	0.00	300	337	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	104.93	-----	-----	87.14	34.79	12.76	29.76	0.00	300	337	AVERAGE																																																																																																																														




Mode	43																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																													
ANT	CDD 1S2T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>75.45</td><td>111.36</td><td>-35.91</td><td>57.58</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>74.39</td><td>107.48</td><td>-33.09</td><td>56.44</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>63.38</td><td>68.64</td><td>-5.26</td><td>45.15</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>63.59</td><td>68.20</td><td>-4.61</td><td>45.35</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>337</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	75.45	111.36	-35.91	57.58	34.83	12.86	29.82	0.00	300	337	PEAK	2	5867.20	74.39	107.48	-33.09	56.44	34.90	12.88	29.83	0.00	300	337	PEAK	3	5924.40	63.38	68.64	-5.26	45.15	35.10	12.98	29.85	0.00	300	337	PEAK	4	5928.00	63.59	68.20	-4.61	45.35	35.10	12.99	29.85	0.00	300	337	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	75.45	111.36	-35.91	57.58	34.83	12.86	29.82	0.00	300	337	PEAK																																																																																		
2	5867.20	74.39	107.48	-33.09	56.44	34.90	12.88	29.83	0.00	300	337	PEAK																																																																																		
3	5924.40	63.38	68.64	-5.26	45.15	35.10	12.98	29.85	0.00	300	337	PEAK																																																																																		
4	5928.00	63.59	68.20	-4.61	45.35	35.10	12.99	29.85	0.00	300	337	PEAK																																																																																		





Mode	43																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																									
ANT	CDD 1S2T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.00</td><td>63.78</td><td>68.20</td><td>-4.42</td><td>46.47</td><td>34.54</td><td>12.55</td><td>29.78</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.19</td><td>68.20</td><td>-7.01</td><td>43.87</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>72.09</td><td>105.30</td><td>-33.21</td><td>54.84</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>73.19</td><td>113.64</td><td>-40.45</td><td>55.83</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.00	63.78	68.20	-4.42	46.47	34.54	12.55	29.78	0.00	141	84	PEAK	2	5650.00	61.19	68.20	-7.01	43.87	34.60	12.58	29.86	0.00	141	84	PEAK	3	5700.00	72.09	105.30	-33.21	54.84	34.60	12.65	30.00	0.00	141	84	PEAK	4	5721.20	73.19	113.64	-40.45	55.83	34.64	12.67	29.95	0.00	141	84	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>114.23</td><td>-----</td><td>-----</td><td>96.52</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	114.23	-----	-----	96.52	34.76	12.75	29.80	0.00	141	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5620.00	63.78	68.20	-4.42	46.47	34.54	12.55	29.78	0.00	141	84	PEAK																																																																																																																														
2	5650.00	61.19	68.20	-7.01	43.87	34.60	12.58	29.86	0.00	141	84	PEAK																																																																																																																														
3	5700.00	72.09	105.30	-33.21	54.84	34.60	12.65	30.00	0.00	141	84	PEAK																																																																																																																														
4	5721.20	73.19	113.64	-40.45	55.83	34.64	12.67	29.95	0.00	141	84	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	114.23	-----	-----	96.52	34.76	12.75	29.80	0.00	141	84	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.54</td><td>-----</td><td>-----</td><td>80.75</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>141</td><td>84</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.54	-----	-----	80.75	34.79	12.76	29.76	0.00	141	84	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	98.54	-----	-----	80.75	34.79	12.76	29.76	0.00	141	84	AVERAGE																																																																																																																														






Mode	43																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																													
ANT	CDD 1S2T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>84.67</td><td>113.18</td><td>-28.51</td><td>66.80</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>81.62</td><td>109.05</td><td>-27.43</td><td>63.70</td><td>34.87</td><td>12.87</td><td>29.82</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>69.75</td><td>70.12</td><td>-0.37</td><td>51.52</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>67.23</td><td>68.20</td><td>-0.97</td><td>48.97</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>141</td><td>84</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	84.67	113.18	-28.51	66.80	34.82	12.86	29.81	0.00	141	84	PEAK	2	5861.60	81.62	109.05	-27.43	63.70	34.87	12.87	29.82	0.00	141	84	PEAK	3	5922.40	69.75	70.12	-0.37	51.52	35.10	12.98	29.85	0.00	141	84	PEAK	4	5938.00	67.23	68.20	-0.97	48.97	35.10	13.00	29.84	0.00	141	84	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	84.67	113.18	-28.51	66.80	34.82	12.86	29.81	0.00	141	84	PEAK																																																																																		
2	5861.60	81.62	109.05	-27.43	63.70	34.87	12.87	29.82	0.00	141	84	PEAK																																																																																		
3	5922.40	69.75	70.12	-0.37	51.52	35.10	12.98	29.85	0.00	141	84	PEAK																																																																																		
4	5938.00	67.23	68.20	-0.97	48.97	35.10	13.00	29.84	0.00	141	84	PEAK																																																																																		



Mode	43																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 43 Setting : 28.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>59.93</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>302</td><td>251</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>48.59</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>302</td><td>251</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>64.30</td><td>68.20</td><td>-3.90</td><td>64.21</td><td>41.20</td><td>22.97</td><td>64.08</td><td>0.00</td><td>183</td><td>328</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	52.43	74.00	-21.57	59.93	38.09	18.67	64.26	0.00	302	251	PEAK	2 11590.00	41.09	54.00	-12.91	48.59	38.09	18.67	64.26	0.00	302	251	AVERAGE	3 17385.00	64.30	68.20	-3.90	64.21	41.20	22.97	64.08	0.00	183	328	PEAK	Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 43 Setting : 28.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>57.87</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>296</td><td>200</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>39.96</td><td>54.00</td><td>-14.04</td><td>47.46</td><td>38.09</td><td>18.67</td><td>64.26</td><td>0.00</td><td>296</td><td>200</td><td>AVERAGE</td></tr><tr><td>3 11979.33</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>58.64</td><td>38.58</td><td>19.01</td><td>64.91</td><td>0.00</td><td>100</td><td>6</td><td>PEAK</td></tr><tr><td>4 17385.00</td><td>67.43</td><td>68.20</td><td>-0.77</td><td>67.36</td><td>41.20</td><td>22.96</td><td>64.09</td><td>0.00</td><td>277</td><td>108</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	50.37	74.00	-23.63	57.87	38.09	18.67	64.26	0.00	296	200	PEAK	2 11590.00	39.96	54.00	-14.04	47.46	38.09	18.67	64.26	0.00	296	200	AVERAGE	3 11979.33	51.32	74.00	-22.68	58.64	38.58	19.01	64.91	0.00	100	6	PEAK	4 17385.00	67.43	68.20	-0.77	67.36	41.20	22.96	64.09	0.00	277	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11590.00	52.43	74.00	-21.57	59.93	38.09	18.67	64.26	0.00	302	251	PEAK																																																																																																																																																	
2 11590.00	41.09	54.00	-12.91	48.59	38.09	18.67	64.26	0.00	302	251	AVERAGE																																																																																																																																																	
3 17385.00	64.30	68.20	-3.90	64.21	41.20	22.97	64.08	0.00	183	328	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 11590.00	50.37	74.00	-23.63	57.87	38.09	18.67	64.26	0.00	296	200	PEAK																																																																																																																																																	
2 11590.00	39.96	54.00	-14.04	47.46	38.09	18.67	64.26	0.00	296	200	AVERAGE																																																																																																																																																	
3 11979.33	51.32	74.00	-22.68	58.64	38.58	19.01	64.91	0.00	100	6	PEAK																																																																																																																																																	
4 17385.00	67.43	68.20	-0.77	67.36	41.20	22.96	64.09	0.00	277	108	PEAK																																																																																																																																																	





Mode	44																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_MHz																																																																																																																						
ANT	CDD 1S2T																																																																																																																						
Pol.	Horizontal	Vertical																																																																																																																					
Peak Avg	 Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 HORIZONTAL Mode : 44 Setting : 22.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>52.86</td><td>38.05</td><td>18.63</td><td>64.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 17325.00</td><td>48.83</td><td>68.20</td><td>-19.37</td><td>48.79</td><td>41.20</td><td>22.95</td><td>64.11</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	45.35	74.00	-28.65	52.86	38.05	18.63	64.19	0.00	--	-- PEAK	2 17325.00	48.83	68.20	-19.37	48.79	41.20	22.95	64.11	0.00	--	-- PEAK	 Site : 03CH08-KS Condition: U-NII-3 3m 3117-00240138-2024 VERTICAL Mode : 44 Setting : 22.5 Plane : <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>53.87</td><td>38.05</td><td>18.63</td><td>64.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 12000.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>59.68</td><td>38.60</td><td>19.03</td><td>64.94</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 17325.00</td><td>49.27</td><td>68.20</td><td>-18.93</td><td>49.22</td><td>41.20</td><td>22.95</td><td>64.10</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	46.36	74.00	-27.64	53.87	38.05	18.63	64.19	0.00	--	-- PEAK	2 12000.00	52.37	74.00	-21.63	59.68	38.60	19.03	64.94	0.00	--	-- PEAK	3 17325.00	49.27	68.20	-18.93	49.22	41.20	22.95	64.10	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 11550.00	45.35	74.00	-28.65	52.86	38.05	18.63	64.19	0.00	--	-- PEAK																																																																																																													
2 17325.00	48.83	68.20	-19.37	48.79	41.20	22.95	64.11	0.00	--	-- PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1 11550.00	46.36	74.00	-27.64	53.87	38.05	18.63	64.19	0.00	--	-- PEAK																																																																																																													
2 12000.00	52.37	74.00	-21.63	59.68	38.60	19.03	64.94	0.00	--	-- PEAK																																																																																																													
3 17325.00	49.27	68.20	-18.93	49.22	41.20	22.95	64.10	0.00	--	-- PEAK																																																																																																													







		32																																																																																														
Mode		Harmonic																																																																																														
		U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																														
ANT		CDD 1S2T																																																																																														
Pol.		Horizontal					Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>59.42</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>286</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>48.79</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>286</td><td>176</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>58.16</td><td>68.20</td><td>-10.04</td><td>58.17</td><td>41.47</td><td>22.79</td><td>64.27</td><td>0.00</td><td>226</td><td>297</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	11440.00	51.78	74.00	-22.22	59.42	38.00	18.54	64.18	0.00	286	176	PEAK	2	11440.00	41.15	54.00	-12.85	48.79	38.00	18.54	64.18	0.00	286	176	AVERAGE	3	17160.00	58.16	68.20	-10.04	58.17	41.47	22.79	64.27	0.00	226	297	PEAK																										
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																						
1	11440.00	51.78	74.00	-22.22	59.42	38.00	18.54	64.18	0.00	286	176	PEAK																																																																																				
2	11440.00	41.15	54.00	-12.85	48.79	38.00	18.54	64.18	0.00	286	176	AVERAGE																																																																																				
3	17160.00	58.16	68.20	-10.04	58.17	41.47	22.79	64.27	0.00	226	297	PEAK																																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9788.13</td><td>51.12</td><td>68.20</td><td>-17.08</td><td>63.50</td><td>36.90</td><td>16.90</td><td>66.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>52.51</td><td>74.00</td><td>-21.49</td><td>60.15</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>124</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>39.85</td><td>54.00</td><td>-14.15</td><td>47.49</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>124</td><td>148</td><td>AVERAGE</td></tr><tr><td>4</td><td>11992.53</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>58.24</td><td>38.59</td><td>19.02</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>17160.00</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>57.22</td><td>41.46</td><td>22.79</td><td>64.28</td><td>0.00</td><td>171</td><td>256</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	9788.13	51.12	68.20	-17.08	63.50	36.90	16.90	66.18	0.00	--	--	PEAK	2	11440.00	52.51	74.00	-21.49	60.15	38.00	18.54	64.18	0.00	124	148	PEAK	3	11440.00	39.85	54.00	-14.15	47.49	38.00	18.54	64.18	0.00	124	148	AVERAGE	4	11992.53	50.92	74.00	-23.08	58.24	38.59	19.02	64.93	0.00	--	--	PEAK	5	17160.00	57.19	68.20	-11.01	57.22	41.46	22.79	64.28	0.00	171	256	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																						
1	9788.13	51.12	68.20	-17.08	63.50	36.90	16.90	66.18	0.00	--	--	PEAK																																																																																				
2	11440.00	52.51	74.00	-21.49	60.15	38.00	18.54	64.18	0.00	124	148	PEAK																																																																																				
3	11440.00	39.85	54.00	-14.15	47.49	38.00	18.54	64.18	0.00	124	148	AVERAGE																																																																																				
4	11992.53	50.92	74.00	-23.08	58.24	38.59	19.02	64.93	0.00	--	--	PEAK																																																																																				
5	17160.00	57.19	68.20	-11.01	57.22	41.46	22.79	64.28	0.00	171	256	PEAK																																																																																				





		33																																																																																																																																																																																
Mode		Harmonic																																																																																																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE20_CH144_5720MHz																																																																																																																																																																																
ANT		CDD 1S2T																																																																																																																																																																																
Pol.		Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>62.04</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>290</td><td>188</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>48.15</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>290</td><td>188</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>58.38</td><td>68.20</td><td>-9.82</td><td>58.39</td><td>41.47</td><td>22.79</td><td>64.27</td><td>0.00</td><td>228</td><td>299</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	54.40	74.00	-19.60	62.04	38.00	18.54	64.18	0.00	290	188	PEAK	2	11440.00	40.51	54.00	-13.49	48.15	38.00	18.54	64.18	0.00	290	188	AVERAGE	3	17160.00	58.38	68.20	-9.82	58.39	41.47	22.79	64.27	0.00	228	299	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>60.69</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>126</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>39.93</td><td>54.00</td><td>-14.07</td><td>47.57</td><td>38.00</td><td>18.54</td><td>64.18</td><td>0.00</td><td>126</td><td>146</td><td>AVERAGE</td></tr><tr><td>3</td><td>11989.60</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>57.44</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17160.00</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>60.93</td><td>41.46</td><td>22.79</td><td>64.28</td><td>0.00</td><td>312</td><td>320</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	53.05	74.00	-20.95	60.69	38.00	18.54	64.18	0.00	126	146	PEAK	2	11440.00	39.93	54.00	-14.07	47.57	38.00	18.54	64.18	0.00	126	146	AVERAGE	3	11989.60	50.13	74.00	-23.87	57.44	38.59	19.02	64.92	0.00	--	--	PEAK	4	17160.00	60.90	68.20	-7.30	60.93	41.46	22.79	64.28	0.00	312	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	11440.00	54.40	74.00	-19.60	62.04	38.00	18.54	64.18	0.00	290	188	PEAK																																																																																																																																																																						
2	11440.00	40.51	54.00	-13.49	48.15	38.00	18.54	64.18	0.00	290	188	AVERAGE																																																																																																																																																																						
3	17160.00	58.38	68.20	-9.82	58.39	41.47	22.79	64.27	0.00	228	299	PEAK																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	11440.00	53.05	74.00	-20.95	60.69	38.00	18.54	64.18	0.00	126	146	PEAK																																																																																																																																																																						
2	11440.00	39.93	54.00	-14.07	47.57	38.00	18.54	64.18	0.00	126	146	AVERAGE																																																																																																																																																																						
3	11989.60	50.13	74.00	-23.87	57.44	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																																																						
4	17160.00	60.90	68.20	-7.30	60.93	41.46	22.79	64.28	0.00	312	320	PEAK																																																																																																																																																																						



Mode	34																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_5710MHz																																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>59.01</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>300</td><td>184</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>47.29</td><td>38.00</td><td>18.52</td><td>64.21</td><td>0.00</td><td>300</td><td>184</td><td>AVERAGE</td></tr><tr><td>3</td><td>17130.00</td><td>51.37</td><td>68.20</td><td>-16.83</td><td>51.47</td><td>41.44</td><td>22.76</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>51.76</td><td>74.00</td><td>-22.24</td><td>59.44</td><td>38.00</td><td>18.52</td><td>64.20</td><td>0.00</td><td>120</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>39.06</td><td>54.00</td><td>-14.94</td><td>46.75</td><td>38.00</td><td>18.52</td><td>64.21</td><td>0.00</td><td>120</td><td>144</td><td>AVERAGE</td></tr><tr><td>3</td><td>11985.20</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>58.97</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17130.00</td><td>49.38</td><td>68.20</td><td>-18.82</td><td>49.45</td><td>41.45</td><td>22.77</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	51.33	74.00	-22.67	59.01	38.00	18.52	64.20	0.00	300	184	PEAK	2	11420.00	39.60	54.00	-14.40	47.29	38.00	18.52	64.21	0.00	300	184	AVERAGE	3	17130.00	51.37	68.20	-16.83	51.47	41.44	22.76	64.30	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	51.76	74.00	-22.24	59.44	38.00	18.52	64.20	0.00	120	144	PEAK	2	11420.00	39.06	54.00	-14.94	46.75	38.00	18.52	64.21	0.00	120	144	AVERAGE	3	11985.20	51.66	74.00	-22.34	58.97	38.59	19.02	64.92	0.00	--	--	PEAK	4	17130.00	49.38	68.20	-18.82	49.45	41.45	22.77	64.29	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11420.00	51.33	74.00	-22.67	59.01	38.00	18.52	64.20	0.00	300	184	PEAK																																																																																																																																																								
2	11420.00	39.60	54.00	-14.40	47.29	38.00	18.52	64.21	0.00	300	184	AVERAGE																																																																																																																																																								
3	17130.00	51.37	68.20	-16.83	51.47	41.44	22.76	64.30	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11420.00	51.76	74.00	-22.24	59.44	38.00	18.52	64.20	0.00	120	144	PEAK																																																																																																																																																								
2	11420.00	39.06	54.00	-14.94	46.75	38.00	18.52	64.21	0.00	120	144	AVERAGE																																																																																																																																																								
3	11985.20	51.66	74.00	-22.34	58.97	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																																								
4	17130.00	49.38	68.20	-18.82	49.45	41.45	22.77	64.29	0.00	--	--	PEAK																																																																																																																																																								



Mode	35																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_5690MHZ																																																																																																																																																																				
ANT	CDD 1S2T																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>54.63</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17070.00</td><td>47.76</td><td>68.20</td><td>-20.44</td><td>47.96</td><td>41.40</td><td>22.73</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11380.00	46.84	74.00	-27.16	54.63	37.98	18.48	64.25	0.00	--	--	PEAK	2	17070.00	47.76	68.20	-20.44	47.96	41.40	22.73	64.33	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11380.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>56.62</td><td>37.98</td><td>18.48</td><td>64.25</td><td>0.00</td><td>202</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.89</td><td>54.00</td><td>-16.11</td><td>45.65</td><td>37.99</td><td>18.49</td><td>64.24</td><td>0.00</td><td>202</td><td>190</td><td>AVERAGE</td></tr><tr><td>3</td><td>11989.60</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>58.45</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17070.00</td><td>47.86</td><td>68.20</td><td>-20.34</td><td>48.05</td><td>41.44</td><td>22.72</td><td>64.35</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11380.00	48.83	74.00	-25.17	56.62	37.98	18.48	64.25	0.00	202	190	PEAK	2	11380.00	37.89	54.00	-16.11	45.65	37.99	18.49	64.24	0.00	202	190	AVERAGE	3	11989.60	51.14	74.00	-22.86	58.45	38.59	19.02	64.92	0.00	--	--	PEAK	4	17070.00	47.86	68.20	-20.34	48.05	41.44	22.72	64.35	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	11380.00	46.84	74.00	-27.16	54.63	37.98	18.48	64.25	0.00	--	--	PEAK																																																																																																																																																									
2	17070.00	47.76	68.20	-20.44	47.96	41.40	22.73	64.33	0.00	--	--	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	11380.00	48.83	74.00	-25.17	56.62	37.98	18.48	64.25	0.00	202	190	PEAK																																																																																																																																																									
2	11380.00	37.89	54.00	-16.11	45.65	37.99	18.49	64.24	0.00	202	190	AVERAGE																																																																																																																																																									
3	11989.60	51.14	74.00	-22.86	58.45	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																																									
4	17070.00	47.86	68.20	-20.34	48.05	41.44	22.72	64.35	0.00	--	--	PEAK																																																																																																																																																									

**<Co-location>****Radiated Spurious Emission Test Modes**



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-3	5.725-5.85	0	802.11ax HE80	155	5775	MCS0	-	-
Mode 2	2400-2483.5	2400-2483.5	Ant.0(1-A)	802.11ax HE20	1	2412	MCS0	-	-

Summary of each worse mode


Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11ax HE80	155	5649.60	63.86	68.20	-4.34	H	PEAK	Pass	Band Edge
1	802.11ax HE80	155	9642.93	58.15	68.20	-10.05	H	PEAK	Pass	Harmonic
2	802.11ax HE20	1	2389.95	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
2	802.11ax HE20	1	4824.00	41.40	54.00	-12.60	H	AVERAGE	Pass	Harmonic






Radiated Spurious Emission Test plots

		1																																																																																											
Mode		Band Edge - L																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																											
ANT		CDD 1S2T																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.60</td><td>63.86</td><td>68.20</td><td>-4.34</td><td>46.54</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>63.76</td><td>68.50</td><td>-4.74</td><td>46.45</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>74.42</td><td>110.68</td><td>-36.26</td><td>57.06</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>74.92</td><td>111.81</td><td>-36.89</td><td>57.56</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>255</td><td>0</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	63.86	68.20	-4.34	46.54	34.60	12.58	29.86	0.00	255	0	PEAK	2	5650.40	63.76	68.50	-4.74	46.45	34.60	12.58	29.87	0.00	255	0	PEAK	3	5719.20	74.42	110.68	-36.26	57.06	34.64	12.67	29.95	0.00	255	0	PEAK	4	5720.40	74.92	111.81	-36.89	57.56	34.64	12.67	29.95	0.00	255	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5649.60	63.86	68.20	-4.34	46.54	34.60	12.58	29.86	0.00	255	0	PEAK																																																																																	
2	5650.40	63.76	68.50	-4.74	46.45	34.60	12.58	29.87	0.00	255	0	PEAK																																																																																	
3	5719.20	74.42	110.68	-36.26	57.06	34.64	12.67	29.95	0.00	255	0	PEAK																																																																																	
4	5720.40	74.92	111.81	-36.89	57.56	34.64	12.67	29.95	0.00	255	0	PEAK																																																																																	
Avg		Blank																																																																																											
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2410.00</td><td>103.67</td><td>-----</td><td>-----</td><td>94.04</td><td>32.22</td><td>8.09</td><td>30.68</td><td>0.00</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>2</td><td>5775.00</td><td>103.67</td><td>-----</td><td>-----</td><td>94.04</td><td>32.22</td><td>8.09</td><td>30.68</td><td>0.00</td><td>255</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2410.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	--	--	AVERAGE	2	5775.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	255	0	AVERAGE																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	2410.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	--	--	AVERAGE																																																																																	
2	5775.00	103.67	-----	-----	94.04	32.22	8.09	30.68	0.00	255	0	AVERAGE																																																																																	




Mode	1																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																
ANT	CDD 1S2T																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>68.93</td><td>111.36</td><td>-42.43</td><td>51.06</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>72.69</td><td>107.37</td><td>-34.68</td><td>54.73</td><td>34.91</td><td>12.88</td><td>29.83</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>60.17</td><td>69.23</td><td>-9.06</td><td>41.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>61.46</td><td>68.20</td><td>-6.74</td><td>43.20</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>255</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	68.93	111.36	-42.43	51.06	34.83	12.86	29.82	0.00	255	0 PEAK	2	5867.60	72.69	107.37	-34.68	54.73	34.91	12.88	29.83	0.00	255	0 PEAK	3	5923.60	60.17	69.23	-9.06	41.94	35.10	12.98	29.85	0.00	255	0 PEAK	4	5932.80	61.46	68.20	-6.74	43.20	35.10	13.00	29.84	0.00	255	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.80	68.93	111.36	-42.43	51.06	34.83	12.86	29.82	0.00	255	0 PEAK																																																																						
2	5867.60	72.69	107.37	-34.68	54.73	34.91	12.88	29.83	0.00	255	0 PEAK																																																																						
3	5923.60	60.17	69.23	-9.06	41.94	35.10	12.98	29.85	0.00	255	0 PEAK																																																																						
4	5932.80	61.46	68.20	-6.74	43.20	35.10	13.00	29.84	0.00	255	0 PEAK																																																																						







Mode	1																																																																																																																																																												
	Band Edge - L																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																																																																																												
ANT	CDD 1S2T																																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																																						
Peak																																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.40</td><td>63.77</td><td>68.20</td><td>-4.43</td><td>46.45</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>63.14</td><td>68.50</td><td>-5.36</td><td>45.83</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>69.15</td><td>105.64</td><td>-36.49</td><td>51.90</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>73.23</td><td>112.72</td><td>-39.49</td><td>55.87</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.40	63.77	68.20	-4.43	46.45	34.60	12.58	29.86	0.00	349	124	PEAK	2	5650.40	63.14	68.50	-5.36	45.83	34.60	12.58	29.87	0.00	349	124	PEAK	3	5701.20	69.15	105.64	-36.49	51.90	34.60	12.65	30.00	0.00	349	124	PEAK	4	5720.80	73.23	112.72	-39.49	55.87	34.64	12.67	29.95	0.00	349	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>111.18</td><td>-----</td><td>-----</td><td>101.55</td><td>32.22</td><td>8.09</td><td>30.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5788.00</td><td>110.18</td><td>122.30</td><td>-12.12</td><td>92.42</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2410.00	111.18	-----	-----	101.55	32.22	8.09	30.68	0.00	--	--	PEAK	2	5788.00	110.18	122.30	-12.12	92.42	34.78	12.76	29.78	0.00	349	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	5648.40	63.77	68.20	-4.43	46.45	34.60	12.58	29.86	0.00	349	124	PEAK																																																																																																																																																	
2	5650.40	63.14	68.50	-5.36	45.83	34.60	12.58	29.87	0.00	349	124	PEAK																																																																																																																																																	
3	5701.20	69.15	105.64	-36.49	51.90	34.60	12.65	30.00	0.00	349	124	PEAK																																																																																																																																																	
4	5720.80	73.23	112.72	-39.49	55.87	34.64	12.67	29.95	0.00	349	124	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	2410.00	111.18	-----	-----	101.55	32.22	8.09	30.68	0.00	--	--	PEAK																																																																																																																																																	
2	5788.00	110.18	122.30	-12.12	92.42	34.78	12.76	29.78	0.00	349	124	PEAK																																																																																																																																																	
Avg	Blank																																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2416.00</td><td>104.39</td><td>-----</td><td>-----</td><td>94.74</td><td>32.23</td><td>8.10</td><td>30.68</td><td>0.00</td><td>--</td><td>--</td><td>AVERAGE</td></tr><tr><td>2</td><td>5800.00</td><td>102.45</td><td>-----</td><td>-----</td><td>84.63</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>349</td><td>124</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2416.00	104.39	-----	-----	94.74	32.23	8.10	30.68	0.00	--	--	AVERAGE	2	5800.00	102.45	-----	-----	84.63	34.80	12.77	29.75	0.00	349	124	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	2416.00	104.39	-----	-----	94.74	32.23	8.10	30.68	0.00	--	--	AVERAGE																																																																																																																																																	
2	5800.00	102.45	-----	-----	84.63	34.80	12.77	29.75	0.00	349	124	AVERAGE																																																																																																																																																	







Mode	1																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_5775MHz																																																																																				
ANT	CDD 1S2T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>67.73</td><td>112.27</td><td>-44.54</td><td>49.86</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5860.40</td><td>73.86</td><td>109.39</td><td>-35.53</td><td>55.95</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>61.95</td><td>69.23</td><td>-7.28</td><td>43.72</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5929.20</td><td>63.43</td><td>68.20</td><td>-4.77</td><td>45.19</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>349</td><td>124</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	67.73	112.27	-44.54	49.86	34.83	12.86	29.82	0.00	349	124	PEAK	2	5860.40	73.86	109.39	-35.53	55.95	34.86	12.87	29.82	0.00	349	124	PEAK	3	5923.60	61.95	69.23	-7.28	43.72	35.10	12.98	29.85	0.00	349	124	PEAK	4	5929.20	63.43	68.20	-4.77	45.19	35.10	12.99	29.85	0.00	349	124	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	67.73	112.27	-44.54	49.86	34.83	12.86	29.82	0.00	349	124	PEAK																																																																									
2	5860.40	73.86	109.39	-35.53	55.95	34.86	12.87	29.82	0.00	349	124	PEAK																																																																									
3	5923.60	61.95	69.23	-7.28	43.72	35.10	12.98	29.85	0.00	349	124	PEAK																																																																									
4	5929.20	63.43	68.20	-4.77	45.19	35.10	12.99	29.85	0.00	349	124	PEAK																																																																									





Mode	2																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2392.03</td><td>64.53</td><td>74.00</td><td>-9.47</td><td>49.00</td><td>32.15</td><td>8.06</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2392.03	64.53	74.00	-9.47	49.00	32.15	8.06	30.68	6.00	297	178	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>118.96</td><td>-----</td><td>-----</td><td>103.31</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.96	-----	-----	103.31	32.23	8.10	30.68	6.00	297	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2392.03	64.53	74.00	-9.47	49.00	32.15	8.06	30.68	6.00	297	178	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	118.96	-----	-----	103.31	32.23	8.10	30.68	6.00	297	178	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>34.84</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>297</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.34	54.00	-3.66	34.84	32.14	8.05	30.69	6.00	297	178	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.36</td><td>-----</td><td>-----</td><td>93.73</td><td>32.22</td><td>8.09</td><td>30.68</td><td>6.00</td><td>297</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.36	-----	-----	93.73	32.22	8.09	30.68	6.00	297	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	50.34	54.00	-3.66	34.84	32.14	8.05	30.69	6.00	297	178	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.36	-----	-----	93.73	32.22	8.09	30.68	6.00	297	178	AVERAGE																																																																																							



Mode	2																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																												
ANT	3																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>58.70</td><td>74.00</td><td>-15.30</td><td>43.20</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	58.70	74.00	-15.30	43.20	32.14	8.05	30.69	6.00	300	255	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.73</td><td>-----</td><td>-----</td><td>98.08</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>300</td><td>255</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.73	-----	-----	98.08	32.23	8.10	30.68	6.00	300	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.95	58.70	74.00	-15.30	43.20	32.14	8.05	30.69	6.00	300	255	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	113.73	-----	-----	98.08	32.23	8.10	30.68	6.00	300	255	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>30.60</td><td>32.14</td><td>8.05</td><td>30.69</td><td>6.00</td><td>300</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	46.10	54.00	-7.90	30.60	32.14	8.05	30.69	6.00	300	255	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.05</td><td>-----</td><td>-----</td><td>87.40</td><td>32.23</td><td>8.10</td><td>30.68</td><td>6.00</td><td>300</td><td>255</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.05	-----	-----	87.40	32.23	8.10	30.68	6.00	300	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.43	46.10	54.00	-7.90	30.60	32.14	8.05	30.69	6.00	300	255	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2412.00	103.05	-----	-----	87.40	32.23	8.10	30.68	6.00	300	255	AVERAGE																																																																																																	



Mode	2																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_2412MHz																																																																																																																																																																								
ANT	3																																																																																																																																																																								
Pol.	Horizontal								Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>72.59</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>218</td><td>129</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>41.40</td><td>54.00</td><td>-12.60</td><td>60.91</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>218</td><td>129</td><td>AVERAGE</td></tr><tr><td>3</td><td>5775.00</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>76.25</td><td>34.71</td><td>12.71</td><td>66.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	53.08	74.00	-20.92	72.59	34.15	11.58	65.24	0.00	218	129	PEAK	2	4824.00	41.40	54.00	-12.60	60.91	34.15	11.58	65.24	0.00	218	129	AVERAGE	3	5775.00	57.23	74.00	-16.77	76.25	34.71	12.71	66.44	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>71.16</td><td>34.15</td><td>11.58</td><td>65.24</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>60.68</td><td>34.15</td><td>11.58</td><td>65.23</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr><tr><td>3</td><td>5775.00</td><td>56.91</td><td>74.00</td><td>-17.09</td><td>75.93</td><td>34.71</td><td>12.71</td><td>66.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>										Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4824.00	51.65	74.00	-22.35	71.16	34.15	11.58	65.24	0.00	100	305	PEAK	2	4824.00	41.18	54.00	-12.82	60.68	34.15	11.58	65.23	0.00	100	305	AVERAGE	3	5775.00	56.91	74.00	-17.09	75.93	34.71	12.71	66.44	0.00	--	--
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	4824.00	53.08	74.00	-20.92	72.59	34.15	11.58	65.24	0.00	218	129	PEAK																																																																																																																																																													
2	4824.00	41.40	54.00	-12.60	60.91	34.15	11.58	65.24	0.00	218	129	AVERAGE																																																																																																																																																													
3	5775.00	57.23	74.00	-16.77	76.25	34.71	12.71	66.44	0.00	--	--	PEAK																																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																														
1	4824.00	51.65	74.00	-22.35	71.16	34.15	11.58	65.24	0.00	100	305	PEAK																																																																																																																																																													
2	4824.00	41.18	54.00	-12.82	60.68	34.15	11.58	65.23	0.00	100	305	AVERAGE																																																																																																																																																													
3	5775.00	56.91	74.00	-17.09	75.93	34.71	12.71	66.44	0.00	--	--	PEAK																																																																																																																																																													