



802.11n (HT40) CH54



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1122.266667	---	20.81	54.00	33.19	500.0	200.0	H	252.0	-18
1290.733333	31.65	---	68.20	36.55	500.0	100.0	H	315.0	-17
1333.433333	---	23.78	54.00	30.22	500.0	100.0	H	14.0	-17
1512.166667	---	27.12	54.00	26.88	500.0	200.0	H	67.0	-16
1950.833333	35.41	---	68.20	32.79	500.0	200.0	V	59.0	-13
2678.833333	37.27	---	68.20	30.93	500.0	200.0	V	271.0	-10
2774.733333	---	28.01	54.00	25.99	500.0	200.0	H	252.0	-9
3520.466667	39.85	---	68.20	28.35	500.0	100.0	V	277.0	-6
3996.466667	---	31.51	54.00	22.49	500.0	200.0	V	149.0	-4
4475.500000	42.25	---	68.20	25.95	500.0	200.0	H	53.0	-3
6821.200000	42.56	---	68.20	25.64	500.0	100.0	V	352.0	0
7464.966667	---	37.10	54.00	16.90	500.0	100.0	H	97.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH62



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.066667	---	21.32	54.00	32.68	500.0	200.0	H	270.0	-18
1289.566667	31.97	---	68.20	36.23	500.0	200.0	H	264.0	-17
1333.200000	---	24.26	54.00	29.74	500.0	100.0	H	46.0	-17
1624.866667	---	24.35	54.00	29.65	500.0	200.0	H	339.0	-15
1999.600000	35.28	---	68.20	32.92	500.0	200.0	H	346.0	-13
2622.833333	37.23	---	68.20	30.97	500.0	200.0	H	74.0	-10
2774.733333	---	28.57	54.00	25.43	500.0	200.0	H	181.0	-9
3509.733333	39.96	---	68.20	28.24	500.0	100.0	V	251.0	-6
3990.166667	---	31.35	54.00	22.65	500.0	100.0	H	171.0	-4
4459.166667	41.23	---	68.20	26.97	500.0	100.0	H	88.0	-3
6760.533333	42.31	---	68.20	25.89	500.0	200.0	V	165.0	0
7464.733333	---	37.22	54.00	16.78	500.0	200.0	V	116.0	1
10620.000000	---	52.46	54.00	1.54	500.0	200.0	H	156.0	-0.4

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH102



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1293.533333	33.20	---	68.20	35.00	500.0	100.0	V	233.0	-17
1333.200000	---	24.71	54.00	29.29	500.0	200.0	V	188.0	-17
1510.300000	---	25.56	54.00	28.44	500.0	100.0	H	199.0	-16
1991.666667	35.90	---	68.20	32.30	500.0	200.0	H	217.0	-13
2312.266667	---	27.34	54.00	26.66	500.0	200.0	H	175.0	-11
2658.533333	38.51	---	68.20	29.69	500.0	200.0	H	175.0	-10
2774.966667	---	29.06	54.00	24.94	500.0	200.0	H	36.0	-9
3121.700000	39.03	---	68.20	29.17	500.0	100.0	V	336.0	-8
3461.900000	40.32	---	68.20	27.88	500.0	200.0	H	57.0	-6
3995.533333	---	31.97	54.00	22.03	500.0	100.0	V	85.0	-4
6220.833333	46.16	---	68.20	22.04	500.0	100.0	H	269.0	0
7464.966667	---	39.59	54.00	14.41	500.0	100.0	H	304.0	1


Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH118



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1282.800000	32.83	---	68.20	35.37	500.0	200.0	H	8.0	-17
1333.200000	---	24.79	54.00	29.21	500.0	200.0	V	190.0	-17
1667.800000	---	25.03	54.00	28.97	500.0	100.0	V	155.0	-15
1983.733333	35.97	---	68.20	32.23	500.0	100.0	V	0.0	-13
2312.033333	---	26.70	54.00	27.30	500.0	100.0	V	240.0	-11
2643.833333	38.39	---	68.20	29.81	500.0	100.0	V	41.0	-10
2816.266667	---	28.61	54.00	25.39	500.0	100.0	V	290.0	-9
3088.566667	39.47	---	68.20	28.73	500.0	200.0	V	0.0	-8
3393.533333	40.78	---	68.20	27.42	500.0	200.0	V	106.0	-7
3993.900000	---	32.14	54.00	21.86	500.0	200.0	H	49.0	-4
6220.600000	46.32	---	68.20	21.88	500.0	200.0	V	310.0	0
7464.966667	---	39.64	54.00	14.36	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH134



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1283.266667	32.52	---	68.20	35.68	500.0	200.0	V	137.0	-17
1332.966667	---	24.58	54.00	29.42	500.0	200.0	V	192.0	-17
1512.400000	---	26.37	54.00	27.63	500.0	100.0	H	0.0	-16
1990.966667	35.72	---	68.20	32.48	500.0	100.0	H	199.0	-13
2312.500000	---	30.12	54.00	23.88	500.0	200.0	H	313.0	-11
2652.933333	38.77	---	68.20	29.43	500.0	200.0	H	238.0	-10
2889.300000	---	27.95	54.00	26.05	500.0	200.0	H	134.0	-9
3089.033333	40.11	---	68.20	28.09	500.0	200.0	H	203.0	-8
3561.533333	40.39	---	68.20	27.81	500.0	100.0	H	270.0	-6
3986.900000	---	32.12	54.00	21.88	500.0	200.0	V	192.0	-4
6220.600000	46.67	---	68.20	21.53	500.0	200.0	V	313.0	0
7464.966667	---	38.91	54.00	15.09	500.0	100.0	H	277.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH142



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1273.466667	33.42	---	68.20	34.78	500.0	200.0	H	24.0	-17
1333.433333	---	24.50	54.00	29.50	500.0	200.0	H	17.0	-17
1693.233333	---	25.60	54.00	28.40	500.0	100.0	V	40.0	-15
1976.966667	36.00	---	68.20	32.20	500.0	100.0	V	75.0	-13
2284.033333	---	26.99	54.00	27.01	500.0	200.0	H	47.0	-12
2679.300000	38.61	---	68.20	29.59	500.0	200.0	H	54.0	-10
2770.533333	---	28.99	54.00	25.01	500.0	100.0	V	188.0	-9
3053.800000	39.41	---	68.20	28.79	500.0	100.0	V	118.0	-8
3448.366667	41.70	---	68.20	26.50	500.0	200.0	H	182.0	-6
3992.966667	---	33.62	54.00	20.38	500.0	100.0	V	47.0	-4
6221.066667	48.15	---	68.20	20.05	500.0	200.0	H	17.0	0
7464.966667	---	39.06	54.00	14.94	500.0	200.0	V	312.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH151



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1277.433333	33.73	---	68.20	34.47	500.0	100.0	H	289.0	-17
1333.200000	---	25.37	54.00	28.63	500.0	100.0	H	223.0	-17
1624.866667	---	25.36	54.00	28.64	500.0	200.0	V	90.0	-15
1896.000000	35.90	---	68.20	32.30	500.0	200.0	V	191.0	-14
2227.566667	---	26.88	54.00	27.12	500.0	200.0	V	13.0	-12
2653.166667	38.47	---	68.20	29.73	500.0	100.0	V	12.0	-10
2775.200000	---	28.95	54.00	25.05	500.0	200.0	H	343.0	-9
3509.500000	40.44	---	68.20	27.76	500.0	100.0	V	359.0	-6
3996.700000	---	32.51	54.00	21.49	500.0	100.0	V	47.0	-4
4486.700000	43.56	---	68.20	24.64	500.0	200.0	V	304.0	-3
6568.033333	44.25	---	68.20	23.95	500.0	100.0	V	148.0	0
7464.966667	---	38.84	54.00	15.16	500.0	100.0	H	310.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH159



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1246.400000	33.05	---	68.20	35.15	500.0	200.0	V	330.0	-17
1332.966667	---	26.00	54.00	28.00	500.0	100.0	H	224.0	-17
1624.866667	---	25.85	54.00	28.15	500.0	200.0	H	148.0	-15
1972.066667	36.05	---	68.20	32.15	500.0	200.0	H	141.0	-13
2249.500000	---	26.72	54.00	27.28	500.0	200.0	H	256.0	-12
2678.366667	38.22	---	68.20	29.98	500.0	100.0	H	317.0	-10
2823.733333	---	28.80	54.00	25.20	500.0	200.0	H	357.0	-9
3469.600000	40.58	---	68.20	27.62	500.0	200.0	V	274.0	-6
3991.100000	---	32.53	54.00	21.47	500.0	100.0	H	152.0	-4
4414.366667	42.69	---	68.20	25.51	500.0	200.0	V	1.0	-3
6550.766667	44.11	---	68.20	24.09	500.0	200.0	V	3.0	0
7464.966667	---	39.89	54.00	14.11	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH42



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.666667	---	20.37	54.00	33.63	500.0	200.0	H	24.0	-18
1287.933333	32.07	---	68.20	36.13	500.0	100.0	H	298.0	-17
1333.200000	---	24.99	54.00	29.01	500.0	100.0	H	38.0	-17
1512.633333	---	25.84	54.00	28.16	500.0	100.0	V	341.0	-16
1934.500000	35.57	---	68.20	32.63	500.0	100.0	H	180.0	-13
2312.266667	---	30.91	54.00	23.09	500.0	200.0	H	174.0	-11
2650.833333	37.37	---	68.20	30.83	500.0	100.0	H	332.0	-10
3520.000000	39.91	---	68.20	28.29	500.0	100.0	H	250.0	-6
3994.366667	---	31.62	54.00	22.38	500.0	100.0	V	166.0	-4
4469.200000	42.20	---	68.20	26.00	500.0	200.0	V	312.0	-3
6785.966667	44.38	---	68.20	23.82	500.0	100.0	V	286.0	0
7464.733333	---	38.23	54.00	15.77	500.0	100.0	H	117.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH58



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1249.375000	32.51	---	68.20	35.69	200.0	H	302.0	-17
1332.500000	---	23.77	54.00	30.23	100.0	H	265.0	-17
1511.875000	---	26.20	54.00	27.80	200.0	H	359.0	-16
1953.750000	35.69	---	68.20	32.51	100.0	H	212.0	-13
2312.500000	---	26.60	54.00	27.40	100.0	H	0.0	-11
2502.375000	37.57	---	68.20	30.63	200.0	H	186.0	-10
2774.500000	---	27.74	54.00	26.26	100.0	H	343.0	-9
3521.750000	40.01	---	68.20	28.19	100.0	V	8.0	-6
3997.750000	---	30.04	54.00	23.96	200.0	V	139.0	-4
4472.000000	41.33	---	68.20	26.87	200.0	V	337.0	-3
6221.125000	45.55	---	68.20	22.65	200.0	V	332.0	0
7465.375000	---	37.16	54.00	16.84	100.0	H	299.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH106



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.433333	---	27.32	54.00	26.68	500.0	100.0	H	4.0	-19
1269.500000	37.12	---	68.20	31.08	500.0	100.0	H	4.0	-18
1512.633333	---	32.57	54.00	21.43	500.0	200.0	H	357.0	-17
1933.100000	51.22	---	68.20	16.98	500.0	100.0	H	0.0	-15
2083.133333	47.77	---	68.20	20.43	500.0	200.0	H	359.0	-15
2312.733333	---	36.15	54.00	17.85	500.0	200.0	H	300.0	-14
3592.333333	42.51	---	68.20	25.69	500.0	100.0	V	0.0	-13
3839.900000	---	34.23	54.00	19.77	500.0	200.0	V	141.0	-12
5452.466667	---	48.89	54.00	5.11	500.0	200.0	V	321.0	-7
5467.866667	57.79	---	68.20	10.41	500.0	200.0	V	336.0	-7
7718.366667	---	38.11	54.00	15.89	500.0	100.0	H	142.0	-3
7879.133333	49.01	---	68.20	19.19	500.0	100.0	V	350.0	-3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH122



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1286.766667	33.03	---	68.20	35.17	500.0	100.0	H	223.0	-17
1332.966667	---	25.12	54.00	28.88	500.0	200.0	H	128.0	-17
1513.100000	---	25.97	54.00	28.03	500.0	200.0	H	8.0	-16
1997.733333	36.19	---	68.20	32.01	500.0	200.0	H	42.0	-13
2312.733333	---	29.27	54.00	24.73	500.0	100.0	H	331.0	-11
2640.100000	38.07	---	68.20	30.13	500.0	200.0	H	184.0	-10
2813.933333	---	27.82	54.00	26.18	500.0	200.0	H	28.0	-9
3138.500000	40.22	---	68.20	27.98	500.0	200.0	V	189.0	-8
3505.300000	40.24	---	68.20	27.96	500.0	200.0	V	18.0	-6
3990.166667	---	32.39	54.00	21.62	500.0	100.0	H	139.0	-4
6220.833333	46.48	---	68.20	21.72	500.0	200.0	V	319.0	0
7464.966667	---	39.54	54.00	14.46	500.0	100.0	H	303.0	1


Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH138



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.000000	---	25.13	54.00	28.87	500.0	100.0	H	162.0	-19
1276.733333	32.92	---	68.20	35.28	500.0	100.0	H	0.0	-17
1694.166667	---	25.39	54.00	28.61	500.0	100.0	V	258.0	-15
1921.666667	35.79	---	68.20	32.41	500.0	100.0	V	200.0	-13
2297.100000	---	26.98	54.00	27.02	500.0	100.0	H	304.0	-12
2658.066667	38.17	---	68.20	30.03	500.0	100.0	V	200.0	-10
2774.500000	---	30.54	54.00	23.46	500.0	200.0	H	348.0	-9
3153.433333	40.71	---	68.20	27.49	500.0	100.0	V	190.0	-8
3507.633333	41.52	---	68.20	26.68	500.0	100.0	V	258.0	-6
3990.866667	---	33.55	54.00	20.45	500.0	100.0	V	106.0	-4
6220.366667	48.85	---	68.20	19.35	500.0	200.0	V	315.0	0
7464.966667	---	39.16	54.00	14.84	500.0	100.0	V	35.0	1
11380.000000	---	48.02	54.00	5.98	500.0	200.0	H	148.0	1.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH155



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1278.366667	32.82	---	68.20	35.38	500.0	200.0	H	244.0	-17
1332.966667	---	25.06	54.00	28.94	500.0	100.0	H	229.0	-17
1512.166667	---	26.54	54.00	27.46	500.0	200.0	H	244.0	-16
1740.133333	35.72	---	68.20	32.48	500.0	200.0	H	32.0	-14
2235.733333	---	27.07	54.00	26.93	500.0	100.0	V	0.0	-12
2631.466667	38.38	---	68.20	29.82	500.0	100.0	H	0.0	-10
2693.766667	---	28.82	54.00	25.18	500.0	100.0	H	180.0	-9
3597.933333	40.88	---	68.20	27.32	500.0	200.0	H	81.0	-6
3988.300000	---	32.54	54.00	21.46	500.0	100.0	V	225.0	-4
4464.766667	42.92	---	68.20	25.28	500.0	100.0	V	55.0	-3
6556.833333	44.07	---	68.20	24.13	500.0	100.0	H	229.0	0
7465.200000	---	38.30	54.00	15.70	500.0	100.0	H	301.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT160) CH50



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1290.966667	32.69	---	68.20	35.51	500.0	200.0	H	217.0
1333.200000	---	24.24	54.00	29.76	500.0	200.0	V	185.0
1709.333333	---	24.98	54.00	29.02	500.0	200.0	H	44.0
1878.966667	35.27	---	68.20	32.93	500.0	200.0	V	269.0
2293.833333	---	26.13	54.00	27.87	500.0	200.0	H	238.0
2608.133333	38.23	---	68.20	29.97	500.0	100.0	V	35.0
2789.900000	---	28.25	54.00	25.75	500.0	100.0	V	29.0
3117.500000	38.82	---	68.20	29.38	500.0	200.0	V	241.0
3533.766667	40.29	---	68.20	27.91	500.0	100.0	V	200.0
3997.166667	---	31.39	54.00	22.61	500.0	100.0	H	344.0
6220.600000	45.66	---	68.20	22.54	500.0	200.0	H	17.0
7464.733333	---	38.00	54.00	16.00	500.0	100.0	H	303.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT160) CH114



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.000000	---	26.31	54.00	27.69	500.0	100.0	H	162.0
1283.500000	33.64	---	68.20	34.56	500.0	200.0	H	47.0
1512.166667	---	27.24	54.00	26.76	500.0	200.0	H	31.0
1915.133333	36.28	---	68.20	31.92	500.0	200.0	V	180.0
2312.266667	---	29.50	54.00	24.50	500.0	200.0	H	10.0
2646.866667	38.80	---	68.20	29.40	500.0	200.0	H	68.0
2831.433333	---	28.33	54.00	25.67	500.0	100.0	H	76.0
3491.766667	40.65	---	68.20	27.55	500.0	200.0	H	10.0
3984.100000	---	32.58	54.00	21.42	500.0	200.0	V	327.0
4470.833333	42.68	---	68.20	25.52	500.0	200.0	H	75.0
6220.833333	47.58	---	68.20	20.62	500.0	200.0	V	312.0
7464.733333	---	39.30	54.00	14.70	500.0	100.0	H	304.0

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH36



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1121.566667	---	21.41	54.00	32.59	500.0	200.0	H	0.0	-18
1299.133333	32.40	---	68.20	35.80	500.0	200.0	H	25.0	-17
1333.200000	---	23.56	54.00	30.44	500.0	200.0	V	342.0	-17
1517.766667	---	24.52	54.00	29.48	500.0	100.0	H	61.0	-15
1893.200000	34.87	---	68.20	33.33	500.0	200.0	H	46.0	-14
2450.633333	37.19	---	68.20	31.01	500.0	200.0	H	46.0	-11
2487.966667	---	28.15	54.00	25.85	500.0	200.0	H	163.0	-10
3417.333333	39.40	---	68.20	28.80	500.0	200.0	H	213.0	-6
3995.533333	---	31.32	54.00	22.68	500.0	200.0	H	193.0	-4
4473.633333	41.29	---	68.20	26.91	500.0	200.0	H	263.0	-3
6764.266667	42.44	---	68.20	25.76	500.0	100.0	H	308.0	0
7464.966667	---	37.09	54.00	16.91	500.0	100.0	H	118.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH40



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1133.233333	---	21.61	54.00	32.39	500.0	100.0	V	13.0	-18
1293.300000	31.69	---	68.20	36.51	500.0	200.0	H	5.0	-17
1333.200000	---	24.46	54.00	29.54	500.0	200.0	H	203.0	-17
1703.033333	---	24.36	54.00	29.64	500.0	200.0	H	238.0	-15
1999.833333	35.42	---	68.20	32.78	500.0	100.0	H	320.0	-13
2380.400000	---	30.68	54.00	23.32	500.0	100.0	H	132.0	-11
2617.700000	37.23	---	68.20	30.97	500.0	200.0	H	144.0	-10
3447.433333	40.04	---	68.20	28.16	500.0	200.0	H	0.0	-6
3981.066667	---	31.09	54.00	22.91	500.0	100.0	H	0.0	-4
4427.666667	40.68	---	68.20	27.52	500.0	100.0	H	320.0	-3
6793.433333	43.62	---	68.20	24.58	500.0	200.0	H	81.0	0
7464.966667	---	37.35	54.00	16.65	500.0	100.0	H	117.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH48



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1110.833333	---	20.85	54.00	33.15	500.0	200.0	H	1.0	-18
1277.200000	31.63	---	68.20	36.57	500.0	200.0	V	186.0	-17
1363.066667	---	22.12	54.00	31.88	500.0	100.0	V	104.0	-17
1624.633333	---	24.40	54.00	29.60	500.0	100.0	H	323.0	-15
1833.700000	35.50	---	68.20	32.70	500.0	200.0	H	121.0	-14
2587.133333	38.02	---	68.20	30.18	500.0	100.0	H	30.0	-10
2771.466667	---	27.96	54.00	26.04	500.0	200.0	V	117.0	-9
3392.600000	40.04	---	68.20	28.16	500.0	200.0	H	303.0	-7
3999.733333	---	30.94	54.00	23.06	500.0	200.0	H	0.0	-4
4458.000000	40.89	---	68.20	27.31	500.0	200.0	V	193.0	-3
6663.700000	42.40	---	68.20	25.80	500.0	100.0	V	98.0	0
7464.733333	---	37.44	54.00	16.56	500.0	100.0	H	115.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH52



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1113.633333	---	21.54	54.00	32.46	500.0	200.0	H	4.0	-18
1295.633333	31.96	---	68.20	36.24	500.0	200.0	H	144.0	-17
1332.966667	---	23.79	54.00	30.21	500.0	200.0	V	17.0	-17
1625.100000	---	24.57	54.00	29.43	500.0	200.0	H	137.0	-15
1996.333333	35.48	---	68.20	32.72	500.0	200.0	H	242.0	-13
2557.966667	37.33	---	68.20	30.87	500.0	200.0	H	221.0	-10
2775.200000	---	28.41	54.00	25.59	500.0	200.0	H	165.0	-9
3480.566667	40.08	---	68.20	28.12	500.0	100.0	H	0.0	-6
3991.333333	---	31.09	54.00	22.91	500.0	200.0	H	172.0	-4
4470.366667	42.13	---	68.20	26.07	500.0	100.0	H	0.0	-3
6765.200000	43.01	---	68.20	25.19	500.0	200.0	H	4.0	0
7464.966667	---	36.96	54.00	17.04	500.0	100.0	H	97.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH60



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1298.666667	32.18	---	68.20	36.02	500.0	100.0	V	307.0	-17
1333.433333	---	24.37	54.00	29.63	500.0	100.0	H	337.0	-17
1688.333333	---	24.13	54.00	29.87	500.0	200.0	V	82.0	-15
1782.133333	34.16	---	68.20	34.04	500.0	100.0	V	50.0	-14
1991.200000	35.06	---	68.20	33.14	500.0	100.0	H	308.0	-13
2288.000000	---	26.15	54.00	27.85	500.0	100.0	H	274.0	-12
2647.333333	38.04	---	68.20	30.16	500.0	100.0	H	288.0	-10
2877.633333	---	27.53	54.00	26.47	500.0	200.0	H	19.0	-9
3391.666667	39.84	---	68.20	28.36	500.0	100.0	V	222.0	-7
3985.033333	---	31.43	54.00	22.57	500.0	200.0	H	88.0	-4
6220.600000	45.02	---	68.20	23.18	500.0	200.0	V	138.0	0
7464.733333	---	37.28	54.00	16.72	500.0	100.0	H	118.0	1
10600.000000	---	53.15	54.00	0.85	500.0	200.0	H	151.0	-0.3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH64



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1279.533333	32.23	---	68.20	35.97	500.0	200.0	H	64.0	-17
1333.200000	---	24.44	54.00	29.56	500.0	200.0	H	343.0	-17
1709.800000	---	24.72	54.00	29.28	500.0	200.0	H	71.0	-15
1782.133333	34.60	---	68.20	33.60	500.0	100.0	H	0.0	-14
1989.333333	35.16	---	68.20	33.04	500.0	100.0	V	321.0	-13
2312.033333	---	27.27	54.00	26.73	500.0	100.0	H	119.0	-11
2672.066667	37.44	---	68.20	30.76	500.0	100.0	V	0.0	-10
2704.033333	---	27.91	54.00	26.09	500.0	200.0	H	64.0	-9
3437.633333	39.51	---	68.20	28.69	500.0	100.0	V	102.0	-6
3980.600000	---	31.46	54.00	22.54	500.0	200.0	H	20.0	-4
6220.600000	44.56	---	68.20	23.64	500.0	200.0	H	149.0	0
7464.733333	---	37.44	54.00	16.56	500.0	100.0	H	119.0	1
10640.000000	---	52.44	54.00	1.56	500.0	200.0	H	163.0	-0.5

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH100



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1292.833333	33.65	---	68.20	34.55	500.0	200.0	V	334.0	-17
1333.200000	---	25.09	54.00	28.91	500.0	100.0	H	229.0	-17
1609.000000	---	25.79	54.00	28.21	500.0	100.0	H	166.0	-15
1849.800000	36.34	---	68.20	31.86	500.0	100.0	H	153.0	-14
2343.300000	---	27.99	54.00	26.01	500.0	100.0	H	0.0	-11
2648.266667	38.81	---	68.20	29.39	500.0	100.0	H	0.0	-10
2774.733333	---	29.97	54.00	24.03	500.0	200.0	H	353.0	-9
3597.000000	41.17	---	68.20	27.03	500.0	200.0	H	321.0	-6
3984.566667	---	33.00	54.00	21.00	500.0	200.0	H	300.0	-4
4459.400000	43.49	---	68.20	24.71	500.0	100.0	H	139.0	-3
6220.833333	47.05	---	68.20	21.15	500.0	200.0	V	313.0	0
7464.966667	---	39.26	54.00	14.74	500.0	100.0	H	291.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH116



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.000000	---	25.67	54.00	28.33	500.0	100.0	H	160.0	-19
1270.433333	33.60	---	68.20	34.60	500.0	200.0	H	124.0	-17
1606.900000	---	25.60	54.00	28.40	500.0	200.0	H	236.0	-15
1993.766667	37.85	---	68.20	30.35	500.0	100.0	V	0.0	-13
2268.166667	---	27.29	54.00	26.71	500.0	100.0	V	165.0	-12
2638.233333	39.02	---	68.20	29.18	500.0	200.0	V	160.0	-10
2728.533333	---	29.10	54.00	24.90	500.0	100.0	H	0.0	-9
3576.933333	41.27	---	68.20	26.93	500.0	100.0	V	249.0	-6
3957.033333	---	32.86	54.00	21.14	500.0	200.0	V	358.0	-4
4472.700000	42.18	---	68.20	26.02	500.0	100.0	H	110.0	-3
6220.600000	46.76	---	68.20	21.44	500.0	200.0	V	323.0	0
7465.200000	---	40.04	54.00	13.96	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH140



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1275.800000	33.59	---	68.20	34.61	500.0	100.0	V	115.0	-17
1333.433333	---	25.71	54.00	28.29	500.0	100.0	H	161.0	-17
1593.600000	---	25.57	54.00	28.43	500.0	200.0	H	14.0	-15
1825.766667	36.44	---	68.20	31.76	500.0	100.0	V	312.0	-14
2311.566667	---	26.71	54.00	27.29	500.0	200.0	V	350.0	-11
2671.366667	39.05	---	68.20	29.15	500.0	200.0	V	309.0	-10
2776.833333	---	29.28	54.00	24.72	500.0	200.0	H	314.0	-9
3482.200000	40.66	---	68.20	27.54	500.0	200.0	V	60.0	-6
3996.000000	---	32.62	54.00	21.38	500.0	200.0	V	222.0	-4
4401.533333	42.36	---	68.20	25.84	500.0	100.0	H	238.0	-3
6220.600000	46.57	---	68.20	21.63	500.0	200.0	V	309.0	0
7464.966667	---	39.45	54.00	14.55	500.0	100.0	H	302.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH144



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.000000	---	25.10	54.00	28.90	500.0	100.0	H	165.0	-19
1289.800000	32.93	---	68.20	35.27	500.0	200.0	V	150.0	-17
1674.566667	---	25.60	54.00	28.40	500.0	200.0	H	218.0	-15
1993.766667	36.61	---	68.20	31.59	500.0	200.0	H	232.0	-13
2297.566667	---	27.83	54.00	26.17	500.0	200.0	V	34.0	-12
2578.266667	39.03	---	68.20	29.17	500.0	200.0	V	107.0	-10
2767.966667	---	29.85	54.00	24.15	500.0	100.0	V	39.0	-9
3472.400000	41.86	---	68.20	26.34	500.0	200.0	H	298.0	-6
3993.666667	---	33.46	54.00	20.54	500.0	200.0	V	0.0	-4
4482.033333	44.49	---	68.20	23.71	500.0	200.0	V	48.0	-3
6220.833333	48.28	---	68.20	19.92	500.0	200.0	H	318.0	0
7464.966667	---	39.88	54.00	14.12	500.0	200.0	H	276.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH149



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1277.433333	33.57	---	68.20	34.63	500.0	200.0	V	253.0	-17
1332.966667	---	24.94	54.00	29.06	500.0	200.0	H	117.0	-17
1684.833333	---	25.38	54.00	28.62	500.0	200.0	H	353.0	-15
1912.800000	36.56	---	68.20	31.64	500.0	200.0	H	0.0	-13
2216.833333	---	26.97	54.00	27.03	500.0	200.0	H	67.0	-12
2611.633333	38.55	---	68.20	29.65	500.0	100.0	H	113.0	-10
2695.633333	---	29.24	54.00	24.76	500.0	200.0	H	16.0	-9
3540.533333	40.75	---	68.20	27.45	500.0	100.0	V	199.0	-6
3992.733333	---	32.31	54.00	21.69	500.0	200.0	V	182.0	-4
4495.100000	42.42	---	68.20	25.78	500.0	100.0	H	242.0	-3
6220.600000	46.21	---	68.20	21.99	500.0	200.0	V	317.0	0
7464.966667	---	39.17	54.00	14.83	500.0	100.0	H	299.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH157



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1299.833333	32.66	---	68.20	35.54	500.0	100.0	V	335.0	-17
1333.200000	---	25.60	54.00	28.40	500.0	100.0	H	232.0	-17
1613.666667	---	25.28	54.00	28.72	500.0	200.0	V	176.0	-15
1888.066667	36.36	---	68.20	31.84	500.0	200.0	H	98.0	-14
2311.333333	---	26.90	54.00	27.10	500.0	200.0	V	341.0	-11
2639.400000	38.57	---	68.20	29.63	500.0	200.0	V	298.0	-10
2769.600000	---	29.06	54.00	24.94	500.0	200.0	V	19.0	-9
3467.966667	40.62	---	68.20	27.58	500.0	200.0	V	291.0	-6
3997.633333	---	32.58	54.00	21.42	500.0	100.0	H	297.0	-4
4440.966667	41.91	---	68.20	26.29	500.0	200.0	H	13.0	-3
6220.833333	47.05	---	68.20	21.15	500.0	200.0	V	313.0	0
7464.966667	---	38.98	54.00	15.02	500.0	100.0	H	297.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE20) CH165



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1286.066667	33.86	---	68.20	34.34	500.0	200.0	V	155.0	-17
1333.200000	---	26.44	54.00	27.56	500.0	100.0	H	164.0	-17
1624.633333	---	27.08	54.00	26.92	500.0	200.0	H	225.0	-15
1850.266667	37.30	---	68.20	30.90	500.0	200.0	V	227.0	-14
2236.200000	---	27.93	54.00	26.07	500.0	100.0	V	336.0	-12
2614.900000	39.87	---	68.20	28.33	500.0	100.0	V	6.0	-10
2772.400000	---	30.35	54.00	23.65	500.0	100.0	V	13.0	-9
3592.100000	42.14	---	68.20	26.06	500.0	200.0	H	53.0	-6
3996.000000	---	33.71	54.00	20.29	500.0	100.0	V	278.0	-4
4479.233333	43.56	---	68.20	24.64	500.0	200.0	H	110.0	-3
6550.766667	45.38	---	68.20	22.82	500.0	200.0	V	7.0	0
7464.966667	---	40.65	54.00	13.35	500.0	100.0	H	303.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH38



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1251.300000	31.63	---	68.20	36.57	500.0	200.0	V	217.0	-17
1333.200000	---	24.48	54.00	29.52	500.0	200.0	V	1.0	-17
1533.866667	---	25.07	54.00	28.93	500.0	200.0	H	22.0	-15
1987.000000	35.12	---	68.20	33.08	500.0	200.0	V	167.0	-13
2317.400000	---	26.44	54.00	27.56	500.0	200.0	H	50.0	-11
2673.700000	37.93	---	68.20	30.27	500.0	100.0	H	12.0	-10
2858.966667	---	26.74	54.00	27.26	500.0	200.0	H	71.0	-9
3125.433333	38.73	---	68.20	29.47	500.0	200.0	H	36.0	-8
3459.333333	39.81	---	68.20	28.39	500.0	100.0	V	6.0	-6
3999.966667	---	31.07	54.00	22.93	500.0	200.0	V	0.0	-4
6220.366667	44.23	---	68.20	23.97	500.0	200.0	V	124.0	0
7464.966667	---	37.99	54.00	16.01	500.0	100.0	H	127.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH46



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1294.233333	32.47	---	68.20	35.73	500.0	200.0	H	131.0	-17
1332.966667	---	24.58	54.00	29.42	500.0	200.0	V	342.0	-17
1526.633333	---	24.49	54.00	29.51	500.0	200.0	H	35.0	-15
1905.566667	35.47	---	68.20	32.73	500.0	100.0	V	47.0	-14
2340.033333	---	26.92	54.00	27.08	500.0	100.0	H	239.0	-11
2634.733333	37.57	---	68.20	30.63	500.0	100.0	V	154.0	-10
2774.733333	---	28.07	54.00	25.93	500.0	200.0	H	152.0	-9
3107.466667	38.53	---	68.20	29.67	500.0	100.0	V	40.0	-8
3554.533333	40.28	---	68.20	27.92	500.0	100.0	H	38.0	-6
3967.533333	---	31.64	54.00	22.36	500.0	100.0	V	359.0	-4
6220.600000	45.55	---	68.20	22.65	500.0	200.0	H	195.0	0
7464.966667	---	37.61	54.00	16.39	500.0	100.0	H	91.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH54



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1295.866667	31.69	---	68.20	36.51	500.0	200.0	V	126.0	-17
1333.200000	---	24.31	54.00	29.69	500.0	200.0	V	341.0	-17
1625.333333	---	24.48	54.00	29.52	500.0	100.0	H	283.0	-15
1985.366667	35.46	---	68.20	32.74	500.0	100.0	V	206.0	-13
2281.700000	---	25.56	54.00	28.44	500.0	200.0	H	83.0	-12
2604.166667	37.93	---	68.20	30.27	500.0	200.0	V	347.0	-10
2774.500000	---	28.59	54.00	25.41	500.0	200.0	H	178.0	-9
3173.033333	37.71	---	68.20	30.49	500.0	100.0	H	290.0	-8
3579.733333	39.56	---	68.20	28.64	500.0	200.0	V	354.0	-6
3996.233333	---	31.33	54.00	22.67	500.0	200.0	V	190.0	-4
6220.600000	45.00	---	68.20	23.20	500.0	200.0	V	126.0	0
7464.966667	---	37.47	54.00	16.53	500.0	100.0	H	126.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH62



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1292.133333	31.37	---	68.20	36.83	500.0	100.0	V	160.0	-17
1333.200000	---	24.16	54.00	29.84	500.0	100.0	H	319.0	-17
1708.866667	---	24.27	54.00	29.73	500.0	200.0	H	240.0	-15
1955.966667	34.75	---	68.20	33.45	500.0	200.0	V	47.0	-13
2357.066667	---	26.33	54.00	27.67	500.0	100.0	H	99.0	-11
2614.200000	37.33	---	68.20	30.87	500.0	200.0	V	278.0	-10
2774.966667	---	28.98	54.00	25.02	500.0	200.0	H	139.0	-9
3098.600000	39.40	---	68.20	28.80	500.0	200.0	V	229.0	-8
3458.866667	39.94	---	68.20	28.26	500.0	200.0	H	15.0	-6
4291.166667	---	31.71	54.00	22.29	500.0	100.0	V	147.0	-4
6220.600000	45.17	---	68.20	23.03	500.0	200.0	V	120.0	0
7464.966667	---	37.47	54.00	16.53	500.0	100.0	H	115.0	1
10620.000000	---	52.35	54.00	1.65	500.0	200.0	H	153.0	-0.4

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH102



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1283.733333	32.84	---	68.20	35.36	500.0	100.0	H	155.0	-17
1333.433333	---	25.45	54.00	28.55	500.0	200.0	V	184.0	-17
1719.600000	---	25.59	54.00	28.41	500.0	200.0	V	31.0	-15
1999.833333	36.28	---	68.20	31.92	500.0	100.0	H	162.0	-13
2234.333333	---	27.07	54.00	26.93	500.0	100.0	H	31.0	-12
2642.200000	39.58	---	68.20	28.62	500.0	100.0	H	65.0	-10
2737.166667	---	28.97	54.00	25.03	500.0	100.0	H	190.0	-9
3442.766667	41.16	---	68.20	27.04	500.0	100.0	H	148.0	-6
3972.666667	---	32.69	54.00	21.31	500.0	100.0	H	9.0	-4
4463.366667	42.17	---	68.20	26.03	500.0	200.0	H	11.0	-3
6220.600000	47.53	---	68.20	20.67	500.0	200.0	V	315.0	0
7464.966667	---	39.58	54.00	14.42	500.0	100.0	H	300.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH118



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.233333	---	25.06	54.00	28.94	500.0	100.0	H	115.0	-19
1294.933333	32.91	---	68.20	35.29	500.0	200.0	H	137.0	-17
1662.433333	---	25.63	54.00	28.37	500.0	100.0	H	261.0	-15
1959.933333	36.36	---	68.20	31.84	500.0	100.0	H	261.0	-13
2327.433333	---	27.45	54.00	26.55	500.0	100.0	H	115.0	-11
2640.566667	38.90	---	68.20	29.30	500.0	100.0	V	294.0	-10
2752.100000	---	29.18	54.00	24.82	500.0	200.0	V	148.0	-9
3408.933333	40.58	---	68.20	27.62	500.0	200.0	H	296.0	-6
3994.833333	---	32.46	54.00	21.54	500.0	100.0	H	359.0	-4
4477.366667	42.70	---	68.20	25.50	500.0	100.0	V	345.0	-3
6220.600000	46.44	---	68.20	21.76	500.0	200.0	V	306.0	0
7464.966667	---	39.08	54.00	14.92	500.0	100.0	H	290.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH134



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1294.700000	32.97	---	68.20	35.23	500.0	100.0	H	70.0	-17
1333.200000	---	25.96	54.00	28.04	500.0	200.0	V	184.0	-17
1609.000000	---	25.36	54.00	28.64	500.0	200.0	H	272.0	-15
1988.166667	36.29	---	68.20	31.91	500.0	100.0	V	229.0	-13
2291.266667	---	28.08	54.00	25.92	500.0	100.0	V	235.0	-12
2621.433333	38.50	---	68.20	29.70	500.0	200.0	H	38.0	-10
2806.233333	---	28.84	54.00	25.16	500.0	100.0	H	313.0	-9
3369.266667	40.75	---	68.20	27.45	500.0	100.0	V	123.0	-7
3984.800000	---	32.77	54.00	21.23	500.0	100.0	V	201.0	-4
4460.800000	42.46	---	68.20	25.74	500.0	200.0	V	106.0	-3
6220.833333	46.08	---	68.20	22.12	500.0	200.0	H	23.0	0
7464.733333	---	39.17	54.00	14.83	500.0	100.0	H	306.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH142



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1108.266667	---	23.48	54.00	30.52	500.0	200.0	V	60.0	-18
1270.200000	32.86	---	68.20	35.34	500.0	100.0	V	332.0	-17
1539.000000	---	25.53	54.00	28.47	500.0	200.0	V	67.0	-15
1994.700000	36.16	---	68.20	32.04	500.0	200.0	H	357.0	-13
2243.900000	---	27.27	54.00	26.73	500.0	200.0	H	350.0	-12
2631.466667	38.85	---	68.20	29.35	500.0	100.0	V	162.0	-10
2752.333333	---	29.69	54.00	24.31	500.0	200.0	V	280.0	-9
3522.333333	42.02	---	68.20	26.18	500.0	100.0	V	239.0	-6
3994.133333	---	33.61	54.00	20.39	500.0	200.0	V	110.0	-4
4461.266667	43.73	---	68.20	24.47	500.0	200.0	V	287.0	-3
6220.833333	47.51	---	68.20	20.69	500.0	200.0	H	287.0	0
7464.966667	---	39.52	54.00	14.48	500.0	100.0	H	307.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH151



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1295.166667	32.94	---	68.20	35.26	500.0	100.0	H	10.0	-17
1333.433333	---	24.92	54.00	29.08	500.0	200.0	H	121.0	-17
1529.900000	---	26.16	54.00	27.84	500.0	100.0	H	17.0	-15
1898.100000	36.62	---	68.20	31.58	500.0	200.0	V	227.0	-14
2274.700000	---	27.32	54.00	26.68	500.0	200.0	V	95.0	-12
2672.300000	39.17	---	68.20	29.03	500.0	200.0	V	248.0	-10
2774.966667	---	29.22	54.00	24.78	500.0	200.0	H	0.0	-9
3455.133333	40.75	---	68.20	27.45	500.0	100.0	H	273.0	-6
3993.200000	---	32.30	54.00	21.70	500.0	100.0	H	179.0	-4
4405.266667	43.49	---	68.20	24.71	500.0	200.0	V	227.0	-3
6220.366667	45.71	---	68.20	22.49	500.0	200.0	V	322.0	0
7464.733333	---	39.43	54.00	14.57	500.0	100.0	H	288.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE40) CH159



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1298.200000	32.84	---	68.20	35.36	500.0	100.0	V	342.0	-17
1333.433333	---	25.74	54.00	28.26	500.0	200.0	H	123.0	-17
1697.900000	---	25.39	54.00	28.61	500.0	200.0	H	78.0	-15
1978.600000	35.92	---	68.20	32.28	500.0	200.0	H	222.0	-13
2312.733333	---	28.73	54.00	25.27	500.0	200.0	H	7.0	-11
2607.433333	38.74	---	68.20	29.46	500.0	100.0	H	197.0	-10
2774.733333	---	28.97	54.00	25.03	500.0	200.0	H	7.0	-9
3414.066667	41.32	---	68.20	26.88	500.0	200.0	V	250.0	-6
3998.566667	---	32.31	54.00	21.69	500.0	100.0	V	284.0	-4
4452.633333	42.35	---	68.20	25.85	500.0	100.0	H	311.0	-3
6671.166667	44.83	---	68.20	23.37	500.0	100.0	V	34.0	0
7464.733333	---	38.98	54.00	15.02	500.0	100.0	H	297.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ax (HE80) CH42



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1147.466667	---	20.70	54.00	33.30	500.0	100.0	H	0.0	-18
1266.233333	30.99	---	68.20	37.21	500.0	200.0	H	57.0	-17
1454.766667	---	26.73	54.00	27.27	500.0	100.0	V	336.0	-16
1991.900000	35.15	---	68.20	33.05	500.0	200.0	H	121.0	-13
2319.266667	---	25.66	54.00	28.34	500.0	100.0	H	312.0	-11
2614.433333	37.62	---	68.20	30.58	500.0	100.0	H	206.0	-10
2738.333333	---	28.17	54.00	25.83	500.0	100.0	V	314.0	-9
3126.600000	38.18	---	68.20	30.02	500.0	100.0	V	91.0	-8
3577.866667	39.75	---	68.20	28.45	500.0	200.0	V	90.0	-6
4148.833333	---	31.59	54.00	22.41	500.0	200.0	H	114.0	-3
6220.600000	45.05	---	68.20	23.15	500.0	200.0	V	142.0	0
7464.966667	---	37.72	54.00	16.28	500.0	100.0	H	114.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)