



802.11n (HT20) CH64



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1111.125000	---	27.48	54.00	26.52	500.0	200.0	V	245.0	-10.0
1285.250000	40.24	---	68.20	27.96	500.0	200.0	H	62.0	-8.3
1409.500000	---	30.27	54.00	23.73	500.0	100.0	H	141.0	-7.5
1693.000000	---	31.16	54.00	22.84	500.0	100.0	H	182.0	-6.0
1731.500000	44.33	---	68.20	23.87	500.0	200.0	H	168.0	-5.8
2654.625000	46.64	---	68.20	21.56	500.0	200.0	H	94.0	-1.9
2803.375000	---	35.84	54.00	18.16	500.0	200.0	H	67.0	-1.2
3548.875000	50.67	---	68.20	17.53	500.0	200.0	H	260.0	1.7
3952.250000	---	39.80	54.00	14.20	500.0	100.0	H	283.0	2.8
4425.625000	51.19	---	68.20	17.01	500.0	200.0	H	80.0	3.5
6732.125000	55.19	---	68.20	13.01	500.0	200.0	H	7.0	6.5
7275.500000	---	42.96	54.00	11.04	500.0	100.0	H	173.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8511.250000	48.56	---	68.20	19.64	500.0	200.0	V	26.0	-1.8
9111.250000	---	31.87	54.00	22.13	500.0	200.0	V	140.0	-1.2
9458.750000	---	33.22	54.00	20.78	500.0	200.0	V	140.0	-0.2
9611.250000	44.14	---	68.20	24.06	500.0	200.0	H	304.0	-0.7
10636.250000	---	47.47	54.00	6.53	500.0	200.0	V	0.0	-0.8
10646.250000	57.98	---	74.00	16.02	500.0	200.0	V	359.0	-0.8
12252.500000	---	32.91	54.00	21.09	500.0	200.0	V	87.0	0.2
13705.000000	44.74	---	68.20	23.46	500.0	200.0	H	356.0	3.2
15241.250000	47.06	---	68.20	21.14	500.0	200.0	V	30.0	5.5
15570.000000	---	36.72	54.00	17.28	500.0	200.0	H	228.0	6.4
17666.250000	52.62	---	68.20	15.58	500.0	200.0	V	40.0	10.2
17970.000000	---	39.45	54.00	14.55	500.0	200.0	V	1.0	10.8


802.11n (HT20) CH100



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1073.500000	---	27.21	54.00	26.79	500.0	100.0	H	150.0	-10.3
1289.625000	40.73	---	68.20	27.47	500.0	200.0	V	142.0	-8.3
1396.375000	---	30.06	54.00	23.94	500.0	100.0	V	226.0	-7.6
1687.750000	---	30.82	54.00	23.18	500.0	200.0	V	18.0	-6.0
1925.750000	44.18	---	68.20	24.02	500.0	200.0	V	142.0	-4.8
2510.250000	46.00	---	68.20	22.20	500.0	200.0	V	51.0	-2.1
2825.250000	---	35.51	54.00	18.49	500.0	200.0	V	28.0	-1.2
3491.125000	50.48	---	68.20	17.72	500.0	200.0	V	137.0	1.7
3954.000000	---	39.71	54.00	14.29	500.0	200.0	V	9.0	2.8
4452.750000	50.14	---	68.20	18.06	500.0	200.0	V	164.0	3.5
6800.375000	55.00	---	68.20	13.20	500.0	100.0	V	258.0	6.8
7341.125000	---	43.02	54.00	10.98	500.0	100.0	V	341.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8798.750000	45.07	---	68.20	23.13	500.0	200.0	V	356.0	-1.5
9025.000000	---	31.92	54.00	22.08	500.0	200.0	H	141.0	-1.3
9450.000000	---	33.17	54.00	20.83	500.0	200.0	V	198.0	-0.3
9548.750000	44.22	---	68.20	23.98	500.0	200.0	V	285.0	-0.3
10102.500000	43.28	---	68.20	24.92	500.0	200.0	V	193.0	-0.9
11001.250000	---	41.13	54.00	12.87	500.0	200.0	H	141.0	-0.8
11936.250000	---	32.43	54.00	21.57	500.0	200.0	H	56.0	0.1
13350.000000	---	33.07	54.00	20.93	500.0	200.0	V	280.0	2.4
13726.250000	44.70	---	68.20	23.50	500.0	200.0	H	284.0	3.3
14465.000000	47.31	---	68.20	20.89	500.0	200.0	H	32.0	4.5
15575.000000	---	36.40	54.00	17.60	500.0	200.0	H	112.0	6.4
16835.000000	49.82	---	68.20	18.38	500.0	200.0	V	327.0	8.8


802.11n (HT20) CH116



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1105.000000	---	27.59	54.00	26.41	500.0	100.0	H	187.0	-10.0
1267.750000	40.61	---	68.20	27.59	500.0	200.0	H	183.0	-8.5
1370.125000	---	30.36	54.00	23.64	500.0	200.0	H	275.0	-7.7
1586.250000	---	31.22	54.00	22.78	500.0	100.0	H	149.0	-6.5
1848.750000	43.52	---	68.20	24.68	500.0	200.0	H	0.0	-5.2
2513.750000	46.52	---	68.20	21.68	500.0	100.0	H	238.0	-2.1
2814.750000	---	35.96	54.00	18.04	500.0	200.0	H	315.0	-1.2
3574.250000	50.75	---	68.20	17.45	500.0	100.0	H	154.0	1.7
3989.875000	---	39.73	54.00	14.27	500.0	200.0	H	188.0	3.2
4479.875000	50.52	---	68.20	17.68	500.0	200.0	H	151.0	3.8
6866.000000	55.61	---	68.20	12.59	500.0	200.0	V	48.0	6.8
7281.625000	---	43.02	54.00	10.98	500.0	200.0	H	269.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8927.500000	48.43	---	68.20	19.77	500.0	200.0	V	4.0	-1.3
9157.500000	---	32.20	54.00	21.80	500.0	200.0	H	165.0	-1.1
9448.750000	---	33.45	54.00	20.55	500.0	200.0	V	44.0	-0.3
9598.750000	45.85	---	68.20	22.35	500.0	200.0	V	21.0	-0.7
11165.000000	---	53.65	54.00	0.35	500.0	200.0	H	108.0	-0.5
11165.000000	68.34	---	74.00	5.66	500.0	200.0	H	108.0	-0.5
13350.000000	---	34.26	54.00	19.74	500.0	200.0	H	263.0	2.4
13593.750000	44.69	---	68.20	23.51	500.0	200.0	H	47.0	3.0
15286.250000	47.55	---	68.20	20.65	500.0	200.0	V	116.0	5.6
15567.500000	---	36.03	54.00	17.97	500.0	200.0	H	121.0	6.4
15822.500000	---	35.09	54.00	18.91	500.0	200.0	H	220.0	6.7
16746.250000	50.55	---	68.20	17.65	500.0	200.0	V	208.0	8.5


802.11n (HT20) CH140



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1072.625000	---	27.45	54.00	26.55	500.0	100.0	H	231.0	-10.3
1295.750000	40.77	---	68.20	27.43	500.0	100.0	H	181.0	-8.2
1391.125000	---	29.91	54.00	24.09	500.0	200.0	H	330.0	-7.6
1682.500000	---	31.06	54.00	22.94	500.0	100.0	V	294.0	-6.0
1902.125000	43.29	---	68.20	24.91	500.0	200.0	V	120.0	-5.0
2456.875000	46.00	---	68.20	22.20	500.0	200.0	V	134.0	-2.3
2809.500000	---	35.67	54.00	18.33	500.0	200.0	V	164.0	-1.2
3524.375000	50.59	---	68.20	17.61	500.0	200.0	V	125.0	1.7
3955.750000	---	39.54	54.00	14.46	500.0	200.0	V	6.0	2.9
4475.500000	50.89	---	68.20	17.31	500.0	100.0	V	281.0	3.7
6883.500000	54.84	---	68.20	13.36	500.0	100.0	V	322.0	6.7
7279.000000	---	42.98	54.00	11.02	500.0	200.0	V	150.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8895.000000	43.46	---	68.20	24.74	500.0	200.0	V	207.0	-1.4
9120.000000	---	44.28	54.00	9.72	500.0	200.0	V	4.0	-1.2
9225.000000	44.07	---	68.20	24.13	500.0	200.0	H	178.0	-1.0
9450.000000	---	33.05	54.00	20.95	500.0	200.0	V	97.0	-0.3
10075.000000	43.59	---	68.20	24.61	500.0	200.0	H	182.0	-0.7
11395.000000	---	39.81	54.00	14.19	500.0	200.0	H	112.0	-0.5
13343.750000	---	33.93	54.00	20.07	500.0	200.0	V	354.0	2.3
13663.750000	45.18	---	68.20	23.02	500.0	200.0	V	254.0	3.1
15217.500000	47.79	---	68.20	20.41	500.0	200.0	V	135.0	5.4
15571.250000	---	35.66	54.00	18.34	500.0	200.0	H	18.0	6.4
16173.750000	---	36.14	54.00	17.86	500.0	200.0	H	28.0	7.2
17601.250000	51.40	---	68.20	16.80	500.0	200.0	H	132.0	10.1


802.11n (HT20) CH144



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1268.625000	40.74	---	68.20	27.46	500.0	100.0	V	283.0	-8.5
1389.375000	---	29.97	54.00	24.03	500.0	100.0	H	78.0	-7.6
1709.625000	---	31.38	54.00	22.62	500.0	200.0	H	160.0	-5.9
1875.000000	43.19	---	68.20	25.01	500.0	200.0	H	347.0	-5.1
2676.500000	47.83	---	68.20	20.37	500.0	200.0	H	160.0	-1.8
2825.250000	---	35.85	54.00	18.15	500.0	100.0	H	96.0	-1.2
3499.000000	50.57	---	68.20	17.63	500.0	100.0	H	32.0	1.8
3934.750000	---	39.83	54.00	14.17	500.0	200.0	H	337.0	2.7
5457.250000	---	42.54	54.00	11.46	500.0	200.0	V	89.0	5.3
5460.750000	53.24	---	68.20	14.96	500.0	100.0	V	84.0	5.3
5859.750000	55.60	---	68.20	12.60	500.0	200.0	V	75.0	5.1
7341.125000	---	43.16	54.00	10.84	500.0	100.0	H	136.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9151.250000	---	45.79	54.00	8.21	500.0	200.0	V	3.0	-1.1
9151.250000	49.96	---	74.00	24.04	500.0	200.0	V	3.0	-1.1
9448.750000	---	33.10	54.00	20.90	500.0	200.0	V	261.0	-0.3
9600.000000	44.20	---	68.20	24.00	500.0	200.0	V	18.0	-0.7
11435.000000	---	53.83	54.00	0.17	500.0	200.0	H	115.0	-0.6
11435.000000	65.71	---	74.00	8.29	500.0	200.0	H	115.0	-0.6
13351.250000	---	33.86	54.00	20.14	500.0	200.0	H	69.0	2.4
13648.750000	44.89	---	68.20	23.31	500.0	200.0	H	324.0	3.1
15270.000000	47.35	---	68.20	20.85	500.0	200.0	H	302.0	5.6
15561.250000	---	35.69	54.00	18.31	500.0	200.0	V	243.0	6.3
15885.000000	---	35.05	54.00	18.95	500.0	200.0	H	274.0	6.6
16847.500000	48.56	---	68.20	19.64	500.0	200.0	H	106.0	8.8


802.11n (HT20) CH149



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1248.500000	40.71	---	68.20	27.49	500.0	200.0	V	216.0	-8.6
1407.750000	---	29.77	54.00	24.23	500.0	200.0	V	169.0	-7.5
1679.000000	---	31.08	54.00	22.92	500.0	200.0	V	41.0	-6.0
1989.625000	44.41	---	68.20	23.79	500.0	200.0	V	164.0	-4.6
2478.750000	46.26	---	68.20	21.94	500.0	200.0	V	18.0	-2.2
2827.000000	---	35.54	54.00	18.46	500.0	200.0	V	128.0	-1.1
3482.375000	50.62	---	68.20	17.58	500.0	200.0	V	114.0	1.7
3947.000000	---	39.48	54.00	14.52	500.0	200.0	V	183.0	2.8
5459.000000	---	42.44	54.00	11.56	500.0	200.0	V	83.0	5.3
5522.000000	54.19	---	68.20	14.01	500.0	200.0	V	83.0	5.4
6091.625000	55.91	---	68.20	12.29	500.0	200.0	V	270.0	5.6
7339.375000	---	42.87	54.00	11.13	500.0	200.0	V	18.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8987.500000	42.95	---	68.20	25.25	500.0	200.0	V	344.0	-1.3
9157.500000	---	31.78	54.00	22.22	500.0	200.0	H	304.0	-1.1
9191.250000	---	45.15	54.00	8.85	500.0	200.0	V	40.0	-1.0
9600.000000	43.95	---	68.20	24.25	500.0	200.0	V	18.0	-0.7
11492.500000	64.62	---	74.00	9.38	500.0	200.0	H	118.0	-0.5
11493.750000	---	53.27	54.00	0.73	500.0	200.0	H	127.0	-0.5
13326.250000	---	33.76	54.00	20.24	500.0	200.0	H	19.0	2.3
13465.000000	44.12	---	68.20	24.08	500.0	200.0	V	101.0	2.6
15291.250000	47.70	---	68.20	20.50	500.0	200.0	V	167.0	5.6
15570.000000	---	35.76	54.00	18.24	500.0	200.0	H	0.0	6.4
16186.250000	---	35.64	54.00	18.36	500.0	200.0	H	19.0	7.3
16922.500000	49.10	---	68.20	19.10	500.0	200.0	V	46.0	8.8


802.11n (HT20) CH157



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1099.750000	---	27.16	54.00	26.84	500.0	200.0	V	204.0	-10.1
1260.750000	40.61	---	68.20	27.59	500.0	200.0	V	124.0	-8.5
1399.000000	---	29.85	54.00	24.15	500.0	200.0	V	147.0	-7.6
1697.375000	---	30.95	54.00	23.05	500.0	200.0	V	119.0	-6.0
1931.875000	43.40	---	68.20	24.80	500.0	200.0	V	194.0	-4.8
2603.000000	46.09	---	68.20	22.11	500.0	200.0	V	101.0	-2.0
2807.750000	---	35.69	54.00	18.31	500.0	200.0	V	101.0	-1.2
3467.500000	50.79	---	68.20	17.41	500.0	200.0	V	301.0	1.6
3990.750000	---	39.69	54.00	14.31	500.0	200.0	V	124.0	3.2
4432.625000	50.14	---	68.20	18.06	500.0	200.0	V	0.0	3.5
6965.750000	52.30	---	68.20	15.90	500.0	200.0	V	138.0	7.1
7278.125000	---	42.97	54.00	11.03	500.0	200.0	V	23.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8937.500000	42.70	---	68.20	25.50	500.0	200.0	H	143.0	-1.3
9108.750000	---	31.67	54.00	22.33	500.0	200.0	V	249.0	-1.2
9255.000000	48.61	---	68.20	19.59	500.0	200.0	V	34.0	-0.9
9455.000000	---	32.66	54.00	21.34	500.0	200.0	H	49.0	-0.3
11567.500000	65.22	---	74.00	8.78	500.0	200.0	H	241.0	-0.5
11572.500000	---	53.81	54.00	0.19	500.0	200.0	H	119.0	-0.5
13330.000000	---	33.49	54.00	20.51	500.0	200.0	V	338.0	2.3
13491.250000	44.55	---	68.20	23.65	500.0	200.0	V	346.0	2.7
15262.500000	47.08	---	68.20	21.12	500.0	200.0	H	267.0	5.6
15573.750000	---	35.63	54.00	18.37	500.0	200.0	H	305.0	6.4
16170.000000	---	35.83	54.00	18.17	500.0	200.0	V	322.0	7.2
17360.000000	55.33	---	68.20	12.87	500.0	200.0	V	131.0	9.6


802.11n (HT20) CH165



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1257.250000	40.47	---	68.20	27.73	500.0	200.0	V	38.0	-8.6
1389.375000	---	29.86	54.00	24.14	500.0	200.0	V	110.0	-7.6
1684.250000	---	30.88	54.00	23.13	500.0	200.0	V	218.0	-6.0
1910.875000	42.89	---	68.20	25.31	500.0	200.0	V	16.0	-4.9
2635.375000	46.38	---	68.20	21.82	500.0	200.0	V	157.0	-2.0
2776.250000	---	35.79	54.00	18.21	500.0	200.0	V	0.0	-1.4
3496.375000	50.39	---	68.20	17.81	500.0	200.0	V	189.0	1.8
3983.750000	---	39.55	54.00	14.45	500.0	200.0	V	185.0	3.2
5454.625000	---	42.22	54.00	11.78	500.0	200.0	V	83.0	5.3
5502.750000	55.17	---	68.20	13.03	500.0	200.0	V	69.0	5.4
6023.375000	57.33	---	68.20	10.87	500.0	200.0	V	97.0	5.7
7328.000000	---	43.02	54.00	10.98	500.0	200.0	V	116.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8980.000000	43.34	---	68.20	24.86	500.0	200.0	H	67.0	-1.3
9111.250000	---	31.91	54.00	22.09	500.0	200.0	H	300.0	-1.2
9320.000000	---	43.33	54.00	10.67	500.0	200.0	V	35.0	-1.0
9786.250000	44.49	---	68.20	23.71	500.0	200.0	H	162.0	-0.5
11647.500000	65.29	---	74.00	8.71	500.0	200.0	H	338.0	-0.3
11648.750000	---	53.61	54.00	0.39	500.0	200.0	H	318.0	-0.3
13348.750000	---	33.88	54.00	20.12	500.0	200.0	H	265.0	2.4
13571.250000	45.00	---	68.20	23.20	500.0	200.0	H	219.0	2.9
15315.000000	47.20	---	68.20	21.00	500.0	200.0	H	227.0	5.6
15527.500000	---	35.67	54.00	18.33	500.0	200.0	H	25.0	6.2
15828.750000	---	35.14	54.00	18.86	500.0	200.0	V	321.0	6.7
17490.000000	61.38	---	68.20	6.82	500.0	200.0	V	132.0	9.8


802.11n (HT40) CH38



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1065.625000	---	27.33	54.00	26.67	500.0	200.0	V	252.0	-10.3
1299.250000	40.74	---	68.20	27.46	500.0	100.0	H	158.0	-8.2
1388.500000	---	30.06	54.00	23.94	500.0	200.0	V	201.0	-7.6
1612.500000	---	31.23	54.00	22.77	500.0	200.0	H	66.0	-6.3
1999.250000	43.35	---	68.20	24.85	500.0	200.0	H	14.0	-4.5
2583.750000	46.30	---	68.20	21.90	500.0	200.0	H	0.0	-2.0
2803.375000	---	35.67	54.00	18.33	500.0	200.0	H	1.0	-1.2
3545.375000	50.82	---	68.20	17.38	500.0	200.0	H	5.0	1.7
3955.750000	---	40.03	54.00	13.97	500.0	200.0	H	116.0	2.9
4459.750000	50.61	---	68.20	17.59	500.0	200.0	H	125.0	3.6
6806.500000	55.17	---	68.20	13.03	500.0	200.0	H	107.0	6.8
7275.500000	---	43.00	54.00	11.00	500.0	100.0	V	40.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8303.750000	---	39.00	54.00	15.00	500.0	200.0	V	309.0	-2.4
8893.750000	42.98	---	68.20	25.22	500.0	200.0	H	353.0	-1.4
9451.250000	---	32.75	54.00	21.25	500.0	200.0	V	194.0	-0.3
10380.000000	52.93	---	68.20	15.27	500.0	200.0	H	26.0	-1.0
10576.250000	43.32	---	68.20	24.88	500.0	200.0	V	123.0	-0.9
11646.250000	---	32.57	54.00	21.43	500.0	200.0	H	338.0	-0.4
13323.750000	---	33.80	54.00	20.20	500.0	200.0	V	194.0	2.3
13496.250000	44.66	---	68.20	23.54	500.0	200.0	V	210.0	2.7
15280.000000	47.10	---	68.20	21.10	500.0	200.0	V	98.0	5.6
15350.000000	---	35.61	54.00	18.39	500.0	200.0	H	0.0	5.7
15830.000000	---	35.09	54.00	18.91	500.0	200.0	H	321.0	6.7
17603.750000	51.46	---	68.20	16.74	500.0	200.0	V	250.0	10.1


802.11n (HT40) CH46



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1082.250000	---	27.75	54.00	26.25	500.0	200.0	H	56.0	-10.3
1288.750000	41.20	---	68.20	27.00	500.0	200.0	H	149.0	-8.3
1407.750000	---	30.01	54.00	23.99	500.0	100.0	V	68.0	-7.5
1690.375000	---	31.24	54.00	22.76	500.0	100.0	H	243.0	-6.0
1946.750000	43.63	---	68.20	24.57	500.0	200.0	H	184.0	-4.7
2681.750000	46.11	---	68.20	22.09	500.0	200.0	H	245.0	-1.8
2827.000000	---	35.80	54.00	18.20	500.0	100.0	H	332.0	-1.1
3533.125000	50.90	---	68.20	17.30	500.0	100.0	H	0.0	1.7
3975.875000	---	39.77	54.00	14.23	500.0	200.0	V	199.0	3.1
4455.375000	50.62	---	68.20	17.58	500.0	200.0	V	357.0	3.6
6992.000000	54.90	---	68.20	13.30	500.0	100.0	H	314.0	7.1
7265.000000	---	42.90	54.00	11.10	500.0	200.0	H	20.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8367.500000	---	41.98	54.00	12.02	500.0	200.0	H	11.0	-2.3
8713.750000	42.93	---	68.20	25.27	500.0	200.0	H	204.0	-1.6
9453.750000	---	32.75	54.00	21.25	500.0	200.0	V	104.0	-0.3
10456.250000	57.51	---	68.20	10.69	500.0	200.0	V	1.0	-1.0
10485.000000	52.93	---	68.20	15.27	500.0	200.0	V	359.0	-1.0
11900.000000	---	32.17	54.00	21.83	500.0	200.0	H	188.0	0.1
13347.500000	---	33.39	54.00	20.61	500.0	200.0	V	80.0	2.4
13667.500000	44.04	---	68.20	24.16	500.0	200.0	H	6.0	3.1
15190.000000	47.06	---	68.20	21.14	500.0	200.0	V	195.0	5.3
15567.500000	---	35.90	54.00	18.10	500.0	200.0	V	259.0	6.4
15892.500000	---	35.09	54.00	18.91	500.0	200.0	V	1.0	6.6
16923.750000	49.14	---	68.20	19.06	500.0	200.0	V	143.0	8.8


802.11n (HT40) CH54



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1088.375000	---	27.06	54.00	26.94	500.0	200.0	V	183.0	-10.2
1263.375000	40.94	---	68.20	27.26	500.0	200.0	H	146.0	-8.5
1392.875000	---	29.82	54.00	24.18	500.0	100.0	H	162.0	-7.6
1604.625000	---	31.05	54.00	22.95	500.0	100.0	H	248.0	-6.3
1986.125000	43.64	---	68.20	24.56	500.0	200.0	V	284.0	-4.6
2678.250000	46.51	---	68.20	21.69	500.0	200.0	H	10.0	-1.8
2810.375000	---	35.78	54.00	18.22	500.0	100.0	H	355.0	-1.2
3488.500000	50.26	---	68.20	17.94	500.0	200.0	H	80.0	1.7
3993.375000	---	39.85	54.00	14.15	500.0	100.0	H	239.0	3.2
4449.250000	50.07	---	68.20	18.13	500.0	100.0	V	144.0	3.5
6621.875000	55.06	---	68.20	13.14	500.0	100.0	H	332.0	6.6
7282.500000	---	42.90	54.00	11.10	500.0	200.0	H	5.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8431.250000	---	42.88	54.00	11.12	500.0	200.0	H	8.0	-2.1
8883.750000	42.72	---	68.20	25.48	500.0	200.0	H	233.0	-1.4
9445.000000	---	32.68	54.00	21.32	500.0	200.0	V	121.0	-0.4
9600.000000	44.27	---	68.20	23.93	500.0	200.0	V	18.0	-0.7
10537.500000	60.68	---	68.20	7.52	500.0	200.0	V	0.0	-1.0
11567.500000	---	32.03	54.00	21.97	500.0	200.0	H	85.0	-0.5
13350.000000	---	33.43	54.00	20.57	500.0	200.0	H	70.0	2.4
13698.750000	44.19	---	68.20	24.01	500.0	200.0	H	226.0	3.2
15293.750000	46.95	---	68.20	21.25	500.0	200.0	H	70.0	5.6
15571.250000	---	35.48	54.00	18.52	500.0	200.0	H	273.0	6.4
16130.000000	---	34.61	54.00	19.39	500.0	200.0	V	339.0	7.0
16907.500000	49.94	---	68.20	18.26	500.0	200.0	V	221.0	8.8


802.11n (HT40) CH62



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1071.750000	---	27.52	54.00	26.48	500.0	200.0	V	355.0	-10.3
1259.000000	41.24	---	68.20	26.96	500.0	100.0	V	18.0	-8.5
1371.875000	---	29.90	54.00	24.10	500.0	100.0	V	14.0	-7.7
1602.000000	---	31.13	54.00	22.87	500.0	100.0	V	100.0	-6.3
1931.000000	43.37	---	68.20	24.83	500.0	100.0	V	197.0	-4.8
2622.250000	46.46	---	68.20	21.74	500.0	200.0	V	111.0	-2.0
2776.250000	---	35.61	54.00	18.39	500.0	200.0	V	225.0	-1.4
3510.375000	50.37	---	68.20	17.83	500.0	100.0	V	0.0	1.8
3995.125000	---	39.61	54.00	14.39	500.0	200.0	V	339.0	3.2
4452.750000	50.84	---	68.20	17.36	500.0	200.0	V	207.0	3.5
5687.375000	54.89	---	68.20	13.31	500.0	200.0	V	253.0	5.6
7340.250000	---	42.91	54.00	11.09	500.0	200.0	V	262.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8495.000000	---	42.41	54.00	11.59	500.0	200.0	V	35.0	-1.8
8713.750000	43.04	---	68.20	25.16	500.0	200.0	V	90.0	-1.6
9437.500000	---	33.02	54.00	20.98	500.0	200.0	V	342.0	-0.5
9752.500000	44.13	---	68.20	24.07	500.0	200.0	H	319.0	-0.5
10596.250000	47.87	---	68.20	20.33	500.0	200.0	V	0.0	-0.9
10620.000000	---	38.80	54.00	15.20	500.0	200.0	V	330.0	-0.8
13348.750000	---	33.42	54.00	20.58	500.0	200.0	H	78.0	2.4
13641.250000	43.91	---	68.20	24.29	500.0	200.0	H	327.0	3.0
15245.000000	47.46	---	68.20	20.74	500.0	200.0	H	0.0	5.5
15566.250000	---	35.72	54.00	18.28	500.0	200.0	H	247.0	6.4
16166.250000	---	35.70	54.00	18.30	500.0	200.0	H	239.0	7.2
16835.000000	49.62	---	68.20	18.58	500.0	200.0	V	58.0	8.8


802.11n (HT40) CH102



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1116.375000	---	27.36	54.00	26.64	500.0	200.0	H	284.0	-10.0
1286.125000	41.39	---	68.20	26.81	500.0	200.0	H	85.0	-8.3
1406.875000	---	29.87	54.00	24.13	500.0	200.0	V	51.0	-7.5
1709.625000	---	30.90	54.00	23.10	500.0	200.0	V	0.0	-5.9
1878.500000	43.50	---	68.20	24.70	500.0	100.0	H	55.0	-5.1
2675.625000	46.09	---	68.20	22.12	500.0	200.0	H	337.0	-1.8
2815.625000	---	35.52	54.00	18.48	500.0	200.0	V	25.0	-1.2
3414.125000	50.14	---	68.20	18.06	500.0	200.0	H	33.0	1.4
3956.625000	---	39.33	54.00	14.67	500.0	200.0	V	7.0	2.9
4427.375000	49.60	---	68.20	18.60	500.0	200.0	V	21.0	3.5
6647.250000	54.12	---	68.20	14.08	500.0	200.0	V	2.0	6.6
7329.750000	---	42.63	54.00	11.37	500.0	200.0	V	16.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8816.250000	48.46	---	68.20	19.74	500.0	200.0	V	3.0	-1.5
9095.000000	---	32.09	54.00	21.91	500.0	200.0	V	168.0	-1.2
9442.500000	---	32.68	54.00	21.32	500.0	200.0	V	358.0	-0.4
9600.000000	44.34	---	68.20	23.86	500.0	200.0	V	14.0	-0.7
10583.750000	42.29	---	68.20	25.91	500.0	200.0	H	211.0	-0.9
11012.500000	---	34.72	54.00	19.28	500.0	200.0	H	147.0	-0.8
13326.250000	---	33.56	54.00	20.44	500.0	200.0	V	82.0	2.3
13567.500000	44.09	---	68.20	24.11	500.0	200.0	V	159.0	2.9
15286.250000	46.89	---	68.20	21.31	500.0	200.0	H	218.0	5.6
15585.000000	---	35.33	54.00	18.67	500.0	200.0	V	184.0	6.5
16181.250000	---	35.75	54.00	18.25	500.0	200.0	V	151.0	7.3
16918.750000	50.35	---	68.20	17.85	500.0	200.0	V	350.0	8.8


802.11n (HT40) CH118



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1091.000000	---	27.46	54.00	26.54	500.0	200.0	H	0.0	-10.2
1298.375000	40.50	---	68.20	27.70	500.0	200.0	V	144.0	-8.2
1401.625000	---	29.99	54.00	24.01	500.0	100.0	H	129.0	-7.6
1692.125000	---	31.06	54.00	22.94	500.0	100.0	H	111.0	-6.0
1929.250000	43.32	---	68.20	24.88	500.0	100.0	H	74.0	-4.8
2621.375000	46.37	---	68.20	21.83	500.0	100.0	H	106.0	-2.0
2774.500000	---	35.57	54.00	18.43	500.0	100.0	H	19.0	-1.4
3394.000000	50.64	---	68.20	17.56	500.0	200.0	H	357.0	1.3
3985.500000	---	39.82	54.00	14.18	500.0	100.0	H	74.0	3.2
4433.500000	50.19	---	68.20	18.01	500.0	200.0	V	121.0	3.5
6956.125000	55.07	---	68.20	13.13	500.0	100.0	V	279.0	7.1
7274.625000	---	42.90	54.00	11.10	500.0	200.0	H	333.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8943.750000	49.23	---	68.20	18.97	500.0	200.0	V	0.0	-1.3
9111.250000	---	31.77	54.00	22.23	500.0	200.0	H	0.0	-1.2
9453.750000	---	32.64	54.00	21.36	500.0	200.0	H	175.0	-0.3
9600.000000	44.16	---	68.20	24.04	500.0	200.0	V	19.0	-0.7
11173.750000	---	50.81	54.00	3.19	500.0	200.0	H	127.0	-0.6
11177.500000	64.46	---	74.00	9.54	500.0	200.0	H	120.0	-0.6
13353.750000	---	33.52	54.00	20.48	500.0	200.0	V	0.0	2.4
13597.500000	44.36	---	68.20	23.84	500.0	200.0	V	194.0	3.0
15250.000000	47.93	---	68.20	20.27	500.0	200.0	V	330.0	5.5
15573.750000	---	35.42	54.00	18.58	500.0	200.0	H	32.0	6.4
17402.500000	51.22	---	68.20	16.98	500.0	200.0	H	312.0	9.7
17993.750000	---	39.38	54.00	14.62	500.0	200.0	H	306.0	11.1


802.11n (HT40) CH134



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1079.625000	---	27.07	54.00	26.93	500.0	200.0	H	47.0	-10.3
1296.625000	40.34	---	68.20	27.86	500.0	100.0	H	169.0	-8.2
1406.000000	---	29.82	54.00	24.18	500.0	200.0	H	98.0	-7.5
1695.625000	---	30.92	54.00	23.08	500.0	200.0	V	1.0	-6.0
1896.875000	43.14	---	68.20	25.06	500.0	200.0	H	262.0	-5.0
2635.375000	45.71	---	68.20	22.49	500.0	200.0	V	105.0	-2.0
2785.875000	---	35.52	54.00	18.48	500.0	200.0	V	96.0	-1.4
3576.000000	49.94	---	68.20	18.26	500.0	200.0	V	28.0	1.7
3932.125000	---	39.74	54.00	14.26	500.0	200.0	V	162.0	2.7
4427.375000	50.01	---	68.20	18.19	500.0	200.0	V	1.0	3.5
5864.125000	55.72	---	68.20	12.48	500.0	200.0	V	259.0	5.1
7286.000000	---	42.99	54.00	11.01	500.0	200.0	V	69.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
9071.250000	---	44.81	54.00	9.19	500.0	200.0	V	6.0	-1.2
9071.250000	48.37	---	74.00	25.63	500.0	200.0	V	6.0	-1.2
9436.250000	---	32.62	54.00	21.38	500.0	200.0	H	144.0	-0.5
9598.750000	43.99	---	68.20	24.21	500.0	200.0	V	18.0	-0.7
11333.750000	---	41.87	54.00	12.13	500.0	200.0	H	144.0	-0.5
11337.500000	55.42	---	74.00	18.58	500.0	200.0	H	119.0	-0.5
13350.000000	---	33.74	54.00	20.26	500.0	200.0	H	119.0	2.4
13580.000000	43.89	---	68.20	24.31	500.0	200.0	V	293.0	2.9
15285.000000	47.07	---	68.20	21.13	500.0	200.0	H	233.0	5.6
15571.250000	---	35.65	54.00	18.35	500.0	200.0	H	79.0	6.4
16173.750000	---	35.64	54.00	18.36	500.0	200.0	H	153.0	7.2
16828.750000	49.07	---	68.20	19.13	500.0	200.0	V	183.0	8.8


802.11n (HT40) CH142



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1081.375000	---	28.26	54.00	25.74	500.0	200.0	H	125.0	-10.3
1263.375000	40.43	---	68.20	27.77	500.0	200.0	V	52.0	-8.5
1375.375000	---	29.99	54.00	24.01	500.0	100.0	H	137.0	-7.7
1602.875000	---	31.01	54.00	22.99	500.0	200.0	H	270.0	-6.3
1952.000000	43.29	---	68.20	24.91	500.0	200.0	H	319.0	-4.7
2673.875000	46.22	---	68.20	21.98	500.0	100.0	H	118.0	-1.8
2825.250000	---	35.68	54.00	18.32	500.0	200.0	H	148.0	-1.2
3570.750000	50.61	---	68.20	17.59	500.0	200.0	V	196.0	1.7
3952.250000	---	39.99	54.00	14.01	500.0	200.0	H	191.0	2.8
4431.750000	51.16	---	68.20	17.04	500.0	100.0	H	104.0	3.5
6648.125000	53.06	---	68.20	15.14	500.0	100.0	H	81.0	6.6
7350.750000	---	42.90	54.00	11.10	500.0	100.0	H	137.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8715.000000	42.07	---	68.20	26.13	500.0	200.0	V	34.0	-1.6
9135.000000	---	43.58	54.00	10.42	500.0	200.0	V	8.0	-1.2
9447.500000	---	32.87	54.00	21.13	500.0	200.0	V	132.0	-0.4
9600.000000	43.96	---	68.20	24.24	500.0	200.0	V	25.0	-0.7
11405.000000	---	52.59	54.00	1.41	500.0	200.0	H	147.0	-0.5
11412.500000	64.22	---	74.00	9.78	500.0	200.0	H	147.0	-0.5
13326.250000	---	33.73	54.00	20.27	500.0	200.0	V	211.0	2.3
13717.500000	44.56	---	68.20	23.64	500.0	200.0	V	45.0	3.3
15281.250000	47.35	---	68.20	20.85	500.0	200.0	V	50.0	5.6
15578.750000	---	35.47	54.00	18.53	500.0	200.0	H	251.0	6.4
17610.000000	51.24	---	68.20	16.96	500.0	200.0	V	40.0	10.1
17730.000000	---	39.43	54.00	14.57	500.0	200.0	H	139.0	10.3


802.11n (HT40) CH151



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1054.250000	---	27.87	54.00	26.13	500.0	200.0	H	358.0	-10.5
1259.000000	40.75	---	68.20	27.45	500.0	200.0	H	244.0	-8.5
1390.250000	---	29.85	54.00	24.15	500.0	100.0	H	83.0	-7.6
1696.500000	---	31.15	54.00	22.85	500.0	100.0	H	175.0	-6.0
1917.000000	43.56	---	68.20	24.64	500.0	100.0	V	306.0	-4.9
2583.750000	46.50	---	68.20	21.70	500.0	200.0	H	253.0	-2.0
2810.375000	---	35.86	54.00	18.14	500.0	200.0	H	312.0	-1.2
3576.875000	50.80	---	68.20	17.40	500.0	200.0	V	60.0	1.7
3932.125000	---	39.89	54.00	14.11	500.0	100.0	H	222.0	2.7
4452.750000	50.91	---	68.20	17.29	500.0	200.0	H	225.0	3.5
6864.250000	55.55	---	68.20	12.65	500.0	100.0	V	200.0	6.8
7322.750000	---	42.98	54.00	11.02	500.0	200.0	H	117.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8717.500000	43.13	---	68.20	25.07	500.0	200.0	V	173.0	-1.6
9097.500000	---	31.83	54.00	22.17	500.0	200.0	H	289.0	-1.2
9207.500000	48.19	---	68.20	20.01	500.0	200.0	V	7.0	-1.0
9448.750000	---	32.55	54.00	21.45	500.0	200.0	H	244.0	-0.3
11506.250000	63.93	---	74.00	10.07	500.0	200.0	H	126.0	-0.5
11515.000000	---	52.98	54.00	1.02	500.0	200.0	H	121.0	-0.5
13325.000000	---	33.45	54.00	20.55	500.0	200.0	V	39.0	2.3
13705.000000	44.39	---	68.20	23.81	500.0	200.0	V	239.0	3.2
15288.750000	47.28	---	68.20	20.92	500.0	200.0	H	226.0	5.6
15571.250000	---	35.52	54.00	18.48	500.0	200.0	H	165.0	6.4
17582.500000	51.68	---	68.20	16.52	500.0	200.0	H	84.0	10.1
17998.750000	---	39.45	54.00	14.55	500.0	200.0	V	21.0	11.1


802.11n (HT40) CH159



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1094.500000	---	27.95	54.00	26.05	500.0	200.0	H	356.0	-10.1
1297.500000	41.26	---	68.20	26.94	500.0	200.0	H	180.0	-8.2
1376.250000	---	29.96	54.00	24.04	500.0	200.0	H	253.0	-7.7
1589.750000	---	31.36	54.00	22.64	500.0	100.0	V	0.0	-6.4
1875.875000	44.56	---	68.20	23.64	500.0	100.0	H	229.0	-5.1
2688.750000	46.56	---	68.20	21.64	500.0	100.0	H	174.0	-1.7
2784.125000	---	35.78	54.00	18.22	500.0	200.0	H	333.0	-1.4
3582.125000	50.75	---	68.20	17.45	500.0	200.0	H	262.0	1.8
3975.875000	---	39.88	54.00	14.12	500.0	100.0	H	42.0	3.1
4401.125000	51.31	---	68.20	16.89	500.0	100.0	H	83.0	3.6
6808.250000	55.34	---	68.20	12.86	500.0	100.0	V	357.0	6.8
7277.250000	---	43.27	54.00	10.73	500.0	100.0	H	64.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8981.250000	43.35	---	68.20	24.85	500.0	200.0	H	255.0	-1.3
9155.000000	---	31.78	54.00	22.22	500.0	200.0	V	69.0	-1.1
9271.250000	48.30	---	68.20	19.90	500.0	200.0	V	36.0	-0.9
9441.250000	---	32.84	54.00	21.16	500.0	200.0	H	292.0	-0.4
11588.750000	---	52.60	54.00	1.40	500.0	200.0	H	236.0	-0.5
11595.000000	64.01	---	74.00	9.99	500.0	200.0	H	116.0	-0.5
13353.750000	---	33.43	54.00	20.57	500.0	200.0	V	40.0	2.4
13695.000000	44.18	---	68.20	24.02	500.0	200.0	H	177.0	3.2
15222.500000	47.43	---	68.20	20.77	500.0	200.0	V	0.0	5.4
15572.500000	---	35.61	54.00	18.39	500.0	200.0	H	330.0	6.4
17390.000000	57.32	---	68.20	10.88	500.0	200.0	V	139.0	9.7
18000.000000	---	39.44	54.00	14.56	500.0	200.0	H	325.0	11.2


802.11ac (VHT80) CH42



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1085.750000	---	27.74	54.00	26.26	500.0	200.0	H	346.0	-10.2
1243.250000	40.50	---	68.20	27.70	500.0	200.0	V	4.0	-8.6
1411.250000	---	29.56	54.00	24.44	500.0	200.0	V	202.0	-7.5
1694.750000	---	30.60	54.00	23.40	500.0	200.0	V	31.0	-6.0
1841.750000	42.84	---	68.20	25.36	500.0	200.0	H	310.0	-5.2
2531.250000	46.03	---	68.20	22.17	500.0	200.0	H	249.0	-2.2
2784.125000	---	35.10	54.00	18.90	500.0	200.0	H	235.0	-1.4
3485.000000	50.06	---	68.20	18.14	500.0	200.0	H	337.0	1.7
3991.625000	---	38.81	54.00	15.19	500.0	200.0	V	161.0	3.2
4451.000000	49.89	---	68.20	18.31	500.0	200.0	H	96.0	3.5
5684.750000	53.00	---	68.20	15.20	500.0	200.0	V	266.0	5.5
7432.125000	---	40.06	54.00	13.94	500.0	200.0	H	28.0	7.1



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8335.000000	---	38.69	54.00	15.31	500.0	200.0	V	311.0	-2.4
8877.500000	43.31	---	68.20	24.89	500.0	200.0	H	63.0	-1.4
9447.500000	---	33.04	54.00	20.96	500.0	200.0	V	142.0	-0.4
9637.500000	43.96	---	68.20	24.24	500.0	200.0	V	33.0	-0.6
10546.250000	42.74	---	68.20	25.46	500.0	200.0	H	274.0	-0.9
11650.000000	---	32.34	54.00	21.66	500.0	200.0	H	260.0	-0.3
13325.000000	---	33.64	54.00	20.36	500.0	200.0	V	104.0	2.3
13631.250000	44.65	---	68.20	23.55	500.0	200.0	V	177.0	3.0
15271.250000	48.05	---	68.20	20.15	500.0	200.0	V	80.0	5.6
15566.250000	---	35.52	54.00	18.48	500.0	200.0	H	218.0	6.4
17593.750000	51.65	---	68.20	16.55	500.0	200.0	V	14.0	10.1
17992.500000	---	39.52	54.00	14.48	500.0	200.0	V	71.0	11.1


802.11ac (VHT80) CH58



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1086.625000	---	27.81	54.00	26.19	500.0	200.0	H	238.0	-10.2
1262.500000	41.08	---	68.20	27.13	500.0	200.0	H	348.0	-8.5
1411.250000	---	29.48	54.00	24.52	500.0	200.0	H	317.0	-7.5
1583.625000	---	30.75	54.00	23.25	500.0	200.0	H	284.0	-6.5
1890.750000	42.98	---	68.20	25.22	500.0	200.0	H	0.0	-5.1
2617.875000	45.82	---	68.20	22.38	500.0	200.0	H	256.0	-2.0
2784.125000	---	35.17	54.00	18.83	500.0	200.0	V	173.0	-1.4
3477.125000	49.67	---	68.20	18.53	500.0	200.0	V	84.0	1.7
3992.500000	---	38.65	54.00	15.35	500.0	200.0	H	170.0	3.2
4432.625000	49.07	---	68.20	19.13	500.0	200.0	V	92.0	3.5
5673.375000	54.05	---	68.20	14.15	500.0	200.0	V	269.0	5.5
7321.875000	---	40.41	54.00	13.59	500.0	200.0	H	170.0	7.0



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8463.750000	---	43.00	54.00	11.00	500.0	200.0	H	353.0	-1.9
8871.250000	42.67	---	68.20	25.53	500.0	200.0	V	72.0	-1.4
9447.500000	---	33.11	54.00	20.89	500.0	200.0	V	214.0	-0.4
9647.500000	43.91	---	68.20	24.29	500.0	200.0	H	324.0	-0.5
10542.500000	42.35	---	68.20	25.85	500.0	200.0	H	229.0	-0.9
11966.250000	---	32.28	54.00	21.72	500.0	200.0	H	7.0	0.0
13352.500000	---	33.60	54.00	20.40	500.0	200.0	H	262.0	2.4
13703.750000	44.26	---	68.20	23.94	500.0	200.0	H	196.0	3.2
15266.250000	47.30	---	68.20	20.90	500.0	200.0	H	177.0	5.6
15565.000000	---	35.72	54.00	18.28	500.0	200.0	H	53.0	6.4
17605.000000	50.96	---	68.20	17.24	500.0	200.0	H	243.0	10.1
17740.000000	---	39.37	54.00	14.63	500.0	200.0	H	130.0	10.3


802.11ac (VHT80) CH106



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1046.375000	---	26.99	54.00	27.01	500.0	200.0	H	169.0	-10.5
1287.875000	40.31	---	68.20	27.89	500.0	200.0	V	205.0	-8.3
1391.125000	---	30.05	54.00	23.95	500.0	200.0	V	347.0	-7.6
1696.500000	---	30.76	54.00	23.24	500.0	200.0	V	60.0	-6.0
1943.250000	43.21	---	68.20	24.99	500.0	200.0	H	92.0	-4.7
2635.375000	45.98	---	68.20	22.22	500.0	200.0	V	200.0	-2.0
2774.500000	---	35.36	54.00	18.64	500.0	200.0	V	347.0	-1.4
3527.875000	49.58	---	68.20	18.62	500.0	200.0	V	296.0	1.7
3992.500000	---	38.77	54.00	15.23	500.0	200.0	V	324.0	3.2
4427.375000	48.71	---	68.20	19.49	500.0	200.0	H	40.0	3.5
5863.250000	52.86	---	68.20	15.34	500.0	200.0	V	265.0	5.1
7421.625000	---	40.11	54.00	13.89	500.0	200.0	H	59.0	7.2



Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8847.500000	47.40	---	68.20	20.80	500.0	200.0	V	4.0	-1.4
9155.000000	---	31.82	54.00	22.18	500.0	200.0	H	325.0	-1.1
9446.250000	---	32.81	54.00	21.19	500.0	200.0	H	25.0	-0.4
9600.000000	44.13	---	68.20	24.07	500.0	200.0	V	14.0	-0.7
10566.250000	42.15	---	68.20	26.05	500.0	200.0	H	114.0	-0.9
11060.000000	---	35.19	54.00	18.81	500.0	200.0	V	353.0	-0.6
13320.000000	---	33.62	54.00	20.38	500.0	200.0	H	171.0	2.3
13498.750000	44.33	---	68.20	23.87	500.0	200.0	H	21.0	2.7
15297.500000	47.22	---	68.20	20.98	500.0	200.0	V	344.0	5.6
15582.500000	---	35.61	54.00	18.39	500.0	200.0	H	281.0	6.4
17606.250000	52.12	---	68.20	16.08	500.0	200.0	H	45.0	10.1
17993.750000	---	39.33	54.00	14.67	500.0	200.0	V	349.0	11.1