


802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX



EUT Y_2TX
Setting 25
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	110.99	Inf	-Inf	107.92	3	Horizontal	286	1.54	-	31.30	6.65	34.88
AV	5.3016G	98.56	Inf	-Inf	95.49	3	Horizontal	286	1.54	-	31.30	6.65	34.88
PK	5.3512G	63.76	74.00	-10.24	60.61	3	Horizontal	286	1.54	-	31.45	6.62	34.92
AV	5.3512G	47.45	54.00	-6.55	44.30	3	Horizontal	286	1.54	-	31.45	6.62	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX



EUT Y_2TX
Setting 25
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90218G	57.28	74.00	-16.72	44.60	3	Vertical	298	1.92	-	37.56	10.31	35.19
AV	15.89969G	43.79	54.00	-10.21	31.10	3	Vertical	298	1.92	-	37.57	10.31	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX




EUT Y_2TX
Setting 25
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90156G	58.51	74.00	-15.49	45.83	3	Horizontal	203	2.00	-	37.56	10.31	35.19
AV	15.90053G	43.93	54.00	-10.07	31.24	3	Horizontal	203	2.00	-	37.57	10.31	35.19

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX



EUT Y_2TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	122.06	Inf	-Inf	118.95	3	Vertical	325	2.03	-	31.37	6.64	34.90
AV	5.3224G	108.82	Inf	-Inf	105.71	3	Vertical	325	2.03	-	31.37	6.64	34.90
PK	5.3504G	71.55	74.00	-2.45	68.40	3	Vertical	325	2.03	-	31.45	6.62	34.92
AV	5.3504G	53.96	54.00	-0.04	50.81	3	Vertical	325	2.03	-	31.45	6.62	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX




EUT Y_2TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	110.69	Inf	-Inf	107.58	3	Horizontal	293	1.10	-	31.37	6.64	34.90
AV	5.3216G	96.92	Inf	-Inf	93.82	3	Horizontal	293	1.10	-	31.36	6.64	34.90
PK	5.3512G	59.08	74.00	-14.92	55.93	3	Horizontal	293	1.10	-	31.45	6.62	34.92
AV	5.3504G	45.39	54.00	-8.61	42.24	3	Horizontal	293	1.10	-	31.45	6.62	34.92

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX




EUT Y_2TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95832G	57.73	74.00	-16.27	45.32	3	Vertical	224	2.98	-	37.35	10.31	35.25
AV	15.96244G	43.14	54.00	-10.86	30.75	3	Vertical	224	2.98	-	37.34	10.31	35.26

802.11ax HEW20_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX




EUT Y_2TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9622G	56.98	74.00	-17.02	44.59	3	Horizontal	29	1.28	-	37.34	10.31	35.26
AV	15.95775G	43.31	54.00	-10.69	30.89	3	Horizontal	29	1.28	-	37.36	10.31	35.25

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX



EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	58.65	74.00	-15.35	55.28	3	Vertical	86	1.57	-	31.66	6.70	34.99
AV	5.4598G	45.87	54.00	-8.13	42.50	3	Vertical	86	1.57	-	31.66	6.70	34.99
PK	5.4658G	67.80	68.20	-0.40	64.41	3	Vertical	86	1.57	-	31.67	6.71	34.99
PK	5.5048G	125.27	Inf	-Inf	121.81	3	Vertical	86	1.57	-	31.70	6.77	35.01
AV	5.5042G	112.86	Inf	-Inf	109.40	3	Vertical	86	1.57	-	31.70	6.77	35.01

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX



EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.401G	56.63	74.00	-17.37	53.38	3	Horizontal	31	2.32	-	31.60	6.60	34.95
PK	5.4622G	57.87	68.20	-10.33	54.50	3	Horizontal	31	2.32	-	31.66	6.70	34.99
AV	5.4598G	44.48	54.00	-9.52	41.11	3	Horizontal	31	2.32	-	31.66	6.70	34.99
PK	5.5006G	117.30	Inf	-Inf	113.85	3	Horizontal	31	2.32	-	31.70	6.76	35.01
AV	5.5012G	103.95	Inf	-Inf	100.50	3	Horizontal	31	2.32	-	31.70	6.76	35.01

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX




EUT V_4TX
Setting 21
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99777G	56.92	74.00	-17.08	41.25	3	Vertical	165	1.61	-	40.70	9.56	34.59
AV	10.99781G	43.32	54.00	-10.68	27.65	3	Vertical	165	1.61	-	40.70	9.56	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX



EUT V_4TX
Setting 21
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99936G	56.82	74.00	-17.18	41.15	3	Horizontal	158	1.66	-	40.70	9.56	34.59
AV	10.99823G	46.71	54.00	-7.29	31.04	3	Horizontal	158	1.66	-	40.70	9.56	34.59

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT Y_2TX
Setting 27.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.48	74.00	-11.52	59.12	3	Vertical	88	1.35	-	31.66	6.69	34.99
AV	5.4592G	49.86	54.00	-4.14	46.50	3	Vertical	88	1.35	-	31.66	6.69	34.99
PK	5.4656G	65.55	68.20	-2.65	62.17	3	Vertical	88	1.35	-	31.67	6.70	34.99
PK	5.584G	126.67	Inf	-Inf	123.15	3	Vertical	88	1.35	-	31.62	6.88	34.98
AV	5.584G	118.96	Inf	-Inf	115.44	3	Vertical	88	1.35	-	31.62	6.88	34.98
PK	5.7256G	64.23	68.20	-3.97	60.43	3	Vertical	88	1.35	-	31.90	6.84	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT Y_4TX
Setting 27.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.42	74.00	-15.58	55.05	3	Horizontal	34	2.19	-	31.66	6.70	34.99
AV	5.46G	46.12	54.00	-7.88	42.75	3	Horizontal	34	2.19	-	31.66	6.70	34.99
PK	5.4608G	59.21	68.20	-8.99	55.84	3	Horizontal	34	2.19	-	31.66	6.70	34.99
PK	5.5808G	122.49	Inf	-Inf	118.99	3	Horizontal	34	2.19	-	31.62	6.87	34.99
AV	5.5816G	109.19	Inf	-Inf	105.69	3	Horizontal	34	2.19	-	31.62	6.87	34.99
PK	5.772G	62.75	68.20	-5.45	58.79	3	Horizontal	34	2.19	-	32.09	6.81	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT V_4TX
Setting 27.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15984G	57.98	74.00	-16.02	42.60	3	Vertical	350	2.36	-	40.40	9.60	34.62
AV	11.15999G	44.16	54.00	-9.84	28.78	3	Vertical	350	2.36	-	40.40	9.60	34.62

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT_V_4TX
Setting 27.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16009G	58.57	74.00	-15.43	43.19	3	Horizontal	93	1.57	-	40.40	9.60	34.62
AV	11.16007G	48.22	54.00	-5.78	32.84	3	Horizontal	93	1.57	-	40.40	9.60	34.62

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 18.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	123.85	Inf	-Inf	120.14	3	Vertical	85	1.44	-	31.81	6.85	34.95
AV	5.7048G	111.39	Inf	-Inf	107.67	3	Vertical	85	1.44	-	31.82	6.85	34.95
PK	5.7252G	67.86	68.20	-0.34	64.06	3	Vertical	85	1.44	-	31.90	6.84	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 18.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	114.08	Inf	-Inf	110.37	3	Horizontal	308	2.32	-	31.81	6.85	34.95
AV	5.703G	100.61	Inf	-Inf	96.90	3	Horizontal	308	2.32	-	31.81	6.85	34.95
PK	5.76G	60.93	68.20	-7.27	57.01	3	Horizontal	308	2.32	-	32.04	6.82	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT_V_4TX
Setting 18.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40048G	56.58	74.00	-17.42	41.64	3	Vertical	107	1.59	-	39.94	9.66	34.66
AV	11.39775G	43.08	54.00	-10.92	28.14	3	Vertical	107	1.59	-	39.94	9.66	34.66

802.11ax HEW20_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT V_4TX
Setting 18.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4005G	55.69	74.00	-18.31	40.75	3	Horizontal	222	2.42	-	39.94	9.66	34.66
AV	11.40058G	46.39	54.00	-7.61	31.45	3	Horizontal	222	2.42	-	39.94	9.66	34.66

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX




EUT Y_2TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	63.64	74.00	-10.36	60.10	3	Vertical	330	1.99	-	31.71	6.60	34.77
AV	5.1464G	49.20	54.00	-4.80	45.66	3	Vertical	330	1.99	-	31.71	6.60	34.77
PK	5.2742G	120.11	Inf	-Inf	116.93	3	Vertical	330	1.99	-	31.38	6.66	34.86
AV	5.2748G	107.69	Inf	-Inf	104.51	3	Vertical	330	1.99	-	31.38	6.66	34.86
PK	5.3534G	71.02	74.00	-2.98	67.86	3	Vertical	330	1.99	-	31.46	6.62	34.92
AV	5.3546G	53.78	54.00	-0.22	50.62	3	Vertical	330	1.99	-	31.46	6.62	34.92

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX



EUT Y_2TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	57.58	74.00	-16.42	54.03	3	Horizontal	289	1.09	-	31.73	6.58	34.76
AV	5.1452G	44.02	54.00	-9.98	40.48	3	Horizontal	289	1.09	-	31.71	6.60	34.77
PK	5.2616G	109.99	Inf	-Inf	106.75	3	Horizontal	289	1.09	-	31.42	6.67	34.85
AV	5.2616G	96.37	Inf	-Inf	93.13	3	Horizontal	289	1.09	-	31.42	6.67	34.85
PK	5.3516G	58.69	74.00	-15.31	55.54	3	Horizontal	289	1.09	-	31.45	6.62	34.92
AV	5.351G	45.38	54.00	-8.62	42.23	3	Horizontal	289	1.09	-	31.45	6.62	34.92

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX




EUT Y_2TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8078G	57.47	74.00	-16.53	44.32	3	Vertical	52	1.01	-	37.91	10.33	35.09
AV	15.81008G	44.18	54.00	-9.82	31.04	3	Vertical	52	1.01	-	37.90	10.33	35.09

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX




EUT Y_2TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81106G	57.41	74.00	-16.59	44.27	3	Horizontal	226	1.98	-	37.90	10.33	35.09
AV	15.80843G	44.32	54.00	-9.68	31.17	3	Horizontal	226	1.98	-	37.91	10.33	35.09

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX



EUT Y_2TX
Setting 21.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	56.42	74.00	-17.58	52.85	3	Vertical	335	2.01	-	31.77	6.55	34.75
AV	5.134G	43.79	54.00	-10.21	40.24	3	Vertical	335	2.01	-	31.73	6.58	34.76
PK	5.2964G	117.13	Inf	-Inf	114.05	3	Vertical	335	2.01	-	31.31	6.65	34.88
AV	5.306G	105.18	Inf	-Inf	102.09	3	Vertical	335	2.01	-	31.32	6.65	34.88
PK	5.3556G	68.77	74.00	-5.23	65.60	3	Vertical	335	2.01	-	31.47	6.62	34.92
AV	5.3556G	53.73	54.00	-0.27	50.56	3	Vertical	335	2.01	-	31.47	6.62	34.92
PK	5.5012G	56.15	68.20	-12.05	52.70	3	Vertical	335	2.01	-	31.70	6.76	35.01

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX



EUT Y_2TX
Setting 21.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1196G	56.26	74.00	-17.74	52.69	3	Horizontal	289	1.80	-	31.76	6.56	34.75
AV	5.15G	43.40	54.00	-10.60	39.86	3	Horizontal	289	1.80	-	31.70	6.61	34.77
PK	5.3132G	104.76	Inf	-Inf	101.67	3	Horizontal	289	1.80	-	31.34	6.64	34.89
AV	5.3124G	93.23	Inf	-Inf	90.14	3	Horizontal	289	1.80	-	31.34	6.64	34.89
PK	5.3524G	60.67	74.00	-13.33	57.51	3	Horizontal	289	1.80	-	31.46	6.62	34.92
AV	5.3524G	45.53	54.00	-8.47	42.37	3	Horizontal	289	1.80	-	31.46	6.62	34.92
PK	5.5044G	56.14	68.20	-12.06	52.68	3	Horizontal	289	1.80	-	31.70	6.77	35.01

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX




EUT Y_2TX
Setting 21.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93192G	57.32	74.00	-16.68	44.79	3	Vertical	328	1.23	-	37.45	10.31	35.23
AV	15.92945G	43.68	54.00	-10.32	31.13	3	Vertical	328	1.23	-	37.46	10.31	35.22

802.11ax HEW40_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX




EUT Y_2TX
Setting 21.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93235G	57.00	74.00	-17.00	44.47	3	Horizontal	334	2.15	-	37.45	10.31	35.23
AV	15.92764G	44.36	54.00	-9.64	31.80	3	Horizontal	334	2.15	-	37.47	10.31	35.22

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX



EUT Y_4TX
Setting 20
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.58	74.00	-8.42	62.21	3	Vertical	81	1.46	-	31.66	6.70	34.99
AV	5.46G	51.75	54.00	-2.25	48.38	3	Vertical	81	1.46	-	31.66	6.70	34.99
PK	5.4696G	68.09	68.20	-0.11	64.70	3	Vertical	81	1.46	-	31.67	6.71	34.99
PK	5.5208G	122.13	Inf	-Inf	118.66	3	Vertical	81	1.46	-	31.68	6.79	35.00
AV	5.5196G	109.02	Inf	-Inf	105.55	3	Vertical	81	1.46	-	31.68	6.79	35.00

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX



EUT Y_4TX
Setting 20
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	57.42	74.00	-16.58	54.05	3	Horizontal	27	2.31	-	31.66	6.69	34.98
AV	5.4572G	44.95	54.00	-9.05	41.58	3	Horizontal	27	2.31	-	31.66	6.69	34.98
PK	5.4632G	59.47	68.20	-8.73	56.10	3	Horizontal	27	2.31	-	31.66	6.70	34.99
PK	5.5168G	112.66	Inf	-Inf	109.20	3	Horizontal	27	2.31	-	31.68	6.78	35.00
AV	5.5164G	100.53	Inf	-Inf	97.08	3	Horizontal	27	2.31	-	31.68	6.78	35.01

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX




EUT V_4TX
Setting 20
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02211G	57.30	74.00	-16.70	41.66	3	Vertical	212	2.03	-	40.66	9.57	34.59
AV	11.0175G	43.31	54.00	-10.69	27.67	3	Vertical	212	2.03	-	40.67	9.56	34.59

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX




EUT V_4TX
Setting 20
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02029G	56.93	74.00	-17.07	41.30	3	Horizontal	279	1.90	-	40.66	9.56	34.59
AV	11.02124G	43.75	54.00	-10.25	28.11	3	Horizontal	279	1.90	-	40.66	9.57	34.59

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.96	74.00	-7.04	63.60	3	Vertical	245	1.55	-	31.66	6.69	34.99
AV	5.4576G	53.74	54.00	-0.26	50.37	3	Vertical	245	1.55	-	31.66	6.69	34.98
PK	5.47G	63.92	68.20	-4.28	60.53	3	Vertical	245	1.55	-	31.67	6.71	34.99
PK	5.5584G	124.16	Inf	-Inf	120.67	3	Vertical	245	1.55	-	31.64	6.84	34.99
AV	5.5572G	111.81	Inf	-Inf	108.32	3	Vertical	245	1.55	-	31.64	6.84	34.99

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX



EUT Y_4TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	57.96	74.00	-16.04	54.59	3	Horizontal	32	2.18	-	31.66	6.70	34.99
AV	5.4594G	45.92	54.00	-8.08	42.55	3	Horizontal	32	2.18	-	31.66	6.70	34.99
PK	5.4642G	61.99	68.20	-6.21	58.62	3	Horizontal	32	2.18	-	31.66	6.70	34.99
PK	5.5446G	114.88	Inf	-Inf	111.40	3	Horizontal	32	2.18	-	31.66	6.82	35.00
AV	5.5434G	103.43	Inf	-Inf	99.95	3	Horizontal	32	2.18	-	31.66	6.82	35.00

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09818G	58.55	74.00	-15.45	43.07	3	Vertical	350	2.32	-	40.51	9.58	34.61
AV	11.09998G	45.35	54.00	-8.65	29.87	3	Vertical	350	2.32	-	40.51	9.58	34.61

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX




EUT_V_4TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09976G	58.82	74.00	-15.18	43.34	3	Horizontal	92	2.07	-	40.51	9.58	34.61
AV	11.10008G	48.99	54.00	-5.01	33.51	3	Horizontal	92	2.07	-	40.51	9.58	34.61

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 20.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	121.02	Inf	-Inf	117.37	3	Vertical	271	2.09	-	31.74	6.87	34.96
AV	5.6694G	108.80	Inf	-Inf	105.15	3	Vertical	271	2.09	-	31.74	6.87	34.96
PK	5.7276G	67.91	68.20	-0.29	64.10	3	Vertical	271	2.09	-	31.91	6.84	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX



EUT Y_4TX
Setting 20.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	110.44	Inf	-Inf	106.79	3	Horizontal	308	2.20	-	31.74	6.87	34.96
AV	5.6676G	98.73	Inf	-Inf	95.08	3	Horizontal	308	2.20	-	31.74	6.87	34.96
PK	5.7726G	59.99	68.20	-8.21	56.03	3	Horizontal	308	2.20	-	32.09	6.81	34.94

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT V_4TX
Setting 20.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33891G	56.94	74.00	-17.06	41.89	3	Vertical	169	1.99	-	40.06	9.64	34.65
AV	11.33754G	42.74	54.00	-11.26	27.69	3	Vertical	169	1.99	-	40.06	9.64	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 20.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33874G	55.86	74.00	-18.14	40.81	3	Horizontal	195	2.22	-	40.06	9.64	34.65
AV	11.34181G	44.24	54.00	-9.76	29.20	3	Horizontal	195	2.22	-	40.05	9.64	34.65

802.11ax HEW80_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX




EUT Y_2TX
Setting 20.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	57.97	74.00	-16.03	54.43	3	Vertical	334	2.06	-	31.71	6.60	34.77
AV	5.1468G	45.45	54.00	-8.55	41.91	3	Vertical	334	2.06	-	31.71	6.60	34.77
PK	5.2868G	115.20	Inf	-Inf	112.07	3	Vertical	334	2.06	-	31.34	6.66	34.87
AV	5.2948G	101.65	Inf	-Inf	98.56	3	Vertical	334	2.06	-	31.32	6.65	34.88
PK	5.3556G	70.63	74.00	-3.37	67.46	3	Vertical	334	2.06	-	31.47	6.62	34.92
AV	5.3556G	52.28	54.00	-1.72	49.11	3	Vertical	334	2.06	-	31.47	6.62	34.92
PK	5.462G	55.45	68.20	-12.75	52.08	3	Vertical	334	2.06	-	31.66	6.70	34.99

802.11ax HEW80_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX




EUT Y_2TX
Setting 20.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1012G	55.92	74.00	-18.08	52.34	3	Horizontal	295	1.00	-	31.80	6.52	34.74
AV	5.15G	43.57	54.00	-10.43	40.03	3	Horizontal	295	1.00	-	31.70	6.61	34.77
PK	5.3116G	101.81	Inf	-Inf	98.73	3	Horizontal	295	1.00	-	31.33	6.64	34.89
AV	5.302G	89.60	Inf	-Inf	86.52	3	Horizontal	295	1.00	-	31.31	6.65	34.88
PK	5.3516G	60.10	74.00	-13.90	56.95	3	Horizontal	295	1.00	-	31.45	6.62	34.92
AV	5.3524G	44.86	54.00	-9.14	41.70	3	Horizontal	295	1.00	-	31.46	6.62	34.92
PK	5.486G	56.54	68.20	-11.66	53.11	3	Horizontal	295	1.00	-	31.69	6.74	35.00

802.11ax HEW80_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX




EUT Y_2TX
Setting 20.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86839G	57.64	74.00	-16.36	44.79	3	Vertical	137	1.89	-	37.69	10.32	35.16
AV	15.87226G	44.29	54.00	-9.71	31.46	3	Vertical	137	1.89	-	37.67	10.32	35.16

802.11ax HEW80_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX




EUT Y_2TX
Setting 20.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87127G	57.56	74.00	-16.44	44.72	3	Horizontal	336	2.51	-	37.68	10.32	35.16
AV	15.86887G	43.95	54.00	-10.05	31.10	3	Horizontal	336	2.51	-	37.69	10.32	35.16

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX



EUT Y_4TX
Setting 19.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.284G	55.54	68.20	-12.66	52.40	3	Vertical	360	2.69	-	31.35	6.66	34.87
PK	5.453G	63.59	74.00	-10.41	60.24	3	Vertical	360	2.69	-	31.65	6.68	34.98
AV	5.454G	49.90	54.00	-4.10	46.54	3	Vertical	360	2.69	-	31.65	6.69	34.98
PK	5.47G	68.10	68.20	-0.10	64.71	3	Vertical	360	2.69	-	31.67	6.71	34.99
PK	5.533G	116.40	Inf	-Inf	112.92	3	Vertical	360	2.69	-	31.67	6.81	35.00
AV	5.534G	104.16	Inf	-Inf	100.68	3	Vertical	360	2.69	-	31.67	6.81	35.00
PK	5.76G	57.23	68.20	-10.97	53.31	3	Vertical	360	2.69	-	32.04	6.82	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX



EUT Y_4TX
Setting 19.5
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	56.02	68.20	-12.18	52.94	3	Horizontal	144	2.62	-	31.33	6.64	34.89
PK	5.444G	59.03	74.00	-14.97	55.70	3	Horizontal	144	2.62	-	31.64	6.67	34.98
PK	5.464G	64.36	68.20	-3.84	60.99	3	Horizontal	144	2.62	-	31.66	6.70	34.99
AV	5.46G	45.76	54.00	-8.24	42.39	3	Horizontal	144	2.62	-	31.66	6.70	34.99
PK	5.524G	110.64	Inf	-Inf	107.17	3	Horizontal	144	2.62	-	31.68	6.79	35.00
AV	5.524G	98.50	Inf	-Inf	95.03	3	Horizontal	144	2.62	-	31.68	6.79	35.00
PK	5.743G	58.48	68.20	-9.72	54.62	3	Horizontal	144	2.62	-	31.97	6.83	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX




EUT Y_4TX
Setting 19.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06146G	57.26	74.00	-16.74	41.71	3	Vertical	314	1.79	-	40.58	9.57	34.60
AV	11.05866G	43.92	54.00	-10.08	28.36	3	Vertical	314	1.79	-	40.59	9.57	34.60

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX




EUT_V_4TX
Setting 19.5
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05889G	56.85	74.00	-17.15	41.29	3	Horizontal	311	1.46	-	40.59	9.57	34.60
AV	11.05882G	43.56	54.00	-10.44	28.00	3	Horizontal	311	1.46	-	40.59	9.57	34.60

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX



EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	57.53	74.00	-16.47	54.17	3	Vertical	246	1.48	-	31.66	6.69	34.99
AV	5.458G	45.47	54.00	-8.53	42.10	3	Vertical	246	1.48	-	31.66	6.69	34.98
PK	5.4692G	59.70	68.20	-8.50	56.31	3	Vertical	246	1.48	-	31.67	6.71	34.99
PK	5.598G	118.74	Inf	-Inf	115.22	3	Vertical	246	1.48	-	31.60	6.90	34.98
AV	5.618G	106.65	Inf	-Inf	103.09	3	Vertical	246	1.48	-	31.64	6.89	34.97
PK	5.7372G	66.04	68.20	-2.16	62.20	3	Vertical	246	1.48	-	31.95	6.83	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX




EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	56.39	74.00	-17.61	53.04	3	Horizontal	151	3.00	-	31.65	6.68	34.98
AV	5.4588G	43.69	54.00	-10.31	40.33	3	Horizontal	151	3.00	-	31.66	6.69	34.99
PK	5.4684G	56.85	68.20	-11.35	53.46	3	Horizontal	151	3.00	-	31.67	6.71	34.99
PK	5.6236G	112.74	Inf	-Inf	109.17	3	Horizontal	151	3.00	-	31.65	6.89	34.97
AV	5.6036G	99.81	Inf	-Inf	96.28	3	Horizontal	151	3.00	-	31.61	6.90	34.98
PK	5.766G	59.46	68.20	-8.74	55.52	3	Horizontal	151	3.00	-	32.06	6.82	34.94

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX



EUT V_4TX
Setting 21
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22022G	57.27	74.00	-16.73	42.01	3	Vertical	129	1.77	-	40.28	9.61	34.63
AV	11.22004G	43.91	54.00	-10.09	28.65	3	Vertical	129	1.77	-	40.28	9.61	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX




EUT V_4TX
Setting 21
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21998G	58.86	74.00	-15.14	43.60	3	Horizontal	93	2.66	-	40.28	9.61	34.63
AV	11.22003G	49.39	54.00	-4.61	34.13	3	Horizontal	93	2.66	-	40.28	9.61	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5260MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	55.54	74.00	-18.46	51.98	3	Vertical	324	1.95	-	31.76	6.55	34.75
AV	5.1484G	43.40	54.00	-10.60	39.86	3	Vertical	324	1.95	-	31.70	6.61	34.77
PK	5.266G	117.40	Inf	-Inf	114.19	3	Vertical	324	1.95	-	31.40	6.67	34.86
AV	5.2666G	106.12	Inf	-Inf	102.91	3	Vertical	324	1.95	-	31.40	6.67	34.86
PK	5.3638G	54.86	74.00	-19.14	51.67	3	Vertical	324	1.95	-	31.49	6.62	34.92
AV	5.3548G	42.94	54.00	-11.06	39.78	3	Vertical	324	1.95	-	31.46	6.62	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5260MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	55.01	74.00	-18.99	51.46	3	Horizontal	288	1.63	-	31.75	6.56	34.76
AV	5.134G	42.68	54.00	-11.32	39.13	3	Horizontal	288	1.63	-	31.73	6.58	34.76
PK	5.2522G	107.17	Inf	-Inf	103.91	3	Horizontal	288	1.63	-	31.44	6.67	34.85
AV	5.2522G	96.56	Inf	-Inf	93.30	3	Horizontal	288	1.63	-	31.44	6.67	34.85
PK	5.3956G	54.71	74.00	-19.29	51.47	3	Horizontal	288	1.63	-	31.59	6.60	34.95
AV	5.3716G	42.31	54.00	-11.69	39.12	3	Horizontal	288	1.63	-	31.51	6.61	34.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5260MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79248G	56.49	74.00	-17.51	43.26	3	Vertical	111	2.84	-	37.97	10.33	35.07
AV	15.76566G	43.72	54.00	-10.28	30.36	3	Vertical	111	2.84	-	38.07	10.33	35.04

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5260MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77658G	56.65	74.00	-17.35	43.35	3	Horizontal	239	2.31	-	38.03	10.33	35.06
AV	15.77022G	43.32	54.00	-10.68	29.99	3	Horizontal	239	2.31	-	38.05	10.33	35.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	118.01	Inf	-Inf	114.93	3	Vertical	326	1.88	-	31.31	6.65	34.88
AV	5.304G	105.60	Inf	-Inf	102.52	3	Vertical	326	1.88	-	31.31	6.65	34.88
PK	5.3504G	56.38	74.00	-17.62	53.23	3	Vertical	326	1.88	-	31.45	6.62	34.92
AV	5.3504G	44.29	54.00	-9.71	41.14	3	Vertical	326	1.88	-	31.45	6.62	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	107.45	Inf	-Inf	104.35	3	Horizontal	240	1.57	-	31.32	6.65	34.87
AV	5.2912G	97.26	Inf	-Inf	94.15	3	Horizontal	240	1.57	-	31.33	6.65	34.87
PK	5.3788G	55.23	74.00	-18.77	52.02	3	Horizontal	240	1.57	-	31.54	6.61	34.94
AV	5.3504G	42.49	54.00	-11.51	39.34	3	Horizontal	240	1.57	-	31.45	6.62	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89172G	55.98	74.00	-18.02	43.24	3	Vertical	103	2.78	-	37.60	10.32	35.18
AV	15.89568G	42.76	54.00	-11.24	30.05	3	Vertical	103	2.78	-	37.59	10.31	35.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5300MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89034G	56.82	74.00	-17.18	44.07	3	Horizontal	64	1.30	-	37.61	10.32	35.18
AV	15.88542G	42.56	54.00	-11.44	29.80	3	Horizontal	64	1.30	-	37.62	10.32	35.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	116.58	Inf	-Inf	113.47	3	Vertical	186	2.00	-	31.37	6.64	34.90
AV	5.3208G	105.12	Inf	-Inf	102.01	3	Vertical	186	2.00	-	31.36	6.64	34.89
PK	5.3516G	65.83	74.00	-8.17	62.68	3	Vertical	186	2.00	-	31.45	6.62	34.92
AV	5.35G	51.09	54.00	-2.91	47.94	3	Vertical	186	2.00	-	31.45	6.62	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	109.02	Inf	-Inf	105.92	3	Horizontal	241	1.49	-	31.35	6.64	34.89
AV	5.3184G	97.39	Inf	-Inf	94.28	3	Horizontal	241	1.49	-	31.36	6.64	34.89
PK	5.3504G	57.42	74.00	-16.58	54.27	3	Horizontal	241	1.49	-	31.45	6.62	34.92
AV	5.35G	44.03	54.00	-9.97	40.88	3	Horizontal	241	1.49	-	31.45	6.62	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6836G	55.27	74.00	-18.73	40.41	3	Vertical	237	1.54	-	40.16	9.48	34.78
AV	10.7172G	42.73	54.00	-11.27	27.78	3	Vertical	237	1.54	-	40.22	9.49	34.76
PK	15.866G	55.23	74.00	-18.77	42.36	3	Vertical	34	2.66	-	37.70	10.32	35.15
AV	15.8604G	43.15	54.00	-10.85	30.26	3	Vertical	34	2.66	-	37.72	10.32	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

16/01/2020

5320MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.7124G	55.09	74.00	-18.91	40.16	3	Horizontal	205	1.80	-	40.21	9.49	34.77
AV	10.7284G	42.65	54.00	-11.35	27.68	3	Horizontal	205	1.80	-	40.24	9.49	34.76
PK	15.9236G	55.36	74.00	-18.64	42.79	3	Horizontal	337	2.98	-	37.48	10.31	35.22
AV	15.9616G	43.57	54.00	-10.43	30.69	3	Horizontal	337	2.98	-	37.71	10.32	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	58.83	74.00	-15.17	55.47	3	Vertical	87	1.52	-	31.66	6.69	34.99
AV	5.4586G	46.75	54.00	-7.25	43.39	3	Vertical	87	1.52	-	31.66	6.69	34.99
PK	5.47G	63.83	68.20	-4.37	60.44	3	Vertical	87	1.52	-	31.67	6.71	34.99
PK	5.4976G	123.83	Inf	-Inf	120.38	3	Vertical	87	1.52	-	31.70	6.76	35.01
AV	5.4964G	111.94	Inf	-Inf	108.50	3	Vertical	87	1.52	-	31.70	6.75	35.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	56.27	74.00	-17.73	52.92	3	Horizontal	241	2.24	-	31.65	6.68	34.98
AV	5.4598G	43.67	54.00	-10.33	40.30	3	Horizontal	241	2.24	-	31.66	6.70	34.99
PK	5.4694G	55.61	68.20	-12.59	52.22	3	Horizontal	241	2.24	-	31.67	6.71	34.99
PK	5.5024G	115.47	Inf	-Inf	112.02	3	Horizontal	241	2.24	-	31.70	6.76	35.01
AV	5.4964G	102.78	Inf	-Inf	99.34	3	Horizontal	241	2.24	-	31.70	6.75	35.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99887G	56.08	74.00	-17.92	40.41	3	Vertical	225	2.30	-	40.70	9.56	34.59
AV	11.00161G	42.85	54.00	-11.15	27.18	3	Vertical	225	2.30	-	40.70	9.56	34.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5500MHz_TX




EUT V_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99762G	59.55	74.00	-14.45	43.88	3	Horizontal	41	2.41	-	40.70	9.56	34.59
AV	10.9979G	48.08	54.00	-5.92	32.41	3	Horizontal	41	2.41	-	40.70	9.56	34.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	55.88	74.00	-18.12	52.51	3	Vertical	87	1.21	-	31.66	6.69	34.98
AV	5.4584G	44.06	54.00	-9.94	40.70	3	Vertical	87	1.21	-	31.66	6.69	34.99
PK	5.4624G	56.20	68.20	-12.00	52.83	3	Vertical	87	1.21	-	31.66	6.70	34.99
PK	5.5832G	123.01	Inf	-Inf	119.50	3	Vertical	87	1.21	-	31.62	6.88	34.99
AV	5.5816G	110.85	Inf	-Inf	107.35	3	Vertical	87	1.21	-	31.62	6.87	34.99
PK	5.7488G	57.74	68.20	-10.46	53.85	3	Vertical	87	1.21	-	32.00	6.83	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4152G	55.74	74.00	-18.26	52.46	3	Horizontal	147	2.67	-	31.62	6.62	34.96
AV	5.4408G	43.31	54.00	-10.69	39.97	3	Horizontal	147	2.67	-	31.64	6.67	34.97
PK	5.4688G	55.35	68.20	-12.85	51.96	3	Horizontal	147	2.67	-	31.67	6.71	34.99
PK	5.5776G	111.81	Inf	-Inf	108.31	3	Horizontal	147	2.67	-	31.62	6.87	34.99
AV	5.5872G	99.31	Inf	-Inf	95.80	3	Horizontal	147	2.67	-	31.61	6.88	34.98
PK	5.7496G	56.50	68.20	-11.70	52.61	3	Horizontal	147	2.67	-	32.00	6.83	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15929G	55.86	74.00	-18.14	40.48	3	Vertical	131	2.43	-	40.40	9.60	34.62
AV	11.16151G	42.67	54.00	-11.33	27.30	3	Vertical	131	2.43	-	40.39	9.60	34.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5580MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16004G	58.04	74.00	-15.96	42.66	3	Horizontal	91	1.68	-	40.40	9.60	34.62
AV	11.15999G	48.04	54.00	-5.96	32.66	3	Horizontal	91	1.68	-	40.40	9.60	34.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7066G	122.43	Inf	-Inf	118.70	3	Vertical	87	1.20	-	31.83	6.85	34.95
AV	5.7036G	110.17	Inf	-Inf	106.46	3	Vertical	87	1.20	-	31.81	6.85	34.95
PK	5.7252G	67.83	68.20	-0.37	64.03	3	Vertical	87	1.20	-	31.90	6.84	34.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	112.03	Inf	-Inf	108.34	3	Horizontal	229	1.60	-	31.79	6.85	34.95
AV	5.6964G	100.00	Inf	-Inf	96.31	3	Horizontal	229	1.60	-	31.79	6.85	34.95
PK	5.847G	56.83	68.20	-11.37	52.68	3	Horizontal	229	1.60	-	32.25	6.82	34.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39946G	56.94	74.00	-17.06	42.00	3	Vertical	174	1.55	-	39.94	9.66	34.66
AV	11.39814G	43.83	54.00	-10.17	28.89	3	Vertical	174	1.55	-	39.94	9.66	34.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

16/01/2020

5700MHz_TX




EUT Y_4TX
Setting 23
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40209G	59.68	74.00	-14.32	44.74	3	Horizontal	220	1.80	-	39.94	9.66	34.66
AV	11.39824G	48.14	54.00	-5.86	33.20	3	Horizontal	220	1.80	-	39.94	9.66	34.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2548G	112.97	Inf	-Inf	109.71	3	Vertical	3	1.80	-	31.44	6.67	34.85
AV	5.2592G	102.06	Inf	-Inf	98.82	3	Vertical	3	1.80	-	31.42	6.67	34.85
PK	5.35G	56.31	74.00	-17.69	53.16	3	Vertical	3	1.80	-	31.45	6.62	34.92
AV	5.3504G	43.77	54.00	-10.23	40.62	3	Vertical	3	1.80	-	31.45	6.62	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2852G	104.60	Inf	-Inf	101.47	3	Horizontal	287	1.70	-	31.34	6.66	34.87
AV	5.286G	93.62	Inf	-Inf	90.49	3	Horizontal	287	1.70	-	31.34	6.66	34.87
PK	5.3592G	55.13	74.00	-18.87	51.95	3	Horizontal	287	1.70	-	31.48	6.62	34.92
AV	5.3584G	42.36	54.00	-11.64	39.18	3	Horizontal	287	1.70	-	31.48	6.62	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7196G	55.64	74.00	-18.36	42.05	3	Vertical	355	2.07	-	38.24	10.34	34.99
AV	15.71G	43.66	54.00	-10.34	30.03	3	Vertical	355	2.07	-	38.27	10.34	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5270MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7192G	56.73	74.00	-17.27	43.14	3	Horizontal	232	1.21	-	38.24	10.34	34.99
AV	15.7104G	43.37	54.00	-10.63	29.74	3	Horizontal	232	1.21	-	38.27	10.34	34.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	116.53	Inf	-Inf	113.44	3	Vertical	329	1.80	-	31.32	6.65	34.88
AV	5.3048G	103.86	Inf	-Inf	100.78	3	Vertical	329	1.80	-	31.31	6.65	34.88
PK	5.3504G	66.72	74.00	-7.28	63.57	3	Vertical	329	1.80	-	31.45	6.62	34.92
AV	5.35G	51.95	54.00	-2.05	48.80	3	Vertical	329	1.80	-	31.45	6.62	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX



EUT Y_2TX
Setting 24
03-B-C-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	106.49	Inf	-Inf	103.38	3	Horizontal	238	1.58	-	31.37	6.64	34.90
AV	5.3276G	93.24	Inf	-Inf	90.12	3	Horizontal	238	1.58	-	31.38	6.64	34.90
PK	5.3532G	63.11	74.00	-10.89	59.95	3	Horizontal	238	1.58	-	31.46	6.62	34.92
AV	5.3528G	44.93	54.00	-9.07	41.77	3	Horizontal	238	1.58	-	31.46	6.62	34.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9152G	55.53	74.00	-18.47	42.92	3	Vertical	285	1.68	-	37.51	10.31	35.21
AV	15.8476G	42.53	54.00	-11.47	29.58	3	Vertical	285	1.68	-	37.76	10.32	35.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

16/01/2020

5310MHz_TX




EUT Y_2TX
Setting 24
03-B-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8856G	54.84	74.00	-19.16	42.08	3	Horizontal	260	1.93	-	37.62	10.32	35.18
AV	15.8584G	42.69	54.00	-11.31	29.80	3	Horizontal	260	1.93	-	37.72	10.32	35.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX




EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.18	74.00	-14.82	55.82	3	Vertical	90	1.26	-	31.66	6.69	34.99
AV	5.46G	45.79	54.00	-8.21	42.42	3	Vertical	90	1.26	-	31.66	6.70	34.99
PK	5.4608G	67.90	68.20	-0.30	64.53	3	Vertical	90	1.26	-	31.66	6.70	34.99
PK	5.5216G	117.03	Inf	-Inf	113.56	3	Vertical	90	1.26	-	31.68	6.79	35.00
AV	5.5036G	105.60	Inf	-Inf	102.14	3	Vertical	90	1.26	-	31.70	6.77	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX



EUT Y_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	56.21	74.00	-17.79	52.90	3	Horizontal	229	1.65	-	31.63	6.65	34.97
PK	5.4684G	55.85	68.20	-12.35	52.46	3	Horizontal	229	1.65	-	31.67	6.71	34.99
AV	5.46G	43.29	54.00	-10.71	39.92	3	Horizontal	229	1.65	-	31.66	6.70	34.99
PK	5.5136G	106.73	Inf	-Inf	103.27	3	Horizontal	229	1.65	-	31.69	6.78	35.01
AV	5.5076G	94.23	Inf	-Inf	90.78	3	Horizontal	229	1.65	-	31.69	6.77	35.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX




EUT Y_4TX
Setting 21
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01829G	55.73	74.00	-18.27	40.09	3	Vertical	340	2.40	-	40.67	9.56	34.59
AV	11.02237G	43.13	54.00	-10.87	27.49	3	Vertical	340	2.40	-	40.66	9.57	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5510MHz_TX




EUT_V_4TX
Setting 21
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02143G	58.61	74.00	-15.39	42.97	3	Horizontal	104	2.49	-	40.66	9.57	34.59
AV	11.01894G	46.99	54.00	-7.01	31.36	3	Horizontal	104	2.49	-	40.66	9.56	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	57.90	74.00	-16.10	54.53	3	Vertical	89	1.27	-	31.66	6.69	34.98
AV	5.458G	46.53	54.00	-7.47	43.16	3	Vertical	89	1.27	-	31.66	6.69	34.98
PK	5.4668G	63.10	68.20	-5.10	59.71	3	Vertical	89	1.27	-	31.67	6.71	34.99
PK	5.5532G	122.09	Inf	-Inf	118.60	3	Vertical	89	1.27	-	31.65	6.83	34.99
AV	5.5452G	109.75	Inf	-Inf	106.28	3	Vertical	89	1.27	-	31.65	6.82	35.00
PK	5.7324G	58.24	68.20	-9.96	54.42	3	Vertical	89	1.27	-	31.93	6.83	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	56.12	74.00	-17.88	52.75	3	Horizontal	237	2.25	-	31.66	6.69	34.98
AV	5.4572G	43.70	54.00	-10.30	40.33	3	Horizontal	237	2.25	-	31.66	6.69	34.98
PK	5.466G	56.41	68.20	-11.79	53.02	3	Horizontal	237	2.25	-	31.67	6.71	34.99
PK	5.558G	112.04	Inf	-Inf	108.55	3	Horizontal	237	2.25	-	31.64	6.84	34.99
AV	5.5476G	99.59	Inf	-Inf	96.11	3	Horizontal	237	2.25	-	31.65	6.83	35.00
PK	5.7332G	56.87	68.20	-11.33	53.05	3	Horizontal	237	2.25	-	31.93	6.83	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX




EUT_V_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0988G	56.48	74.00	-17.52	41.00	3	Vertical	119	1.23	-	40.51	9.58	34.61
AV	11.09933G	43.11	54.00	-10.89	27.63	3	Vertical	119	1.23	-	40.51	9.58	34.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5550MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10192G	58.45	74.00	-15.55	42.97	3	Horizontal	39	2.79	-	40.51	9.58	34.61
AV	11.09801G	48.78	54.00	-5.22	33.30	3	Horizontal	39	2.79	-	40.51	9.58	34.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6616G	118.89	Inf	-Inf	115.26	3	Vertical	84	1.26	-	31.72	6.87	34.96
AV	5.6586G	106.82	Inf	-Inf	103.19	3	Vertical	84	1.26	-	31.72	6.87	34.96
PK	5.7252G	60.37	68.20	-7.83	56.57	3	Vertical	84	1.26	-	31.90	6.84	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.673G	110.07	Inf	-Inf	106.42	3	Horizontal	230	1.60	-	31.75	6.86	34.96
AV	5.6712G	98.98	Inf	-Inf	95.34	3	Horizontal	230	1.60	-	31.74	6.86	34.96
PK	5.7486G	56.91	68.20	-11.29	53.03	3	Horizontal	230	1.60	-	31.99	6.83	34.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34153G	55.11	74.00	-18.89	40.07	3	Vertical	229	1.96	-	40.05	9.64	34.65
AV	11.33789G	41.95	54.00	-12.05	26.90	3	Vertical	229	1.96	-	40.06	9.64	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

16/01/2020

5670MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3416G	58.44	74.00	-15.56	43.40	3	Horizontal	268	2.62	-	40.05	9.64	34.65
AV	11.34181G	48.96	54.00	-5.04	33.92	3	Horizontal	268	2.62	-	40.05	9.64	34.65

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX



EUT Y_2TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.05	74.00	-11.95	58.51	3	Vertical	322	2.11	-	31.70	6.61	34.77
AV	5.1436G	48.06	54.00	-5.94	44.52	3	Vertical	322	2.11	-	31.71	6.60	34.77
PK	5.266G	115.80	Inf	-Inf	112.59	3	Vertical	322	2.11	-	31.40	6.67	34.86
AV	5.2556G	104.95	Inf	-Inf	101.70	3	Vertical	322	2.11	-	31.43	6.67	34.85
PK	5.354G	69.27	74.00	-4.73	66.11	3	Vertical	322	2.11	-	31.46	6.62	34.92
AV	5.35G	53.75	54.00	-0.25	50.60	3	Vertical	322	2.11	-	31.45	6.62	34.92
PK	5.466G	56.33	68.20	-11.87	52.94	3	Vertical	322	2.11	-	31.67	6.71	34.99

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX



EUT Y_2TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	56.93	74.00	-17.07	53.38	3	Horizontal	235	1.57	-	31.74	6.57	34.76
AV	5.15G	43.84	54.00	-10.16	40.30	3	Horizontal	235	1.57	-	31.70	6.61	34.77
PK	5.3124G	108.39	Inf	-Inf	105.30	3	Horizontal	235	1.57	-	31.34	6.64	34.89
AV	5.3108G	95.71	Inf	-Inf	92.63	3	Horizontal	235	1.57	-	31.33	6.64	34.89
PK	5.3556G	61.39	74.00	-12.61	58.22	3	Horizontal	235	1.57	-	31.47	6.62	34.92
AV	5.35G	45.95	54.00	-8.05	42.80	3	Horizontal	235	1.57	-	31.45	6.62	34.92
PK	5.4828G	56.02	68.20	-12.18	52.61	3	Horizontal	235	1.57	-	31.68	6.73	35.00

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX




EUT Y_2TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87043G	57.40	74.00	-16.60	44.56	3	Vertical	275	1.10	-	37.68	10.32	35.16
AV	15.87206G	43.84	54.00	-10.16	31.01	3	Vertical	275	1.10	-	37.67	10.32	35.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

16/01/2020

5290MHz_TX



EUT Y_2TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87056G	57.87	74.00	-16.13	45.03	3	Horizontal	131	2.84	-	37.68	10.32	35.16
AV	15.87245G	44.78	54.00	-9.22	31.95	3	Horizontal	131	2.84	-	37.67	10.32	35.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	55.90	68.20	-12.30	52.75	3	Vertical	120	1.64	-	31.36	6.66	34.87
PK	5.46G	62.67	74.00	-11.33	59.30	3	Vertical	120	1.64	-	31.66	6.70	34.99
AV	5.46G	49.92	54.00	-4.08	46.55	3	Vertical	120	1.64	-	31.66	6.70	34.99
PK	5.47G	64.61	68.20	-3.59	61.22	3	Vertical	120	1.64	-	31.67	6.71	34.99
PK	5.544G	117.40	Inf	-Inf	113.92	3	Vertical	120	1.64	-	31.66	6.82	35.00
AV	5.534G	104.85	Inf	-Inf	101.37	3	Vertical	120	1.64	-	31.67	6.81	35.00
PK	5.727G	57.18	68.20	-11.02	53.37	3	Vertical	120	1.64	-	31.91	6.84	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	55.38	68.20	-12.82	52.30	3	Horizontal	241	2.56	-	31.32	6.65	34.89
PK	5.46G	57.40	74.00	-16.60	54.03	3	Horizontal	241	2.56	-	31.66	6.70	34.99
AV	5.46G	46.11	54.00	-7.89	42.74	3	Horizontal	241	2.56	-	31.66	6.70	34.99
PK	5.47G	59.68	68.20	-8.52	56.29	3	Horizontal	241	2.56	-	31.67	6.71	34.99
PK	5.513G	105.44	Inf	-Inf	101.98	3	Horizontal	241	2.56	-	31.69	6.78	35.01
AV	5.498G	99.46	Inf	-Inf	96.01	3	Horizontal	241	2.56	-	31.70	6.76	35.01
PK	5.727G	56.23	68.20	-11.97	52.42	3	Horizontal	241	2.56	-	31.91	6.84	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05793G	56.54	74.00	-17.46	40.98	3	Vertical	148	1.18	-	40.59	9.57	34.60
AV	11.0585G	43.11	54.00	-10.89	27.55	3	Vertical	148	1.18	-	40.59	9.57	34.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5530MHz_TX




EUT_V_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06177G	57.87	74.00	-16.13	42.32	3	Horizontal	133	2.04	-	40.58	9.57	34.60
AV	11.06009G	47.07	54.00	-6.93	31.51	3	Horizontal	133	2.04	-	40.59	9.57	34.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX




EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4292G	56.81	74.00	-17.19	53.50	3	Vertical	89	1.28	-	31.63	6.65	34.97
PK	5.466G	57.74	68.20	-10.46	54.35	3	Vertical	89	1.28	-	31.67	6.71	34.99
AV	5.4596G	44.98	54.00	-9.02	41.61	3	Vertical	89	1.28	-	31.66	6.70	34.99
PK	5.5828G	120.28	Inf	-Inf	116.77	3	Vertical	89	1.28	-	31.62	6.88	34.99
AV	5.598G	107.52	Inf	-Inf	104.00	3	Vertical	89	1.28	-	31.60	6.90	34.98
PK	5.7252G	62.26	68.20	-5.94	58.46	3	Vertical	89	1.28	-	31.90	6.84	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX



EUT Y_4TX
Setting 24
03-B-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4188G	55.78	74.00	-18.22	52.49	3	Horizontal	228	1.79	-	31.62	6.63	34.96
PK	5.4652G	55.16	68.20	-13.04	51.78	3	Horizontal	228	1.79	-	31.67	6.70	34.99
AV	5.4588G	43.41	54.00	-10.59	40.05	3	Horizontal	228	1.79	-	31.66	6.69	34.99
PK	5.5788G	108.02	Inf	-Inf	104.52	3	Horizontal	228	1.79	-	31.62	6.87	34.99
AV	5.6228G	95.87	Inf	-Inf	92.30	3	Horizontal	228	1.79	-	31.65	6.89	34.97
PK	5.7668G	56.62	68.20	-11.58	52.67	3	Horizontal	228	1.79	-	32.07	6.82	34.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX




EUT_V_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22003G	56.27	74.00	-17.73	41.01	3	Vertical	351	2.39	-	40.28	9.61	34.63
AV	11.22012G	43.75	54.00	-10.25	28.49	3	Vertical	351	2.39	-	40.28	9.61	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

16/01/2020

5610MHz_TX



EUT_V_4TX
Setting 24
03-B-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22001G	57.41	74.00	-16.59	42.15	3	Horizontal	93	1.50	-	40.28	9.61	34.63
AV	11.22003G	48.46	54.00	-5.54	33.20	3	Horizontal	93	1.50	-	40.28	9.61	34.63




For Straddle channel Mode:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.85G	68.19	68.20	-0.01	3	Vertical	56	1.49	-

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 27
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.31	74.00	-13.69	54.05	3	Vertical	185	1.23	-	33.61	5.83	33.18
PK	5.4608G	60.98	68.20	-7.22	54.69	3	Vertical	185	1.23	-	33.64	5.83	33.18
AV	5.4596G	48.36	54.00	-5.64	42.07	3	Vertical	185	1.23	-	33.64	5.83	33.18
PK	5.7224G	128.18	Inf	-Inf	121.40	3	Vertical	185	1.23	-	34.09	5.96	33.27
AV	5.7212G	118.76	Inf	-Inf	111.99	3	Vertical	185	1.23	-	34.08	5.96	33.27
PK	5.85G	67.73	68.20	-0.47	60.50	3	Vertical	185	1.23	-	34.50	6.05	33.32

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 27
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.74	74.00	-14.26	53.52	3	Horizontal	31	1.96	-	33.58	5.82	33.18
AV	5.4524G	46.51	54.00	-7.49	40.25	3	Horizontal	31	1.96	-	33.61	5.83	33.18
PK	5.4608G	58.78	68.20	-9.42	52.49	3	Horizontal	31	1.96	-	33.64	5.83	33.18
PK	5.7176G	117.64	Inf	-Inf	110.88	3	Horizontal	31	1.96	-	34.07	5.96	33.27
AV	5.7164G	108.53	Inf	-Inf	101.77	3	Horizontal	31	1.96	-	34.07	5.96	33.27
PK	5.85G	60.77	68.20	-7.43	53.54	3	Horizontal	31	1.96	-	34.50	6.05	33.32

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 27
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44678G	56.59	74.00	-17.41	42.80	3	Vertical	336	2.81	-	39.20	9.32	34.73
AV	11.44268G	43.52	54.00	-10.48	29.73	3	Vertical	336	2.81	-	39.20	9.32	34.73

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 27
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44024G	57.20	74.00	-16.80	43.41	3	Horizontal	146	1.80	-	39.20	9.32	34.73
AV	11.44G	45.95	54.00	-8.05	32.16	3	Horizontal	146	1.80	-	39.20	9.32	34.73

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 26.5
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.54	74.00	-13.46	54.25	3	Vertical	167	1.35	-	33.64	5.83	33.18
AV	5.4572G	48.33	54.00	-5.67	42.05	3	Vertical	167	1.35	-	33.63	5.83	33.18
PK	5.4608G	61.87	68.20	-6.33	55.58	3	Vertical	167	1.35	-	33.64	5.83	33.18
PK	5.7176G	129.13	Inf	-Inf	122.37	3	Vertical	167	1.35	-	34.07	5.96	33.27
AV	5.7176G	117.37	Inf	-Inf	110.61	3	Vertical	167	1.35	-	34.07	5.96	33.27
PK	5.85G	65.80	68.20	-2.40	58.57	3	Vertical	167	1.35	-	34.50	6.05	33.32

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 26.5
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	58.73	74.00	-15.27	52.47	3	Horizontal	33	1.76	-	33.61	5.83	33.18
AV	5.4524G	46.09	54.00	-7.91	39.83	3	Horizontal	33	1.76	-	33.61	5.83	33.18
PK	5.4656G	59.50	68.20	-8.70	53.19	3	Horizontal	33	1.76	-	33.66	5.83	33.18
PK	5.7116G	118.93	Inf	-Inf	112.18	3	Horizontal	33	1.76	-	34.05	5.96	33.26
AV	5.7128G	106.77	Inf	-Inf	100.03	3	Horizontal	33	1.76	-	34.05	5.96	33.27
PK	5.9636G	60.50	68.20	-7.70	52.66	3	Horizontal	33	1.76	-	35.05	6.16	33.37

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 26.5
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.43256G	56.44	74.00	-17.56	42.65	3	Vertical	348	2.90	-	39.20	9.32	34.73	
AV	11.42806G	43.02	54.00	-10.98	29.23	3	Vertical	348	2.90	-	39.20	9.31	34.72	

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 26.5
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43832G	56.41	74.00	-17.59	42.62	3	Horizontal	42	2.69	-	39.20	9.32	34.73
AV	11.43784G	43.05	54.00	-10.95	29.26	3	Horizontal	42	2.69	-	39.20	9.32	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23.5
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	60.69	74.00	-13.31	54.42	3	Vertical	177	1.26	-	33.62	5.83	33.18
AV	5.4568G	47.93	54.00	-6.07	41.65	3	Vertical	177	1.26	-	33.63	5.83	33.18
PK	5.464G	60.27	68.20	-7.93	53.96	3	Vertical	177	1.26	-	33.66	5.83	33.18
PK	5.7016G	125.74	Inf	-Inf	119.04	3	Vertical	177	1.26	-	34.01	5.95	33.26
AV	5.7004G	113.11	Inf	-Inf	106.42	3	Vertical	177	1.26	-	34.00	5.95	33.26
PK	5.85G	66.66	68.20	-1.54	59.43	3	Vertical	177	1.26	-	34.50	6.05	33.32

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23.5
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	59.50	74.00	-14.50	53.31	3	Horizontal	34	1.75	-	33.55	5.82	33.18
PK	5.4604G	59.00	68.20	-9.20	52.71	3	Horizontal	34	1.75	-	33.64	5.83	33.18
AV	5.46G	46.09	54.00	-7.91	39.80	3	Horizontal	34	1.75	-	33.64	5.83	33.18
PK	5.7172G	113.78	Inf	-Inf	107.02	3	Horizontal	34	1.75	-	34.07	5.96	33.27
AV	5.7172G	101.17	Inf	-Inf	94.41	3	Horizontal	34	1.75	-	34.07	5.96	33.27
PK	5.9596G	60.84	68.20	-7.36	53.00	3	Horizontal	34	1.75	-	35.04	6.16	33.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23.5
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42854G	56.43	74.00	-17.57	42.64	3	Vertical	324	1.98	-	39.20	9.31	34.72
AV	11.43082G	42.90	54.00	-11.10	29.11	3	Vertical	324	1.98	-	39.20	9.32	34.73

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 23.5
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44042G	55.90	74.00	-18.10	42.11	3	Horizontal	269	1.45	-	39.20	9.32	34.73
AV	11.42716G	42.97	54.00	-11.03	29.18	3	Horizontal	269	1.45	-	39.20	9.31	34.72

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.99	74.00	-14.01	53.71	3	Vertical	56	1.49	-	33.63	5.83	33.18
AV	5.4584G	47.36	54.00	-6.64	41.08	3	Vertical	56	1.49	-	33.63	5.83	33.18
PK	5.4692G	61.37	68.20	-6.83	55.04	3	Vertical	56	1.49	-	33.68	5.83	33.18
PK	5.7092G	118.80	Inf	-Inf	112.07	3	Vertical	56	1.49	-	34.04	5.95	33.26
AV	5.708G	106.97	Inf	-Inf	100.25	3	Vertical	56	1.49	-	34.03	5.95	33.26
PK	5.85G	68.19	68.20	-0.01	60.96	3	Vertical	56	1.49	-	34.50	6.05	33.32

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4464G	58.95	74.00	-15.05	52.72	3	Horizontal	23	2.13	-	33.59	5.82	33.18	
PK	5.462G	59.46	68.20	-8.74	53.16	3	Horizontal	23	2.13	-	33.65	5.83	33.18	
AV	5.4584G	46.21	54.00	-7.79	39.93	3	Horizontal	23	2.13	-	33.63	5.83	33.18	
PK	5.6888G	110.61	Inf	-Inf	103.95	3	Horizontal	23	2.13	-	33.98	5.94	33.26	
AV	5.7092G	97.48	Inf	-Inf	90.75	3	Horizontal	23	2.13	-	34.04	5.95	33.26	
PK	5.8508G	61.26	68.20	-6.94	54.03	3	Horizontal	23	2.13	-	34.50	6.05	33.32	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3923G	57.09	74.00	-16.91	43.29	3	Vertical	350	1.80	-	39.21	9.30	34.71
AV	11.39062G	43.06	54.00	-10.94	29.26	3	Vertical	350	1.80	-	39.21	9.30	34.71

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36884G	56.79	74.00	-17.21	42.97	3	Horizontal	147	1.86	-	39.23	9.28	34.69
AV	11.37994G	44.31	54.00	-9.69	30.50	3	Horizontal	147	1.86	-	39.22	9.29	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.16	74.00	-14.84	52.94	3	Vertical	184.3	1.80	-	33.58	5.82	33.18
AV	5.4524G	46.83	54.00	-7.17	40.57	3	Vertical	184.3	1.80	-	33.61	5.83	33.18
PK	5.4608G	59.17	68.20	-9.03	52.88	3	Vertical	184.3	1.80	-	33.64	5.83	33.18
PK	5.7248G	122.80	Inf	-Inf	116.01	3	Vertical	184.3	1.80	-	34.10	5.96	33.27
AV	5.7236G	111.07	Inf	-Inf	104.29	3	Vertical	184.3	1.80	-	34.09	5.96	33.27
PK	5.8736G	61.58	68.20	-6.62	54.20	3	Vertical	184.3	1.80	-	34.64	6.07	33.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.42	74.00	-15.58	52.15	3	Horizontal	31	1.79	-	33.62	5.83	33.18
AV	5.456G	46.63	54.00	-7.37	40.36	3	Horizontal	31	1.79	-	33.62	5.83	33.18
PK	5.4608G	58.39	68.20	-9.81	52.10	3	Horizontal	31	1.79	-	33.64	5.83	33.18
PK	5.7212G	113.93	Inf	-Inf	107.16	3	Horizontal	31	1.79	-	34.08	5.96	33.27
AV	5.7164G	102.14	Inf	-Inf	95.38	3	Horizontal	31	1.79	-	34.07	5.96	33.27
PK	5.9132G	60.99	68.20	-7.21	53.38	3	Horizontal	31	1.79	-	34.85	6.11	33.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44966G	56.69	74.00	-17.31	42.90	3	Vertical	11	1.92	-	39.20	9.32	34.73
AV	11.42536G	43.33	54.00	-10.67	29.54	3	Vertical	11	1.92	-	39.20	9.31	34.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44822G	56.33	74.00	-17.67	42.54	3	Horizontal	331	1.18	-	39.20	9.32	34.73
AV	11.42518G	43.31	54.00	-10.69	29.52	3	Horizontal	331	1.18	-	39.20	9.31	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.31	74.00	-14.69	53.02	3	Vertical	173.4	1.09	-	33.64	5.83	33.18
AV	5.4508G	48.42	54.00	-5.58	42.17	3	Vertical	173.4	1.09	-	33.60	5.83	33.18
PK	5.4664G	60.35	68.20	-7.85	54.03	3	Vertical	173.4	1.09	-	33.67	5.83	33.18
PK	5.7112G	120.74	Inf	-Inf	114.00	3	Vertical	173.4	1.09	-	34.04	5.96	33.26
AV	5.7124G	108.67	Inf	-Inf	101.92	3	Vertical	173.4	1.09	-	34.05	5.96	33.26
PK	5.8912G	61.36	68.20	-6.84	53.86	3	Vertical	173.4	1.09	-	34.75	6.09	33.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	59.09	74.00	-14.91	52.97	3	Horizontal	31.1	1.80	-	33.49	5.81	33.18
PK	5.464G	58.72	68.20	-9.48	52.41	3	Horizontal	31.1	1.80	-	33.66	5.83	33.18
AV	5.4472G	47.33	54.00	-6.67	41.10	3	Horizontal	31.1	1.80	-	33.59	5.82	33.18
PK	5.7136G	109.72	Inf	-Inf	102.98	3	Horizontal	31.1	1.80	-	34.05	5.96	33.27
AV	5.7124G	98.17	Inf	-Inf	91.42	3	Horizontal	31.1	1.80	-	34.05	5.96	33.26
PK	5.9872G	60.66	68.20	-7.54	52.69	3	Horizontal	31.1	1.80	-	35.15	6.19	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40884G	56.35	74.00	-17.65	42.56	3	Vertical	311	1.35	-	39.20	9.30	34.71
AV	11.41262G	43.77	54.00	-10.23	29.98	3	Vertical	311	1.35	-	39.20	9.31	34.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40854G	56.26	74.00	-17.74	42.47	3	Horizontal	357	1.89	-	39.20	9.30	34.71
AV	11.42954G	44.27	54.00	-9.73	30.48	3	Horizontal	357	1.89	-	39.20	9.31	34.72

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4584G	60.19	74.00	-13.81	53.91	3	Vertical	183.4	1.24	-	33.63	5.83	33.18	
AV	5.4584G	47.48	54.00	-6.52	41.20	3	Vertical	183.4	1.24	-	33.63	5.83	33.18	
PK	5.4608G	60.94	68.20	-7.26	54.65	3	Vertical	183.4	1.24	-	33.64	5.83	33.18	
PK	5.7044G	118.34	Inf	-Inf	111.63	3	Vertical	183.4	1.24	-	34.02	5.95	33.26	
AV	5.654G	107.99	Inf	-Inf	101.39	3	Vertical	183.4	1.24	-	33.91	5.93	33.24	
PK	5.9396G	61.71	68.20	-6.49	53.97	3	Vertical	183.4	1.24	-	34.96	6.14	33.36	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4116G	59.14	74.00	-14.86	53.06	3	Horizontal	82.5	1.80	-	33.45	5.81	33.18
PK	5.462G	59.67	68.20	-8.53	53.37	3	Horizontal	82.5	1.80	-	33.65	5.83	33.18
AV	5.4584G	46.75	54.00	-7.25	40.47	3	Horizontal	82.5	1.80	-	33.63	5.83	33.18
PK	5.6672G	105.46	Inf	-Inf	98.85	3	Horizontal	82.5	1.80	-	33.93	5.93	33.25
AV	5.6636G	93.77	Inf	-Inf	87.16	3	Horizontal	82.5	1.80	-	33.93	5.93	33.25
PK	5.9852G	61.24	68.20	-6.96	53.28	3	Horizontal	82.5	1.80	-	35.14	6.19	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.38054G	55.94	74.00	-18.06	42.13	3	Vertical	34	1.30	-	39.22	9.29	34.70	
AV	11.3674G	43.04	54.00	-10.96	29.22	3	Vertical	34	1.30	-	39.23	9.28	34.69	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
Setting 24
04-C-B-2
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36908G	55.55	74.00	-18.45	41.73	3	Horizontal	64	1.64	-	39.23	9.28	34.69
AV	11.3836G	42.99	54.00	-11.01	29.18	3	Horizontal	64	1.64	-	39.22	9.29	34.70

