



802.11a CH40



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1102.200000	---	29.97	54.00	24.03	500.0	100.0	H	96.0	-8
1268.566667	41.70	---	68.20	26.50	500.0	200.0	V	312.0	-7
1401.100000	---	32.90	54.00	21.10	500.0	200.0	V	257.0	-6
1693.466667	---	33.69	54.00	20.31	500.0	200.0	V	292.0	-5
1946.866667	45.11	---	68.20	23.09	500.0	100.0	H	266.0	-3
2590.166667	47.15	---	68.20	21.05	500.0	200.0	V	229.0	0
2766.100000	---	38.27	54.00	15.73	500.0	200.0	V	0.0	1
3490.833333	50.11	---	68.20	18.09	500.0	200.0	V	185.0	4
3926.933333	---	42.20	54.00	11.80	500.0	200.0	V	243.0	6
4433.033333	52.20	---	68.20	16.00	500.0	200.0	V	200.0	7
5920.066667	57.69	---	68.20	10.51	500.0	200.0	V	243.0	10
7396.600000	---	48.10	54.00	5.90	500.0	200.0	V	215.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH48



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1103.366667	---	31.03	54.00	22.97	500.0	200.0	H	0.0	-8
1274.166667	41.98	---	68.20	26.22	500.0	100.0	V	156.0	-7
1410.666667	---	32.36	54.00	21.64	500.0	100.0	V	272.0	-6
1606.900000	---	33.47	54.00	20.53	500.0	200.0	H	30.0	-5
1979.533333	44.74	---	68.20	23.46	500.0	200.0	H	0.0	-3
2503.833333	46.92	---	68.20	21.28	500.0	100.0	H	0.0	0
2826.066667	---	37.71	54.00	16.29	500.0	100.0	H	309.0	1
3476.366667	50.01	---	68.20	18.19	500.0	200.0	H	315.0	4
3997.166667	---	41.34	54.00	12.66	500.0	100.0	V	122.0	6
6667.200000	51.91	---	68.20	16.29	500.0	200.0	H	170.0	10
7464.733333	---	44.78	54.00	9.22	500.0	100.0	H	12.0	11
7973.400000	54.03	---	68.20	14.17	500.0	100.0	H	331.0	12
7411.533333	---	48.17	54.00	5.83	500.0	200.0	V	320.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH52



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1102.433333	---	30.46	54.00	23.54	500.0	100.0	H	0.0	-8
1285.133333	41.91	---	68.20	26.29	500.0	200.0	V	0.0	-7
1391.300000	---	32.74	54.00	21.26	500.0	200.0	V	281.0	-6
1674.800000	---	33.93	54.00	20.07	500.0	200.0	V	261.0	-5
1904.400000	44.68	---	68.20	23.52	500.0	200.0	V	318.0	-4
2606.966667	47.56	---	68.20	20.64	500.0	200.0	V	192.0	0
2791.300000	---	37.83	54.00	16.17	500.0	100.0	V	229.0	1
3594.200000	50.46	---	68.20	17.74	500.0	100.0	H	3.0	4
3995.300000	---	41.14	54.00	12.86	500.0	100.0	H	215.0	6
4420.433333	50.97	---	68.20	17.23	500.0	200.0	H	71.0	7
7386.566667	---	44.79	54.00	9.21	500.0	200.0	H	0.0	11
7970.833333	54.29	---	68.20	13.91	500.0	200.0	V	158.0	12

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH60



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1091.933333	---	30.88	54.00	23.12	500.0	100.0	H	248.0	-8
1259.233333	42.81	---	68.20	25.39	500.0	100.0	H	206.0	-7
1333.200000	---	33.20	54.00	20.80	500.0	200.0	V	0.0	-7
1613.666667	---	34.03	54.00	19.97	500.0	100.0	V	26.0	-5
1957.133333	45.06	---	68.20	23.14	500.0	200.0	H	37.0	-3
2644.300000	48.58	---	68.20	19.62	500.0	200.0	V	289.0	0
2790.133333	---	37.81	54.00	16.19	500.0	200.0	H	51.0	1
3556.166667	49.78	---	68.20	18.42	500.0	100.0	V	331.0	4
3935.333333	---	41.15	54.00	12.85	500.0	200.0	H	9.0	6
4476.900000	51.17	---	68.20	17.03	500.0	100.0	H	74.0	7
7464.966667	---	44.98	54.00	9.02	500.0	100.0	H	145.0	11
7976.666667	55.39	---	68.20	12.81	500.0	200.0	V	165.0	12
10600.000000	---	50.28	54.00	3.72	500.0	200.0	H	156.0	5

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH64



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1263.200000	41.84	---	68.20	26.36	500.0	200.0	V	212.0	-7
1399.233333	---	32.81	54.00	21.19	500.0	100.0	V	0.0	-6
1675.266667	---	34.06	54.00	19.94	500.0	100.0	V	190.0	-5
1750.400000	44.72	---	68.20	23.48	500.0	100.0	H	327.0	-4
2120.233333	44.65	---	68.20	23.55	500.0	100.0	V	168.0	-2
2312.966667	---	35.55	54.00	18.45	500.0	100.0	V	30.0	-1
2626.333333	47.24	---	68.20	20.96	500.0	100.0	H	225.0	0
2788.266667	---	37.97	54.00	16.03	500.0	100.0	H	307.0	1
3438.800000	49.54	---	68.20	18.66	500.0	100.0	H	164.0	4
3985.033333	---	41.48	54.00	12.52	500.0	200.0	V	0.0	6
6432.933333	53.91	---	68.20	14.29	500.0	100.0	V	280.0	10
7343.633333	---	44.40	54.00	9.60	500.0	200.0	V	3.0	11
10640.000000	---	50.83	54.00	3.18	500.0	200.0	H	148.0	5

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH100



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1261.100000	42.04	---	68.20	26.16	500.0	100.0	H	337.0	-7
1398.533333	---	33.03	54.00	20.97	500.0	100.0	V	196.0	-6
1696.500000	---	34.33	54.00	19.67	500.0	100.0	H	185.0	-5
1808.733333	45.19	---	68.20	23.01	500.0	200.0	V	350.0	-4
2144.033333	45.06	---	68.20	23.14	500.0	100.0	V	52.0	-2
2336.300000	---	35.83	54.00	18.17	500.0	100.0	V	231.0	-1
2613.266667	47.46	---	68.20	20.74	500.0	100.0	H	0.0	0
2722.700000	---	37.86	54.00	16.14	500.0	100.0	H	157.0	1
3474.966667	49.50	---	68.20	18.70	500.0	200.0	V	302.0	4
3903.133333	---	41.25	54.00	12.75	500.0	200.0	V	220.0	6
5891.366667	54.46	---	68.20	13.74	500.0	200.0	H	13.0	10
7359.966667	---	44.61	54.00	9.39	500.0	200.0	V	0.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH116



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1269.500000	42.26	---	68.20	25.94	500.0	100.0	H	302.0	-7
1404.833333	---	32.86	54.00	21.14	500.0	100.0	V	35.0	-6
1668.266667	---	34.22	54.00	19.78	500.0	100.0	V	0.0	-5
1771.633333	44.43	---	68.20	23.77	500.0	100.0	H	180.0	-4
1990.033333	45.08	---	68.20	23.12	500.0	200.0	H	3.0	-3
2348.666667	---	35.26	54.00	18.74	500.0	100.0	V	76.0	-1
2627.500000	47.55	---	68.20	20.65	500.0	200.0	H	132.0	0
2824.666667	---	37.74	54.00	16.26	500.0	200.0	H	235.0	1
3429.466667	49.59	---	68.20	18.61	500.0	200.0	H	242.0	4
3990.633333	---	41.36	54.00	12.64	500.0	200.0	H	321.0	6
6586.700000	52.95	---	68.20	15.25	500.0	200.0	H	342.0	10
7581.633333	---	45.01	54.00	8.99	500.0	100.0	H	343.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH140



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1251.766667	42.25	---	68.20	25.95	500.0	200.0	H	87.0	-7
1387.800000	---	33.16	54.00	20.84	500.0	100.0	V	48.0	-6
1721.000000	---	34.17	54.00	19.83	500.0	100.0	H	312.0	-4
1954.566667	45.11	---	68.20	23.09	500.0	100.0	V	14.0	-3
2610.700000	47.33	---	68.20	20.87	500.0	100.0	H	111.0	0
2806.933333	---	37.71	54.00	16.29	500.0	100.0	H	3.0	1
3485.233333	49.69	---	68.20	18.51	500.0	200.0	V	328.0	4
3924.833333	---	41.45	54.00	12.55	500.0	200.0	H	3.0	6
5123.466667	---	43.09	54.00	10.91	500.0	100.0	V	62.0	9
5267.200000	52.89	---	68.20	15.31	500.0	100.0	V	186.0	9
6223.400000	53.29	---	68.20	14.91	500.0	200.0	V	38.0	10
7525.866667	---	44.73	54.00	9.27	500.0	100.0	H	96.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH144



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1255.500000	42.42	---	68.20	25.78	500.0	100.0	H	308.0	-7
1313.833333	---	33.03	54.00	20.97	500.0	100.0	V	270.0	-7
1697.666667	---	34.27	54.00	19.73	500.0	200.0	V	0.0	-5
1756.000000	45.11	---	68.20	23.09	500.0	200.0	H	1.0	-4
2676.500000	47.80	---	68.20	20.40	500.0	100.0	H	232.0	0
2715.466667	---	37.46	54.00	16.54	500.0	100.0	H	136.0	1
3460.500000	49.84	---	68.20	18.36	500.0	100.0	H	170.0	4
3968.700000	---	41.18	54.00	12.82	500.0	100.0	H	136.0	6
5079.833333	---	43.11	54.00	10.89	500.0	200.0	V	346.0	9
5275.600000	52.49	---	68.20	15.71	500.0	200.0	V	255.0	9
6883.266667	53.90	---	68.20	14.30	500.0	100.0	H	239.0	11
7517.000000	---	44.95	54.00	9.05	500.0	200.0	V	346.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH149



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1260.633333	42.43	---	68.20	25.77	500.0	100.0	V	0.0	-7
1312.433333	---	32.79	54.00	21.21	500.0	200.0	V	342.0	-7
1540.166667	---	34.41	54.00	19.59	500.0	200.0	V	85.0	-5
1975.566667	45.62	---	68.20	22.58	500.0	200.0	V	336.0	-3
2284.500000	---	35.66	54.00	18.34	500.0	200.0	H	287.0	-2
2468.833333	47.31	---	68.20	20.89	500.0	200.0	V	349.0	-1
2817.900000	---	38.23	54.00	15.77	500.0	200.0	H	58.0	1
3120.300000	49.63	---	68.20	18.57	500.0	200.0	V	165.0	2
3564.566667	50.70	---	68.20	17.50	500.0	200.0	V	194.0	4
3992.033333	---	42.70	54.00	11.30	500.0	200.0	V	258.0	6
6906.600000	57.49	---	68.20	10.71	500.0	200.0	V	272.0	11
7359.500000	---	48.59	54.00	5.41	500.0	200.0	V	179.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH157



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1277.200000	42.05	---	68.20	26.15	500.0	100.0	V	89.0	-7
1412.066667	---	32.65	54.00	21.35	500.0	200.0	H	106.0	-6
1579.133333	---	35.27	54.00	18.73	500.0	200.0	V	108.0	-5
1990.500000	44.71	---	68.20	23.49	500.0	100.0	H	282.0	-3
2256.733333	---	34.98	54.00	19.02	500.0	200.0	H	15.0	-2
2608.366667	46.91	---	68.20	21.29	500.0	100.0	H	275.0	0
2714.066667	---	37.47	54.00	16.53	500.0	100.0	H	157.0	1
3015.766667	46.93	---	68.20	21.27	500.0	100.0	H	275.0	2
3589.066667	49.99	---	68.20	18.21	500.0	100.0	V	172.0	4
3956.566667	---	41.94	54.00	12.06	500.0	100.0	H	185.0	6
6585.766667	53.29	---	68.20	14.91	500.0	100.0	V	158.0	10
7326.833333	---	44.31	54.00	9.69	500.0	100.0	H	213.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11a CH165



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1265.533333	42.49	---	68.20	25.71	500.0	200.0	H	181.0	-7
1384.300000	---	33.05	54.00	20.95	500.0	100.0	V	359.0	-6
1621.366667	---	35.23	54.00	18.77	500.0	200.0	V	108.0	-5
1981.866667	44.77	---	68.20	23.43	500.0	200.0	V	288.0	-3
2413.533333	47.18	---	68.20	21.02	500.0	100.0	V	131.0	-1
2788.500000	---	37.50	54.00	16.50	500.0	200.0	V	135.0	1
3591.866667	50.15	---	68.20	18.05	500.0	100.0	V	39.0	4
3939.300000	---	41.43	54.00	12.57	500.0	100.0	H	173.0	6
5179.233333	51.75	---	68.20	16.45	500.0	100.0	V	117.0	9
5415.833333	---	43.29	54.00	10.71	500.0	200.0	H	119.0	9
6605.833333	52.73	---	68.20	15.47	500.0	100.0	V	268.0	10
7348.533333	---	45.00	54.00	9.00	500.0	100.0	H	291.0	11

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH36



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1142.333333	---	21.39	54.00	32.61	500.0	100.0	H	1.0	-18
1269.033333	31.93	---	68.20	36.27	500.0	100.0	H	119.0	-17
1519.866667	---	23.36	54.00	30.64	500.0	100.0	V	213.0	-15
1701.400000	---	24.38	54.00	29.62	500.0	200.0	V	8.0	-15
1889.933333	35.99	---	68.20	32.21	500.0	100.0	V	297.0	-14
2622.600000	37.69	---	68.20	30.51	500.0	100.0	H	49.0	-10
2772.400000	---	28.39	54.00	25.61	500.0	200.0	H	228.0	-9
3490.600000	39.71	---	68.20	28.49	500.0	100.0	H	265.0	-6
3998.333333	---	31.46	54.00	22.54	500.0	100.0	H	119.0	-4
4467.566667	42.21	---	68.20	25.99	500.0	200.0	V	0.0	-3
5760.000000	48.70	---	68.20	19.50	500.0	200.0	V	129.0	0
7464.733333	---	38.40	54.00	15.60	500.0	100.0	H	103.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH40



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1104.533333	---	21.45	54.00	32.55	500.0	200.0	H	267.0	-18
1290.266667	32.32	---	68.20	35.88	500.0	100.0	V	0.0	-17
1510.533333	---	24.24	54.00	29.76	500.0	200.0	V	75.0	-16
1706.533333	---	24.32	54.00	29.68	500.0	200.0	H	136.0	-15
1992.366667	35.57	---	68.20	32.63	500.0	100.0	H	6.0	-13
2679.300000	37.61	---	68.20	30.59	500.0	200.0	H	247.0	-10
2694.000000	---	28.28	54.00	25.72	500.0	100.0	H	272.0	-9
3500.400000	40.49	---	68.20	27.71	500.0	200.0	H	239.0	-6
3995.533333	---	31.30	54.00	22.70	500.0	200.0	H	7.0	-4
4482.966667	42.16	---	68.20	26.04	500.0	100.0	V	243.0	-3
6753.300000	43.49	---	68.20	24.71	500.0	200.0	H	336.0	0
7464.733333	---	37.77	54.00	16.23	500.0	100.0	H	82.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH48



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1115.500000	---	21.72	54.00	32.28	500.0	200.0	H	160.0	-18
1247.100000	32.12	---	68.20	36.08	500.0	100.0	V	303.0	-17
1519.633333	---	22.87	54.00	31.13	500.0	200.0	H	239.0	-15
1695.800000	---	24.41	54.00	29.59	500.0	200.0	H	190.0	-15
1993.533333	35.48	---	68.20	32.72	500.0	200.0	H	314.0	-13
2488.200000	---	27.82	54.00	26.18	500.0	200.0	H	160.0	-10
2576.866667	37.32	---	68.20	30.88	500.0	200.0	H	132.0	-10
3517.666667	40.22	---	68.20	27.98	500.0	200.0	H	307.0	-6
3999.266667	---	31.37	54.00	22.63	500.0	200.0	V	302.0	-4
4467.800000	41.94	---	68.20	26.26	500.0	100.0	H	343.0	-3
6889.566667	42.56	---	68.20	25.64	500.0	100.0	H	125.0	1
7464.733333	---	37.23	54.00	16.77	500.0	100.0	H	105.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH52



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1121.800000	---	21.45	54.00	32.55	500.0	100.0	V	332.0	-18
1299.133333	32.10	---	68.20	36.10	500.0	200.0	H	144.0	-17
1499.100000	---	23.36	54.00	30.64	500.0	200.0	V	357.0	-16
1694.633333	---	24.41	54.00	29.59	500.0	200.0	V	22.0	-15
1975.100000	35.26	---	68.20	32.94	500.0	100.0	V	194.0	-13
2652.466667	37.24	---	68.20	30.97	500.0	100.0	V	179.0	-10
2721.533333	---	28.58	54.00	25.42	500.0	100.0	V	201.0	-9
3464.466667	39.57	---	68.20	28.63	500.0	200.0	H	237.0	-6
3997.633333	---	31.65	54.00	22.35	500.0	100.0	V	291.0	-4
4458.933333	41.42	---	68.20	26.78	500.0	100.0	H	131.0	-3
6791.333333	42.65	---	68.20	25.55	500.0	200.0	H	306.0	0
7464.733333	---	36.83	54.00	17.17	500.0	100.0	V	201.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH60



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1119.700000	---	20.48	54.00	33.52	500.0	100.0	H	102.0	-18
1241.266667	33.14	---	68.20	35.06	500.0	200.0	V	343.0	-17
1349.533333	---	22.07	54.00	31.93	500.0	200.0	V	20.0	-17
1720.533333	---	24.72	54.00	29.28	500.0	200.0	V	84.0	-14
1992.833333	34.88	---	68.20	33.32	500.0	100.0	H	151.0	-13
2605.800000	37.43	---	68.20	30.77	500.0	200.0	H	334.0	-10
2774.500000	---	28.27	54.00	25.73	500.0	200.0	H	173.0	-9
3499.933333	39.60	---	68.20	28.60	500.0	100.0	V	195.0	-6
3989.700000	---	31.29	54.00	22.71	500.0	200.0	V	54.0	-4
4470.600000	41.20	---	68.20	27.00	500.0	200.0	V	40.0	-3
6805.100000	42.88	---	68.20	25.32	500.0	100.0	V	244.0	0
7464.966667	---	37.62	54.00	16.38	500.0	200.0	V	146.0	1
10600.000000	---	52.17	54.00	1.83	500.0	200.0	H	159.0	5

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH64



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1102.433333	---	20.71	54.00	33.29	500.0	200.0	H	250.0	-18
1296.800000	32.33	---	68.20	35.87	500.0	200.0	H	243.0	-17
1331.800000	---	21.53	54.00	32.47	500.0	200.0	H	230.0	-17
1516.366667	---	24.64	54.00	29.36	500.0	200.0	H	31.0	-15
1965.533333	35.93	---	68.20	32.27	500.0	100.0	H	234.0	-13
2488.200000	---	28.23	54.00	25.77	500.0	200.0	H	209.0	-10
2684.666667	38.22	---	68.20	29.98	500.0	100.0	H	80.0	-10
3483.600000	40.04	---	68.20	28.16	500.0	100.0	V	354.0	-6
3962.166667	---	31.29	54.00	22.71	500.0	200.0	H	188.0	-4
4479.466667	41.92	---	68.20	26.28	500.0	200.0	V	171.0	-3
6946.733333	42.63	---	68.20	25.57	500.0	200.0	H	293.0	1
7465.200000	---	37.41	54.00	16.59	500.0	100.0	H	123.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH100



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1295.633333	32.29	---	68.20	35.91	500.0	200.0	H	204.0	-17
1333.200000	---	24.76	54.00	29.24	500.0	200.0	H	121.0	-17
1686.000000	---	24.96	54.00	29.04	500.0	200.0	V	246.0	-15
1994.700000	36.09	---	68.20	32.11	500.0	200.0	H	72.0	-13
2243.433333	---	26.40	54.00	27.60	500.0	200.0	H	51.0	-12
2674.166667	38.45	---	68.20	29.75	500.0	200.0	H	23.0	-10
2774.733333	---	28.76	54.00	25.24	500.0	200.0	H	342.0	-9
3140.600000	38.31	---	68.20	29.89	500.0	100.0	H	38.0	-8
3484.066667	40.04	---	68.20	28.16	500.0	100.0	H	227.0	-6
3996.700000	---	32.11	54.00	21.89	500.0	100.0	V	74.0	-4
6220.833333	45.66	---	68.20	22.54	500.0	200.0	V	309.0	0
7464.733333	---	38.90	54.00	15.10	500.0	100.0	H	297.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH116



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1298.200000	32.41	---	68.20	35.79	500.0	100.0	H	173.0	-17
1333.200000	---	24.44	54.00	29.56	500.0	100.0	H	237.0	-17
1691.366667	---	25.17	54.00	28.83	500.0	100.0	H	321.0	-15
1998.666667	36.18	---	68.20	32.02	500.0	200.0	V	17.0	-13
2312.733333	---	29.46	54.00	24.54	500.0	200.0	H	1.0	-11
2577.333333	37.90	---	68.20	30.30	500.0	100.0	V	107.0	-10
2846.833333	---	27.82	54.00	26.18	500.0	200.0	H	22.0	-9
3139.433333	38.24	---	68.20	29.96	500.0	100.0	H	46.0	-8
3487.800000	39.96	---	68.20	28.24	500.0	200.0	H	0.0	-6
3993.666667	---	32.63	54.00	21.37	500.0	200.0	V	46.0	-4
6220.366667	46.16	---	68.20	22.04	500.0	200.0	V	317.0	0
7464.966667	---	39.60	54.00	14.40	500.0	100.0	H	301.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH140



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1292.833333	32.39	---	68.20	35.81	500.0	200.0	H	37.0	-17
1332.966667	---	24.60	54.00	29.40	500.0	100.0	H	174.0	-17
1624.633333	---	25.56	54.00	28.44	500.0	200.0	H	136.0	-15
1992.600000	35.69	---	68.20	32.51	500.0	200.0	H	248.0	-13
2312.500000	---	28.78	54.00	25.22	500.0	100.0	H	0.0	-11
2653.166667	38.23	---	68.20	29.97	500.0	100.0	H	314.0	-10
2845.900000	---	27.92	54.00	26.08	500.0	100.0	H	202.0	-9
3046.100000	38.52	---	68.20	29.68	500.0	200.0	H	205.0	-8
3476.833333	41.19	---	68.20	27.01	500.0	100.0	V	6.0	-6
3992.966667	---	31.89	54.00	22.11	500.0	100.0	V	62.0	-4
6220.833333	45.93	---	68.20	22.27	500.0	200.0	V	317.0	0
7464.966667	---	38.95	54.00	15.05	500.0	200.0	V	304.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH144



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1259.700000	33.27	---	68.20	34.93	500.0	100.0	V	90.0	-17
1333.200000	---	24.87	54.00	29.13	500.0	200.0	V	200.0	-17
1520.333333	---	25.24	54.00	28.76	500.0	100.0	V	0.0	-15
1939.400000	36.36	---	68.20	31.84	500.0	100.0	V	155.0	-13
2619.800000	38.24	---	68.20	29.96	500.0	200.0	H	128.0	-10
2746.733333	---	28.82	54.00	25.18	500.0	200.0	H	61.0	-9
3569.466667	42.60	---	68.20	25.60	500.0	200.0	V	291.0	-6
3989.000000	---	33.47	54.00	20.53	500.0	200.0	H	32.0	-4
5019.166667	---	35.50	54.00	18.50	500.0	200.0	V	291.0	-1
5282.833333	48.99	---	68.20	19.21	500.0	200.0	V	298.0	-1
6739.533333	49.15	---	68.20	19.05	500.0	200.0	V	136.0	0
7464.733333	---	39.44	54.00	14.56	500.0	100.0	H	292.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH149



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1296.800000	32.91	---	68.20	35.29	500.0	200.0	H	144.0	-17
1333.666667	---	24.85	54.00	29.15	500.0	200.0	H	124.0	-17
1511.933333	---	25.29	54.00	28.71	500.0	200.0	H	249.0	-16
1995.400000	36.45	---	68.20	31.75	500.0	200.0	H	264.0	-13
2212.400000	---	26.73	54.00	27.27	500.0	100.0	V	243.0	-12
2488.433333	---	29.97	54.00	24.03	500.0	200.0	H	59.0	-10
2632.166667	38.11	---	68.20	30.09	500.0	200.0	H	52.0	-10
3451.400000	40.57	---	68.20	27.63	500.0	200.0	H	207.0	-6
3993.666667	---	32.40	54.00	21.60	500.0	200.0	H	131.0	-4
4483.900000	42.75	---	68.20	25.45	500.0	100.0	H	0.0	-3
6505.733333	43.53	---	68.20	24.67	500.0	200.0	V	59.0	0
7464.966667	---	39.84	54.00	14.16	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH157



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1125.066667	---	22.52	54.00	31.49	500.0	200.0	H	165.0	-18
1261.100000	33.11	---	68.20	35.09	500.0	200.0	H	103.0	-17
1624.633333	---	26.02	54.00	27.98	500.0	100.0	H	233.0	-15
1998.200000	36.11	---	68.20	32.09	500.0	100.0	V	68.0	-13
2227.566667	---	27.23	54.00	26.77	500.0	200.0	V	341.0	-12
2623.766667	38.65	---	68.20	29.55	500.0	200.0	V	229.0	-10
2774.966667	---	29.25	54.00	24.75	500.0	200.0	H	165.0	-9
3562.000000	40.60	---	68.20	27.60	500.0	100.0	V	75.0	-6
3999.966667	---	32.32	54.00	21.68	500.0	200.0	H	314.0	-4
4440.500000	42.29	---	68.20	25.91	500.0	200.0	H	117.0	-3
6220.600000	46.29	---	68.20	21.91	500.0	200.0	V	313.0	0
7464.966667	---	39.21	54.00	14.79	500.0	100.0	H	297.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT20) CH165



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1258.066667	33.09	---	68.20	35.11	500.0	200.0	V	312.0	-17
1346.033333	---	25.30	54.00	28.70	500.0	200.0	V	241.0	-17
1693.233333	---	26.01	54.00	27.99	500.0	100.0	H	300.0	-15
1938.700000	36.29	---	68.20	31.91	500.0	200.0	V	334.0	-13
2229.666667	---	26.77	54.00	27.23	500.0	200.0	H	313.0	-12
2574.300000	38.71	---	68.20	29.49	500.0	200.0	V	326.0	-10
2818.133333	---	29.10	54.00	24.90	500.0	100.0	V	313.0	-9
3513.466667	40.86	---	68.20	27.34	500.0	200.0	V	38.0	-6
3999.500000	---	32.48	54.00	21.52	500.0	100.0	H	201.0	-4
4465.466667	42.84	---	68.20	25.36	500.0	100.0	H	355.0	-3
6362.233333	44.43	---	68.20	23.77	500.0	200.0	V	0.0	0
7464.966667	---	40.53	54.00	13.47	500.0	100.0	H	293.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH38



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1125.533333	---	21.42	54.00	32.58	500.0	100.0	V	165.0	-18
1279.533333	32.08	---	68.20	36.12	500.0	100.0	H	37.0	-17
1361.666667	---	22.13	54.00	31.87	500.0	100.0	V	251.0	-17
1700.000000	---	24.30	54.00	29.70	500.0	100.0	V	333.0	-15
1832.066667	34.85	---	68.20	33.35	500.0	200.0	V	271.0	-14
2488.433333	---	28.19	54.00	25.81	500.0	200.0	H	214.0	-10
2583.866667	37.40	---	68.20	30.80	500.0	100.0	V	340.0	-10
3455.133333	39.96	---	68.20	28.24	500.0	100.0	H	0.0	-6
3983.866667	---	31.06	54.00	22.94	500.0	100.0	H	0.0	-4
4445.166667	41.72	---	68.20	26.48	500.0	100.0	H	178.0	-3
5780.066667	47.48	---	68.20	20.72	500.0	200.0	V	125.0	0
7464.966667	---	37.23	54.00	16.77	500.0	100.0	H	99.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH46



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1066.966667	---	20.28	54.00	33.72	500.0	100.0	V	0.0	-19
1249.200000	31.59	---	68.20	36.61	500.0	200.0	V	4.0	-17
1333.433333	---	24.84	54.00	29.16	500.0	200.0	H	53.0	-17
1512.400000	---	25.51	54.00	28.49	500.0	200.0	H	1.0	-16
1983.500000	34.69	---	68.20	33.51	500.0	200.0	V	134.0	-13
2682.100000	37.81	---	68.20	30.39	500.0	100.0	V	160.0	-10
2774.966667	---	29.83	54.00	24.17	500.0	100.0	H	13.0	-9
3404.500000	39.74	---	68.20	28.46	500.0	200.0	H	288.0	-7
3994.133333	---	31.10	54.00	22.90	500.0	200.0	H	232.0	-4
4464.533333	41.32	---	68.20	26.88	500.0	200.0	H	222.0	-3
6394.433333	42.98	---	68.20	25.22	500.0	100.0	H	210.0	0
7464.966667	---	37.19	54.00	16.81	500.0	200.0	V	107.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH54



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1122.266667	---	20.81	54.00	33.19	500.0	200.0	H	252.0	-18
1290.733333	31.65	---	68.20	36.55	500.0	100.0	H	315.0	-17
1333.433333	---	23.78	54.00	30.22	500.0	100.0	H	14.0	-17
1512.166667	---	27.12	54.00	26.88	500.0	200.0	H	67.0	-16
1950.833333	35.41	---	68.20	32.79	500.0	200.0	V	59.0	-13
2678.833333	37.27	---	68.20	30.93	500.0	200.0	V	271.0	-10
2774.733333	---	28.01	54.00	25.99	500.0	200.0	H	252.0	-9
3520.466667	39.85	---	68.20	28.35	500.0	100.0	V	277.0	-6
3996.466667	---	31.51	54.00	22.49	500.0	200.0	V	149.0	-4
4475.500000	42.25	---	68.20	25.95	500.0	200.0	H	53.0	-3
6821.200000	42.56	---	68.20	25.64	500.0	100.0	V	352.0	0
7464.966667	---	37.10	54.00	16.90	500.0	100.0	H	97.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH62



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1118.066667	---	21.32	54.00	32.68	500.0	200.0	H	270.0	-18
1289.566667	31.97	---	68.20	36.23	500.0	200.0	H	264.0	-17
1333.200000	---	24.26	54.00	29.74	500.0	100.0	H	46.0	-17
1624.866667	---	24.35	54.00	29.65	500.0	200.0	H	339.0	-15
1999.600000	35.28	---	68.20	32.92	500.0	200.0	H	346.0	-13
2622.833333	37.23	---	68.20	30.97	500.0	200.0	H	74.0	-10
2774.733333	---	28.57	54.00	25.43	500.0	200.0	H	181.0	-9
3509.733333	39.96	---	68.20	28.24	500.0	100.0	V	251.0	-6
3990.166667	---	31.35	54.00	22.65	500.0	100.0	H	171.0	-4
4459.166667	41.23	---	68.20	26.97	500.0	100.0	H	88.0	-3
6760.533333	42.31	---	68.20	25.89	500.0	200.0	V	165.0	0
7464.733333	---	37.22	54.00	16.78	500.0	200.0	V	116.0	1
10620.000000	---	52.46	54.00	1.54	500.0	200.0	H	156.0	-0.4

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH102



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1293.533333	33.20	---	68.20	35.00	500.0	100.0	V	233.0	-17
1333.200000	---	24.71	54.00	29.29	500.0	200.0	V	188.0	-17
1510.300000	---	25.56	54.00	28.44	500.0	100.0	H	199.0	-16
1991.666667	35.90	---	68.20	32.30	500.0	200.0	H	217.0	-13
2312.266667	---	27.34	54.00	26.66	500.0	200.0	H	175.0	-11
2658.533333	38.51	---	68.20	29.69	500.0	200.0	H	175.0	-10
2774.966667	---	29.06	54.00	24.94	500.0	200.0	H	36.0	-9
3121.700000	39.03	---	68.20	29.17	500.0	100.0	V	336.0	-8
3461.900000	40.32	---	68.20	27.88	500.0	200.0	H	57.0	-6
3995.533333	---	31.97	54.00	22.03	500.0	100.0	V	85.0	-4
6220.833333	46.16	---	68.20	22.04	500.0	100.0	H	269.0	0
7464.966667	---	39.59	54.00	14.41	500.0	100.0	H	304.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH118



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1282.800000	32.83	---	68.20	35.37	500.0	200.0	H	8.0	-17
1333.200000	---	24.79	54.00	29.21	500.0	200.0	V	190.0	-17
1667.800000	---	25.03	54.00	28.97	500.0	100.0	V	155.0	-15
1983.733333	35.97	---	68.20	32.23	500.0	100.0	V	0.0	-13
2312.033333	---	26.70	54.00	27.30	500.0	100.0	V	240.0	-11
2643.833333	38.39	---	68.20	29.81	500.0	100.0	V	41.0	-10
2816.266667	---	28.61	54.00	25.39	500.0	100.0	V	290.0	-9
3088.566667	39.47	---	68.20	28.73	500.0	200.0	V	0.0	-8
3393.533333	40.78	---	68.20	27.42	500.0	200.0	V	106.0	-7
3993.900000	---	32.14	54.00	21.86	500.0	200.0	H	49.0	-4
6220.600000	46.32	---	68.20	21.88	500.0	200.0	V	310.0	0
7464.966667	---	39.64	54.00	14.36	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH134



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1283.266667	32.52	---	68.20	35.68	500.0	200.0	V	137.0	-17
1332.966667	---	24.58	54.00	29.42	500.0	200.0	V	192.0	-17
1512.400000	---	26.37	54.00	27.63	500.0	100.0	H	0.0	-16
1990.966667	35.72	---	68.20	32.48	500.0	100.0	H	199.0	-13
2312.500000	---	30.12	54.00	23.88	500.0	200.0	H	313.0	-11
2652.933333	38.77	---	68.20	29.43	500.0	200.0	H	238.0	-10
2889.300000	---	27.95	54.00	26.05	500.0	200.0	H	134.0	-9
3089.033333	40.11	---	68.20	28.09	500.0	200.0	H	203.0	-8
3561.533333	40.39	---	68.20	27.81	500.0	100.0	H	270.0	-6
3986.900000	---	32.12	54.00	21.88	500.0	200.0	V	192.0	-4
6220.600000	46.67	---	68.20	21.53	500.0	200.0	V	313.0	0
7464.966667	---	38.91	54.00	15.09	500.0	100.0	H	277.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH142



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1273.466667	33.42	---	68.20	34.78	500.0	200.0	H	24.0	-17
1333.433333	---	24.50	54.00	29.50	500.0	200.0	H	17.0	-17
1693.233333	---	25.60	54.00	28.40	500.0	100.0	V	40.0	-15
1976.966667	36.00	---	68.20	32.20	500.0	100.0	V	75.0	-13
2284.033333	---	26.99	54.00	27.01	500.0	200.0	H	47.0	-12
2679.300000	38.61	---	68.20	29.59	500.0	200.0	H	54.0	-10
2770.533333	---	28.99	54.00	25.01	500.0	100.0	V	188.0	-9
3053.800000	39.41	---	68.20	28.79	500.0	100.0	V	118.0	-8
3448.366667	41.70	---	68.20	26.50	500.0	200.0	H	182.0	-6
3992.966667	---	33.62	54.00	20.38	500.0	100.0	V	47.0	-4
6221.066667	48.15	---	68.20	20.05	500.0	200.0	H	17.0	0
7464.966667	---	39.06	54.00	14.94	500.0	200.0	V	312.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH151



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1277.433333	33.73	---	68.20	34.47	500.0	100.0	H	289.0	-17
1333.200000	---	25.37	54.00	28.63	500.0	100.0	H	223.0	-17
1624.866667	---	25.36	54.00	28.64	500.0	200.0	V	90.0	-15
1896.000000	35.90	---	68.20	32.30	500.0	200.0	V	191.0	-14
2227.566667	---	26.88	54.00	27.12	500.0	200.0	V	13.0	-12
2653.166667	38.47	---	68.20	29.73	500.0	100.0	V	12.0	-10
2775.200000	---	28.95	54.00	25.05	500.0	200.0	H	343.0	-9
3509.500000	40.44	---	68.20	27.76	500.0	100.0	V	359.0	-6
3996.700000	---	32.51	54.00	21.49	500.0	100.0	V	47.0	-4
4486.700000	43.56	---	68.20	24.64	500.0	200.0	V	304.0	-3
6568.033333	44.25	---	68.20	23.95	500.0	100.0	V	148.0	0
7464.966667	---	38.84	54.00	15.16	500.0	100.0	H	310.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11n (HT40) CH159



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1246.400000	33.05	---	68.20	35.15	500.0	200.0	V	330.0	-17
1332.966667	---	26.00	54.00	28.00	500.0	100.0	H	224.0	-17
1624.866667	---	25.85	54.00	28.15	500.0	200.0	H	148.0	-15
1972.066667	36.05	---	68.20	32.15	500.0	200.0	H	141.0	-13
2249.500000	---	26.72	54.00	27.28	500.0	200.0	H	256.0	-12
2678.366667	38.22	---	68.20	29.98	500.0	100.0	H	317.0	-10
2823.733333	---	28.80	54.00	25.20	500.0	200.0	H	357.0	-9
3469.600000	40.58	---	68.20	27.62	500.0	200.0	V	274.0	-6
3991.100000	---	32.53	54.00	21.47	500.0	100.0	H	152.0	-4
4414.366667	42.69	---	68.20	25.51	500.0	200.0	V	1.0	-3
6550.766667	44.11	---	68.20	24.09	500.0	200.0	V	3.0	0
7464.966667	---	39.89	54.00	14.11	500.0	100.0	H	296.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH42



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.666667	---	20.37	54.00	33.63	500.0	200.0	H	24.0	-18
1287.933333	32.07	---	68.20	36.13	500.0	100.0	H	298.0	-17
1333.200000	---	24.99	54.00	29.01	500.0	100.0	H	38.0	-17
1512.633333	---	25.84	54.00	28.16	500.0	100.0	V	341.0	-16
1934.500000	35.57	---	68.20	32.63	500.0	100.0	H	180.0	-13
2312.266667	---	30.91	54.00	23.09	500.0	200.0	H	174.0	-11
2650.833333	37.37	---	68.20	30.83	500.0	100.0	H	332.0	-10
3520.000000	39.91	---	68.20	28.29	500.0	100.0	H	250.0	-6
3994.366667	---	31.62	54.00	22.38	500.0	100.0	V	166.0	-4
4469.200000	42.20	---	68.20	26.00	500.0	200.0	V	312.0	-3
6785.966667	44.38	---	68.20	23.82	500.0	100.0	V	286.0	0
7464.733333	---	38.23	54.00	15.77	500.0	100.0	H	117.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH58



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1249.375000	32.51	---	68.20	35.69	200.0	H	302.0	-17
1332.500000	---	23.77	54.00	30.23	100.0	H	265.0	-17
1511.875000	---	26.20	54.00	27.80	200.0	H	359.0	-16
1953.750000	35.69	---	68.20	32.51	100.0	H	212.0	-13
2312.500000	---	26.60	54.00	27.40	100.0	H	0.0	-11
2502.375000	37.57	---	68.20	30.63	200.0	H	186.0	-10
2774.500000	---	27.74	54.00	26.26	100.0	H	343.0	-9
3521.750000	40.01	---	68.20	28.19	100.0	V	8.0	-6
3997.750000	---	30.04	54.00	23.96	200.0	V	139.0	-4
4472.000000	41.33	---	68.20	26.87	200.0	V	337.0	-3
6221.125000	45.55	---	68.20	22.65	200.0	V	332.0	0
7465.375000	---	37.16	54.00	16.84	100.0	H	299.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH106



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1116.433333	---	27.32	54.00	26.68	500.0	100.0	H	4.0	-19
1269.500000	37.12	---	68.20	31.08	500.0	100.0	H	4.0	-18
1512.633333	---	32.57	54.00	21.43	500.0	200.0	H	357.0	-17
1933.100000	51.22	---	68.20	16.98	500.0	100.0	H	0.0	-15
2083.133333	47.77	---	68.20	20.43	500.0	200.0	H	359.0	-15
2312.733333	---	36.15	54.00	17.85	500.0	200.0	H	300.0	-14
3592.333333	42.51	---	68.20	25.69	500.0	100.0	V	0.0	-13
3839.900000	---	34.23	54.00	19.77	500.0	200.0	V	141.0	-12
5452.466667	---	48.89	54.00	5.11	500.0	200.0	V	321.0	-7
5467.866667	57.79	---	68.20	10.41	500.0	200.0	V	336.0	-7
7718.366667	---	38.11	54.00	15.89	500.0	100.0	H	142.0	-3
7879.133333	49.01	---	68.20	19.19	500.0	100.0	V	350.0	-3

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH122



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1286.766667	33.03	---	68.20	35.17	500.0	100.0	H	223.0	-17
1332.966667	---	25.12	54.00	28.88	500.0	200.0	H	128.0	-17
1513.100000	---	25.97	54.00	28.03	500.0	200.0	H	8.0	-16
1997.733333	36.19	---	68.20	32.01	500.0	200.0	H	42.0	-13
2312.733333	---	29.27	54.00	24.73	500.0	100.0	H	331.0	-11
2640.100000	38.07	---	68.20	30.13	500.0	200.0	H	184.0	-10
2813.933333	---	27.82	54.00	26.18	500.0	200.0	H	28.0	-9
3138.500000	40.22	---	68.20	27.98	500.0	200.0	V	189.0	-8
3505.300000	40.24	---	68.20	27.96	500.0	200.0	V	18.0	-6
3990.166667	---	32.39	54.00	21.62	500.0	100.0	H	139.0	-4
6220.833333	46.48	---	68.20	21.72	500.0	200.0	V	319.0	0
7464.966667	---	39.54	54.00	14.46	500.0	100.0	H	303.0	1

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH138



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz


Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1000.000000	---	25.13	54.00	28.87	500.0	100.0	H	162.0	-19
1276.733333	32.92	---	68.20	35.28	500.0	100.0	H	0.0	-17
1694.166667	---	25.39	54.00	28.61	500.0	100.0	V	258.0	-15
1921.666667	35.79	---	68.20	32.41	500.0	100.0	V	200.0	-13
2297.100000	---	26.98	54.00	27.02	500.0	100.0	H	304.0	-12
2658.066667	38.17	---	68.20	30.03	500.0	100.0	V	200.0	-10
2774.500000	---	30.54	54.00	23.46	500.0	200.0	H	348.0	-9
3153.433333	40.71	---	68.20	27.49	500.0	100.0	V	190.0	-8
3507.633333	41.52	---	68.20	26.68	500.0	100.0	V	258.0	-6
3990.866667	---	33.55	54.00	20.45	500.0	100.0	V	106.0	-4
6220.366667	48.85	---	68.20	19.35	500.0	200.0	V	315.0	0
7464.966667	---	39.16	54.00	14.84	500.0	100.0	V	35.0	1
11380.000000	---	48.02	54.00	5.98	500.0	200.0	H	148.0	1.2

Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT80) CH155



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 8GHz




Radiates Emission from 8GHz to 18GHz

Frequency (MHz)	Peak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
1278.366667	32.82	---	68.20	35.38	500.0	200.0	H	244.0	-17
1332.966667	---	25.06	54.00	28.94	500.0	100.0	H	229.0	-17
1512.166667	---	26.54	54.00	27.46	500.0	200.0	H	244.0	-16
1740.133333	35.72	---	68.20	32.48	500.0	200.0	H	32.0	-14
2235.733333	---	27.07	54.00	26.93	500.0	100.0	V	0.0	-12
2631.466667	38.38	---	68.20	29.82	500.0	100.0	H	0.0	-10
2693.766667	---	28.82	54.00	25.18	500.0	100.0	H	180.0	-9
3597.933333	40.88	---	68.20	27.32	500.0	200.0	H	81.0	-6
3988.300000	---	32.54	54.00	21.46	500.0	100.0	V	225.0	-4
4464.766667	42.92	---	68.20	25.28	500.0	100.0	V	55.0	-3
6556.833333	44.07	---	68.20	24.13	500.0	100.0	H	229.0	0
7465.200000	---	38.30	54.00	15.70	500.0	100.0	H	301.0	1


Remark: 1. Correction Factor = Antenna factor+ Insertion loss (cable loss + amplifier gain)

802.11ac (VHT160) CH50



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 8GHz



Radiates Emission from 8GHz to 18GHz