

Report Number : FR462802B

Test Engineer:	Jiang Jun	Temperature:	21~25	°C
Test Date:	2024.7.23~2024.10.21	Relative Humidity:	51~54	%

TEST RESULTS DATA
Average Power Table

FCC U-NII-1																	
Mod.	Data Rate	Ntx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with duty factor (dBm)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	36	5180		1+2+3+4	20.60	20.86	20.52	20.79	26.72	30.00	0.33	27.05	-	Pass	21
11a	6Mbps	4	44	5220		1+2+3+4	21.97	22.31	22.48	22.32	28.29	30.00	0.33	28.62	-	Pass	22.5
11a	6Mbps	4	48	5240		1+2+3+4	21.64	21.87	22.48	22.73	28.22	30.00	0.33	28.55	-	Pass	22.5
HT20	MCS0	4	36	5180		1+2+3+4	19.34	19.70	19.15	19.49	25.45	30.00	0.33	25.78	-	Pass	20
HT20	MCS0	4	44	5220		1+2+3+4	22.23	22.61	-0.07	22.75	27.31	30.00	0.33	27.64	-	Pass	23
HT20	MCS0	4	48	5240		1+2+3+4	21.96	22.37	-0.06	23.11	27.29	30.00	0.33	27.62	-	Pass	23
HT40	MCS0	4	38	5190		1+2+3+4	15.63	15.76	15.40	15.99	21.72	30.00	0.33	22.05	-	Pass	16
HT40	MCS0	4	46	5230		1+2+3+4	21.20	21.59	-0.06	21.96	26.38	30.00	0.33	26.71	-	Pass	21.5
VHT20	MCS0	4	36	5180		1+2+3+4	19.37	19.74	19.19	19.53	25.48	30.00	0.33	25.81	-	Pass	20
VHT20	MCS0	4	44	5220		1+2+3+4	22.27	22.67	0.00	22.79	27.36	30.00	0.33	27.69	-	Pass	23
VHT20	MCS0	4	48	5240		1+2+3+4	22.01	22.40	0.00	23.15	27.33	30.00	0.33	27.66	-	Pass	23
VHT40	MCS0	4	38	5190		1+2+3+4	15.69	15.82	15.46	16.05	21.78	30.00	0.33	22.11	-	Pass	16
VHT40	MCS0	4	46	5230		1+2+3+4	21.26	21.63	0.00	22.02	26.43	30.00	0.33	26.76	-	Pass	21.5
VHT80	MCS0	4	42	5210		1+2+3+4	13.57	13.83	13.35	13.57	19.60	30.00	0.33	19.93	-	Pass	14
VHT160	MCS0	4	50	5250		1+2+3+4	12.87	13.16	13.41	12.79	19.09	30.00	0.33	19.42	-	Pass	13.5
HE20	MCS0	4	36	5180	Full	1+2+3+4	20.02	19.62	20.27	20.04	26.01	30.00	0.33	26.34	-	Pass	20.5
HE20	MCS0	4	36	5180	4*52ru	1+2+3+4	17.51	18.14	17.32	17.73	23.71	30.00	0.33	24.04	-	Pass	18
HE20	MCS0	4	44	5220	Full	1+2+3+4	22.84	22.85	23.09	22.98	28.96	30.00	0.33	29.29	-	Pass	23.5
HE20	MCS0	4	44	5220	4*52ru	1+2+3+4	21.60	22.02	21.55	22.04	27.83	30.00	0.33	28.16	-	Pass	22
HE20	MCS0	4	48	5240	Full	1+2+3+4	22.57	22.70	23.06	23.00	28.86	30.00	0.33	29.19	-	Pass	23.5
HE20	MCS0	4	48	5240	4*52ru	1+2+3+4	21.38	21.58	21.71	22.60	27.86	30.00	0.33	28.19	-	Pass	22
HE40	MCS0	4	38	5190	Full	1+2+3+4	15.94	15.98	15.52	16.10	21.91	30.00	0.33	22.24	-	Pass	16.5
HE40	MCS0	4	38	5190	8*52ru	1+2+3+4	14.85	14.88	14.77	15.19	20.95	30.00	0.33	21.28	-	Pass	15
HE40	MCS0	4	46	5230	Full	1+2+3+4	21.58	21.86	22.28	22.16	28.00	30.00	0.33	28.33	-	Pass	22
HE40	MCS0	4	46	5230	8*52ru	1+2+3+4	20.26	20.47	20.78	20.89	26.63	30.00	0.33	26.96	-	Pass	20.5
HE80	MCS0	4	42	5210	Full	1+2+3+4	13.96	14.16	13.92	13.74	19.97	30.00	0.33	20.30	-	Pass	14.5
HE80	MCS0	4	42	5210	8*106ru	1+2+3+4	12.84	13.10	12.67	12.71	18.85	30.00	0.33	19.18	-	Pass	13
HE160	MCS0	4	50	5250	Full	1+2+3+4	13.39	13.52	13.83	13.10	19.49	30.00	0.33	19.82	-	Pass	14
HE160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.46	12.72	13.05	12.54	18.72	30.00	0.33	19.05	-	Pass	13
EHT20	MCS0	4	36	5180	Full	1+2+3+4	20.05	19.67	20.30	20.07	26.05	30.00	0.33	26.38	-	Pass	20.5
EHT20	MCS0	4	36	5180	4*52ru	1+2+3+4	17.58	18.19	17.37	17.76	23.76	30.00	0.33	24.09	-	Pass	18
EHT20	MCS0	4	44	5220	Full	1+2+3+4	22.88	22.90	23.14	23.05	29.01	30.00	0.33	29.34	-	Pass	23.5
EHT20	MCS0	4	44	5220	4*52ru	1+2+3+4	21.65	22.09	21.62	22.08	27.89	30.00	0.33	28.22	-	Pass	22
EHT20	MCS0	4	48	5240	Full	1+2+3+4	22.62	22.76	23.09	23.07	28.91	30.00	0.33	29.24	-	Pass	23.5
EHT20	MCS0	4	48	5240	4*52ru	1+2+3+4	21.44	21.62	21.75	22.66	27.91	30.00	0.33	28.24	-	Pass	22
EHT40	MCS0	4	38	5190	Full	1+2+3+4	16.00	16.02	15.57	16.10	21.95	30.00	0.33	22.28	-	Pass	16.5
EHT40	MCS0	4	38	5190	8*52ru	1+2+3+4	14.90	14.91	14.80	15.25	20.99	30.00	0.33	21.32	-	Pass	15
EHT40	MCS0	4	46	5230	Full	1+2+3+4	21.62	21.90	22.34	22.21	28.05	30.00	0.33	28.38	-	Pass	22
EHT40	MCS0	4	46	5230	8*52ru	1+2+3+4	20.32	20.51	20.84	20.92	26.67	30.00	0.33	27.00	-	Pass	20.5
EHT80	MCS0	4	42	5210	Full	1+2+3+4	14.03	14.20	13.97	13.81	20.03	30.00	0.33	20.36	-	Pass	14.5
EHT80	MCS0	4	42	5210	8*106ru	1+2+3+4	12.87	13.13	12.71	12.78	18.90	30.00	0.33	19.23	-	Pass	13
EHT80	MCS0	4	42	5210	Puncturing 20M ①	1+2+3+4	12.55	12.84	12.32	12.59	18.60	30.00	0.33	18.93	-	Pass	12.5
EHT160	MCS0	4	50	5250	Full	1+2+3+4	13.46	13.55	13.91	13.16	19.55	30.00	0.33	19.88	-	Pass	14
EHT160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.52	12.76	13.13	12.60	18.78	30.00	0.33	19.11	-	Pass	13
EHT160	MCS0	4	50	5250	Puncturing 20M ①	1+2+3+4	12.29	12.45	12.82	12.11	18.45	30.00	0.33	18.78	-	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 20M ②	1+2+3+4	12.25	12.54	12.68	12.10	18.42	30.00	0.33	18.75	-	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 40M ①	1+2+3+4	11.75	11.96	12.41	11.62	17.97	30.00	0.33	18.30	-	Pass	12
EHT160	MCS0	4	50	5250	Puncturing 40M ②	1+2+3+4	11.79	11.97	12.23	11.73	17.95	30.00	0.33	18.28	-	Pass	12

TEST RESULTS DATA
Average Power Table

FCC U-NII-2A																	
Mod.	Data Rate	Nrx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	52	5260		1+2+3+4	15.96	16.40	17.15	16.47	22.54	23.98	0.33	22.87	30.00	Pass	17
11a	6Mbps	4	60	5300		1+2+3+4	16.25	16.35	17.04	16.20	22.49	23.98	0.33	22.82	30.00	Pass	17
11a	6Mbps	4	64	5320		1+2+3+4	16.40	16.12	16.65	16.13	22.35	23.98	0.33	22.68	30.00	Pass	17
HT20	MCS0	4	52	5260		1+2+3+4	15.68	16.34	16.64	16.45	22.31	23.98	0.33	22.64	30.00	Pass	17
HT20	MCS0	4	60	5300		1+2+3+4	16.07	16.21	16.70	16.19	22.32	23.98	0.33	22.65	30.00	Pass	17
HT20	MCS0	4	64	5320		1+2+3+4	16.19	16.12	16.23	16.20	22.21	23.98	0.33	22.54	30.00	Pass	17.5
HT40	MCS0	4	54	5270		1+2+3+4	17.12	17.62	18.06	16.75	23.44	23.98	0.33	23.77	30.00	Pass	18
HT40	MCS0	4	62	5310		1+2+3+4	13.77	13.90	14.26	13.90	19.98	23.98	0.33	20.31	30.00	Pass	14.5
VHT20	MCS0	4	52	5260		1+2+3+4	15.74	16.41	16.69	16.49	22.37	23.98	0.33	22.70	30.00	Pass	17
VHT20	MCS0	4	60	5300		1+2+3+4	16.10	16.25	16.76	16.24	22.37	23.98	0.33	22.70	30.00	Pass	17
VHT20	MCS0	4	64	5320		1+2+3+4	16.23	16.17	16.29	16.24	22.25	23.98	0.33	22.58	30.00	Pass	17.5
VHT40	MCS0	4	54	5270		1+2+3+4	17.16	17.68	18.10	16.81	23.49	23.98	0.33	23.82	30.00	Pass	18
VHT40	MCS0	4	62	5310		1+2+3+4	13.81	13.93	14.32	13.97	20.03	23.98	0.33	20.36	30.00	Pass	14.5
VHT80	MCS0	4	58	5290		1+2+3+4	12.52	12.90	13.30	12.77	18.90	23.98	0.33	19.23	30.00	Pass	13.5
VHT160	MCS0	4	50	5250		1+2+3+4	12.87	13.16	13.41	12.79	19.09	23.98	0.33	19.42	30.00	Pass	13.5
HE20	MCS0	4	52	5260	Full	1+2+3+4	16.39	16.76	17.21	17.37	22.97	23.98	0.33	23.30	30.00	Pass	17.5
HE20	MCS0	4	52	5260	4*52ru	1+2+3+4	15.35	15.62	16.04	16.04	21.79	23.98	0.33	22.12	30.00	Pass	16
HE20	MCS0	4	60	5300	Full	1+2+3+4	16.63	17.07	16.81	16.60	22.80	23.98	0.33	23.13	30.00	Pass	17.5
HE20	MCS0	4	60	5300	4*52ru	1+2+3+4	15.53	15.61	16.09	15.76	21.77	23.98	0.33	22.10	30.00	Pass	16
HE20	MCS0	4	64	5320	Full	1+2+3+4	16.78	17.01	16.75	16.57	22.80	23.98	0.33	23.13	30.00	Pass	18
HE20	MCS0	4	64	5320	4*52ru	1+2+3+4	15.81	15.54	15.76	15.67	21.72	23.98	0.33	22.05	30.00	Pass	16.5
HE40	MCS0	4	54	5270	Full	1+2+3+4	17.50	17.82	18.31	17.52	23.82	23.98	0.33	24.15	30.00	Pass	18.5
HE40	MCS0	4	54	5270	8*52ru	1+2+3+4	16.25	16.66	17.14	15.98	22.55	23.98	0.33	22.88	30.00	Pass	17
HE40	MCS0	4	62	5310	Full	1+2+3+4	14.21	14.03	14.70	13.97	20.26	23.98	0.33	20.59	30.00	Pass	15
HE40	MCS0	4	62	5310	8*52ru	1+2+3+4	13.10	13.05	13.40	12.80	19.11	23.98	0.33	19.44	30.00	Pass	13.5
HE80	MCS0	4	58	5290	Full	1+2+3+4	13.07	13.28	13.96	13.06	19.38	23.98	0.33	19.71	30.00	Pass	14
HE80	MCS0	4	58	5290	8*106ru	1+2+3+4	12.03	12.16	12.58	11.99	18.22	23.98	0.33	18.55	30.00	Pass	12.5
HE160	MCS0	4	50	5250	Full	1+2+3+4	13.39	13.52	13.83	13.10	19.49	23.98	0.33	19.82	30.00	Pass	14
HE160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.46	12.72	13.05	12.54	18.72	23.98	0.33	19.05	30.00	Pass	13
EHT20	MCS0	4	52	5260	Full	1+2+3+4	16.42	16.83	17.26	17.44	23.03	23.98	0.33	23.36	30.00	Pass	17.5
EHT20	MCS0	4	52	5260	4*52ru	1+2+3+4	15.38	15.65	16.10	16.10	21.84	23.98	0.33	22.17	30.00	Pass	16
EHT20	MCS0	4	60	5300	Full	1+2+3+4	16.67	17.14	16.87	16.66	22.86	23.98	0.33	23.19	30.00	Pass	17.5
EHT20	MCS0	4	60	5300	4*52ru	1+2+3+4	15.60	15.64	16.14	15.80	21.82	23.98	0.33	22.15	30.00	Pass	16
EHT20	MCS0	4	64	5320	Full	1+2+3+4	16.85	17.08	16.80	16.61	22.86	23.98	0.33	23.19	30.00	Pass	18
EHT20	MCS0	4	64	5320	4*52ru	1+2+3+4	15.84	15.57	15.80	15.72	21.75	23.98	0.33	22.08	30.00	Pass	16.5
EHT40	MCS0	4	54	5270	Full	1+2+3+4	17.54	17.87	18.35	17.57	23.87	23.98	0.33	24.20	30.00	Pass	18.5
EHT40	MCS0	4	54	5270	8*52ru	1+2+3+4	16.30	16.69	17.17	16.03	22.59	23.98	0.33	22.92	30.00	Pass	17
EHT40	MCS0	4	62	5310	Full	1+2+3+4	14.26	14.08	14.76	14.01	20.31	23.98	0.33	20.64	30.00	Pass	15
EHT40	MCS0	4	62	5310	8*52ru	1+2+3+4	13.13	13.08	13.46	12.86	19.16	23.98	0.33	19.49	30.00	Pass	13.5
EHT80	MCS0	4	58	5290	Full	1+2+3+4	13.15	13.34	14.04	13.12	19.45	23.98	0.33	19.78	30.00	Pass	14
EHT80	MCS0	4	58	5290	8*106ru	1+2+3+4	12.11	12.20	12.66	12.07	18.29	23.98	0.33	18.62	30.00	Pass	12.5
EHT80	MCS0	4	58	5290	Puncturing 20M ①	1+2+3+4	11.63	11.78	12.26	11.66	17.86	23.98	0.33	18.19	30.00	Pass	12
EHT160	MCS0	4	50	5250	Full	1+2+3+4	13.46	13.55	13.91	13.16	19.55	23.98	0.33	19.88	30.00	Pass	14
EHT160	MCS0	4	50	5250	8*242ru	1+2+3+4	12.52	12.76	13.13	12.60	18.78	23.98	0.33	19.11	30.00	Pass	13
EHT160	MCS0	4	50	5250	Puncturing 20M ①	1+2+3+4	12.29	12.45	12.82	12.11	18.45	23.98	0.33	18.78	30.00	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 20M ②	1+2+3+4	12.25	12.54	12.68	12.10	18.42	23.98	0.33	18.75	30.00	Pass	12.5
EHT160	MCS0	4	50	5250	Puncturing 40M ①	1+2+3+4	11.75	11.96	12.41	11.62	17.97	23.98	0.33	18.30	30.00	Pass	12
EHT160	MCS0	4	50	5250	Puncturing 40M ②	1+2+3+4	11.79	11.97	12.23	11.73	17.95	23.98	0.33	18.28	30.00	Pass	12

TEST RESULTS DATA
Average Power Table

FCC U-NII-2C																	
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
							Ant 1	Ant 2	Ant 3	Ant 4	SUM						
11a	6Mbps	4	100	5500		1+2+3+4	16.04	16.15	16.40	15.99	22.17	23.98	0.49	22.66	30.00	Pass	16.5
11a	6Mbps	4	116	5580		1+2+3+4	15.93	16.16	16.74	16.34	22.32	23.98	0.49	22.81	30.00	Pass	17
11a	6Mbps	4	140	5700		1+2+3+4	15.78	16.35	15.97	15.87	22.02	23.98	0.49	22.51	30.00	Pass	17
11a	6Mbps	4	144	5720		1+2+3+4	16.05	16.23	16.18	16.45	22.25	23.98	0.49	22.74	30.00	Pass	17.5
HT20	MCS0	4	100	5500		1+2+3+4	16.36	16.59	16.80	16.25	22.53	23.98	0.49	23.02	30.00	Pass	17
HT20	MCS0	4	116	5580		1+2+3+4	15.74	16.11	16.55	16.33	22.21	23.98	0.49	22.70	30.00	Pass	17
HT20	MCS0	4	140	5700		1+2+3+4	16.24	16.63	15.98	16.36	22.33	23.98	0.49	22.82	30.00	Pass	17.5
HT20	MCS0	4	144	5720		1+2+3+4	15.92	16.19	15.46	16.39	22.02	23.98	0.49	22.51	30.00	Pass	17.5
HT40	MCS0	4	102	5510		1+2+3+4	17.32	17.35	17.59	17.13	23.37	23.98	0.49	23.86	30.00	Pass	17.5
HT40	MCS0	4	110	5550		1+2+3+4	17.03	17.51	17.74	17.21	23.40	23.98	0.49	23.89	30.00	Pass	17.5
HT40	MCS0	4	134	5670		1+2+3+4	16.98	17.42	17.41	17.14	23.26	23.98	0.49	23.75	30.00	Pass	18
HT40	MCS0	4	142	5710		1+2+3+4	17.28	17.54	16.86	17.72	23.38	23.98	0.49	23.87	30.00	Pass	18.5
VHT20	MCS0	4	100	5500		1+2+3+4	16.40	16.63	16.86	16.31	22.58	23.98	0.49	23.07	30.00	Pass	17
VHT20	MCS0	4	116	5580		1+2+3+4	15.78	16.18	16.60	16.40	22.27	23.98	0.49	22.76	30.00	Pass	17
VHT20	MCS0	4	140	5700		1+2+3+4	16.27	16.66	16.04	16.42	22.37	23.98	0.49	22.86	30.00	Pass	17.5
VHT20	MCS0	4	144	5720		1+2+3+4	15.98	16.24	15.53	16.45	22.08	23.98	0.49	22.57	30.00	Pass	17.5
VHT40	MCS0	4	102	5510		1+2+3+4	17.36	17.40	17.64	17.18	23.42	23.98	0.49	23.91	30.00	Pass	17.5
VHT40	MCS0	4	110	5550		1+2+3+4	17.08	17.54	17.80	17.27	23.45	23.98	0.49	23.94	30.00	Pass	17.5
VHT40	MCS0	4	134	5670		1+2+3+4	17.02	17.46	17.47	17.20	23.31	23.98	0.49	23.80	30.00	Pass	18
VHT40	MCS0	4	142	5710		1+2+3+4	17.35	17.58	16.93	17.79	23.44	23.98	0.49	23.93	30.00	Pass	18.5
VHT80	MCS0	4	106	5530		1+2+3+4	15.98	15.96	16.57	16.22	22.21	23.98	0.49	22.70	30.00	Pass	16.5
VHT80	MCS0	4	122	5610		1+2+3+4	16.90	17.11	17.45	17.16	23.18	23.98	0.49	23.67	30.00	Pass	18
VHT80	MCS0	4	138	5690		1+2+3+4	16.89	17.45	16.86	17.11	23.10	23.98	0.49	23.59	30.00	Pass	18
VHT160	MCS0	4	114	5570		1+2+3+4	16.24	16.23	16.55	16.35	22.37	23.98	0.49	22.86	30.00	Pass	16.5
HE20	MCS0	4	100	5500	Full	1+2+3+4	17.00	17.40	17.13	16.79	23.11	23.98	0.49	23.60	30.00	Pass	17.5
HE20	MCS0	4	100	5500	4*52ru	1+2+3+4	15.93	16.00	16.41	15.89	22.08	23.98	0.49	22.57	30.00	Pass	16
HE20	MCS0	4	116	5580	Full	1+2+3+4	16.54	16.94	16.91	16.76	22.81	23.98	0.49	23.30	30.00	Pass	17.5
HE20	MCS0	4	116	5580	4*52ru	1+2+3+4	15.48	15.60	16.33	15.84	21.85	23.98	0.49	22.34	30.00	Pass	16
HE20	MCS0	4	140	5700	Full	1+2+3+4	16.76	16.76	17.22	16.86	22.92	23.98	0.49	23.41	30.00	Pass	18
HE20	MCS0	4	140	5700	4*52ru	1+2+3+4	15.88	16.20	15.53	15.96	21.92	23.98	0.49	22.41	30.00	Pass	16.5
HE20	MCS0	4	144	5720	Full	1+2+3+4	16.59	15.97	17.03	16.95	22.68	23.98	0.49	23.17	30.00	Pass	18
HE20	MCS0	4	144	5720	4*52ru	1+2+3+4	15.62	15.71	15.00	15.99	21.62	23.98	0.49	22.11	30.00	Pass	16.5
HE40	MCS0	4	102	5510	Full	1+2+3+4	17.58	17.62	18.02	17.33	23.67	23.98	0.49	24.16	30.00	Pass	18
HE40	MCS0	4	102	5510	8*52ru	1+2+3+4	16.51	16.47	16.95	16.44	22.62	23.98	0.49	23.11	30.00	Pass	16.5
HE40	MCS0	4	110	5550	Full	1+2+3+4	17.34	17.69	18.01	17.70	23.71	23.98	0.49	24.20	30.00	Pass	18
HE40	MCS0	4	110	5550	8*52ru	1+2+3+4	16.48	16.57	16.94	16.60	22.67	23.98	0.49	23.16	30.00	Pass	16.5
HE40	MCS0	4	134	5670	Full	1+2+3+4	17.39	17.77	17.73	17.42	23.60	23.98	0.49	24.09	30.00	Pass	18.5
HE40	MCS0	4	134	5670	8*52ru	1+2+3+4	16.34	16.52	16.62	16.33	22.47	23.98	0.49	22.96	30.00	Pass	17
HE40	MCS0	4	142	5710	Full	1+2+3+4	17.68	17.99	17.44	18.07	23.82	23.98	0.49	24.31	30.00	Pass	19
HE40	MCS0	4	142	5710	8*52ru	1+2+3+4	16.67	16.64	16.17	16.85	22.61	23.98	0.49	23.10	30.00	Pass	17.5
HE80	MCS0	4	106	5530	Full	1+2+3+4	16.26	16.33	16.97	16.54	22.55	23.98	0.49	23.04	30.00	Pass	17
HE80	MCS0	4	106	5530	8*106ru	1+2+3+4	15.40	15.44	16.14	15.66	21.69	23.98	0.49	22.18	30.00	Pass	15.5
HE80	MCS0	4	122	5610	Full	1+2+3+4	17.46	17.54	17.97	17.47	23.64	23.98	0.49	24.13	30.00	Pass	18.5
HE80	MCS0	4	122	5610	8*106ru	1+2+3+4	16.51	16.45	16.74	16.52	22.58	23.98	0.49	23.07	30.00	Pass	17
HE80	MCS0	4	138	5690	Full	1+2+3+4	17.44	17.77	17.77	17.49	23.64	23.98	0.49	24.13	30.00	Pass	18.5
HE80	MCS0	4	138	5690	8*106ru	1+2+3+4	16.37	16.71	16.24	16.31	22.43	23.98	0.49	22.92	30.00	Pass	17
HE160	MCS0	4	114	5570	Full	1+2+3+4	16.48	16.52	17.08	16.60	22.70	23.98	0.49	23.19	30.00	Pass	17
HE160	MCS0	4	114	5570	8*242ru	1+2+3+4	15.89	15.77	16.28	15.99	22.01	23.98	0.49	22.50	30.00	Pass	16
EHT20	MCS0	4	100	5500	Full	1+2+3+4	17.04	17.47	17.20	16.86	23.17	23.98	0.49	23.66	30.00	Pass	17.5
EHT20	MCS0	4	100	5500	4*52ru	1+2+3+4	15.98	16.07	16.47	15.92	22.14	23.98	0.49	22.63	30.00	Pass	16
EHT20	MCS0	4	116	5580	Full	1+2+3+4	16.59	17.00	16.95	16.81	22.86	23.98	0.49	23.35	30.00	Pass	17.5
EHT20	MCS0	4	116	5580	4*52ru	1+2+3+4	15.54	15.65	16.40	15.87	21.90	23.98	0.49	22.39	30.00	Pass	16
EHT20	MCS0	4	140	5700	Full	1+2+3+4	16.82	16.81	17.27	16.90	22.97	23.98	0.49	23.46	30.00	Pass	18
EHT20	MCS0	4	140	5700	4*52ru	1+2+3+4	15.93	16.26	15.57	16.01	21.97	23.98	0.49	22.46	30.00	Pass	16.5
EHT20	MCS0	4	144	5720	Full	1+2+3+4	16.66	16.02	17.06	16.99	22.72	23.98	0.49	23.21	30.00	Pass	18
EHT20	MCS0	4	144	5720	4*52ru	1+2+3+4	15.68	15.74	15.05	16.04	21.66	23.98	0.49	22.15	30.00	Pass	16.5
EHT40	MCS0	4	102	5510	Full	1+2+3+4	17.64	17.67	18.07	17.38	23.72	23.98	0.49	24.21	30.00	Pass	18
EHT40	MCS0	4	102	5510	8*52ru	1+2+3+4	16.56	16.53	16.98	16.49	22.67	23.98	0.49	23.16	30.00	Pass	16.5
EHT40	MCS0	4	110	5550	Full	1+2+3+4	17.37	17.75	18.06	17.74	23.76	23.98	0.49	24.25	30.00	Pass	18
EHT40	MCS0	4	110	5550	8*52ru	1+2+3+4	16.51	16.61	17.00	16.66	22.72	23.98	0.49	23.21	30.00	Pass	16.5
EHT40	MCS0	4	134	5670	Full	1+2+3+4	17.42	17.80	17.79	17.46	23.64	23.98	0.49	24.13	30.00	Pass	18.5
EHT40	MCS0	4	134	5670	8*52ru	1+2+3+4	16.37	16.55	16.68	16.37	22.52	23.98	0.49	23.01	30.00	Pass	17
EHT40	MCS0	4	142	5710	Full	1+2+3+4	17.73	18.03	17.50	18.11	23.87	23.98	0.49	24.36	30.00		

TEST RESULTS DATA
Average Power Table

U-NII-3																	
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	RU Config	Average Conducted Power with duty factor (dBm)					FCC Conducted Power Limit (dBm)	DG (dBi)				Pass/ Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM		Ant 1	Ant 2	Ant 3	Ant 4		
11a	6Mbps	4	149	5745		21.36	21.56	21.61	21.46	27.52	30.00	0.17				Pass	22.5
11a	6Mbps	4	157	5785		23.86	23.57	23.92	24.01	29.86	30.00	0.17				Pass	25.5
11a	6Mbps	4	165	5825		23.50	23.85	23.78	23.67	29.72	30.00	0.17				Pass	25.5
HT20	MCS0	4	149	5745		22.35	22.64	22.58	22.47	28.53	30.00	0.17				Pass	23.5
HT20	MCS0	4	157	5785		23.48	23.19	23.51	23.58	29.46	30.00	0.17				Pass	25
HT20	MCS0	4	165	5825		23.09	23.33	23.37	23.36	29.31	30.00	0.17				Pass	25
HT40	MCS0	4	151	5755		23.08	23.27	23.33	23.33	29.27	30.00	0.17				Pass	24
HT40	MCS0	4	159	5795		23.47	23.16	23.57	23.59	29.47	30.00	0.17				Pass	24.5
VHT20	MCS0	4	149	5745		22.41	22.69	22.62	22.53	28.58	30.00	0.17				Pass	23.5
VHT20	MCS0	4	157	5785		23.51	23.25	23.58	23.64	29.52	30.00	0.17				Pass	25
VHT20	MCS0	4	165	5825		23.13	23.36	23.41	23.39	29.34	30.00	0.17				Pass	25
VHT40	MCS0	4	151	5755		23.14	23.32	23.39	23.36	29.32	30.00	0.17				Pass	24
VHT40	MCS0	4	159	5795		23.52	23.20	23.61	23.66	29.52	30.00	0.17				Pass	24.5
VHT80	MCS0	4	155	5775		20.67	20.88	21.07	21.06	26.94	30.00	0.17				Pass	22
HE20	MCS0	4	149	5745	Full	22.89	23.00	23.12	22.93	29.01	30.00	0.17				Pass	24
HE20	MCS0	4	149	5745	4*52ru	21.61	21.77	21.91	21.85	27.81	30.00	0.17				Pass	22.5
HE20	MCS0	4	157	5785	Full	24.01	23.62	23.91	24.04	29.92	30.00	0.17				Pass	25.5
HE20	MCS0	4	157	5785	4*52ru	22.85	22.60	22.92	23.03	28.87	30.00	0.17				Pass	24
HE20	MCS0	4	165	5825	Full	23.59	23.83	23.65	23.68	29.71	30.00	0.17				Pass	25.5
HE20	MCS0	4	165	5825	4*52ru	22.44	22.54	22.70	22.59	28.59	30.00	0.17				Pass	24
HE40	MCS0	4	151	5755	Full	23.55	23.72	23.62	23.76	29.68	30.00	0.17				Pass	24.5
HE40	MCS0	4	151	5755	8*52ru	22.60	22.85	22.82	22.79	28.79	30.00	0.17				Pass	23.5
HE40	MCS0	4	159	5795	Full	23.85	23.57	23.80	24.03	29.84	30.00	0.17				Pass	25
HE40	MCS0	4	159	5795	8*52ru	22.94	22.67	23.05	23.11	28.97	30.00	0.17				Pass	24
HE80	MCS0	4	155	5775	Full	21.06	21.19	21.50	21.47	27.33	30.00	0.17				Pass	22.5
HE80	MCS0	4	155	5775	8*106ru	19.88	20.01	20.30	20.40	26.17	30.00	0.17				Pass	21
EHT20	MCS0	4	149	5745	Full	22.94	23.04	23.15	23.00	29.05	30.00	0.17				Pass	24
EHT20	MCS0	4	149	5745	4*52ru	21.66	21.83	21.95	21.88	27.85	30.00	0.17				Pass	22.5
EHT20	MCS0	4	157	5785	Full	24.06	23.68	23.97	24.09	29.97	30.00	0.17				Pass	25.5
EHT20	MCS0	4	157	5785	4*52ru	22.88	22.63	22.98	23.08	28.92	30.00	0.17				Pass	24
EHT20	MCS0	4	165	5825	Full	23.63	23.90	23.71	23.73	29.76	30.00	0.17				Pass	25.5
EHT20	MCS0	4	165	5825	4*52ru	22.49	22.60	22.76	22.63	28.64	30.00	0.17				Pass	24
EHT40	MCS0	4	151	5755	Full	23.59	23.75	23.65	23.80	29.72	30.00	0.17				Pass	24.5
EHT40	MCS0	4	151	5755	8*52ru	22.66	22.88	22.86	22.85	28.83	30.00	0.17				Pass	23.5
EHT40	MCS0	4	159	5795	Full	23.90	23.61	23.84	24.07	29.88	30.00	0.17				Pass	25
EHT40	MCS0	4	159	5795	8*52ru	22.98	22.71	23.09	23.16	29.01	30.00	0.17				Pass	24
EHT80	MCS0	4	155	5775	Full	21.14	21.27	21.57	21.52	27.40	30.00	0.17				Pass	22.5
EHT80	MCS0	4	155	5775	8*106ru	19.94	20.05	20.35	20.44	26.22	30.00	0.17				Pass	21
EHT80	MCS0	4	155	5775	Puncturing 20M ①	19.80	19.97	20.11	20.14	26.03	30.00	0.17				Pass	20.5
EHT80	MCS0	4	155	5775	Puncturing 20M ④	19.47	19.82	19.83	19.78	25.75	30.00	0.17				Pass	20

TX Beamforming

Report Number : FR462802B

TEST RESULTS DATA
Average Power Table

FCC U-NII-1																
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Ant	Average Conducted Power with duty factor (dBm)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	36	5180	1+2+3+4	18.45	19.03	18.31	18.55	24.61	30.00	5.85	30.46	-	Pass	25
VHT20	MCS0	4	44	5220	1+2+3+4	19.55	19.89	19.45	19.96	25.74	30.00	5.85	31.59	-	Pass	26
VHT20	MCS0	4	48	5240	1+2+3+4	18.14	18.73	18.85	19.39	24.82	30.00	5.85	30.67	-	Pass	25
VHT40	MCS0	4	38	5190	1+2+3+4	13.72	13.92	13.23	14.00	19.75	30.00	5.85	25.60	-	Pass	20
VHT40	MCS0	4	46	5230	1+2+3+4	19.71	20.02	20.00	20.14	25.99	30.00	5.85	31.84	-	Pass	26
VHT80	MCS0	4	42	5210	1+2+3+4	12.60	12.96	12.46	12.26	18.60	30.00	5.85	24.45	-	Pass	19
VHT160	MCS0	4	50	5250	1+2+3+4	11.33	11.63	11.98	11.39	17.61	30.00	5.85	23.46	-	Pass	18
HE20	MCS0	4	36	5180	1+2+3+4	19.72	19.94	19.28	19.68	25.68	30.00	5.85	31.53	-	Pass	26
HE20	MCS0	4	44	5220	1+2+3+4	20.47	20.99	20.35	21.02	26.74	30.00	5.85	32.59	-	Pass	27
HE20	MCS0	4	48	5240	1+2+3+4	19.42	19.82	19.67	20.26	25.82	30.00	5.85	31.67	-	Pass	26
HE40	MCS0	4	38	5190	1+2+3+4	14.52	14.41	13.89	14.91	20.47	30.00	5.85	26.32	-	Pass	21
HE40	MCS0	4	46	5230	1+2+3+4	20.68	20.83	20.98	21.04	26.91	30.00	5.85	32.76	-	Pass	27
HE80	MCS0	4	42	5210	1+2+3+4	13.57	13.66	13.39	13.45	19.54	30.00	5.85	25.39	-	Pass	20
HE160	MCS0	4	50	5250	1+2+3+4	12.16	12.58	12.73	12.29	18.47	30.00	5.85	24.32	-	Pass	19
EHT20	MCS0	4	36	5180	1+2+3+4	19.76	19.98	19.36	19.73	25.73	30.00	5.85	31.58	-	Pass	26
EHT20	MCS0	4	44	5220	1+2+3+4	20.55	21.06	20.43	21.04	26.80	30.00	5.85	32.65	-	Pass	27
EHT20	MCS0	4	48	5240	1+2+3+4	19.49	19.86	19.71	20.31	25.87	30.00	5.85	31.72	-	Pass	26
EHT40	MCS0	4	38	5190	1+2+3+4	14.55	14.48	13.96	14.91	20.51	30.00	5.85	26.36	-	Pass	21
EHT40	MCS0	4	46	5230	1+2+3+4	20.72	20.89	21.01	21.09	26.95	30.00	5.85	32.80	-	Pass	27
EHT80	MCS0	4	42	5210	1+2+3+4	13.64	13.68	13.41	13.52	19.58	30.00	5.85	25.43	-	Pass	20
EHT160	MCS0	4	50	5250	1+2+3+4	12.21	12.62	12.78	12.32	18.51	30.00	5.85	24.36	-	Pass	19

TEST RESULTS DATA
Average Power Table

FCC U-NII-2A																
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	52	5260	1+2+3+4	14.97	15.17	15.11	15.52	21.22	23.98	5.85	27.07	30.00	Pass	22
VHT20	MCS0	4	60	5300	1+2+3+4	15.06	15.10	15.39	15.12	21.19	23.98	5.85	27.04	30.00	Pass	22
VHT20	MCS0	4	64	5320	1+2+3+4	15.95	15.89	15.78	15.75	21.86	23.98	5.85	27.71	30.00	Pass	23
VHT40	MCS0	4	54	5270	1+2+3+4	16.24	16.51	16.77	15.77	22.36	23.98	5.85	28.21	30.00	Pass	23
VHT40	MCS0	4	62	5310	1+2+3+4	11.40	11.26	11.59	11.17	17.38	23.98	5.85	23.23	30.00	Pass	18
VHT80	MCS0	4	58	5290	1+2+3+4	11.25	11.62	11.79	11.42	17.55	23.98	5.85	23.40	30.00	Pass	18
VHT160	MCS0	4	50	5250	1+2+3+4	11.33	11.63	11.98	11.39	17.61	23.98	5.85	23.46	30.00	Pass	18
HE20	MCS0	4	52	5260	1+2+3+4	15.84	16.40	16.49	16.26	22.28	23.98	5.85	28.13	30.00	Pass	23
HE20	MCS0	4	60	5300	1+2+3+4	16.12	16.19	16.45	16.07	22.23	23.98	5.85	28.08	30.00	Pass	23
HE20	MCS0	4	64	5320	1+2+3+4	16.78	17.14	16.92	16.85	22.95	23.98	5.85	28.80	30.00	Pass	24
HE40	MCS0	4	54	5270	1+2+3+4	16.96	17.40	17.71	16.52	23.19	23.98	5.85	29.04	30.00	Pass	24
HE40	MCS0	4	62	5310	1+2+3+4	12.08	12.04	12.13	11.57	17.98	23.98	5.85	23.83	30.00	Pass	19
HE80	MCS0	4	58	5290	1+2+3+4	12.17	12.57	12.95	12.25	18.52	23.98	5.85	24.37	30.00	Pass	19
HE160	MCS0	4	50	5250	1+2+3+4	12.16	12.58	12.73	12.29	18.47	23.98	5.85	24.32	30.00	Pass	19
EHT20	MCS0	4	52	5260	1+2+3+4	15.89	16.44	16.55	16.29	22.32	23.98	5.85	28.17	30.00	Pass	23
EHT20	MCS0	4	60	5300	1+2+3+4	16.14	16.22	16.49	16.14	22.27	23.98	5.85	28.12	30.00	Pass	23
EHT20	MCS0	4	64	5320	1+2+3+4	16.82	17.19	17.00	16.92	23.01	23.98	5.85	28.86	30.00	Pass	24
EHT40	MCS0	4	54	5270	1+2+3+4	17.01	17.45	17.74	16.59	23.24	23.98	5.85	29.09	30.00	Pass	24
EHT40	MCS0	4	62	5310	1+2+3+4	12.13	12.09	12.17	11.63	18.03	23.98	5.85	23.88	30.00	Pass	19
EHT80	MCS0	4	58	5290	1+2+3+4	12.23	12.60	12.97	12.29	18.55	23.98	5.85	24.40	30.00	Pass	19
EHT160	MCS0	4	50	5250	1+2+3+4	12.21	12.62	12.78	12.32	18.51	23.98	5.85	24.36	30.00	Pass	19

TEST RESULTS DATA
Average Power Table

FCC U-NII-2C																
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Ant	Average Conducted Power with Duty Factor (dB)					FCC Power Limit (dBm)	DG (dBi)	FCC EIRP Power (dBm)	FCC EIRP Power Limit (dBm)	Pass/Fail	Power setting
						Ant 1	Ant 2	Ant 3	Ant 4	SUM						
VHT20	MCS0	4	100	5500	1+2+3+4	15.15	15.55	15.58	15.20	21.40	23.98	5.95	27.35	30.00	Pass	22
VHT20	MCS0	4	116	5580	1+2+3+4	14.89	15.07	15.67	15.29	21.26	23.98	5.95	27.21	30.00	Pass	22
VHT20	MCS0	4	140	5700	1+2+3+4	15.76	16.29	15.43	15.57	21.80	23.98	5.95	27.75	30.00	Pass	23
VHT20	MCS0	4	144	5720	1+2+3+4	15.54	15.92	15.07	15.52	21.54	23.98	5.95	27.49	30.00	Pass	23
VHT40	MCS0	4	102	5510	1+2+3+4	14.86	15.13	15.18	14.66	20.98	23.98	5.95	26.93	30.00	Pass	21
VHT40	MCS0	4	110	5550	1+2+3+4	16.62	16.98	17.05	16.80	22.89	23.98	5.95	28.84	30.00	Pass	23
VHT40	MCS0	4	134	5670	1+2+3+4	16.15	16.43	16.38	15.75	22.21	23.98	5.95	28.16	30.00	Pass	23
VHT40	MCS0	4	142	5710	1+2+3+4	16.12	16.13	15.37	16.17	21.98	23.98	5.95	27.93	30.00	Pass	23
VHT80	MCS0	4	106	5530	1+2+3+4	13.54	13.79	14.30	13.77	19.88	23.98	5.95	25.83	30.00	Pass	20
VHT80	MCS0	4	122	5610	1+2+3+4	16.09	16.20	16.35	16.51	22.31	23.98	5.95	28.26	30.00	Pass	23
VHT80	MCS0	4	138	5690	1+2+3+4	16.04	16.60	15.96	16.14	22.21	23.98	5.95	28.16	30.00	Pass	28
VHT160	MCS0	4	114	5570	1+2+3+4	14.91	15.04	15.10	14.86	21.00	23.98	5.95	26.95	30.00	Pass	21
HE20	MCS0	4	100	5500	1+2+3+4	16.24	16.53	16.78	16.01	22.42	23.98	5.95	28.37	30.00	Pass	23
HE20	MCS0	4	116	5580	1+2+3+4	15.74	16.17	16.51	16.15	22.17	23.98	5.95	28.12	30.00	Pass	23
HE20	MCS0	4	140	5700	1+2+3+4	16.64	17.43	16.74	16.48	22.86	23.98	5.95	28.81	30.00	Pass	24
HE20	MCS0	4	144	5720	1+2+3+4	16.49	17.05	16.24	16.62	22.63	23.98	5.95	28.58	30.00	Pass	24
HE40	MCS0	4	102	5510	1+2+3+4	15.57	15.68	15.75	15.31	21.60	23.98	5.95	27.55	30.00	Pass	22
HE40	MCS0	4	110	5550	1+2+3+4	17.31	17.75	17.78	17.52	23.61	23.98	5.95	29.56	30.00	Pass	24
HE40	MCS0	4	134	5670	1+2+3+4	16.87	17.14	17.01	17.07	23.04	23.98	5.95	28.99	30.00	Pass	24
HE40	MCS0	4	142	5710	1+2+3+4	16.55	16.90	16.06	16.89	22.63	23.98	5.95	28.58	30.00	Pass	24
HE80	MCS0	4	106	5530	1+2+3+4	14.53	14.69	15.21	14.81	20.84	23.98	5.95	26.79	30.00	Pass	21
HE80	MCS0	4	122	5610	1+2+3+4	16.97	17.27	17.49	17.08	23.23	23.98	5.95	29.18	30.00	Pass	24
HE80	MCS0	4	138	5690	1+2+3+4	17.13	17.56	16.96	16.95	23.18	23.98	5.95	29.13	30.00	Pass	29
HE160	MCS0	4	114	5570	1+2+3+4	15.49	10.55	15.95	15.68	20.90	23.98	5.95	26.85	30.00	Pass	22
EHT20	MCS0	4	100	5500	1+2+3+4	16.27	16.59	16.80	16.04	22.46	23.98	5.95	28.41	30.00	Pass	23
EHT20	MCS0	4	116	5580	1+2+3+4	15.77	16.20	16.59	16.20	22.22	23.98	5.95	28.17	30.00	Pass	23
EHT20	MCS0	4	140	5700	1+2+3+4	16.68	17.50	16.82	16.54	22.92	23.98	5.95	28.87	30.00	Pass	24
EHT20	MCS0	4	144	5720	1+2+3+4	16.51	17.07	16.26	16.68	22.66	23.98	5.95	28.61	30.00	Pass	24
EHT40	MCS0	4	102	5510	1+2+3+4	15.62	15.75	15.79	15.35	21.65	23.98	5.95	27.60	30.00	Pass	22
EHT40	MCS0	4	110	5550	1+2+3+4	17.38	17.78	17.82	17.56	23.66	23.98	5.95	29.61	30.00	Pass	24
EHT40	MCS0	4	134	5670	1+2+3+4	16.91	17.18	17.04	17.12	23.08	23.98	5.95	29.03	30.00	Pass	24
EHT40	MCS0	4	142	5710	1+2+3+4	16.60	16.94	16.13	16.95	22.69	23.98	5.95	28.64	30.00	Pass	24
EHT80	MCS0	4	106	5530	1+2+3+4	14.58	14.72	15.24	14.84	20.87	23.98	5.95	26.82	30.00	Pass	21
EHT80	MCS0	4	122	5610	1+2+3+4	17.04	17.30	17.55	17.14	23.28	23.98	5.95	29.23	30.00	Pass	24
EHT80	MCS0	4	138	5690	1+2+3+4	17.15	17.61	17.02	16.98	23.22	23.98	5.95	29.17	30.00	Pass	29
EHT160	MCS0	4	114	5570	1+2+3+4	15.55	15.55	15.98	15.74	21.73	23.98	5.95	27.68	30.00	Pass	22

TEST RESULTS DATA
Average Power Table

U-NII-3													
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Average Conducted Power with duty factor (dBm)					FCC Conducted Power Limit (dBm)	DG (dBi)	Pass/Fail	Power setting
					Ant 1	Ant 2	Ant 3	Ant 4	SUM				
VHT20	MCS0	4	149	5745	20.18	20.19	20.03	19.99	26.12	30.00	5.91	Pass	27
VHT20	MCS0	4	157	5785	22.61	22.32	22.44	22.87	28.59	30.00	5.91	Pass	30
VHT20	MCS0	4	165	5825	22.28	22.10	22.32	22.29	28.27	30.00	5.91	Pass	30
VHT40	MCS0	4	151	5755	21.93	22.03	22.05	22.16	28.06	30.00	5.91	Pass	29
VHT40	MCS0	4	159	5795	22.94	22.54	22.96	23.06	28.90	30.00	5.91	Pass	30
VHT80	MCS0	4	155	5775	20.56	20.80	20.84	21.07	26.84	30.00	5.91	Pass	28
HE20	MCS0	4	149	5745	21.05	21.05	20.95	20.63	26.94	30.00	5.91	Pass	28
HE20	MCS0	4	157	5785	23.03	23.13	23.60	23.36	29.31	30.00	5.91	Pass	31
HE20	MCS0	4	165	5825	23.11	23.08	23.01	23.21	29.12	30.00	5.91	Pass	31
HE40	MCS0	4	151	5755	22.92	22.87	22.96	23.05	28.97	30.00	5.91	Pass	30
HE40	MCS0	4	159	5795	23.67	23.35	23.88	23.91	29.73	30.00	5.91	Pass	31
HE80	MCS0	4	155	5775	21.60	21.72	22.14	22.01	27.89	30.00	5.91	Pass	29
EHT20	MCS0	4	149	5745	21.13	21.12	20.98	20.71	27.01	30.00	5.91	Pass	28
EHT20	MCS0	4	157	5785	23.11	23.19	23.62	23.43	29.36	30.00	5.91	Pass	31
EHT20	MCS0	4	165	5825	23.17	23.16	23.07	23.23	29.18	30.00	5.91	Pass	31
EHT40	MCS0	4	151	5755	22.98	22.94	23.02	23.12	29.04	30.00	5.91	Pass	30
EHT40	MCS0	4	159	5795	23.73	23.38	23.94	23.96	29.78	30.00	5.91	Pass	31
EHT80	MCS0	4	155	5775	21.65	21.76	22.20	22.03	27.94	30.00	5.91	Pass	29