










		33																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																			
ANT		CDD 1S4T																																																																																																			
Pol.	Vertical											Fundamental																																																																																									
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.40	57.82	74.00	-16.18	48.68	34.65	10.78	36.29	0.00	209	142	PEAK	2	5462.20	56.81	68.20	-11.39	47.48	34.70	10.84	36.21	0.00	209	142	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>119.10</td><td>-----</td><td>-----</td><td>109.45</td><td>34.78</td><td>10.95</td><td>36.08</td><td>0.00</td><td>209</td><td>142</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	119.10	-----	-----	109.45	34.78	10.95	36.08	0.00	209	142
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5406.40	57.82	74.00	-16.18	48.68	34.65	10.78	36.29	0.00	209	142	PEAK																																																																																									
2	5462.20	56.81	68.20	-11.39	47.48	34.70	10.84	36.21	0.00	209	142	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	119.10	-----	-----	109.45	34.78	10.95	36.08	0.00	209	142	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	46.18	54.00	-7.82	36.87	34.69	10.84	36.22	0.00	209	142	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>107.41</td><td>-----</td><td>-----</td><td>97.73</td><td>34.79</td><td>10.96</td><td>36.07</td><td>0.00</td><td>209</td><td>142</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.41	-----	-----	97.73	34.79	10.96	36.07	0.00	209	142	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.00	46.18	54.00	-7.82	36.87	34.69	10.84	36.22	0.00	209	142	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	107.41	-----	-----	97.73	34.79	10.96	36.07	0.00	209	142	AVERAGE																																																																																									







Mode	33																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.79</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>49.26</td><td>34.96</td><td>11.20</td><td>37.60</td><td>0.00</td><td>209</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.79	57.82	68.20	-10.38	49.26	34.96	11.20	37.60	0.00	209	142	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.79	57.82	68.20	-10.38	49.26	34.96	11.20	37.60	0.00	209	142	PEAK																																											




		33																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																
ANT		CDD 1S4T																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8879.53	47.18	68.20	-21.02	64.17	36.10	14.22	67.31	0.00	---	---	Peak	2	9999.33	47.40	68.20	-20.80	62.24	37.20	15.12	67.16	0.00	---	---	Peak	3	11100.00	45.01	74.00	-28.99	57.65	37.00	16.11	66.55	0.00	---	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	8879.53	47.18	68.20	-21.02	64.17	36.10	14.22	67.31	0.00	---	---	Peak																																																																						
2	9999.33	47.40	68.20	-20.80	62.24	37.20	15.12	67.16	0.00	---	---	Peak																																																																						
3	11100.00	45.01	74.00	-28.99	57.65	37.00	16.11	66.55	0.00	---	---	PEAK																																																																						
		Vertical																																																																																
																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8879.53</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>63.57</td><td>36.10</td><td>14.22</td><td>67.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>49.06</td><td>68.20</td><td>-18.34</td><td>64.70</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11100.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>58.08</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8879.53	46.58	68.20	-21.62	63.57	36.10	14.22	67.31	0.00	---	---	Peak	2	9999.33	49.06	68.20	-18.34	64.70	37.20	15.12	67.16	0.00	---	---	Peak	3	11100.00	45.44	74.00	-28.56	58.08	37.80	16.11	66.55	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	8879.53	46.58	68.20	-21.62	63.57	36.10	14.22	67.31	0.00	---	---	Peak																																																																						
2	9999.33	49.06	68.20	-18.34	64.70	37.20	15.12	67.16	0.00	---	---	Peak																																																																						
3	11100.00	45.44	74.00	-28.56	58.08	37.80	16.11	66.55	0.00	---	---	PEAK																																																																						







Mode	34																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																													
ANT	CDD 1S4T																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5420.88</td><td>57.72</td><td>74.00</td><td>-16.28</td><td>48.54</td><td>34.66</td><td>10.79</td><td>36.27</td><td>0.00</td><td>351</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>47.67</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>351</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5420.88	57.72	74.00	-16.28	48.54	34.66	10.79	36.27	0.00	351	360	PEAK	2	5466.00	57.01	68.20	-11.19	47.67	34.70	10.85	36.21	0.00	351	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>113.19</td><td>-----</td><td>-----</td><td>103.44</td><td>34.88</td><td>11.08</td><td>36.21</td><td>0.00</td><td>351</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	113.19	-----	-----	103.44	34.88	11.08	36.21	0.00	351	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5420.88	57.72	74.00	-16.28	48.54	34.66	10.79	36.27	0.00	351	360	PEAK																																																																																																		
2	5466.00	57.01	68.20	-11.19	47.67	34.70	10.85	36.21	0.00	351	360	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5670.00	113.19	-----	-----	103.44	34.88	11.08	36.21	0.00	351	360	PEAK																																																																																																		
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>36.56</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>351</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5370.00	45.59	54.00	-8.41	36.56	34.61	10.76	36.34	0.00	351	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.57</td><td>-----</td><td>-----</td><td>93.82</td><td>34.88</td><td>11.08</td><td>36.21</td><td>0.00</td><td>351</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	103.57	-----	-----	93.82	34.88	11.08	36.21	0.00	351	360	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5370.00	45.59	54.00	-8.41	36.56	34.61	10.76	36.34	0.00	351	360	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5670.00	103.57	-----	-----	93.82	34.88	11.08	36.21	0.00	351	360	AVERAGE																																																																																																		




Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.44</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>48.54</td><td>34.98</td><td>11.23</td><td>37.85</td><td>0.00</td><td>351</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.44	56.90	68.20	-11.30	48.54	34.98	11.23	37.85	0.00	351	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.44	56.90	68.20	-11.30	48.54	34.98	11.23	37.85	0.00	351	360	PEAK																																												





Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5374.16</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>49.34</td><td>34.62</td><td>10.76</td><td>36.34</td><td>0.00</td><td>197</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>47.80</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>197</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.16	58.38	74.00	-15.62	49.34	34.62	10.76	36.34	0.00	197	138	PEAK	2	5467.28	57.15	68.20	-11.05	47.80	34.70	10.85	36.20	0.00	197	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>119.52</td><td>-----</td><td>-----</td><td>109.96</td><td>34.89</td><td>11.10</td><td>36.43</td><td>0.00</td><td>197</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	119.52	-----	-----	109.96	34.89	11.10	36.43	0.00	197	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5374.16	58.38	74.00	-15.62	49.34	34.62	10.76	36.34	0.00	197	138	PEAK																																																																																																				
2	5467.28	57.15	68.20	-11.05	47.80	34.70	10.85	36.20	0.00	197	138	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	119.52	-----	-----	109.96	34.89	11.10	36.43	0.00	197	138	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5371.12</td><td>48.66</td><td>54.00</td><td>-5.34</td><td>39.63</td><td>34.61</td><td>10.76</td><td>36.34</td><td>0.00</td><td>197</td><td>138</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5371.12	48.66	54.00	-5.34	39.63	34.61	10.76	36.34	0.00	197	138	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.20</td><td>-----</td><td>-----</td><td>97.45</td><td>34.88</td><td>11.08</td><td>36.21</td><td>0.00</td><td>197</td><td>138</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.20	-----	-----	97.45	34.88	11.08	36.21	0.00	197	138	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5371.12	48.66	54.00	-5.34	39.63	34.61	10.76	36.34	0.00	197	138	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.20	-----	-----	97.45	34.88	11.08	36.21	0.00	197	138	AVERAGE																																																																																																				







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.84</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>49.52</td><td>34.96</td><td>11.20</td><td>37.60</td><td>0.00</td><td>197</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.84	58.08	68.20	-10.12	49.52	34.96	11.20	37.60	0.00	197	138	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.84	58.08	68.20	-10.12	49.52	34.96	11.20	37.60	0.00	197	138	PEAK																																												




Mode	34																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9070.93</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>64.13</td><td>36.20</td><td>14.38</td><td>67.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>47.15</td><td>68.20</td><td>-21.05</td><td>61.99</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11340.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>56.75</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9070.93	47.50	74.00	-26.50	64.13	36.20	14.38	67.21	0.00	---	---	Peak	2	10000.00	47.15	68.20	-21.05	61.99	37.20	15.12	67.16	0.00	---	---	Peak	3	11340.00	44.53	74.00	-29.47	56.75	37.94	16.26	66.42	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9072.40</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>63.80</td><td>36.20</td><td>14.39</td><td>67.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>63.35</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11340.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>57.34</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9072.40	47.18	74.00	-26.82	63.80	36.20	14.39	67.21	0.00	---	---	Peak	2	10000.00	48.51	68.20	-19.69	63.35	37.20	15.12	67.16	0.00	---	---	Peak	3	11340.00	45.12	74.00	-28.88	57.34	37.94	16.26	66.42	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	9070.93	47.50	74.00	-26.50	64.13	36.20	14.38	67.21	0.00	---	---	Peak																																																																																																																																																									
2	10000.00	47.15	68.20	-21.05	61.99	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																									
3	11340.00	44.53	74.00	-29.47	56.75	37.94	16.26	66.42	0.00	---	---	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	9072.40	47.18	74.00	-26.82	63.80	36.20	14.39	67.21	0.00	---	---	Peak																																																																																																																																																									
2	10000.00	48.51	68.20	-19.69	63.35	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																									
3	11340.00	45.12	74.00	-28.88	57.34	37.94	16.26	66.42	0.00	---	---	PEAK																																																																																																																																																									







		35																																																																																																																																													
Mode	Band Edge - L																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5454.00</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>51.30</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>400</td><td>347</td><td colspan="2">PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>60.30</td><td>68.20</td><td>-7.90</td><td>50.97</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>400</td><td>347</td><td colspan="2">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5454.00	60.60	74.00	-13.40	51.30	34.69	10.83	36.22	0.00	400	347	PEAK		2	5463.92	60.30	68.20	-7.90	50.97	34.70	10.84	36.21	0.00	400	347	PEAK		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5530.00</td><td>110.19</td><td>-----</td><td>-----</td><td>100.60</td><td>34.77</td><td>10.93</td><td>36.11</td><td>0.00</td><td>400</td><td>347</td><td colspan="2">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5530.00	110.19	-----	-----	100.60	34.77	10.93	36.11	0.00	400	347	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5454.00	60.60	74.00	-13.40	51.30	34.69	10.83	36.22	0.00	400	347	PEAK																																																																																																																																			
2	5463.92	60.30	68.20	-7.90	50.97	34.70	10.84	36.21	0.00	400	347	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5530.00	110.19	-----	-----	100.60	34.77	10.93	36.11	0.00	400	347	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5455.92</td><td>48.10</td><td>54.00</td><td>-5.90</td><td>38.79</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>400</td><td>347</td><td colspan="2">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5455.92	48.10	54.00	-5.90	38.79	34.69	10.84	36.22	0.00	400	347	AVERAGE		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5530.00</td><td>100.04</td><td>-----</td><td>-----</td><td>90.45</td><td>34.77</td><td>10.93</td><td>36.11</td><td>0.00</td><td>400</td><td>347</td><td colspan="2">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5530.00	100.04	-----	-----	90.45	34.77	10.93	36.11	0.00	400	347	AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5455.92	48.10	54.00	-5.90	38.79	34.69	10.84	36.22	0.00	400	347	AVERAGE																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5530.00	100.04	-----	-----	90.45	34.77	10.93	36.11	0.00	400	347	AVERAGE																																																																																																																																			



Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.96</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>48.16</td><td>34.95</td><td>11.18</td><td>37.37</td><td>0.00</td><td>400</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.96	56.92	68.20	-11.28	48.16	34.95	11.18	37.37	0.00	400	347	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.96	56.92	68.20	-11.28	48.16	34.95	11.18	37.37	0.00	400	347	PEAK																																												





		35																																																																																																																
Mode		Band Edge - L																																																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																
ANT		CDD 1S4T																																																																																																																
Pol.		Vertical						Fundamental																																																																																																										
Peak																																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5452.08	66.44	74.00	-7.56	57.15	34.69	10.83	36.23	0.00	140	100	PEAK	2	5461.84	66.53	68.20	-1.67	57.20	34.70	10.84	36.21	0.00	140	100	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5530.00	112.12	-----	-----	102.53	34.77	10.93	36.11	0.00	140	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5452.08	66.44	74.00	-7.56	57.15	34.69	10.83	36.23	0.00	140	100	PEAK																																																																																																						
2	5461.84	66.53	68.20	-1.67	57.20	34.70	10.84	36.21	0.00	140	100	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5530.00	112.12	-----	-----	102.53	34.77	10.93	36.11	0.00	140	100	PEAK																																																																																																						
Avg																																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5453.68	53.78	54.00	-0.22	44.48	34.69	10.83	36.22	0.00	140	100	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5530.00	102.44	-----	-----	92.93	34.75	10.90	36.14	0.00	140	100	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5453.68	53.78	54.00	-0.22	44.48	34.69	10.83	36.22	0.00	140	100	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5530.00	102.44	-----	-----	92.93	34.75	10.90	36.14	0.00	140	100	AVERAGE																																																																																																						





Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.12</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>49.25</td><td>34.98</td><td>11.22</td><td>37.04</td><td>0.00</td><td>140</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.12	57.61	68.20	-10.59	49.25	34.98	11.22	37.04	0.00	140	100	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.12	57.61	68.20	-10.59	49.25	34.98	11.22	37.04	0.00	140	100	PEAK																																												




		35																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																												
ANT		CDD 1S4T																																																																												
Pol.		Horizontal																																																																												
Peak Avg																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8848.00	47.50	68.20	-20.70	64.54	36.10	14.19	67.33	0.00	-- -- Peak	2	10000.00	46.92	68.20	-21.28	61.76	37.20	15.12	67.16	0.00	-- -- Peak	3	11060.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	-- -- PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	8848.00	47.50	68.20	-20.70	64.54	36.10	14.19	67.33	0.00	-- -- Peak																																																																				
2	10000.00	46.92	68.20	-21.28	61.76	37.20	15.12	67.16	0.00	-- -- Peak																																																																				
3	11060.00	45.28	74.00	-28.72	57.93	37.84	16.08	66.57	0.00	-- -- PEAK																																																																				
		Vertical																																																																												
																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8848.00</td><td>46.50</td><td>68.20</td><td>-21.70</td><td>63.54</td><td>36.10</td><td>14.19</td><td>67.33</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>10000.00</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>64.39</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>11060.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>58.01</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>-- -- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8848.00	46.50	68.20	-21.70	63.54	36.10	14.19	67.33	0.00	-- -- Peak	2	10000.00	49.55	68.20	-18.65	64.39	37.20	15.12	67.16	0.00	-- -- Peak	3	11060.00	45.36	74.00	-28.64	58.01	37.84	16.08	66.57	0.00	-- -- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	8848.00	46.50	68.20	-21.70	63.54	36.10	14.19	67.33	0.00	-- -- Peak																																																																				
2	10000.00	49.55	68.20	-18.65	64.39	37.20	15.12	67.16	0.00	-- -- Peak																																																																				
3	11060.00	45.36	74.00	-28.64	58.01	37.84	16.08	66.57	0.00	-- -- PEAK																																																																				




Mode	36																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.21</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>51.27</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>336</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5467.52</td><td>63.33</td><td>68.20</td><td>-4.87</td><td>53.98</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>336</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	60.59	74.00	-13.41	51.27	34.70	10.84	36.22	0.00	336	360	PEAK	2	5467.52	63.33	68.20	-4.87	53.98	34.70	10.85	36.20	0.00	336	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>110.74</td><td>-----</td><td>-----</td><td>101.25</td><td>34.74</td><td>10.90</td><td>36.15</td><td>0.00</td><td>336</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	110.74	-----	-----	101.25	34.74	10.90	36.15	0.00	336	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5459.21	60.59	74.00	-13.41	51.27	34.70	10.84	36.22	0.00	336	360	PEAK																																																																																																						
2	5467.52	63.33	68.20	-4.87	53.98	34.70	10.85	36.20	0.00	336	360	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5530.00	110.74	-----	-----	101.25	34.74	10.90	36.15	0.00	336	360	PEAK																																																																																																						



Avg




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 5455.34	49.42	54.00	-4.58	40.12	34.69	10.83	36.22	0.00
								336
								360 AVERAGE







Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
1 5530.00	100.99	-----	-----	91.48	34.75	10.90	36.14	0.00
								336
								360 AVERAGE



Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.72</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>49.78</td><td>34.95</td><td>11.18</td><td>37.38</td><td>0.00</td><td>336</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.72	58.53	68.20	-9.67	49.78	34.95	11.18	37.38	0.00	336	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.72	58.53	68.20	-9.67	49.78	34.95	11.18	37.38	0.00	336	360	PEAK																																												







		36																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																																																																							
ANT		CDD 1S4T																																																																																																																							
Pol.		Vertical					Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.76</td><td>66.94</td><td>74.00</td><td>-7.06</td><td>57.64</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr><tr><td>2</td><td>5466.09</td><td>66.95</td><td>68.20</td><td>-1.25</td><td>57.61</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.76	66.94	74.00	-7.06	57.64	34.69	10.83	36.22	0.00	100	98 PEAK	2	5466.09	66.95	68.20	-1.25	57.61	34.70	10.85	36.21	0.00	100	98 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>113.18</td><td>-----</td><td>-----</td><td>103.74</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	113.18	-----	-----	103.74	34.73	10.88	36.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5453.76	66.94	74.00	-7.06	57.64	34.69	10.83	36.22	0.00	100	98 PEAK																																																																																																														
2	5466.09	66.95	68.20	-1.25	57.61	34.70	10.85	36.21	0.00	100	98 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5530.00	113.18	-----	-----	103.74	34.73	10.88	36.17	0.00	100	98 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.99</td><td>53.01</td><td>54.00</td><td>-0.99</td><td>43.68</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.99	53.01	54.00	-0.99	43.68	34.70	10.84	36.21	0.00	100	98 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.93</td><td>-----</td><td>-----</td><td>93.49</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.93	-----	-----	93.49	34.73	10.88	36.17	0.00	100	98 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5459.99	53.01	54.00	-0.99	43.68	34.70	10.84	36.21	0.00	100	98 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5530.00	102.93	-----	-----	93.49	34.73	10.88	36.17	0.00	100	98 AVERAGE																																																																																																														




Mode	36																																																																						
	Band Edge - R																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_PC 20MHz,Loc 4_5530MHz																																																																						
ANT	CDD 1S4T																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.56</td><td>58.90</td><td>68.20</td><td>-9.30</td><td>50.25</td><td>34.96</td><td>11.20</td><td>37.51</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td>98</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5738.56	58.90	68.20	-9.30	50.25	34.96	11.20	37.51	0.00									100	98										PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																														
1	5738.56	58.90	68.20	-9.30	50.25	34.96	11.20	37.51	0.00																																																														
								100	98																																																														
									PEAK																																																														







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5414.16</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>48.91</td><td>34.65</td><td>10.79</td><td>36.28</td><td>0.00</td><td>387</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>55.82</td><td>68.20</td><td>-12.38</td><td>46.49</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>387</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5414.16	58.07	74.00	-15.93	48.91	34.65	10.79	36.28	0.00	387	358	PEAK	2	5460.40	55.82	68.20	-12.38	46.49	34.70	10.84	36.21	0.00	387	358	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>112.88</td><td>-----</td><td>-----</td><td>102.92</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>387</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.88	-----	-----	102.92	34.86	11.06	35.96	0.00	387	358
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5414.16	58.07	74.00	-15.93	48.91	34.65	10.79	36.28	0.00	387	358	PEAK																																																																																																				
2	5460.40	55.82	68.20	-12.38	46.49	34.70	10.84	36.21	0.00	387	358	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	112.88	-----	-----	102.92	34.86	11.06	35.96	0.00	387	358	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.88</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>35.89</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>387</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.88	45.20	54.00	-8.80	35.89	34.69	10.84	36.22	0.00	387	358	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.17</td><td>-----</td><td>-----</td><td>91.21</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>387</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.17	-----	-----	91.21	34.86	11.06	35.96	0.00	387	358	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.88	45.20	54.00	-8.80	35.89	34.69	10.84	36.22	0.00	387	358	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	101.17	-----	-----	91.21	34.86	11.06	35.96	0.00	387	358	AVERAGE																																																																																																				




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.64</td><td>58.58</td><td>68.20</td><td>-9.62</td><td>49.94</td><td>34.96</td><td>11.20</td><td>37.52</td><td>0.00</td><td>387</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.64	58.58	68.20	-9.62	49.94	34.96	11.20	37.52	0.00	387	358	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.64	58.58	68.20	-9.62	49.94	34.96	11.20	37.52	0.00	387	358	PEAK																																												





Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>57.91</td><td>74.00</td><td>-16.09</td><td>48.59</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>199</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>47.94</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>199</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	57.91	74.00	-16.09	48.59	34.70	10.84	36.22	0.00	199	144	PEAK	2	5468.40	57.29	68.20	-10.91	47.94	34.70	10.85	36.20	0.00	199	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>114.35</td><td>-----</td><td>-----</td><td>104.49</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>199</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	114.35	-----	-----	104.49	34.84	11.02	36.00	0.00	199	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.28	57.91	74.00	-16.09	48.59	34.70	10.84	36.22	0.00	199	144	PEAK																																																																																																				
2	5468.40	57.29	68.20	-10.91	47.94	34.70	10.85	36.20	0.00	199	144	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	114.35	-----	-----	104.49	34.84	11.02	36.00	0.00	199	144	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>37.11</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>199</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	46.42	54.00	-7.58	37.11	34.69	10.84	36.22	0.00	199	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>103.38</td><td>-----</td><td>-----</td><td>93.58</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>199</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.38	-----	-----	93.58	34.82	11.00	36.02	0.00	199	144	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.64	46.42	54.00	-7.58	37.11	34.69	10.84	36.22	0.00	199	144	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	103.38	-----	-----	93.58	34.82	11.00	36.02	0.00	199	144	AVERAGE																																																																																																				







Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.56</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>48.59</td><td>34.97</td><td>11.21</td><td>37.65</td><td>0.00</td><td>199</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.56	57.12	68.20	-11.08	48.59	34.97	11.21	37.65	0.00	199	144	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.56	57.12	68.20	-11.08	48.59	34.97	11.21	37.65	0.00	199	144	PEAK																																												




Mode	37																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																																																							
ANT	CDD 1S4T																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8975.60</td><td>47.16</td><td>68.20</td><td>-21.04</td><td>63.98</td><td>36.10</td><td>14.33</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>47.40</td><td>68.20</td><td>-20.80</td><td>62.24</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11220.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>58.03</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8975.60	47.16	68.20	-21.04	63.98	36.10	14.33	67.25	0.00	---	---	Peak	2	9999.33	47.40	68.20	-20.80	62.24	37.20	15.12	67.16	0.00	---	---	Peak	3	11220.00	45.63	74.00	-28.37	58.03	37.90	16.18	66.48	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8975.60</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>63.62</td><td>36.10</td><td>14.33</td><td>67.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>49.94</td><td>68.20</td><td>-18.26</td><td>64.78</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11220.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>57.51</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8975.60	46.80	68.20	-21.40	63.62	36.10	14.33	67.25	0.00	---	---	Peak	2	9999.33	49.94	68.20	-18.26	64.78	37.20	15.12	67.16	0.00	---	---	Peak	3	11220.00	45.11	74.00	-28.89	57.51	37.90	16.18	66.48	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	8975.60	47.16	68.20	-21.04	63.98	36.10	14.33	67.25	0.00	---	---	Peak																																																																																																																																												
2	9999.33	47.40	68.20	-20.80	62.24	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																												
3	11220.00	45.63	74.00	-28.37	58.03	37.90	16.18	66.48	0.00	---	---	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	8975.60	46.80	68.20	-21.40	63.62	36.10	14.33	67.25	0.00	---	---	Peak																																																																																																																																												
2	9999.33	49.94	68.20	-18.26	64.78	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																												
3	11220.00	45.11	74.00	-28.89	57.51	37.90	16.18	66.48	0.00	---	---	PEAK																																																																																																																																												







Mode	38																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>56.72</td><td>74.00</td><td>-17.28</td><td>47.41</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>370</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5463.76</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>47.79</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>370</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	56.72	74.00	-17.28	47.41	34.69	10.84	36.22	0.00	370	360	PEAK	2	5463.76	57.12	68.20	-11.08	47.79	34.70	10.84	36.21	0.00	370	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>113.32</td><td>-----</td><td>-----</td><td>103.46</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>370</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	113.32	-----	-----	103.46	34.84	11.02	36.00	0.00	370	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.40	56.72	74.00	-17.28	47.41	34.69	10.84	36.22	0.00	370	360	PEAK																																																																																																				
2	5463.76	57.12	68.20	-11.08	47.79	34.70	10.84	36.21	0.00	370	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	113.32	-----	-----	103.46	34.84	11.02	36.00	0.00	370	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>35.96</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>370</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	45.27	54.00	-8.73	35.96	34.69	10.84	36.22	0.00	370	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.72</td><td>-----</td><td>-----</td><td>92.76</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>370</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.72	-----	-----	92.76	34.86	11.06	35.96	0.00	370	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.84	45.27	54.00	-8.73	35.96	34.69	10.84	36.22	0.00	370	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	102.72	-----	-----	92.76	34.86	11.06	35.96	0.00	370	360	AVERAGE																																																																																																				



Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.40</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>48.32</td><td>34.95</td><td>11.18</td><td>37.36</td><td>0.00</td><td>370</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.40	57.09	68.20	-11.11	48.32	34.95	11.18	37.36	0.00	370	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.40	57.09	68.20	-11.11	48.32	34.95	11.18	37.36	0.00	370	360	PEAK																																												







		38																																																																																																															
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.48</td><td>57.66</td><td>74.00</td><td>-16.34</td><td>48.47</td><td>34.66</td><td>10.80</td><td>36.27</td><td>0.00</td><td>200</td><td>142</td><td>PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>58.56</td><td>68.20</td><td>-9.64</td><td>49.21</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>200</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.48	57.66	74.00	-16.34	48.47	34.66	10.80	36.27	0.00	200	142	PEAK	2	5467.12	58.56	68.20	-9.64	49.21	34.70	10.85	36.20	0.00	200	142	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>116.37</td><td>-----</td><td>-----</td><td>106.48</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>200</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	116.37	-----	-----	106.48	34.85	11.03	35.99	0.00	200	142	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5422.48	57.66	74.00	-16.34	48.47	34.66	10.80	36.27	0.00	200	142	PEAK																																																																																																					
2	5467.12	58.56	68.20	-9.64	49.21	34.70	10.85	36.20	0.00	200	142	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	116.37	-----	-----	106.48	34.85	11.03	35.99	0.00	200	142	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.88</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>36.92</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>200</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.88	46.21	54.00	-7.79	36.92	34.69	10.83	36.23	0.00	200	142	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.67</td><td>-----</td><td>-----</td><td>95.87</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>200</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.67	-----	-----	95.87	34.82	11.00	36.02	0.00	200	142	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5448.88	46.21	54.00	-7.79	36.92	34.69	10.83	36.23	0.00	200	142	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	105.67	-----	-----	95.87	34.82	11.00	36.02	0.00	200	142	AVERAGE																																																																																																					




Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_PC 20MHz,Loc 1_5610MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.52</td><td>60.48</td><td>68.20</td><td>-7.72</td><td>51.80</td><td>34.96</td><td>11.19</td><td>37.47</td><td>0.00</td><td>200</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.52	60.48	68.20	-7.72	51.80	34.96	11.19	37.47	0.00	200	142	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.52	60.48	68.20	-7.72	51.80	34.96	11.19	37.47	0.00	200	142	PEAK																																												





Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.98</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>50.62</td><td>34.64</td><td>10.77</td><td>36.31</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>48.13</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.98	59.72	74.00	-14.28	50.62	34.64	10.77	36.31	0.00	384	360	PEAK	2	5469.68	57.49	68.20	-10.71	48.13	34.71	10.85	36.20	0.00	384	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>106.39</td><td>-----</td><td>-----</td><td>96.43</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.39	-----	-----	96.43	34.86	11.06	35.96	0.00	384	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5395.98	59.72	74.00	-14.28	50.62	34.64	10.77	36.31	0.00	384	360	PEAK																																																																																																				
2	5469.68	57.49	68.20	-10.71	48.13	34.71	10.85	36.20	0.00	384	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	106.39	-----	-----	96.43	34.86	11.06	35.96	0.00	384	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.56</td><td>49.01</td><td>54.00</td><td>-4.99</td><td>39.85</td><td>34.65</td><td>10.79</td><td>36.28</td><td>0.00</td><td>384</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.56	49.01	54.00	-4.99	39.85	34.65	10.79	36.28	0.00	384	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.82</td><td>-----</td><td>-----</td><td>86.86</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>384</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.82	-----	-----	86.86	34.86	11.06	35.96	0.00	384	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5415.56	49.01	54.00	-4.99	39.85	34.65	10.79	36.28	0.00	384	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	96.82	-----	-----	86.86	34.86	11.06	35.96	0.00	384	360	AVERAGE																																																																																																				




Mode	39																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.92</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>48.87</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>384</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.92	57.54	68.20	-10.66	48.87	34.96	11.19	37.48	0.00	384	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5736.92	57.54	68.20	-10.66	48.87	34.96	11.19	37.48	0.00	384	360	PEAK																																		




Mode	39																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																				
ANT	CDD 1S4T																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.42</td><td>67.13</td><td>74.00</td><td>-6.87</td><td>57.87</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>197</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>5464.62</td><td>61.88</td><td>68.20</td><td>-6.32</td><td>52.54</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>197</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.42	67.13	74.00	-6.87	57.87	34.68	10.82	36.24	0.00	197	144	PEAK	2	5464.62	61.88	68.20	-6.32	52.54	34.70	10.85	36.21	0.00	197	144	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5440.42	67.13	74.00	-6.87	57.87	34.68	10.82	36.24	0.00	197	144	PEAK																																																									
2	5464.62	61.88	68.20	-6.32	52.54	34.70	10.85	36.21	0.00	197	144	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>109.33</td><td>-----</td><td>-----</td><td>99.53</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>197</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	109.33	-----	-----	99.53	34.82	11.00	36.02	0.00	197	144	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5570.00	109.33	-----	-----	99.53	34.82	11.00	36.02	0.00	197	144	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.24</td><td>52.91</td><td>54.00</td><td>-1.09</td><td>43.60</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>197</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.24	52.91	54.00	-1.09	43.60	34.69	10.84	36.22	0.00	197	144	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.24	52.91	54.00	-1.09	43.60	34.69	10.84	36.22	0.00	197	144	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.73</td><td>-----</td><td>-----</td><td>89.93</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>197</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.73	-----	-----	89.93	34.82	11.00	36.02	0.00	197	144	AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5570.00	99.73	-----	-----	89.93	34.82	11.00	36.02	0.00	197	144	AVERAGE																																																									







Mode	39																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.68</td><td>62.69</td><td>68.20</td><td>-5.51</td><td>54.04</td><td>34.96</td><td>11.20</td><td>37.51</td><td>0.00</td><td>197</td><td>144</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.68	62.69	68.20	-5.51	54.04	34.96	11.20	37.51	0.00	197	144	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5738.68	62.69	68.20	-5.51	54.04	34.96	11.20	37.51	0.00	197	144	PEAK																																		




		39																																																																						
Mode		Harmonic																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																						
ANT		CDD 1S4T																																																																						
Pol.		Horizontal					Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 8911.80</td><td>47.28</td><td>68.20</td><td>-20.92</td><td>64.21</td><td>36.10</td><td>14.26</td><td>67.29</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2 10000.00</td><td>47.29</td><td>68.20</td><td>-20.91</td><td>62.13</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3 11140.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.70</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 8911.80	47.28	68.20	-20.92	64.21	36.10	14.26	67.29	0.00	--- Peak	2 10000.00	47.29	68.20	-20.91	62.13	37.20	15.12	67.16	0.00	--- Peak	3 11140.00	45.14	74.00	-28.86	57.70	37.84	16.13	66.53	0.00	--- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 8911.80	47.28	68.20	-20.92	64.21	36.10	14.26	67.29	0.00	--- Peak																																																															
2 10000.00	47.29	68.20	-20.91	62.13	37.20	15.12	67.16	0.00	--- Peak																																																															
3 11140.00	45.14	74.00	-28.86	57.70	37.84	16.13	66.53	0.00	--- PEAK																																																															
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 8911.80</td><td>46.67</td><td>68.20</td><td>-21.53</td><td>63.60</td><td>36.10</td><td>14.26</td><td>67.29</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2 9999.33</td><td>48.98</td><td>68.20</td><td>-19.22</td><td>63.82</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3 11140.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>57.52</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 8911.80	46.67	68.20	-21.53	63.60	36.10	14.26	67.29	0.00	--- Peak	2 9999.33	48.98	68.20	-19.22	63.82	37.20	15.12	67.16	0.00	--- Peak	3 11140.00	44.96	74.00	-29.04	57.52	37.84	16.13	66.53	0.00	--- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 8911.80	46.67	68.20	-21.53	63.60	36.10	14.26	67.29	0.00	--- Peak																																																															
2 9999.33	48.98	68.20	-19.22	63.82	37.20	15.12	67.16	0.00	--- Peak																																																															
3 11140.00	44.96	74.00	-29.04	57.52	37.84	16.13	66.53	0.00	--- PEAK																																																															







		40																																																																																																																														
Mode		Band Edge - L																																																																																																																														
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																																														
ANT		CDD 1S4T																																																																																																																														
Pol.		Horizontal						Fundamental																																																																																																																								
Peak																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5444.16</td><td>69.89</td><td>74.00</td><td>-4.11</td><td>60.63</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>247</td><td>183</td><td>Peak</td></tr><tr><td>2</td><td>5461.76</td><td>67.57</td><td>68.20</td><td>-0.63</td><td>58.24</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>247</td><td>183</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.16	69.89	74.00	-4.11	60.63	34.68	10.82	36.24	0.00	247	183	Peak	2	5461.76	67.57	68.20	-0.63	58.24	34.70	10.84	36.21	0.00	247	183	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>110.84</td><td>-----</td><td>-----</td><td>101.01</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>247</td><td>183</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	110.84	-----	-----	101.01	34.83	11.01	36.01	0.00	247	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5444.16	69.89	74.00	-4.11	60.63	34.68	10.82	36.24	0.00	247	183	Peak																																																																																																																				
2	5461.76	67.57	68.20	-0.63	58.24	34.70	10.84	36.21	0.00	247	183	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5570.00	110.84	-----	-----	101.01	34.83	11.01	36.01	0.00	247	183	PEAK																																																																																																																				
Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.28</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>39.27</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>247</td><td>183</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.28	48.53	54.00	-5.47	39.27	34.68	10.82	36.24	0.00	247	183	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.76</td><td>-----</td><td>-----</td><td>89.85</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>247</td><td>183</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.76	-----	-----	89.85	34.85	11.04	35.98	0.00	247	183	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5443.28	48.53	54.00	-5.47	39.27	34.68	10.82	36.24	0.00	247	183	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5570.00	99.76	-----	-----	89.85	34.85	11.04	35.98	0.00	247	183	AVERAGE																																																																																																																				




Mode	40																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.75</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>49.35</td><td>34.96</td><td>11.20</td><td>37.59</td><td>0.00</td><td>247</td><td>183</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.75	57.92	68.20	-10.28	49.35	34.96	11.20	37.59	0.00	247	183	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5743.75	57.92	68.20	-10.28	49.35	34.96	11.20	37.59	0.00	247	183	PEAK																																		







Mode	40																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.48</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>48.78</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr><tr><td>2</td><td>5465.28</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>45.22</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.48	58.04	74.00	-15.96	48.78	34.68	10.82	36.24	0.00	300	167	PEAK	2	5465.28	54.56	68.20	-13.64	45.22	34.70	10.85	36.21	0.00	300	167	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>98.66</td><td>-----</td><td>-----</td><td>88.75</td><td>34.87</td><td>11.06</td><td>36.02</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.66	-----	-----	88.75	34.87	11.06	36.02	0.00	300	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5445.48	58.04	74.00	-15.96	48.78	34.68	10.82	36.24	0.00	300	167	PEAK																																																																																																																
2	5465.28	54.56	68.20	-13.64	45.22	34.70	10.85	36.21	0.00	300	167	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	98.66	-----	-----	88.75	34.87	11.06	36.02	0.00	300	167	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.90</td><td>41.69</td><td>54.00</td><td>-12.31</td><td>32.41</td><td>34.68</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.90	41.69	54.00	-12.31	32.41	34.68	10.83	36.23	0.00	300	167	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.52</td><td>-----</td><td>-----</td><td>78.96</td><td>34.76</td><td>10.92</td><td>36.12</td><td>0.00</td><td>300</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.52	-----	-----	78.96	34.76	10.92	36.12	0.00	300	167	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5447.90	41.69	54.00	-12.31	32.41	34.68	10.83	36.23	0.00	300	167	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	88.52	-----	-----	78.96	34.76	10.92	36.12	0.00	300	167	AVERAGE																																																																																																																




Mode	40																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 1_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.38</td><td>52.35</td><td>68.20</td><td>-15.85</td><td>43.76</td><td>34.96</td><td>11.20</td><td>37.57</td><td>0.00</td><td>300</td><td>167</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5742.38	52.35	68.20	-15.85	43.76	34.96	11.20	37.57	0.00	300	167	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5742.38	52.35	68.20	-15.85	43.76	34.96	11.20	37.57	0.00	300	167	PEAK																																		







		41																																																																																																																																	
Mode	Band Edge - L																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.72</td><td>70.21</td><td>74.00</td><td>-3.79</td><td>60.95</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>264</td><td>186 PEAK</td></tr><tr><td>2</td><td>5464.62</td><td>65.32</td><td>68.20</td><td>-2.88</td><td>55.98</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>264</td><td>186 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.72	70.21	74.00	-3.79	60.95	34.68	10.82	36.24	0.00	264	186 PEAK	2	5464.62	65.32	68.20	-2.88	55.98	34.70	10.85	36.21	0.00	264	186 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>111.49</td><td>-----</td><td>-----</td><td>101.88</td><td>34.77</td><td>10.94</td><td>36.10</td><td>0.00</td><td>264</td><td>186 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	111.49	-----	-----	101.88	34.77	10.94	36.10	0.00	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5443.72	70.21	74.00	-3.79	60.95	34.68	10.82	36.24	0.00	264	186 PEAK																																																																																																																								
2	5464.62	65.32	68.20	-2.88	55.98	34.70	10.85	36.21	0.00	264	186 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5570.00	111.49	-----	-----	101.88	34.77	10.94	36.10	0.00	264	186 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.06</td><td>52.34</td><td>54.00</td><td>-1.66</td><td>43.00</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>264</td><td>186 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.06	52.34	54.00	-1.66	43.00	34.68	10.82	36.24	0.00	264	186 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.78</td><td>-----</td><td>-----</td><td>92.03</td><td>34.81</td><td>10.98</td><td>36.04</td><td>0.00</td><td>264</td><td>186 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	101.78	-----	-----	92.03	34.81	10.98	36.04	0.00	264	186 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5443.06	52.34	54.00	-1.66	43.00	34.68	10.82	36.24	0.00	264	186 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5570.00	101.78	-----	-----	92.03	34.81	10.98	36.04	0.00	264	186 AVERAGE																																																																																																																								




Mode	41																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																									
ANT	CDD 1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5760.32</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>48.00</td><td>34.98</td><td>11.23</td><td>37.85</td><td>0.00</td><td>264 186 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5760.32	56.36	68.20	-11.84	48.00	34.98	11.23	37.85	0.00	264 186 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5760.32	56.36	68.20	-11.84	48.00	34.98	11.23	37.85	0.00	264 186 PEAK																																	







Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																																																																																																
ANT	CDD 1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.04</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>45.01</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>388</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5461.98</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>43.79</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>388</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.04	54.32	74.00	-19.68	45.01	34.69	10.84	36.22	0.00	388	169	PEAK	2	5461.98	53.12	68.20	-15.08	43.79	34.70	10.84	36.21	0.00	388	169	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.71</td><td>-----</td><td>-----</td><td>93.10</td><td>34.77</td><td>10.94</td><td>36.10</td><td>0.00</td><td>388</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.71	-----	-----	93.10	34.77	10.94	36.10	0.00	388	169	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.04	54.32	74.00	-19.68	45.01	34.69	10.84	36.22	0.00	388	169	PEAK																																																																																																					
2	5461.98	53.12	68.20	-15.08	43.79	34.70	10.84	36.21	0.00	388	169	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	102.71	-----	-----	93.10	34.77	10.94	36.10	0.00	388	169	PEAK																																																																																																					
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.64</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>33.69</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>388</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.64	42.95	54.00	-11.05	33.69	34.68	10.82	36.24	0.00	388	169	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.20</td><td>-----</td><td>-----</td><td>82.59</td><td>34.77</td><td>10.94</td><td>36.10</td><td>0.00</td><td>388</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.20	-----	-----	82.59	34.77	10.94	36.10	0.00	388	169	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5440.64	42.95	54.00	-11.05	33.69	34.68	10.82	36.24	0.00	388	169	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	92.20	-----	-----	82.59	34.77	10.94	36.10	0.00	388	169	AVERAGE																																																																																																					



Mode	41																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 4_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.33</td><td>52.83</td><td>68.20</td><td>-15.37</td><td>44.27</td><td>34.96</td><td>11.20</td><td>37.60</td><td>0.00</td><td>388</td><td>169</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.33	52.83	68.20	-15.37	44.27	34.96	11.20	37.60	0.00	388	169	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5744.33	52.83	68.20	-15.37	44.27	34.96	11.20	37.60	0.00	388	169	PEAK																																		






		42																																																																																																																	
Mode	Band Edge																																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU52*4_5500MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.12</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>49.78</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>259</td><td>186</td><td>PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>49.07</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>259</td><td>186</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.12	59.04	74.00	-14.96	49.78	34.68	10.82	36.24	0.00	259	186	PEAK	2	5465.36	58.41	68.20	-9.79	49.07	34.70	10.85	36.21	0.00	259	186	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>120.62</td><td>-----</td><td>-----</td><td>111.18</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>259</td><td>186</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	120.62	-----	-----	111.18	34.73	10.88	36.17	0.00	259	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5443.12	59.04	74.00	-14.96	49.78	34.68	10.82	36.24	0.00	259	186	PEAK																																																																																																							
2	5465.36	58.41	68.20	-9.79	49.07	34.70	10.85	36.21	0.00	259	186	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5500.00	120.62	-----	-----	111.18	34.73	10.88	36.17	0.00	259	186	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.72</td><td>47.47</td><td>54.00</td><td>-6.53</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>259</td><td>186</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5452.72	47.47	54.00	-6.53	34.69	10.83	36.23	0.00	259	186	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.30</td><td>-----</td><td>-----</td><td>101.86</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>259</td><td>186</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	111.30	-----	-----	101.86	34.73	10.88	36.17	0.00	259	186	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5452.72	47.47	54.00	-6.53	34.69	10.83	36.23	0.00	259	186	AVERAGE																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	5500.00	111.30	-----	-----	101.86	34.73	10.88	36.17	0.00	259	186	AVERAGE																																																																																																							






Mode	42																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU52*4_5500MHz																																																																			
ANT	CDD 1S4T																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.36</td><td>56.97</td><td>74.00</td><td>-17.03</td><td>47.89</td><td>34.63</td><td>10.77</td><td>36.32</td><td>0.00</td><td>300</td><td>5 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>47.53</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>5 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.36	56.97	74.00	-17.03	47.89	34.63	10.77	36.32	0.00	300	5 PEAK	2	5468.08	56.88	68.20	-11.32	47.53	34.70	10.85	36.20	0.00	300	5 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5385.36	56.97	74.00	-17.03	47.89	34.63	10.77	36.32	0.00	300	5 PEAK																																																									
2	5468.08	56.88	68.20	-11.32	47.53	34.70	10.85	36.20	0.00	300	5 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.04</td><td>45.12</td><td>54.00</td><td>-8.88</td><td>35.81</td><td>34.69</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>5 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	45.12	54.00	-8.88	35.81	34.69	10.84	36.22	0.00	300	5 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5457.04	45.12	54.00	-8.88	35.81	34.69	10.84	36.22	0.00	300	5 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.76</td><td>-----</td><td>-----</td><td>101.32</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>300</td><td>5 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.76	-----	-----	101.32	34.73	10.88	36.17	0.00	300	5 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	110.76	-----	-----	101.32	34.73	10.88	36.17	0.00	300	5 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.21</td><td>-----</td><td>-----</td><td>90.77</td><td>34.73</td><td>10.88</td><td>36.17</td><td>0.00</td><td>300</td><td>5 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.21	-----	-----	90.77	34.73	10.88	36.17	0.00	300	5 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	100.21	-----	-----	90.77	34.73	10.88	36.17	0.00	300	5 AVERAGE																																																									







Mode	43																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU52*4_5700MHz																																																																													
ANT	CDD 1S4T																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5732.04</td><td>60.14</td><td>68.20</td><td>-8.06</td><td>51.40</td><td>34.95</td><td>11.19</td><td>37.40</td><td>0.00</td><td>254 187 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5732.04	60.14	68.20	-8.06	51.40	34.95	11.19	37.40	0.00	254 187 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>120.39</td><td>-----</td><td>-----</td><td>111.12</td><td>34.92</td><td>11.13</td><td>36.78</td><td>0.00</td><td>254 187 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	120.39	-----	-----	111.12	34.92	11.13	36.78	0.00	254 187 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5732.04	60.14	68.20	-8.06	51.40	34.95	11.19	37.40	0.00	254 187 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	120.39	-----	-----	111.12	34.92	11.13	36.78	0.00	254 187 PEAK																																																																					
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>110.27</td><td>-----</td><td>-----</td><td>101.00</td><td>34.92</td><td>11.13</td><td>36.78</td><td>0.00</td><td>254 187 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	110.27	-----	-----	101.00	34.92	11.13	36.78	0.00	254 187 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	110.27	-----	-----	101.00	34.92	11.13	36.78	0.00	254 187 AVERAGE																																																																					




Mode	43																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU52*4_5700MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>58.82</td><td>68.20</td><td>-9.38</td><td>49.99</td><td>34.95</td><td>11.18</td><td>37.30</td><td>0.00</td><td>329</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	58.82	68.20	-9.38	49.99	34.95	11.18	37.30	0.00	329	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.54</td><td>-----</td><td>-----</td><td>101.42</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>329</td><td>264</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.54	-----	-----	101.42	34.93	11.15	36.96	0.00	329	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.32	58.82	68.20	-9.38	49.99	34.95	11.18	37.30	0.00	329	264	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	110.54	-----	-----	101.42	34.93	11.15	36.96	0.00	329	264	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.87</td><td>-----</td><td>-----</td><td>91.75</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>329</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.87	-----	-----	91.75	34.93	11.15	36.96	0.00	329	264	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	100.87	-----	-----	91.75	34.93	11.15	36.96	0.00	329	264	AVERAGE																																																																																								









		92																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																		
ANT		CDD 1S4T																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.18</td><td>67.09</td><td>74.00</td><td>-6.91</td><td>57.79</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr><tr><td>2</td><td>5468.88</td><td>65.50</td><td>68.20</td><td>-2.70</td><td>56.17</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.18	67.09	74.00	-6.91	57.79	34.69	10.83	36.22	0.00	100	103	PEAK	2	5468.88	65.50	68.20	-2.70	56.17	34.70	10.84	36.21	0.00	100	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.18	67.09	74.00	-6.91	57.79	34.69	10.83	36.22	0.00	100	103	PEAK																																																								
2	5468.88	65.50	68.20	-2.70	56.17	34.70	10.84	36.21	0.00	100	103	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>111.59</td><td>-----</td><td>-----</td><td>101.88</td><td>34.80</td><td>10.97</td><td>36.06</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	111.59	-----	-----	101.88	34.80	10.97	36.06	0.00	100	103	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	111.59	-----	-----	101.88	34.80	10.97	36.06	0.00	100	103	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.40</td><td>53.65</td><td>54.00</td><td>-0.35</td><td>44.35</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.40	53.65	54.00	-0.35	44.35	34.69	10.83	36.22	0.00	100	103	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.40	53.65	54.00	-0.35	44.35	34.69	10.83	36.22	0.00	100	103	AVERAGE																																																								
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.39</td><td>-----</td><td>-----</td><td>90.59</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.39	-----	-----	90.59	34.82	11.00	36.02	0.00	100	103	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	100.39	-----	-----	90.59	34.82	11.00	36.02	0.00	100	103	AVERAGE																																																								




Mode	92																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.84</td><td>62.55</td><td>68.20</td><td>-5.65</td><td>54.13</td><td>34.98</td><td>11.22</td><td>37.78</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.84	62.55	68.20	-5.65	54.13	34.98	11.22	37.78	0.00	100	183	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.84	62.55	68.20	-5.65	54.13	34.98	11.22	37.78	0.00	100	183	PEAK																																												







		92																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																																																																																					
ANT		CDD 1S4T																																																																																																																					
Pol.		Vertical						Fundamental																																																																																																															
Peak																																																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5430.74	53.85	74.00	-20.15	44.63	34.67	10.81	36.26	0.00	300	222 PEAK	2	5465.28	50.97	68.20	-17.23	41.63	34.70	10.85	36.21	0.00	300	222 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	102.49	-----	-----	92.90	34.77	10.93	36.11	0.00	300	222 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5430.74	53.85	74.00	-20.15	44.63	34.67	10.81	36.26	0.00	300	222 PEAK																																																																																																												
2	5465.28	50.97	68.20	-17.23	41.63	34.70	10.85	36.21	0.00	300	222 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5570.00	102.49	-----	-----	92.90	34.77	10.93	36.11	0.00	300	222 PEAK																																																																																																												
Avg																																																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.36	40.90	54.00	-13.10	31.59	34.69	10.84	36.22	0.00	300	222 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	91.27	-----	-----	81.74	34.75	10.91	36.13	0.00	300	222 AVERAGE																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5457.36	40.90	54.00	-13.10	31.59	34.69	10.84	36.22	0.00	300	222 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5570.00	91.27	-----	-----	81.74	34.75	10.91	36.13	0.00	300	222 AVERAGE																																																																																																												




Mode	92																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 20MHz,Loc 8_5570MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.59</td><td>49.72</td><td>68.20</td><td>-18.48</td><td>40.91</td><td>34.95</td><td>11.18</td><td>37.32</td><td>0.00</td><td>300</td><td>222</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.59	49.72	68.20	-18.48	40.91	34.95	11.18	37.32	0.00	300	222	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.59	49.72	68.20	-18.48	40.91	34.95	11.18	37.32	0.00	300	222	PEAK																																												







		93																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																																																		
ANT		CDD 1S4T																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.96	72.76	74.00	-1.24	63.46	34.69	10.83	36.22	0.00	100	102	PEAK	2	5465.94	57.90	68.20	-10.30	48.56	34.70	10.85	36.21	0.00	100	102	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	113.09	-----	-----	103.23	34.84	11.02	36.00	0.00	100	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5452.96	72.76	74.00	-1.24	63.46	34.69	10.83	36.22	0.00	100	102	PEAK																																																																																								
2	5465.94	57.90	68.20	-10.30	48.56	34.70	10.85	36.21	0.00	100	102	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	113.09	-----	-----	103.23	34.84	11.02	36.00	0.00	100	102	PEAK																																																																																								
Avg																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.74	47.50	54.00	-6.50	38.21	34.69	10.83	36.23	0.00	100	102	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.00	-----	-----	91.06	34.86	11.05	35.97	0.00	100	102	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5452.74	47.50	54.00	-6.50	38.21	34.69	10.83	36.23	0.00	100	102	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	101.00	-----	-----	91.06	34.86	11.05	35.97	0.00	100	102	AVERAGE																																																																																								





Mode	93																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																												
ANT	CDD 1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.34</td><td>58.23</td><td>68.20</td><td>-9.97</td><td>49.55</td><td>34.96</td><td>11.19</td><td>37.47</td><td>0.00</td><td>100</td><td>102</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5736.34	58.23	68.20	-9.97	49.55	34.96	11.19	37.47	0.00	100	102	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																				
1	5736.34	58.23	68.20	-9.97	49.55	34.96	11.19	37.47	0.00	100	102	PEAK																																	





Mode	93																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																																																																																																											
ANT	CDD 1S4T																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.86</td><td>51.64</td><td>74.00</td><td>-22.36</td><td>42.35</td><td>34.69</td><td>10.83</td><td>36.23</td><td>0.00</td><td>300</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>5468.58</td><td>50.73</td><td>68.20</td><td>-17.47</td><td>41.38</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.86	51.64	74.00	-22.36	42.35	34.69	10.83	36.23	0.00	300	278	PEAK	2	5468.58	50.73	68.20	-17.47	41.38	34.70	10.85	36.20	0.00	300	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.82</td><td>-----</td><td>-----</td><td>92.02</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>300</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.82	-----	-----	92.02	34.82	11.00	36.02	0.00	300	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5451.86	51.64	74.00	-22.36	42.35	34.69	10.83	36.23	0.00	300	278	PEAK																																																																																																																
2	5468.58	50.73	68.20	-17.47	41.38	34.70	10.85	36.20	0.00	300	278	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	101.82	-----	-----	92.02	34.82	11.00	36.02	0.00	300	278	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.96</td><td>40.39</td><td>54.00</td><td>-13.61</td><td>31.09</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>300</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.96	40.39	54.00	-13.61	31.09	34.69	10.83	36.22	0.00	300	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.26</td><td>-----</td><td>-----</td><td>81.46</td><td>34.82</td><td>11.00</td><td>36.02</td><td>0.00</td><td>300</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.26	-----	-----	81.46	34.82	11.00	36.02	0.00	300	278	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5452.96	40.39	54.00	-13.61	31.09	34.69	10.83	36.22	0.00	300	278	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5570.00	91.26	-----	-----	81.46	34.82	11.00	36.02	0.00	300	278	AVERAGE																																																																																																																






Mode	93																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_PC 40MHz,Loc 1_5570MHz																																													
ANT	CDD 1S4T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.17</td><td>50.09</td><td>68.20</td><td>-18.11</td><td>41.29</td><td>34.95</td><td>11.18</td><td>37.33</td><td>0.00</td><td>300</td><td>278</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5727.17	50.09	68.20	-18.11	41.29	34.95	11.18	37.33	0.00	300	278	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																				
1	5727.17	50.09	68.20	-18.11	41.29	34.95	11.18	37.33	0.00	300	278	PEAK																																		








Mode	35																																																																																																																																																																																																																										
	30-1G																																																																																																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																																				
Peak																																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>55.22</td><td>21.11</td><td>40.00</td><td>-18.89</td><td>39.54</td><td>13.31</td><td>1.02</td><td>32.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>72.68</td><td>21.01</td><td>40.00</td><td>-18.99</td><td>37.09</td><td>15.04</td><td>1.20</td><td>32.32</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>127.00</td><td>30.72</td><td>43.50</td><td>-12.78</td><td>44.23</td><td>17.55</td><td>1.67</td><td>32.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>213.33</td><td>21.83</td><td>43.50</td><td>-21.67</td><td>37.42</td><td>15.25</td><td>2.09</td><td>32.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>326.82</td><td>30.35</td><td>46.00</td><td>-15.65</td><td>40.59</td><td>20.02</td><td>2.66</td><td>32.92</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>775.93</td><td>26.73</td><td>46.00</td><td>-19.27</td><td>28.03</td><td>27.84</td><td>4.15</td><td>33.29</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	55.22	21.11	40.00	-18.89	39.54	13.31	1.02	32.76	0.00	--	--	Peak	2	72.68	21.01	40.00	-18.99	37.09	15.04	1.20	32.32	0.00	--	--	Peak	3	127.00	30.72	43.50	-12.78	44.23	17.55	1.67	32.73	0.00	--	--	Peak	4	213.33	21.83	43.50	-21.67	37.42	15.25	2.09	32.93	0.00	--	--	Peak	5	326.82	30.35	46.00	-15.65	40.59	20.02	2.66	32.92	0.00	--	--	Peak	6	775.93	26.73	46.00	-19.27	28.03	27.84	4.15	33.29	0.00	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>51.34</td><td>32.08</td><td>40.00</td><td>-7.92</td><td>49.69</td><td>14.26</td><td>1.00</td><td>32.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>100.81</td><td>21.96</td><td>43.50</td><td>-21.54</td><td>37.23</td><td>16.11</td><td>1.47</td><td>32.85</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>125.06</td><td>24.98</td><td>43.50</td><td>-18.52</td><td>38.51</td><td>17.55</td><td>1.66</td><td>32.74</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>213.33</td><td>25.39</td><td>43.50</td><td>-18.11</td><td>40.98</td><td>15.25</td><td>2.09</td><td>32.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>322.94</td><td>20.53</td><td>46.00</td><td>-25.47</td><td>30.86</td><td>19.92</td><td>2.65</td><td>32.90</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>561.56</td><td>24.26</td><td>46.00</td><td>-21.74</td><td>29.15</td><td>25.36</td><td>3.30</td><td>33.55</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	51.34	32.08	40.00	-7.92	49.69	14.26	1.00	32.87	0.00	--	--	Peak	2	100.81	21.96	43.50	-21.54	37.23	16.11	1.47	32.85	0.00	--	--	Peak	3	125.06	24.98	43.50	-18.52	38.51	17.55	1.66	32.74	0.00	--	--	Peak	4	213.33	25.39	43.50	-18.11	40.98	15.25	2.09	32.93	0.00	--	--	Peak	5	322.94	20.53	46.00	-25.47	30.86	19.92	2.65	32.90	0.00	--	--	Peak	6	561.56	24.26	46.00	-21.74	29.15	25.36	3.30	33.55	0.00	--	--
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	55.22	21.11	40.00	-18.89	39.54	13.31	1.02	32.76	0.00	--	--	Peak																																																																																																																																																																																																															
2	72.68	21.01	40.00	-18.99	37.09	15.04	1.20	32.32	0.00	--	--	Peak																																																																																																																																																																																																															
3	127.00	30.72	43.50	-12.78	44.23	17.55	1.67	32.73	0.00	--	--	Peak																																																																																																																																																																																																															
4	213.33	21.83	43.50	-21.67	37.42	15.25	2.09	32.93	0.00	--	--	Peak																																																																																																																																																																																																															
5	326.82	30.35	46.00	-15.65	40.59	20.02	2.66	32.92	0.00	--	--	Peak																																																																																																																																																																																																															
6	775.93	26.73	46.00	-19.27	28.03	27.84	4.15	33.29	0.00	--	--	Peak																																																																																																																																																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	51.34	32.08	40.00	-7.92	49.69	14.26	1.00	32.87	0.00	--	--	Peak																																																																																																																																																																																																															
2	100.81	21.96	43.50	-21.54	37.23	16.11	1.47	32.85	0.00	--	--	Peak																																																																																																																																																																																																															
3	125.06	24.98	43.50	-18.52	38.51	17.55	1.66	32.74	0.00	--	--	Peak																																																																																																																																																																																																															
4	213.33	25.39	43.50	-18.11	40.98	15.25	2.09	32.93	0.00	--	--	Peak																																																																																																																																																																																																															
5	322.94	20.53	46.00	-25.47	30.86	19.92	2.65	32.90	0.00	--	--	Peak																																																																																																																																																																																																															
6	561.56	24.26	46.00	-21.74	29.15	25.36	3.30	33.55	0.00	--	--	Peak																																																																																																																																																																																																															





	48																																																																																																																	
Mode	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>60.15</td><td>68.20</td><td>-8.05</td><td>50.24</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>59.36</td><td>68.80</td><td>-9.44</td><td>49.54</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>5712.80</td><td>62.16</td><td>108.89</td><td>-46.73</td><td>53.17</td><td>34.93</td><td>11.16</td><td>37.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>71.73</td><td>117.28</td><td>-45.55</td><td>62.88</td><td>34.94</td><td>11.17</td><td>37.26</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5624.00	60.15	68.20	-8.05	50.24	34.85	11.04	35.98	0.00	300	0 PEAK	2	5650.80	59.36	68.80	-9.44	49.54	34.88	11.07	36.13	0.00	300	0 PEAK	3	5712.80	62.16	108.89	-46.73	53.17	34.93	11.16	37.10	0.00	300	0 PEAK	4	5722.80	71.73	117.28	-45.55	62.88	34.94	11.17	37.26	0.00	300	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>119.05</td><td>-----</td><td>-----</td><td>110.59</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	119.05	-----	-----	110.59	34.97	11.21	37.72	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5624.00	60.15	68.20	-8.05	50.24	34.85	11.04	35.98	0.00	300	0 PEAK																																																																																																							
2	5650.80	59.36	68.80	-9.44	49.54	34.88	11.07	36.13	0.00	300	0 PEAK																																																																																																							
3	5712.80	62.16	108.89	-46.73	53.17	34.93	11.16	37.10	0.00	300	0 PEAK																																																																																																							
4	5722.80	71.73	117.28	-45.55	62.88	34.94	11.17	37.26	0.00	300	0 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5745.00	119.05	-----	-----	110.59	34.97	11.21	37.72	0.00	300	0 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.83</td><td>-----</td><td>-----</td><td>101.37</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	109.83	-----	-----	101.37	34.97	11.21	37.72	0.00	300	0 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5745.00	109.83	-----	-----	101.37	34.97	11.21	37.72	0.00	300	0 AVERAGE																																																																																																							






Mode	48																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.00</td><td>61.37</td><td>68.20</td><td>-6.83</td><td>51.54</td><td>34.83</td><td>11.01</td><td>36.01</td><td>0.00</td><td>218</td><td>119 PEAK</td></tr><tr><td>2 5652.00</td><td>60.93</td><td>69.69</td><td>-8.76</td><td>51.13</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>218</td><td>119 PEAK</td></tr><tr><td>3 5718.00</td><td>65.96</td><td>110.56</td><td>-44.60</td><td>57.05</td><td>34.94</td><td>11.17</td><td>37.20</td><td>0.00</td><td>218</td><td>119 PEAK</td></tr><tr><td>4 5722.40</td><td>75.22</td><td>116.37</td><td>-41.15</td><td>66.36</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>218</td><td>119 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.00	61.37	68.20	-6.83	51.54	34.83	11.01	36.01	0.00	218	119 PEAK	2 5652.00	60.93	69.69	-8.76	51.13	34.88	11.07	36.15	0.00	218	119 PEAK	3 5718.00	65.96	110.56	-44.60	57.05	34.94	11.17	37.20	0.00	218	119 PEAK	4 5722.40	75.22	116.37	-41.15	66.36	34.94	11.17	37.25	0.00	218	119 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>122.50</td><td>-----</td><td>-----</td><td>113.94</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>218</td><td>119 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	122.50	-----	-----	113.94	34.97	11.21	37.62	0.00	218
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5602.00	61.37	68.20	-6.83	51.54	34.83	11.01	36.01	0.00	218	119 PEAK																																																																																																																									
2 5652.00	60.93	69.69	-8.76	51.13	34.88	11.07	36.15	0.00	218	119 PEAK																																																																																																																									
3 5718.00	65.96	110.56	-44.60	57.05	34.94	11.17	37.20	0.00	218	119 PEAK																																																																																																																									
4 5722.40	75.22	116.37	-41.15	66.36	34.94	11.17	37.25	0.00	218	119 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	122.50	-----	-----	113.94	34.97	11.21	37.62	0.00	218	119 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5434.00</td><td>53.60</td><td>54.00</td><td>-0.40</td><td>44.37</td><td>34.67</td><td>10.81</td><td>36.25</td><td>0.00</td><td>218</td><td>119</td><td>Average</td></tr><tr><td>2 5745.00</td><td>114.38</td><td>-----</td><td>-----</td><td>105.75</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>218</td><td>119</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5434.00	53.60	54.00	-0.40	44.37	34.67	10.81	36.25	0.00	218	119	Average	2 5745.00	114.38	-----	-----	105.75	34.96	11.20	37.53	0.00	218	119	AVERAGE																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5434.00	53.60	54.00	-0.40	44.37	34.67	10.81	36.25	0.00	218	119	Average																																																																																																																								
2 5745.00	114.38	-----	-----	105.75	34.96	11.20	37.53	0.00	218	119	AVERAGE																																																																																																																								




Mode	48																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																																																																																																													
Pol.	Horizontal										Vertical																																																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1</td><td>9191.93</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>61.29</td><td>36.30</td><td>14.44</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>62.20</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11490.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>57.59</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	9191.93	44.87	74.00	-29.13	61.29	36.30	14.44	67.16	0.00	---	---	---	---	---	---	Peak	2	9999.33	47.36	68.20	-20.84	62.20	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak	3	11490.00	45.79	74.00	-28.21	57.59	38.18	16.36	66.34	0.00	---	---	---	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1</td><td>9191.93</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>61.50</td><td>36.30</td><td>14.44</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>48.67</td><td>68.20</td><td>-19.53</td><td>63.51</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11490.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>58.51</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	9191.93	45.08	74.00	-28.92	61.50	36.30	14.44	67.16	0.00	---	---	---	---	---	---	Peak	2	9999.33	48.67	68.20	-19.53	63.51	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak	3	11490.00	46.71	74.00	-27.29	58.51	38.18	16.36	66.34	0.00	---	---	---	---	---	---	PEAK
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	9191.93	44.87	74.00	-29.13	61.29	36.30	14.44	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																														
2	9999.33	47.36	68.20	-20.84	62.20	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																														
3	11490.00	45.79	74.00	-28.21	57.59	38.18	16.36	66.34	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																														
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																			
1	9191.93	45.08	74.00	-28.92	61.50	36.30	14.44	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																														
2	9999.33	48.67	68.20	-19.53	63.51	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																														
3	11490.00	46.71	74.00	-27.29	58.51	38.18	16.36	66.34	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																														






Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>63.94</td><td>68.20</td><td>-4.26</td><td>44.11</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.08</td><td>68.20</td><td>-7.12</td><td>41.25</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>63.12</td><td>106.20</td><td>-43.08</td><td>43.99</td><td>34.93</td><td>11.15</td><td>36.95</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.59</td><td>110.90</td><td>-50.31</td><td>41.70</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	63.94	68.20	-4.26	44.11	34.83	11.01	36.01	10.00	344	177	PEAK	2	5650.00	61.08	68.20	-7.12	41.25	34.88	11.07	36.12	10.00	344	177	PEAK	3	5703.20	63.12	106.20	-43.08	43.99	34.93	11.15	36.95	10.00	344	177	PEAK	4	5720.00	60.59	110.90	-50.31	41.70	34.94	11.17	37.22	10.00	344	177	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>123.18</td><td>-----</td><td>-----</td><td>105.03</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	123.18	-----	-----	105.03	34.99	11.25	38.09	10.00	344	177	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5604.00	63.94	68.20	-4.26	44.11	34.83	11.01	36.01	10.00	344	177	PEAK																																																																																																																															
2	5650.00	61.08	68.20	-7.12	41.25	34.88	11.07	36.12	10.00	344	177	PEAK																																																																																																																															
3	5703.20	63.12	106.20	-43.08	43.99	34.93	11.15	36.95	10.00	344	177	PEAK																																																																																																																															
4	5720.00	60.59	110.90	-50.31	41.70	34.94	11.17	37.22	10.00	344	177	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	123.18	-----	-----	105.03	34.99	11.25	38.09	10.00	344	177	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>114.24</td><td>-----</td><td>-----</td><td>96.09</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>344</td><td>177</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	114.24	-----	-----	96.09	34.99	11.25	38.09	10.00	344	177	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	114.24	-----	-----	96.09	34.99	11.25	38.09	10.00	344	177	AVERAGE																																																																																																																															




Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.17</td><td>112.27</td><td>-50.10</td><td>45.09</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>61.23</td><td>105.92</td><td>-44.69</td><td>44.09</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>60.52</td><td>69.23</td><td>-8.71</td><td>43.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5962.40</td><td>61.79</td><td>68.20</td><td>-6.41</td><td>44.33</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>344</td><td>177</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	62.17	112.27	-50.10	45.09	35.07	11.33	39.32	10.00	344	177	PEAK	2	5872.80	61.23	105.92	-44.69	44.09	35.09	11.35	39.30	10.00	344	177	PEAK	3	5923.60	60.52	69.23	-8.71	43.21	35.13	11.40	39.22	10.00	344	177	PEAK	4	5962.40	61.79	68.20	-6.41	44.33	35.17	11.44	39.15	10.00	344	177	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	62.17	112.27	-50.10	45.09	35.07	11.33	39.32	10.00	344	177	PEAK																																																																									
2	5872.80	61.23	105.92	-44.69	44.09	35.09	11.35	39.30	10.00	344	177	PEAK																																																																									
3	5923.60	60.52	69.23	-8.71	43.21	35.13	11.40	39.22	10.00	344	177	PEAK																																																																									
4	5962.40	61.79	68.20	-6.41	44.33	35.17	11.44	39.15	10.00	344	177	PEAK																																																																									





	49																																																																																																																																			
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.20</td><td>64.15</td><td>68.20</td><td>-4.05</td><td>44.23</td><td>34.86</td><td>11.04</td><td>35.98</td><td>10.00</td><td>121</td><td>138 PEAK</td></tr><tr><td>2 5650.80</td><td>61.32</td><td>68.80</td><td>-7.48</td><td>41.50</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>121</td><td>138 PEAK</td></tr><tr><td>3 5783.60</td><td>63.22</td><td>106.31</td><td>-43.09</td><td>44.10</td><td>34.93</td><td>11.15</td><td>36.96</td><td>10.00</td><td>121</td><td>138 PEAK</td></tr><tr><td>4 5720.00</td><td>60.60</td><td>110.90</td><td>-50.30</td><td>41.71</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>121</td><td>138 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.20	64.15	68.20	-4.05	44.23	34.86	11.04	35.98	10.00	121	138 PEAK	2 5650.80	61.32	68.80	-7.48	41.50	34.88	11.07	36.13	10.00	121	138 PEAK	3 5783.60	63.22	106.31	-43.09	44.10	34.93	11.15	36.96	10.00	121	138 PEAK	4 5720.00	60.60	110.90	-50.30	41.71	34.94	11.17	37.22	10.00	121	138 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>124.93</td><td>-----</td><td>-----</td><td>106.78</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>121</td><td>138 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	124.93	-----	-----	106.78	34.99	11.25	38.09	10.00	121	138 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5629.20	64.15	68.20	-4.05	44.23	34.86	11.04	35.98	10.00	121	138 PEAK																																																																																																																										
2 5650.80	61.32	68.80	-7.48	41.50	34.88	11.07	36.13	10.00	121	138 PEAK																																																																																																																										
3 5783.60	63.22	106.31	-43.09	44.10	34.93	11.15	36.96	10.00	121	138 PEAK																																																																																																																										
4 5720.00	60.60	110.90	-50.30	41.71	34.94	11.17	37.22	10.00	121	138 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	124.93	-----	-----	106.78	34.99	11.25	38.09	10.00	121	138 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>115.46</td><td>-----</td><td>-----</td><td>97.31</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>121</td><td>138 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	115.46	-----	-----	97.31	34.99	11.25	38.09	10.00	121	138 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	115.46	-----	-----	97.31	34.99	11.25	38.09	10.00	121	138 AVERAGE																																																																																																																										



Mode	49																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.82</td><td>111.36</td><td>-53.54</td><td>40.74</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>121</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>60.28</td><td>106.03</td><td>-45.75</td><td>43.14</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>121</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.26</td><td>68.35</td><td>-8.09</td><td>42.95</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>121</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>62.18</td><td>68.20</td><td>-6.02</td><td>44.85</td><td>35.14</td><td>11.40</td><td>39.21</td><td>10.00</td><td>121</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	57.82	111.36	-53.54	40.74	35.07	11.34	39.33	10.00	121	138	PEAK	2	5872.40	60.28	106.03	-45.75	43.14	35.09	11.35	39.30	10.00	121	138	PEAK	3	5924.80	60.26	68.35	-8.09	42.95	35.13	11.40	39.22	10.00	121	138	PEAK	4	5927.60	62.18	68.20	-6.02	44.85	35.14	11.40	39.21	10.00	121	138	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	57.82	111.36	-53.54	40.74	35.07	11.34	39.33	10.00	121	138	PEAK																																																																																			
2	5872.40	60.28	106.03	-45.75	43.14	35.09	11.35	39.30	10.00	121	138	PEAK																																																																																			
3	5924.80	60.26	68.35	-8.09	42.95	35.13	11.40	39.22	10.00	121	138	PEAK																																																																																			
4	5927.60	62.18	68.20	-6.02	44.85	35.14	11.40	39.21	10.00	121	138	PEAK																																																																																			






		49																																																																																										
Mode		Harmonic																																																																																										
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																										
ANT		CDD 1S4T																																																																																										
Pol.		Horizontal						Vertical																																																																																				
Peak Avg																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>48.36</td><td>68.20</td><td>-19.84</td><td>63.20</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>58.32</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	48.36	68.20	-19.84	63.20	37.20	15.12	67.16	0.00	---	Peak	2	11570.00	46.60	74.00	-27.40	58.32	38.20	16.41	66.33	0.00	---	PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	10000.00	48.36	68.20	-19.84	63.20	37.20	15.12	67.16	0.00	---	Peak																																																																																	
2	11570.00	46.60	74.00	-27.40	58.32	38.20	16.41	66.33	0.00	---	PEAK																																																																																	
																																																																																												
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9255.73</td><td>46.55</td><td>68.20</td><td>-21.65</td><td>62.76</td><td>36.41</td><td>14.51</td><td>67.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>50.14</td><td>68.20</td><td>-18.06</td><td>64.98</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11570.00</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>63.17</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>232</td><td>359 PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>54.12</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>232</td><td>359 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9255.73	46.55	68.20	-21.65	62.76	36.41	14.51	67.13	0.00	---	Peak	2	10000.00	50.14	68.20	-18.06	64.98	37.20	15.12	67.16	0.00	---	Peak	3	11570.00	51.45	74.00	-22.55	63.17	38.20	16.41	66.33	0.00	232	359 PEAK	4	11570.00	42.40	54.00	-11.60	54.12	38.20	16.41	66.33	0.00	232	359 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	9255.73	46.55	68.20	-21.65	62.76	36.41	14.51	67.13	0.00	---	Peak																																																																																	
2	10000.00	50.14	68.20	-18.06	64.98	37.20	15.12	67.16	0.00	---	Peak																																																																																	
3	11570.00	51.45	74.00	-22.55	63.17	38.20	16.41	66.33	0.00	232	359 PEAK																																																																																	
4	11570.00	42.40	54.00	-11.60	54.12	38.20	16.41	66.33	0.00	232	359 AVERAGE																																																																																	





Mode	50																																																																																																																									
	Band Edge																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																									
ANT	CDD 1S4T																																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																																				
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>69.50</td><td>111.36</td><td>-41.86</td><td>52.42</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>300 178 PEAK</td></tr><tr><td>2 5856.00</td><td>76.94</td><td>110.40</td><td>-33.46</td><td>59.86</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>300 178 PEAK</td></tr><tr><td>3 5924.00</td><td>58.89</td><td>68.35</td><td>-9.46</td><td>41.58</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>300 178 PEAK</td></tr><tr><td>4 5987.20</td><td>62.81</td><td>68.20</td><td>-5.39</td><td>45.27</td><td>35.19</td><td>11.46</td><td>39.11</td><td>10.00</td><td>300 178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	69.50	111.36	-41.86	52.42	35.07	11.34	39.33	10.00	300 178 PEAK	2 5856.00	76.94	110.40	-33.46	59.86	35.07	11.34	39.33	10.00	300 178 PEAK	3 5924.00	58.89	68.35	-9.46	41.58	35.13	11.40	39.22	10.00	300 178 PEAK	4 5987.20	62.81	68.20	-5.39	45.27	35.19	11.46	39.11	10.00	300 178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>123.66</td><td>-----</td><td>-----</td><td>106.08</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>300</td><td>178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	123.66	-----	-----	106.08	35.03	11.30	38.75	10.00	300	178 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5854.00	69.50	111.36	-41.86	52.42	35.07	11.34	39.33	10.00	300 178 PEAK																																																																																																																	
2 5856.00	76.94	110.40	-33.46	59.86	35.07	11.34	39.33	10.00	300 178 PEAK																																																																																																																	
3 5924.00	58.89	68.35	-9.46	41.58	35.13	11.40	39.22	10.00	300 178 PEAK																																																																																																																	
4 5987.20	62.81	68.20	-5.39	45.27	35.19	11.46	39.11	10.00	300 178 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5825.00	123.66	-----	-----	106.08	35.03	11.30	38.75	10.00	300	178 PEAK																																																																																																																
Avg	Blank																																																																																																																									
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>113.65</td><td>-----</td><td>-----</td><td>96.07</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>300</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	113.65	-----	-----	96.07	35.03	11.30	38.75	10.00	300	178 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5825.00	113.65	-----	-----	96.07	35.03	11.30	38.75	10.00	300	178 AVERAGE																																																																																																																






	50																																																																																																																							
Mode	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>74.71</td><td>112.27</td><td>-37.56</td><td>57.63</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>300 109 PEAK</td></tr><tr><td>2 5857.20</td><td>76.12</td><td>110.28</td><td>-34.16</td><td>59.04</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>300 109 PEAK</td></tr><tr><td>3 5924.80</td><td>61.10</td><td>68.35</td><td>-7.25</td><td>43.79</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>300 109 PEAK</td></tr><tr><td>4 5955.60</td><td>61.49</td><td>68.20</td><td>-6.71</td><td>44.06</td><td>35.16</td><td>11.43</td><td>39.16</td><td>10.00</td><td>300 109 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.40	74.71	112.27	-37.56	57.63	35.07	11.33	39.32	10.00	300 109 PEAK	2 5857.20	76.12	110.28	-34.16	59.04	35.07	11.34	39.33	10.00	300 109 PEAK	3 5924.80	61.10	68.35	-7.25	43.79	35.13	11.40	39.22	10.00	300 109 PEAK	4 5955.60	61.49	68.20	-6.71	44.06	35.16	11.43	39.16	10.00	300 109 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>123.24</td><td>-----</td><td>-----</td><td>105.82</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>300 109 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	123.24	-----	-----	105.82	35.05	11.31	38.94	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.40	74.71	112.27	-37.56	57.63	35.07	11.33	39.32	10.00	300 109 PEAK																																																																																																															
2 5857.20	76.12	110.28	-34.16	59.04	35.07	11.34	39.33	10.00	300 109 PEAK																																																																																																															
3 5924.80	61.10	68.35	-7.25	43.79	35.13	11.40	39.22	10.00	300 109 PEAK																																																																																																															
4 5955.60	61.49	68.20	-6.71	44.06	35.16	11.43	39.16	10.00	300 109 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5825.00	123.24	-----	-----	105.82	35.05	11.31	38.94	10.00	300 109 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>114.10</td><td>-----</td><td>-----</td><td>96.68</td><td>35.05</td><td>11.31</td><td>38.94</td><td>10.00</td><td>300 109 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.10	-----	-----	96.68	35.05	11.31	38.94	10.00	300 109 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5825.00	114.10	-----	-----	96.68	35.05	11.31	38.94	10.00	300 109 AVERAGE																																																																																																															





Mode	50																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																																													
ANT	CDD 1S4T																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>48.47</td><td>68.20</td><td>-19.73</td><td>63.31</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>65.90</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>273</td><td>164</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>54.76</td><td>38.26</td><td>16.46</td><td>66.33</td><td>0.00</td><td>273</td><td>164</td><td>AVERAGE</td></tr><tr><td>4</td><td>17483.00</td><td>53.65</td><td>68.20</td><td>-14.55</td><td>56.66</td><td>41.18</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.33	48.47	68.20	-19.73	63.31	37.20	15.12	67.16	0.00	---	---	Peak	2	11650.00	54.28	74.00	-19.72	65.90	38.25	16.46	66.33	0.00	273	164	PEAK	3	11650.00	43.15	54.00	-10.85	54.76	38.26	16.46	66.33	0.00	273	164	AVERAGE	4	17483.00	53.65	68.20	-14.55	56.66	41.18	20.32	64.51	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9319.53</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>63.99</td><td>36.50</td><td>14.60</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>50.24</td><td>68.20</td><td>-17.96</td><td>65.08</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11650.00</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>68.19</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>223</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>56.84</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>223</td><td>102</td><td>AVERAGE</td></tr><tr><td>5</td><td>17468.33</td><td>54.00</td><td>68.20</td><td>-14.20</td><td>57.02</td><td>41.17</td><td>20.31</td><td>64.50</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9319.53	47.98	74.00	-26.02	63.99	36.50	14.60	67.11	0.00	---	---	Peak	2	9999.33	50.24	68.20	-17.96	65.08	37.20	15.12	67.16	0.00	---	---	Peak	3	11650.00	56.57	74.00	-17.43	68.19	38.25	16.46	66.33	0.00	223	102	PEAK	4	11650.00	45.22	54.00	-8.78	56.84	38.25	16.46	66.33	0.00	223	102	AVERAGE	5	17468.33	54.00	68.20	-14.20	57.02	41.17	20.31	64.50	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	9999.33	48.47	68.20	-19.73	63.31	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																																		
2	11650.00	54.28	74.00	-19.72	65.90	38.25	16.46	66.33	0.00	273	164	PEAK																																																																																																																																																																																		
3	11650.00	43.15	54.00	-10.85	54.76	38.26	16.46	66.33	0.00	273	164	AVERAGE																																																																																																																																																																																		
4	17483.00	53.65	68.20	-14.55	56.66	41.18	20.32	64.51	0.00	---	---	Peak																																																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																				
1	9319.53	47.98	74.00	-26.02	63.99	36.50	14.60	67.11	0.00	---	---	Peak																																																																																																																																																																																		
2	9999.33	50.24	68.20	-17.96	65.08	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																																		
3	11650.00	56.57	74.00	-17.43	68.19	38.25	16.46	66.33	0.00	223	102	PEAK																																																																																																																																																																																		
4	11650.00	45.22	54.00	-8.78	56.84	38.25	16.46	66.33	0.00	223	102	AVERAGE																																																																																																																																																																																		
5	17468.33	54.00	68.20	-14.20	57.02	41.17	20.31	64.50	0.00	---	---	Peak																																																																																																																																																																																		





Mode	51																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.22</td><td>59.72</td><td>68.20</td><td>-8.48</td><td>49.81</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>58.37</td><td>68.37</td><td>-10.00</td><td>48.54</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr><tr><td>3</td><td>5718.22</td><td>79.91</td><td>110.40</td><td>-30.49</td><td>70.99</td><td>34.94</td><td>11.17</td><td>37.19</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr><tr><td>4</td><td>5722.60</td><td>77.13</td><td>116.83</td><td>-39.70</td><td>68.28</td><td>34.94</td><td>11.17</td><td>37.26</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.22	59.72	68.20	-8.48	49.81	34.85	11.04	35.98	0.00	300	169	PEAK	2	5650.22	58.37	68.37	-10.00	48.54	34.88	11.07	36.12	0.00	300	169	PEAK	3	5718.22	79.91	110.40	-30.49	70.99	34.94	11.17	37.19	0.00	300	169	PEAK	4	5722.60	77.13	116.83	-39.70	68.28	34.94	11.17	37.26	0.00	300	169	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>118.28</td><td>-----</td><td>-----</td><td>109.70</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	118.28	-----	-----	109.70	34.96	11.20	37.58	0.00	300	169	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5628.22	59.72	68.20	-8.48	49.81	34.85	11.04	35.98	0.00	300	169	PEAK																																																																																																																															
2	5650.22	58.37	68.37	-10.00	48.54	34.88	11.07	36.12	0.00	300	169	PEAK																																																																																																																															
3	5718.22	79.91	110.40	-30.49	70.99	34.94	11.17	37.19	0.00	300	169	PEAK																																																																																																																															
4	5722.60	77.13	116.83	-39.70	68.28	34.94	11.17	37.26	0.00	300	169	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	118.28	-----	-----	109.70	34.96	11.20	37.58	0.00	300	169	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.65</td><td>-----</td><td>-----</td><td>101.07</td><td>34.96</td><td>11.20</td><td>37.58</td><td>0.00</td><td>300</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.65	-----	-----	101.07	34.96	11.20	37.58	0.00	300	169	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.65	-----	-----	101.07	34.96	11.20	37.58	0.00	300	169	AVERAGE																																																																																																																															






		51																																																																																		
Mode		Band Edge																																																																																		
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																		
ANT		CDD 1S4T																																																																																		
Pol.		Fundamental																																																																																		
Peak	Vertical																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.22</td><td>60.29</td><td>68.20</td><td>-7.91</td><td>50.48</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>197</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>60.04</td><td>69.54</td><td>-9.50</td><td>50.24</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>197</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>79.66</td><td>110.90</td><td>-31.24</td><td>70.77</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>197</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>82.01</td><td>111.41</td><td>-29.40</td><td>73.12</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>197</td><td>139</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5600.22	60.29	68.20	-7.91	50.48	34.83	11.00	36.02	0.00	197	139	PEAK	2	5651.00	60.04	69.54	-9.50	50.24	34.88	11.07	36.15	0.00	197	139	PEAK	3	5720.00	79.66	110.90	-31.24	70.77	34.94	11.17	37.22	0.00	197	139	PEAK	4	5720.22	82.01	111.41	-29.40	73.12	34.94	11.17	37.22	0.00	197	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5600.22	60.29	68.20	-7.91	50.48	34.83	11.00	36.02	0.00	197	139	PEAK																																																																								
2	5651.00	60.04	69.54	-9.50	50.24	34.88	11.07	36.15	0.00	197	139	PEAK																																																																								
3	5720.00	79.66	110.90	-31.24	70.77	34.94	11.17	37.22	0.00	197	139	PEAK																																																																								
4	5720.22	82.01	111.41	-29.40	73.12	34.94	11.17	37.22	0.00	197	139	PEAK																																																																								
Avg	Blank																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.33</td><td>53.37</td><td>54.00</td><td>-0.63</td><td>44.11</td><td>34.68</td><td>10.82</td><td>36.24</td><td>0.00</td><td>121</td><td>102</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>114.47</td><td>-----</td><td>-----</td><td>105.96</td><td>34.97</td><td>11.21</td><td>37.67</td><td>0.00</td><td>197</td><td>139</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5443.33	53.37	54.00	-0.63	44.11	34.68	10.82	36.24	0.00	121	102	Average	2	5745.00	114.47	-----	-----	105.96	34.97	11.21	37.67	0.00	197	139	AVERAGE																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5443.33	53.37	54.00	-0.63	44.11	34.68	10.82	36.24	0.00	121	102	Average																																																																								
2	5745.00	114.47	-----	-----	105.96	34.97	11.21	37.67	0.00	197	139	AVERAGE																																																																								




Mode	51																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																								
ANT	CDD 1S4T																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10000.00</td><td>47.11</td><td>68.20</td><td>-21.09</td><td>61.95</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>57.68</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	47.11	68.20	-21.09	61.95	37.20	15.12	67.16	0.00	---	Peak	2	11490.00	45.88	74.00	-28.12	57.68	38.18	16.36	66.34	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9999.33</td><td>49.48</td><td>68.20</td><td>-18.72</td><td>64.32</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>47.53</td><td>74.00</td><td>-26.47</td><td>59.33</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	49.48	68.20	-18.72	64.32	37.20	15.12	67.16	0.00	---	Peak	2	11490.00	47.53	74.00	-26.47	59.33	38.18	16.36	66.34	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10000.00	47.11	68.20	-21.09	61.95	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11490.00	45.88	74.00	-28.12	57.68	38.18	16.36	66.34	0.00	---	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	9999.33	49.48	68.20	-18.72	64.32	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11490.00	47.53	74.00	-26.47	59.33	38.18	16.36	66.34	0.00	---	PEAK																																																																																																														






Mode	52																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.00</td><td>65.27</td><td>68.20</td><td>-2.93</td><td>45.44</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>63.65</td><td>68.80</td><td>-5.15</td><td>43.83</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>63.78</td><td>105.86</td><td>-42.08</td><td>44.65</td><td>34.92</td><td>11.14</td><td>36.93</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.59</td><td>110.90</td><td>-48.31</td><td>43.70</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	65.27	68.20	-2.93	45.44	34.83	11.01	36.01	10.00	318	179	PEAK	2	5650.00	63.65	68.80	-5.15	43.83	34.88	11.07	36.13	10.00	318	179	PEAK	3	5702.00	63.78	105.86	-42.08	44.65	34.92	11.14	36.93	10.00	318	179	PEAK	4	5720.00	62.59	110.90	-48.31	43.70	34.94	11.17	37.22	10.00	318	179	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>124.01</td><td>-----</td><td>-----</td><td>105.86</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	124.01	-----	-----	105.86	34.99	11.25	38.09	10.00	318	179	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5604.00	65.27	68.20	-2.93	45.44	34.83	11.01	36.01	10.00	318	179	PEAK																																																																																																																															
2	5650.00	63.65	68.80	-5.15	43.83	34.88	11.07	36.13	10.00	318	179	PEAK																																																																																																																															
3	5702.00	63.78	105.86	-42.08	44.65	34.92	11.14	36.93	10.00	318	179	PEAK																																																																																																																															
4	5720.00	62.59	110.90	-48.31	43.70	34.94	11.17	37.22	10.00	318	179	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	124.01	-----	-----	105.86	34.99	11.25	38.09	10.00	318	179	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>114.11</td><td>-----</td><td>-----</td><td>95.96</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>318</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	114.11	-----	-----	95.96	34.99	11.25	38.09	10.00	318	179	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	114.11	-----	-----	95.96	34.99	11.25	38.09	10.00	318	179	AVERAGE																																																																																																																															




Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>60.56</td><td>112.27</td><td>-51.71</td><td>43.48</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5862.40</td><td>62.88</td><td>108.83</td><td>-45.95</td><td>45.78</td><td>35.08</td><td>11.34</td><td>39.32</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.52</td><td>68.35</td><td>-9.83</td><td>41.21</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>45.00</td><td>35.16</td><td>11.42</td><td>39.18</td><td>10.00</td><td>318</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	60.56	112.27	-51.71	43.48	35.07	11.33	39.32	10.00	318	179	PEAK	2	5862.40	62.88	108.83	-45.95	45.78	35.08	11.34	39.32	10.00	318	179	PEAK	3	5924.80	58.52	68.35	-9.83	41.21	35.13	11.40	39.22	10.00	318	179	PEAK	4	5948.00	62.40	68.20	-5.80	45.00	35.16	11.42	39.18	10.00	318	179	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	60.56	112.27	-51.71	43.48	35.07	11.33	39.32	10.00	318	179	PEAK																																																																																		
2	5862.40	62.88	108.83	-45.95	45.78	35.08	11.34	39.32	10.00	318	179	PEAK																																																																																		
3	5924.80	58.52	68.35	-9.83	41.21	35.13	11.40	39.22	10.00	318	179	PEAK																																																																																		
4	5948.00	62.40	68.20	-5.80	45.00	35.16	11.42	39.18	10.00	318	179	PEAK																																																																																		





Mode	52																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																							
ANT	CDD 1S4T																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.40</td><td>64.50</td><td>68.20</td><td>-3.70</td><td>44.58</td><td>34.86</td><td>11.04</td><td>35.98</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>62.55</td><td>68.50</td><td>-5.95</td><td>42.72</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>62.48</td><td>105.75</td><td>-43.27</td><td>43.35</td><td>34.92</td><td>11.14</td><td>36.93</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.97</td><td>110.90</td><td>-46.93</td><td>45.08</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5628.40	64.50	68.20	-3.70	44.58	34.86	11.04	35.98	10.00	182	138	PEAK	2	5650.40	62.55	68.50	-5.95	42.72	34.88	11.07	36.12	10.00	182	138	PEAK	3	5701.60	62.48	105.75	-43.27	43.35	34.92	11.14	36.93	10.00	182	138	PEAK	4	5720.00	63.97	110.90	-46.93	45.08	34.94	11.17	37.22	10.00	182	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>124.10</td><td>-----</td><td>-----</td><td>105.95</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	124.10	-----	-----	105.95	34.99	11.25	38.09	10.00	182	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5628.40	64.50	68.20	-3.70	44.58	34.86	11.04	35.98	10.00	182	138	PEAK																																																																																																												
2	5650.40	62.55	68.50	-5.95	42.72	34.88	11.07	36.12	10.00	182	138	PEAK																																																																																																												
3	5701.60	62.48	105.75	-43.27	43.35	34.92	11.14	36.93	10.00	182	138	PEAK																																																																																																												
4	5720.00	63.97	110.90	-46.93	45.08	34.94	11.17	37.22	10.00	182	138	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5785.00	124.10	-----	-----	105.95	34.99	11.25	38.09	10.00	182	138	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>114.76</td><td>-----</td><td>-----</td><td>96.61</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>182</td><td>138</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	114.76	-----	-----	96.61	34.99	11.25	38.09	10.00	182	138	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5785.00	114.76	-----	-----	96.61	34.99	11.25	38.09	10.00	182	138	AVERAGE																																																																																																												






Mode	52																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.78</td><td>111.36</td><td>-50.58</td><td>43.70</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>61.85</td><td>106.70</td><td>-44.85</td><td>44.73</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.56</td><td>68.64</td><td>-8.08</td><td>43.25</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5950.40</td><td>61.89</td><td>68.20</td><td>-6.31</td><td>44.47</td><td>35.16</td><td>11.43</td><td>39.17</td><td>10.00</td><td>182</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	60.78	111.36	-50.58	43.70	35.07	11.34	39.33	10.00	182	138	PEAK	2	5870.00	61.85	106.70	-44.85	44.73	35.08	11.35	39.31	10.00	182	138	PEAK	3	5924.40	60.56	68.64	-8.08	43.25	35.13	11.40	39.22	10.00	182	138	PEAK	4	5950.40	61.89	68.20	-6.31	44.47	35.16	11.43	39.17	10.00	182	138	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	60.78	111.36	-50.58	43.70	35.07	11.34	39.33	10.00	182	138	PEAK																																																																																			
2	5870.00	61.85	106.70	-44.85	44.73	35.08	11.35	39.31	10.00	182	138	PEAK																																																																																			
3	5924.40	60.56	68.64	-8.08	43.25	35.13	11.40	39.22	10.00	182	138	PEAK																																																																																			
4	5950.40	61.89	68.20	-6.31	44.47	35.16	11.43	39.17	10.00	182	138	PEAK																																																																																			



		52																																																																																														
Mode		Harmonic																																																																																														
		U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																														
ANT		CDD 1S4T																																																																																														
Pol.		Horizontal						Vertical																																																																																								
Peak Avg																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>47.92</td><td>68.20</td><td>-20.28</td><td>62.76</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>58.23</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	47.92	68.20	-20.28	62.76	37.20	15.12	67.16	0.00	---	---	Peak	2	11570.00	46.51	74.00	-27.49	58.23	38.20	16.41	66.33	0.00	---	---	PEAK																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	9999.33	47.92	68.20	-20.28	62.76	37.20	15.12	67.16	0.00	---	---	Peak																																																																																				
2	11570.00	46.51	74.00	-27.49	58.23	38.20	16.41	66.33	0.00	---	---	PEAK																																																																																				
																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9255.73</td><td>46.61</td><td>68.20</td><td>-21.59</td><td>62.82</td><td>36.41</td><td>14.51</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>50.06</td><td>68.20</td><td>-18.14</td><td>64.90</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11570.00</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>62.05</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>231</td><td>354</td><td>PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>53.07</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>231</td><td>354</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9255.73	46.61	68.20	-21.59	62.82	36.41	14.51	67.13	0.00	---	---	Peak	2	9999.33	50.06	68.20	-18.14	64.90	37.20	15.12	67.16	0.00	---	---	Peak	3	11570.00	50.33	74.00	-23.67	62.05	38.20	16.41	66.33	0.00	231	354	PEAK	4	11570.00	41.35	54.00	-12.65	53.07	38.20	16.41	66.33	0.00	231	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	9255.73	46.61	68.20	-21.59	62.82	36.41	14.51	67.13	0.00	---	---	Peak																																																																																				
2	9999.33	50.06	68.20	-18.14	64.90	37.20	15.12	67.16	0.00	---	---	Peak																																																																																				
3	11570.00	50.33	74.00	-23.67	62.05	38.20	16.41	66.33	0.00	231	354	PEAK																																																																																				
4	11570.00	41.35	54.00	-12.65	53.07	38.20	16.41	66.33	0.00	231	354	AVERAGE																																																																																				



		53																																																																																						
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																							
ANT	CDD 1S4T																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 5850.00</td><td>86.63</td><td>122.30</td><td>-35.67</td><td>69.49</td><td>35.06</td><td>11.33</td><td>39.25</td><td>10.00</td><td>311</td><td>177 PEAK</td></tr><tr><td>2 5859.20</td><td>78.50</td><td>109.72</td><td>-31.22</td><td>61.41</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>311</td><td>177 PEAK</td></tr><tr><td>3 5924.00</td><td>59.67</td><td>68.35</td><td>-8.68</td><td>42.36</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>311</td><td>177 PEAK</td></tr><tr><td>4 5960.40</td><td>62.18</td><td>68.20</td><td>-6.02</td><td>44.73</td><td>35.17</td><td>11.44</td><td>39.16</td><td>10.00</td><td>311</td><td>177 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5850.00	86.63	122.30	-35.67	69.49	35.06	11.33	39.25	10.00	311	177 PEAK	2 5859.20	78.50	109.72	-31.22	61.41	35.07	11.34	39.32	10.00	311	177 PEAK	3 5924.00	59.67	68.35	-8.68	42.36	35.13	11.40	39.22	10.00	311	177 PEAK	4 5960.40	62.18	68.20	-6.02	44.73	35.17	11.44	39.16	10.00	311	177 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 5850.00	86.63	122.30	-35.67	69.49	35.06	11.33	39.25	10.00	311	177 PEAK																																																																														
2 5859.20	78.50	109.72	-31.22	61.41	35.07	11.34	39.32	10.00	311	177 PEAK																																																																														
3 5924.00	59.67	68.35	-8.68	42.36	35.13	11.40	39.22	10.00	311	177 PEAK																																																																														
4 5960.40	62.18	68.20	-6.02	44.73	35.17	11.44	39.16	10.00	311	177 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>123.64</td><td>-----</td><td>-----</td><td>106.06</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>311</td><td>177 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5825.00	123.64	-----	-----	106.06	35.03	11.30	38.75	10.00	311	177 PEAK																																
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1 5825.00	123.64	-----	-----	106.06	35.03	11.30	38.75	10.00	311	177 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>112.94</td><td>-----</td><td>-----</td><td>95.36</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>311</td><td>177 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 5825.00	112.94	-----	-----	95.36	35.03	11.30	38.75	10.00	311	177 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																													
1 5825.00	112.94	-----	-----	95.36	35.03	11.30	38.75	10.00	311	177 AVERAGE																																																																														






Mode	53																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>76.63</td><td>111.36</td><td>-34.73</td><td>59.55</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>191</td><td>137</td><td>PEAK</td></tr><tr><td>2 5858.00</td><td>79.77</td><td>110.06</td><td>-30.29</td><td>62.68</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>191</td><td>137</td><td>PEAK</td></tr><tr><td>3 5924.40</td><td>60.46</td><td>68.64</td><td>-8.18</td><td>43.15</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>191</td><td>137</td><td>PEAK</td></tr><tr><td>4 5932.00</td><td>61.31</td><td>68.20</td><td>-6.89</td><td>43.96</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>191</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5854.00	76.63	111.36	-34.73	59.55	35.07	11.34	39.33	10.00	191	137	PEAK	2 5858.00	79.77	110.06	-30.29	62.68	35.07	11.34	39.32	10.00	191	137	PEAK	3 5924.40	60.46	68.64	-8.18	43.15	35.13	11.40	39.22	10.00	191	137	PEAK	4 5932.00	61.31	68.20	-6.89	43.96	35.14	11.41	39.20	10.00	191	137	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>121.71</td><td>-----</td><td>-----</td><td>104.13</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>191</td><td>137</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	191	137
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1 5854.00	76.63	111.36	-34.73	59.55	35.07	11.34	39.33	10.00	191	137	PEAK																																																																																																							
2 5858.00	79.77	110.06	-30.29	62.68	35.07	11.34	39.32	10.00	191	137	PEAK																																																																																																							
3 5924.40	60.46	68.64	-8.18	43.15	35.13	11.40	39.22	10.00	191	137	PEAK																																																																																																							
4 5932.00	61.31	68.20	-6.89	43.96	35.14	11.41	39.20	10.00	191	137	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1 5825.00	121.71	-----	-----	104.13	35.03	11.30	38.75	10.00	191	137	PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>113.07</td><td>-----</td><td>-----</td><td>95.49</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>191</td><td>137</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5825.00	113.07	-----	-----	95.49	35.03	11.30	38.75	10.00	191	137	AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1 5825.00	113.07	-----	-----	95.49	35.03	11.30	38.75	10.00	191	137	AVERAGE																																																																																																							




		53																																																																																																																																																																																																											
Mode		Harmonic																																																																																																																																																																																																											
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																																																																											
ANT		CDD 1S4T																																																																																																																																																																																																											
Pol.		Horizontal						Vertical																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9319.53</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>61.47</td><td>36.50</td><td>14.60</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>47.17</td><td>68.20</td><td>-21.03</td><td>62.01</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11650.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>65.92</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>291</td><td>149</td><td>PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>42.22</td><td>54.00</td><td>-11.78</td><td>53.82</td><td>38.26</td><td>16.47</td><td>66.33</td><td>0.00</td><td>291</td><td>149</td><td>AVERAGE</td></tr><tr><td>5</td><td>17483.73</td><td>54.29</td><td>68.20</td><td>-13.91</td><td>57.31</td><td>41.18</td><td>20.32</td><td>64.52</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9319.53</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>62.95</td><td>36.50</td><td>14.60</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>51.16</td><td>68.20</td><td>-17.04</td><td>66.00</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11650.00</td><td>58.21</td><td>74.00</td><td>-15.79</td><td>69.83</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>225</td><td>282</td><td>PEAK</td></tr><tr><td>4</td><td>11650.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>56.89</td><td>38.26</td><td>16.46</td><td>66.33</td><td>0.00</td><td>225</td><td>282</td><td>AVERAGE</td></tr><tr><td>5</td><td>17488.13</td><td>52.98</td><td>68.20</td><td>-15.22</td><td>55.98</td><td>41.19</td><td>20.33</td><td>64.52</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9319.53	45.46	74.00	-28.54	61.47	36.50	14.60	67.11	0.00	---	---	Peak	2	9999.33	47.17	68.20	-21.03	62.01	37.20	15.12	67.16	0.00	---	---	Peak	3	11650.00	54.30	74.00	-19.70	65.92	38.25	16.46	66.33	0.00	291	149	PEAK	4	11650.00	42.22	54.00	-11.78	53.82	38.26	16.47	66.33	0.00	291	149	AVERAGE	5	17483.73	54.29	68.20	-13.91	57.31	41.18	20.32	64.52	0.00	---	---	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9319.53	46.94	74.00	-27.06	62.95	36.50	14.60	67.11	0.00	---	---	Peak	2	9999.33	51.16	68.20	-17.04	66.00	37.20	15.12	67.16	0.00	---	---	Peak	3	11650.00	58.21	74.00	-15.79	69.83	38.25	16.46	66.33	0.00	225	282	PEAK	4	11650.00	45.28	54.00	-8.72	56.89	38.26	16.46	66.33	0.00	225	282	AVERAGE	5	17488.13	52.98	68.20	-15.22	55.98	41.19	20.33	64.52	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																			
1	9319.53	45.46	74.00	-28.54	61.47	36.50	14.60	67.11	0.00	---	---	Peak																																																																																																																																																																																																	
2	9999.33	47.17	68.20	-21.03	62.01	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																																																	
3	11650.00	54.30	74.00	-19.70	65.92	38.25	16.46	66.33	0.00	291	149	PEAK																																																																																																																																																																																																	
4	11650.00	42.22	54.00	-11.78	53.82	38.26	16.47	66.33	0.00	291	149	AVERAGE																																																																																																																																																																																																	
5	17483.73	54.29	68.20	-13.91	57.31	41.18	20.32	64.52	0.00	---	---	Peak																																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																			
1	9319.53	46.94	74.00	-27.06	62.95	36.50	14.60	67.11	0.00	---	---	Peak																																																																																																																																																																																																	
2	9999.33	51.16	68.20	-17.04	66.00	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																																																	
3	11650.00	58.21	74.00	-15.79	69.83	38.25	16.46	66.33	0.00	225	282	PEAK																																																																																																																																																																																																	
4	11650.00	45.28	54.00	-8.72	56.89	38.26	16.46	66.33	0.00	225	282	AVERAGE																																																																																																																																																																																																	
5	17488.13	52.98	68.20	-15.22	55.98	41.19	20.33	64.52	0.00	---	---	Peak																																																																																																																																																																																																	






Mode	54																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																											
ANT	CDD 1S4T																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.81</td><td>66.75</td><td>68.20</td><td>-1.45</td><td>46.88</td><td>34.87</td><td>11.07</td><td>36.07</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5651.93</td><td>63.98</td><td>69.63</td><td>-5.65</td><td>44.18</td><td>34.88</td><td>11.07</td><td>36.15</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5706.18</td><td>86.92</td><td>107.03</td><td>-20.11</td><td>67.84</td><td>34.93</td><td>11.15</td><td>37.00</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>87.28</td><td>111.54</td><td>-24.26</td><td>68.39</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.81	66.75	68.20	-1.45	46.88	34.87	11.07	36.07	10.00	306	177	PEAK	2	5651.93	63.98	69.63	-5.65	44.18	34.88	11.07	36.15	10.00	306	177	PEAK	3	5706.18	86.92	107.03	-20.11	67.84	34.93	11.15	37.00	10.00	306	177	PEAK	4	5720.28	87.28	111.54	-24.26	68.39	34.94	11.17	37.22	10.00	306	177	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>122.44</td><td>-----</td><td>-----</td><td>104.01</td><td>34.97</td><td>11.22</td><td>37.76</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	122.44	-----	-----	104.01	34.97	11.22	37.76	10.00	306	177	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5646.81	66.75	68.20	-1.45	46.88	34.87	11.07	36.07	10.00	306	177	PEAK																																																																																																																																
2	5651.93	63.98	69.63	-5.65	44.18	34.88	11.07	36.15	10.00	306	177	PEAK																																																																																																																																
3	5706.18	86.92	107.03	-20.11	67.84	34.93	11.15	37.00	10.00	306	177	PEAK																																																																																																																																
4	5720.28	87.28	111.54	-24.26	68.39	34.94	11.17	37.22	10.00	306	177	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	122.44	-----	-----	104.01	34.97	11.22	37.76	10.00	306	177	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>111.17</td><td>-----</td><td>-----</td><td>92.61</td><td>34.97</td><td>11.21</td><td>37.62</td><td>10.00</td><td>306</td><td>177</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	111.17	-----	-----	92.61	34.97	11.21	37.62	10.00	306	177	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	111.17	-----	-----	92.61	34.97	11.21	37.62	10.00	306	177	AVERAGE																																																																																																																																




Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>60.51</td><td>111.71</td><td>-51.20</td><td>43.43</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>60.42</td><td>105.70</td><td>-45.28</td><td>43.28</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>60.26</td><td>68.31</td><td>-8.05</td><td>42.95</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5939.08</td><td>61.99</td><td>68.20</td><td>-6.21</td><td>44.61</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>306</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	60.51	111.71	-51.20	43.43	35.07	11.34	39.33	10.00	306	177	PEAK	2	5873.56	60.42	105.70	-45.28	43.28	35.09	11.35	39.30	10.00	306	177	PEAK	3	5924.85	60.26	68.31	-8.05	42.95	35.13	11.40	39.22	10.00	306	177	PEAK	4	5939.08	61.99	68.20	-6.21	44.61	35.15	11.42	39.19	10.00	306	177	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.65	60.51	111.71	-51.20	43.43	35.07	11.34	39.33	10.00	306	177	PEAK																																																																																		
2	5873.56	60.42	105.70	-45.28	43.28	35.09	11.35	39.30	10.00	306	177	PEAK																																																																																		
3	5924.85	60.26	68.31	-8.05	42.95	35.13	11.40	39.22	10.00	306	177	PEAK																																																																																		
4	5939.08	61.99	68.20	-6.21	44.61	35.15	11.42	39.19	10.00	306	177	PEAK																																																																																		





Mode	54																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																				
ANT	CDD 1S4T																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5648.21</td><td>66.57</td><td>68.20</td><td>-1.63</td><td>46.72</td><td>34.87</td><td>11.07</td><td>36.09</td><td>10.00</td><td>190</td><td>138 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>63.64</td><td>68.36</td><td>-4.72</td><td>43.81</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>190</td><td>138 PEAK</td></tr><tr><td>3</td><td>5707.73</td><td>90.00</td><td>107.47</td><td>-17.47</td><td>70.94</td><td>34.93</td><td>11.15</td><td>37.02</td><td>10.00</td><td>190</td><td>138 PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>86.81</td><td>112.60</td><td>-25.79</td><td>67.93</td><td>34.94</td><td>11.17</td><td>37.23</td><td>10.00</td><td>190</td><td>138 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5648.21	66.57	68.20	-1.63	46.72	34.87	11.07	36.09	10.00	190	138 PEAK	2	5650.22	63.64	68.36	-4.72	43.81	34.88	11.07	36.12	10.00	190	138 PEAK	3	5707.73	90.00	107.47	-17.47	70.94	34.93	11.15	37.02	10.00	190	138 PEAK	4	5720.75	86.81	112.60	-25.79	67.93	34.94	11.17	37.23	10.00	190	138 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>122.00</td><td>-----</td><td>-----</td><td>103.57</td><td>34.97</td><td>11.22</td><td>37.76</td><td>10.00</td><td>190</td><td>138 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5755.00	122.00	-----	-----	103.57	34.97	11.22	37.76	10.00	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																										
1	5648.21	66.57	68.20	-1.63	46.72	34.87	11.07	36.09	10.00	190	138 PEAK																																																																																																										
2	5650.22	63.64	68.36	-4.72	43.81	34.88	11.07	36.12	10.00	190	138 PEAK																																																																																																										
3	5707.73	90.00	107.47	-17.47	70.94	34.93	11.15	37.02	10.00	190	138 PEAK																																																																																																										
4	5720.75	86.81	112.60	-25.79	67.93	34.94	11.17	37.23	10.00	190	138 PEAK																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																										
1	5755.00	122.00	-----	-----	103.57	34.97	11.22	37.76	10.00	190	138 PEAK																																																																																																										
Avg	Blank																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>111.85</td><td>-----</td><td>-----</td><td>93.29</td><td>34.97</td><td>11.21</td><td>37.62</td><td>10.00</td><td>190</td><td>138 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5755.00	111.85	-----	-----	93.29	34.97	11.21	37.62	10.00	190	138 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																										
1	5755.00	111.85	-----	-----	93.29	34.97	11.21	37.62	10.00	190	138 AVERAGE																																																																																																										






Mode	54																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.06</td><td>61.47</td><td>113.04</td><td>-51.57</td><td>44.39</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>190</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>61.12</td><td>105.59</td><td>-44.47</td><td>43.98</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>190</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5922.31</td><td>62.02</td><td>70.19</td><td>-8.17</td><td>44.71</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>190</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5945.71</td><td>60.69</td><td>68.20</td><td>-7.51</td><td>43.30</td><td>35.15</td><td>11.42</td><td>39.18</td><td>10.00</td><td>190</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.06	61.47	113.04	-51.57	44.39	35.07	11.33	39.32	10.00	190	138	PEAK	2	5873.95	61.12	105.59	-44.47	43.98	35.09	11.35	39.30	10.00	190	138	PEAK	3	5922.31	62.02	70.19	-8.17	44.71	35.13	11.40	39.22	10.00	190	138	PEAK	4	5945.71	60.69	68.20	-7.51	43.30	35.15	11.42	39.18	10.00	190	138	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.06	61.47	113.04	-51.57	44.39	35.07	11.33	39.32	10.00	190	138	PEAK																																																																																			
2	5873.95	61.12	105.59	-44.47	43.98	35.09	11.35	39.30	10.00	190	138	PEAK																																																																																			
3	5922.31	62.02	70.19	-8.17	44.71	35.13	11.40	39.22	10.00	190	138	PEAK																																																																																			
4	5945.71	60.69	68.20	-7.51	43.30	35.15	11.42	39.18	10.00	190	138	PEAK																																																																																			






Mode	54																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10000.00</td><td>49.94</td><td>68.20</td><td>-18.26</td><td>64.78</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10707.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>60.40</td><td>37.61</td><td>15.77</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11510.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>55.84</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10000.00	49.94	68.20	-18.26	64.78	37.20	15.12	67.16	0.00	---	---	Peak	2	10707.00	47.01	74.00	-26.99	60.40	37.61	15.77	66.77	0.00	---	---	Peak	3	11510.00	44.08	74.00	-29.92	55.84	38.20	16.37	66.33	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9207.33</td><td>47.36</td><td>68.20</td><td>-20.84</td><td>63.75</td><td>36.31</td><td>14.45</td><td>67.15</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>51.00</td><td>68.20</td><td>-17.20</td><td>65.84</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11510.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>58.69</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9207.33	47.36	68.20	-20.84	63.75	36.31	14.45	67.15	0.00	---	---	Peak	2	10000.00	51.00	68.20	-17.20	65.84	37.20	15.12	67.16	0.00	---	---	Peak	3	11510.00	46.93	74.00	-27.07	58.69	38.20	16.37	66.33	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1	10000.00	49.94	68.20	-18.26	64.78	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																							
2	10707.00	47.01	74.00	-26.99	60.40	37.61	15.77	66.77	0.00	---	---	Peak																																																																																																																																																							
3	11510.00	44.08	74.00	-29.92	55.84	38.20	16.37	66.33	0.00	---	---	PEAK																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1	9207.33	47.36	68.20	-20.84	63.75	36.31	14.45	67.15	0.00	---	---	Peak																																																																																																																																																							
2	10000.00	51.00	68.20	-17.20	65.84	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																							
3	11510.00	46.93	74.00	-27.07	58.69	38.20	16.37	66.33	0.00	---	---	PEAK																																																																																																																																																							






Mode	55																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU52*4_5745MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5616.00</td><td>63.45</td><td>68.20</td><td>-4.75</td><td>43.57</td><td>34.84</td><td>11.03</td><td>35.99</td><td>10.00</td><td>320 180 PEAK</td></tr><tr><td>2 5651.20</td><td>61.92</td><td>69.09</td><td>-7.17</td><td>42.11</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>320 180 PEAK</td></tr><tr><td>3 5719.20</td><td>80.84</td><td>110.68</td><td>-29.84</td><td>61.93</td><td>34.94</td><td>11.17</td><td>37.20</td><td>10.00</td><td>320 180 PEAK</td></tr><tr><td>4 5720.00</td><td>80.40</td><td>110.90</td><td>-30.50</td><td>61.51</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>320 180 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5616.00	63.45	68.20	-4.75	43.57	34.84	11.03	35.99	10.00	320 180 PEAK	2 5651.20	61.92	69.09	-7.17	42.11	34.88	11.07	36.14	10.00	320 180 PEAK	3 5719.20	80.84	110.68	-29.84	61.93	34.94	11.17	37.20	10.00	320 180 PEAK	4 5720.00	80.40	110.90	-30.50	61.51	34.94	11.17	37.22	10.00	320 180 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>122.42</td><td>-----</td><td>-----</td><td>103.79</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>320 180 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	122.42	-----	-----	103.79	34.96	11.20	37.53	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5616.00	63.45	68.20	-4.75	43.57	34.84	11.03	35.99	10.00	320 180 PEAK																																																																																																														
2 5651.20	61.92	69.09	-7.17	42.11	34.88	11.07	36.14	10.00	320 180 PEAK																																																																																																														
3 5719.20	80.84	110.68	-29.84	61.93	34.94	11.17	37.20	10.00	320 180 PEAK																																																																																																														
4 5720.00	80.40	110.90	-30.50	61.51	34.94	11.17	37.22	10.00	320 180 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	122.42	-----	-----	103.79	34.96	11.20	37.53	10.00	320 180 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>113.22</td><td>-----</td><td>-----</td><td>94.59</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>320 180 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	113.22	-----	-----	94.59	34.96	11.20	37.53	10.00	320 180 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	113.22	-----	-----	94.59	34.96	11.20	37.53	10.00	320 180 AVERAGE																																																																																																														




Mode	55																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU52*4_5745MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>63.58</td><td>68.20</td><td>-4.62</td><td>43.67</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>199</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>62.33</td><td>68.50</td><td>-6.17</td><td>42.50</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>199</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>84.01</td><td>110.79</td><td>-26.78</td><td>65.11</td><td>34.94</td><td>11.17</td><td>37.21</td><td>10.00</td><td>199</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>81.89</td><td>110.90</td><td>-29.01</td><td>63.00</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>199</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5624.00	63.58	68.20	-4.62	43.67	34.85	11.04	35.98	10.00	199	138	PEAK	2	5650.40	62.33	68.50	-6.17	42.50	34.88	11.07	36.12	10.00	199	138	PEAK	3	5719.60	84.01	110.79	-26.78	65.11	34.94	11.17	37.21	10.00	199	138	PEAK	4	5720.00	81.89	110.90	-29.01	63.00	34.94	11.17	37.22	10.00	199	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>122.56</td><td>-----</td><td>-----</td><td>103.93</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>199</td><td>138</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	122.56	-----	-----	103.93	34.96	11.20	37.53	10.00	199	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5624.00	63.58	68.20	-4.62	43.67	34.85	11.04	35.98	10.00	199	138	PEAK																																																																																																																															
2	5650.40	62.33	68.50	-6.17	42.50	34.88	11.07	36.12	10.00	199	138	PEAK																																																																																																																															
3	5719.60	84.01	110.79	-26.78	65.11	34.94	11.17	37.21	10.00	199	138	PEAK																																																																																																																															
4	5720.00	81.89	110.90	-29.01	63.00	34.94	11.17	37.22	10.00	199	138	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	122.56	-----	-----	103.93	34.96	11.20	37.53	10.00	199	138	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5428.00</td><td>53.40</td><td>54.00</td><td>-0.60</td><td>34.19</td><td>34.67</td><td>10.80</td><td>36.26</td><td>10.00</td><td>199</td><td>138</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>113.68</td><td>-----</td><td>-----</td><td>95.05</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>199</td><td>138</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5428.00	53.40	54.00	-0.60	34.19	34.67	10.80	36.26	10.00	199	138	Average	2	5745.00	113.68	-----	-----	95.05	34.96	11.20	37.53	10.00	199	138	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5428.00	53.40	54.00	-0.60	34.19	34.67	10.80	36.26	10.00	199	138	Average																																																																																																																															
2	5745.00	113.68	-----	-----	95.05	34.96	11.20	37.53	10.00	199	138	AVERAGE																																																																																																																															





Mode	56																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5619.20</td><td>64.95</td><td>68.20</td><td>-3.25</td><td>45.06</td><td>34.85</td><td>11.03</td><td>35.99</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.47</td><td>68.20</td><td>-6.73</td><td>41.64</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5707.20</td><td>74.14</td><td>107.32</td><td>-33.18</td><td>55.07</td><td>34.93</td><td>11.15</td><td>37.01</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.74</td><td>110.90</td><td>-40.16</td><td>51.85</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5619.20	64.95	68.20	-3.25	45.06	34.85	11.03	35.99	10.00	313	178	PEAK	2	5650.00	61.47	68.20	-6.73	41.64	34.88	11.07	36.12	10.00	313	178	PEAK	3	5707.20	74.14	107.32	-33.18	55.07	34.93	11.15	37.01	10.00	313	178	PEAK	4	5720.00	70.74	110.90	-40.16	51.85	34.94	11.17	37.22	10.00	313	178	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>120.21</td><td>-----</td><td>-----</td><td>102.22</td><td>35.01</td><td>11.26</td><td>38.28</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	120.21	-----	-----	102.22	35.01	11.26	38.28	10.00	313	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5619.20	64.95	68.20	-3.25	45.06	34.85	11.03	35.99	10.00	313	178	PEAK																																																																																																																														
2	5650.00	61.47	68.20	-6.73	41.64	34.88	11.07	36.12	10.00	313	178	PEAK																																																																																																																														
3	5707.20	74.14	107.32	-33.18	55.07	34.93	11.15	37.01	10.00	313	178	PEAK																																																																																																																														
4	5720.00	70.74	110.90	-40.16	51.85	34.94	11.17	37.22	10.00	313	178	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	120.21	-----	-----	102.22	35.01	11.26	38.28	10.00	313	178	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>110.58</td><td>-----</td><td>-----</td><td>92.59</td><td>35.01</td><td>11.26</td><td>38.28</td><td>10.00</td><td>313</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	110.58	-----	-----	92.59	35.01	11.26	38.28	10.00	313	178	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	110.58	-----	-----	92.59	35.01	11.26	38.28	10.00	313	178	AVERAGE																																																																																																																														




Mode	56																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.40</td><td>74.54</td><td>121.39</td><td>-46.85</td><td>57.41</td><td>35.06</td><td>11.33</td><td>39.26</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>71.30</td><td>107.15</td><td>-35.85</td><td>54.18</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.11</td><td>68.94</td><td>-7.83</td><td>43.80</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5989.60</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>43.86</td><td>35.20</td><td>11.46</td><td>39.11</td><td>10.00</td><td>313</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5850.40	74.54	121.39	-46.85	57.41	35.06	11.33	39.26	10.00	313	178	PEAK	2	5868.40	71.30	107.15	-35.85	54.18	35.08	11.35	39.31	10.00	313	178	PEAK	3	5924.00	61.11	68.94	-7.83	43.80	35.13	11.40	39.22	10.00	313	178	PEAK	4	5989.60	61.41	68.20	-6.79	43.86	35.20	11.46	39.11	10.00	313	178	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5850.40	74.54	121.39	-46.85	57.41	35.06	11.33	39.26	10.00	313	178	PEAK																																																																																		
2	5868.40	71.30	107.15	-35.85	54.18	35.08	11.35	39.31	10.00	313	178	PEAK																																																																																		
3	5924.00	61.11	68.94	-7.83	43.80	35.13	11.40	39.22	10.00	313	178	PEAK																																																																																		
4	5989.60	61.41	68.20	-6.79	43.86	35.20	11.46	39.11	10.00	313	178	PEAK																																																																																		





Mode	56																																																																																														
	Band Edge - L																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>63.84</td><td>68.20</td><td>-4.36</td><td>43.90</td><td>34.86</td><td>11.05</td><td>35.97</td><td>10.00</td><td>300</td><td>108</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>61.09</td><td>68.20</td><td>-7.11</td><td>41.26</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>300</td><td>108</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>76.66</td><td>110.68</td><td>-34.02</td><td>57.75</td><td>34.94</td><td>11.17</td><td>37.20</td><td>10.00</td><td>300</td><td>108</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>73.35</td><td>110.90</td><td>-37.55</td><td>54.46</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>300</td><td>108</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.00	63.84	68.20	-4.36	43.90	34.86	11.05	35.97	10.00	300	108	PEAK	2	5650.00	61.09	68.20	-7.11	41.26	34.88	11.07	36.12	10.00	300	108	PEAK	3	5719.20	76.66	110.68	-34.02	57.75	34.94	11.17	37.20	10.00	300	108	PEAK	4	5720.00	73.35	110.90	-37.55	54.46	34.94	11.17	37.22	10.00	300	108	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5632.00	63.84	68.20	-4.36	43.90	34.86	11.05	35.97	10.00	300	108	PEAK																																																																																			
2	5650.00	61.09	68.20	-7.11	41.26	34.88	11.07	36.12	10.00	300	108	PEAK																																																																																			
3	5719.20	76.66	110.68	-34.02	57.75	34.94	11.17	37.20	10.00	300	108	PEAK																																																																																			
4	5720.00	73.35	110.90	-37.55	54.46	34.94	11.17	37.22	10.00	300	108	PEAK																																																																																			
Avg	Blank																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>122.13</td><td>-----</td><td>-----</td><td>103.98</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>108</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	122.13	-----	-----	103.98	34.99	11.25	38.09	10.00	300	108	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	122.13	-----	-----	103.98	34.99	11.25	38.09	10.00	300	108	PEAK																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>111.15</td><td>-----</td><td>-----</td><td>93.00</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>108</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	111.15	-----	-----	93.00	34.99	11.25	38.09	10.00	300	108	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5795.00	111.15	-----	-----	93.00	34.99	11.25	38.09	10.00	300	108	AVERAGE																																																																																			







Mode	56																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.74</td><td>111.36</td><td>-43.62</td><td>50.66</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>76.73</td><td>109.95</td><td>-33.22</td><td>59.64</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.38</td><td>68.94</td><td>-9.56</td><td>42.07</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>61.62</td><td>68.20</td><td>-6.58</td><td>44.27</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>300</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.74	111.36	-43.62	50.66	35.07	11.34	39.33	10.00	300	100	PEAK	2	5858.40	76.73	109.95	-33.22	59.64	35.07	11.34	39.32	10.00	300	100	PEAK	3	5924.00	59.38	68.94	-9.56	42.07	35.13	11.40	39.22	10.00	300	100	PEAK	4	5933.60	61.62	68.20	-6.58	44.27	35.14	11.41	39.20	10.00	300	100	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	67.74	111.36	-43.62	50.66	35.07	11.34	39.33	10.00	300	100	PEAK																																																																																		
2	5858.40	76.73	109.95	-33.22	59.64	35.07	11.34	39.32	10.00	300	100	PEAK																																																																																		
3	5924.00	59.38	68.94	-9.56	42.07	35.13	11.40	39.22	10.00	300	100	PEAK																																																																																		
4	5933.60	61.62	68.20	-6.58	44.27	35.14	11.41	39.20	10.00	300	100	PEAK																																																																																		




Mode	56																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9271.13</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>62.79</td><td>36.44</td><td>14.53</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>48.27</td><td>68.20</td><td>-19.93</td><td>63.11</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11590.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>55.63</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9271.13	46.63	68.20	-21.57	62.79	36.44	14.53	67.13	0.00	---	---	Peak	2	9999.33	48.27	68.20	-19.93	63.11	37.20	15.12	67.16	0.00	---	---	Peak	3	11590.00	43.92	74.00	-30.08	55.63	38.20	16.42	66.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9272.60</td><td>47.13</td><td>68.20</td><td>-21.07</td><td>63.28</td><td>36.45</td><td>14.53</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>65.63</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11590.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>59.01</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>225</td><td>357</td><td>PEAK</td></tr><tr><td>4</td><td>11590.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>53.27</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>225</td><td>357</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9272.60	47.13	68.20	-21.07	63.28	36.45	14.53	67.13	0.00	---	---	Peak	2	10000.00	50.79	68.20	-17.41	65.63	37.20	15.12	67.16	0.00	---	---	Peak	3	11590.00	47.30	74.00	-26.70	59.01	38.20	16.42	66.33	0.00	225	357	PEAK	4	11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	225	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	9271.13	46.63	68.20	-21.57	62.79	36.44	14.53	67.13	0.00	---	---	Peak																																																																																																																																																								
2	9999.33	48.27	68.20	-19.93	63.11	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																								
3	11590.00	43.92	74.00	-30.08	55.63	38.20	16.42	66.33	0.00	---	---	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	9272.60	47.13	68.20	-21.07	63.28	36.45	14.53	67.13	0.00	---	---	Peak																																																																																																																																																								
2	10000.00	50.79	68.20	-17.41	65.63	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																								
3	11590.00	47.30	74.00	-26.70	59.01	38.20	16.42	66.33	0.00	225	357	PEAK																																																																																																																																																								
4	11590.00	41.56	54.00	-12.44	53.27	38.20	16.42	66.33	0.00	225	357	AVERAGE																																																																																																																																																								






Mode	57																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.80</td><td>62.50</td><td>68.20</td><td>-5.70</td><td>52.59</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5652.60</td><td>58.05</td><td>70.14</td><td>-12.09</td><td>48.25</td><td>34.88</td><td>11.08</td><td>36.16</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>3</td><td>5700.22</td><td>70.18</td><td>105.36</td><td>-35.18</td><td>61.02</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>4</td><td>5728.22</td><td>75.24</td><td>111.41</td><td>-36.17</td><td>66.35</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.80	62.50	68.20	-5.70	52.59	34.85	11.04	35.98	0.00	328	169	PEAK	2	5652.60	58.05	70.14	-12.09	48.25	34.88	11.08	36.16	0.00	328	169	PEAK	3	5700.22	70.18	105.36	-35.18	61.02	34.92	11.14	36.90	0.00	328	169	PEAK	4	5728.22	75.24	111.41	-36.17	66.35	34.94	11.17	37.22	0.00	328	169	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>111.83</td><td>-----</td><td>-----</td><td>103.96</td><td>35.01</td><td>11.28</td><td>38.42</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	111.83	-----	-----	103.96	35.01	11.28	38.42	0.00	328	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5627.80	62.50	68.20	-5.70	52.59	34.85	11.04	35.98	0.00	328	169	PEAK																																																																																																																														
2	5652.60	58.05	70.14	-12.09	48.25	34.88	11.08	36.16	0.00	328	169	PEAK																																																																																																																														
3	5700.22	70.18	105.36	-35.18	61.02	34.92	11.14	36.90	0.00	328	169	PEAK																																																																																																																														
4	5728.22	75.24	111.41	-36.17	66.35	34.94	11.17	37.22	0.00	328	169	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	111.83	-----	-----	103.96	35.01	11.28	38.42	0.00	328	169	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.10</td><td>-----</td><td>-----</td><td>93.43</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>328</td><td>169</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.10	-----	-----	93.43	34.96	11.19	37.48	0.00	328	169	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.10</td><td>-----</td><td>-----</td><td>93.43</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>328</td><td>169</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.10	-----	-----	93.43	34.96	11.19	37.48	0.00	328	169	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	102.10	-----	-----	93.43	34.96	11.19	37.48	0.00	328	169	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	102.10	-----	-----	93.43	34.96	11.19	37.48	0.00	328	169	AVERAGE																																																																																																																														




Mode	57																																																																																												
	Band Edge - R																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak							Blank																																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>61.39</td><td>111.81</td><td>-50.42</td><td>54.31</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5856.60</td><td>69.40</td><td>110.45</td><td>-41.05</td><td>62.32</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>57.01</td><td>68.77</td><td>-11.76</td><td>49.70</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr><tr><td>4</td><td>5946.60</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>50.16</td><td>35.16</td><td>11.42</td><td>39.18</td><td>0.00</td><td>328</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	61.39	111.81	-50.42	54.31	35.07	11.34	39.33	0.00	328	169	PEAK	2	5856.60	69.40	110.45	-41.05	62.32	35.07	11.34	39.33	0.00	328	169	PEAK	3	5924.22	57.01	68.77	-11.76	49.70	35.13	11.40	39.22	0.00	328	169	PEAK	4	5946.60	57.56	68.20	-10.64	50.16	35.16	11.42	39.18	0.00	328	169	PEAK					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5854.60	61.39	111.81	-50.42	54.31	35.07	11.34	39.33	0.00	328	169	PEAK																																																																																	
2	5856.60	69.40	110.45	-41.05	62.32	35.07	11.34	39.33	0.00	328	169	PEAK																																																																																	
3	5924.22	57.01	68.77	-11.76	49.70	35.13	11.40	39.22	0.00	328	169	PEAK																																																																																	
4	5946.60	57.56	68.20	-10.64	50.16	35.16	11.42	39.18	0.00	328	169	PEAK																																																																																	





Mode	57																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5622.60</td><td>64.44</td><td>68.20</td><td>-3.76</td><td>54.54</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>200 139 PEAK</td></tr><tr><td>2 5650.00</td><td>60.01</td><td>68.20</td><td>-8.19</td><td>50.18</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>200 139 PEAK</td></tr><tr><td>3 5703.00</td><td>83.41</td><td>106.37</td><td>-22.96</td><td>74.29</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>200 139 PEAK</td></tr><tr><td>4 5720.00</td><td>82.68</td><td>110.90</td><td>-28.22</td><td>73.79</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>200 139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5622.60	64.44	68.20	-3.76	54.54	34.85	11.03	35.98	0.00	200 139 PEAK	2 5650.00	60.01	68.20	-8.19	50.18	34.88	11.07	36.12	0.00	200 139 PEAK	3 5703.00	83.41	106.37	-22.96	74.29	34.93	11.15	36.96	0.00	200 139 PEAK	4 5720.00	82.68	110.90	-28.22	73.79	34.94	11.17	37.22	0.00	200 139 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>115.63</td><td>-----</td><td>-----</td><td>107.53</td><td>35.00</td><td>11.25</td><td>38.15</td><td>0.00</td><td>200 139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5775.00	115.63	-----	-----	107.53	35.00	11.25	38.15	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5622.60	64.44	68.20	-3.76	54.54	34.85	11.03	35.98	0.00	200 139 PEAK																																																																																																														
2 5650.00	60.01	68.20	-8.19	50.18	34.88	11.07	36.12	0.00	200 139 PEAK																																																																																																														
3 5703.00	83.41	106.37	-22.96	74.29	34.93	11.15	36.96	0.00	200 139 PEAK																																																																																																														
4 5720.00	82.68	110.90	-28.22	73.79	34.94	11.17	37.22	0.00	200 139 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5775.00	115.63	-----	-----	107.53	35.00	11.25	38.15	0.00	200 139 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.05</td><td>-----</td><td>-----</td><td>98.38</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>200 139 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5775.00	107.05	-----	-----	98.38	34.96	11.19	37.48	0.00	200 139 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5775.00	107.05	-----	-----	98.38	34.96	11.19	37.48	0.00	200 139 AVERAGE																																																																																																														






Mode	57																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>72.59</td><td>111.81</td><td>-39.22</td><td>65.51</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>200</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5862.60</td><td>82.19</td><td>108.77</td><td>-26.58</td><td>75.09</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>200</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>49.33</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>200</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5928.22</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>50.16</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>200</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.60	72.59	111.81	-39.22	65.51	35.07	11.34	39.33	0.00	200	139	PEAK	2	5862.60	82.19	108.77	-26.58	75.09	35.08	11.34	39.32	0.00	200	139	PEAK	3	5925.00	56.64	68.20	-11.56	49.33	35.13	11.40	39.22	0.00	200	139	PEAK	4	5928.22	57.49	68.20	-10.71	50.16	35.14	11.40	39.21	0.00	200	139	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.60	72.59	111.81	-39.22	65.51	35.07	11.34	39.33	0.00	200	139	PEAK																																																																																		
2	5862.60	82.19	108.77	-26.58	75.09	35.08	11.34	39.32	0.00	200	139	PEAK																																																																																		
3	5925.00	56.64	68.20	-11.56	49.33	35.13	11.40	39.22	0.00	200	139	PEAK																																																																																		
4	5928.22	57.49	68.20	-10.71	50.16	35.14	11.40	39.21	0.00	200	139	PEAK																																																																																		






Mode	57																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																																																																																																												
Pol.	Horizontal								Vertical																																																																																																																																																																																																																																				
Peak Avg																																																																																																																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>9239.60</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>68.84</td><td>36.38</td><td>14.49</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>48.61</td><td>68.20</td><td>-19.59</td><td>63.45</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11550.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>56.59</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	9239.60	44.57	68.20	-23.63	68.84	36.38	14.49	67.14	0.00	---	---	---	---	---	---	Peak	2	9999.33	48.61	68.20	-19.59	63.45	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak	3	11550.00	44.85	74.00	-29.15	56.59	38.20	16.39	66.33	0.00	---	---	---	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>8270.13</td><td>45.24</td><td>74.00</td><td>-28.76</td><td>62.79</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9239.60</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>61.87</td><td>36.38</td><td>14.49</td><td>67.14</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>48.09</td><td>68.20</td><td>-20.11</td><td>62.93</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11550.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>58.65</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg				1	8270.13	45.24	74.00	-28.76	62.79	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak	2	9239.60	45.60	68.20	-22.60	61.87	36.38	14.49	67.14	0.00	---	---	---	---	---	---	Peak	3	10000.00	48.09	68.20	-20.11	62.93	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak	4	11550.00	46.91	74.00	-27.09	58.65	38.20	16.39	66.33	0.00	---	---	---	---	---	---	PEAK
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	9239.60	44.57	68.20	-23.63	68.84	36.38	14.49	67.14	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																													
2	9999.33	48.61	68.20	-19.59	63.45	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																													
3	11550.00	44.85	74.00	-29.15	56.59	38.20	16.39	66.33	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																													
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																
1	8270.13	45.24	74.00	-28.76	62.79	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																													
2	9239.60	45.60	68.20	-22.60	61.87	36.38	14.49	67.14	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																													
3	10000.00	48.09	68.20	-20.11	62.93	37.20	15.12	67.16	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																													
4	11550.00	46.91	74.00	-27.09	58.65	38.20	16.39	66.33	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																													






Mode	58																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU52*4_5825MHz																																																																																																																														
ANT	CDD 1S4T																																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>68.33</td><td>111.36</td><td>-43.03</td><td>51.25</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>313</td><td>180 PEAK</td></tr><tr><td>2 5858.00</td><td>76.59</td><td>109.83</td><td>-33.24</td><td>59.50</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>313</td><td>180 PEAK</td></tr><tr><td>3 5924.00</td><td>59.58</td><td>68.35</td><td>-8.77</td><td>42.27</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>313</td><td>180 PEAK</td></tr><tr><td>4 5956.00</td><td>61.76</td><td>68.20</td><td>-6.44</td><td>44.33</td><td>35.16</td><td>11.43</td><td>39.16</td><td>10.00</td><td>313</td><td>180 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	68.33	111.36	-43.03	51.25	35.07	11.34	39.33	10.00	313	180 PEAK	2 5858.00	76.59	109.83	-33.24	59.50	35.07	11.34	39.32	10.00	313	180 PEAK	3 5924.00	59.58	68.35	-8.77	42.27	35.13	11.40	39.22	10.00	313	180 PEAK	4 5956.00	61.76	68.20	-6.44	44.33	35.16	11.43	39.16	10.00	313	180 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>121.52</td><td>-----</td><td>-----</td><td>103.94</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>313</td><td>180 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	121.52	-----	-----	103.94	35.03	11.30	38.75	10.00	313	180 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5854.00	68.33	111.36	-43.03	51.25	35.07	11.34	39.33	10.00	313	180 PEAK																																																																																																																					
2 5858.00	76.59	109.83	-33.24	59.50	35.07	11.34	39.32	10.00	313	180 PEAK																																																																																																																					
3 5924.00	59.58	68.35	-8.77	42.27	35.13	11.40	39.22	10.00	313	180 PEAK																																																																																																																					
4 5956.00	61.76	68.20	-6.44	44.33	35.16	11.43	39.16	10.00	313	180 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	121.52	-----	-----	103.94	35.03	11.30	38.75	10.00	313	180 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.87</td><td>-----</td><td>-----</td><td>95.29</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>313</td><td>180 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.87	-----	-----	95.29	35.03	11.30	38.75	10.00	313	180 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5825.00	112.87	-----	-----	95.29	35.03	11.30	38.75	10.00	313	180 AVERAGE																																																																																																																					




Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU52*4_5825MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>74.53</td><td>111.36</td><td>-36.83</td><td>57.45</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>135</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5856.80</td><td>78.20</td><td>110.40</td><td>-32.20</td><td>61.12</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>135</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>59.97</td><td>68.64</td><td>-8.67</td><td>42.66</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>135</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5972.80</td><td>61.62</td><td>68.20</td><td>-6.58</td><td>44.13</td><td>35.18</td><td>11.45</td><td>39.14</td><td>10.00</td><td>135</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	74.53	111.36	-36.83	57.45	35.07	11.34	39.33	10.00	135	138	PEAK	2	5856.80	78.20	110.40	-32.20	61.12	35.07	11.34	39.33	10.00	135	138	PEAK	3	5924.40	59.97	68.64	-8.67	42.66	35.13	11.40	39.22	10.00	135	138	PEAK	4	5972.80	61.62	68.20	-6.58	44.13	35.18	11.45	39.14	10.00	135	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>121.95</td><td>-----</td><td>-----</td><td>104.37</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>135</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	121.95	-----	-----	104.37	35.03	11.30	38.75	10.00	135	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.80	74.53	111.36	-36.83	57.45	35.07	11.34	39.33	10.00	135	138	PEAK																																																																																																																															
2	5856.80	78.20	110.40	-32.20	61.12	35.07	11.34	39.33	10.00	135	138	PEAK																																																																																																																															
3	5924.40	59.97	68.64	-8.67	42.66	35.13	11.40	39.22	10.00	135	138	PEAK																																																																																																																															
4	5972.80	61.62	68.20	-6.58	44.13	35.18	11.45	39.14	10.00	135	138	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	121.95	-----	-----	104.37	35.03	11.30	38.75	10.00	135	138	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.11</td><td>-----</td><td>-----</td><td>95.53</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>135</td><td>138</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.11	-----	-----	95.53	35.03	11.30	38.75	10.00	135	138	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	113.11	-----	-----	95.53	35.03	11.30	38.75	10.00	135	138	AVERAGE																																																																																																																															






		59																																																																																		
Mode	Band Edge - L																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal																																																																																			
Peak																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.60</td><td>63.35</td><td>68.20</td><td>-4.85</td><td>53.41</td><td>34.87</td><td>11.06</td><td>35.99</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5660.00</td><td>64.97</td><td>75.65</td><td>-10.68</td><td>55.27</td><td>34.88</td><td>11.09</td><td>36.27</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>81.85</td><td>105.75</td><td>-23.90</td><td>72.72</td><td>34.92</td><td>11.14</td><td>36.93</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>82.78</td><td>111.81</td><td>-29.03</td><td>73.89</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5641.60	63.35	68.20	-4.85	53.41	34.87	11.06	35.99	0.00	346	171	PEAK	2	5660.00	64.97	75.65	-10.68	55.27	34.88	11.09	36.27	0.00	346	171	PEAK	3	5701.60	81.85	105.75	-23.90	72.72	34.92	11.14	36.93	0.00	346	171	PEAK	4	5720.40	82.78	111.81	-29.03	73.89	34.94	11.17	37.22	0.00	346	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5641.60	63.35	68.20	-4.85	53.41	34.87	11.06	35.99	0.00	346	171	PEAK																																																																								
2	5660.00	64.97	75.65	-10.68	55.27	34.88	11.09	36.27	0.00	346	171	PEAK																																																																								
3	5701.60	81.85	105.75	-23.90	72.72	34.92	11.14	36.93	0.00	346	171	PEAK																																																																								
4	5720.40	82.78	111.81	-29.03	73.89	34.94	11.17	37.22	0.00	346	171	PEAK																																																																								
Fundamental																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>114.97</td><td>-----</td><td>-----</td><td>106.34</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	114.97	-----	-----	106.34	34.96	11.20	37.53	0.00	346	171	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5775.00	114.97	-----	-----	106.34	34.96	11.20	37.53	0.00	346	171	PEAK																																																																								
Avg	Blank																																																																																			
																																																																																				
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.90</td><td>-----</td><td>-----</td><td>95.27</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>346</td><td>171</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	103.90	-----	-----	95.27	34.96	11.20	37.53	0.00	346	171	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5775.00	103.90	-----	-----	95.27	34.96	11.20	37.53	0.00	346	171	AVERAGE																																																																								




Mode	59																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.38</td><td>111.36</td><td>-54.98</td><td>49.30</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>63.05</td><td>110.06</td><td>-47.01</td><td>55.96</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.95</td><td>69.23</td><td>-12.28</td><td>49.64</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5935.60</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>49.78</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>346</td><td>171</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.38	111.36	-54.98	49.30	35.07	11.34	39.33	0.00	346	171	PEAK	2	5858.00	63.05	110.06	-47.01	55.96	35.07	11.34	39.32	0.00	346	171	PEAK	3	5923.60	56.95	69.23	-12.28	49.64	35.13	11.40	39.22	0.00	346	171	PEAK	4	5935.60	57.13	68.20	-11.07	49.78	35.14	11.41	39.20	0.00	346	171	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	56.38	111.36	-54.98	49.30	35.07	11.34	39.33	0.00	346	171	PEAK																																																																								
2	5858.00	63.05	110.06	-47.01	55.96	35.07	11.34	39.32	0.00	346	171	PEAK																																																																								
3	5923.60	56.95	69.23	-12.28	49.64	35.13	11.40	39.22	0.00	346	171	PEAK																																																																								
4	5935.60	57.13	68.20	-11.07	49.78	35.14	11.41	39.20	0.00	346	171	PEAK																																																																								






Mode	59																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.60</td><td>67.11</td><td>68.20</td><td>-1.09</td><td>57.20</td><td>34.87</td><td>11.06</td><td>36.02</td><td>0.00</td><td>199</td><td>141 PEAK</td></tr><tr><td>2 5650.00</td><td>61.74</td><td>68.20</td><td>-6.46</td><td>51.91</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>199</td><td>141 PEAK</td></tr><tr><td>3 5703.20</td><td>86.89</td><td>106.20</td><td>-19.31</td><td>77.76</td><td>34.93</td><td>11.15</td><td>36.95</td><td>0.00</td><td>199</td><td>141 PEAK</td></tr><tr><td>4 5721.20</td><td>89.18</td><td>113.64</td><td>-24.46</td><td>80.30</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>199</td><td>141 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.60	67.11	68.20	-1.09	57.20	34.87	11.06	36.02	0.00	199	141 PEAK	2 5650.00	61.74	68.20	-6.46	51.91	34.88	11.07	36.12	0.00	199	141 PEAK	3 5703.20	86.89	106.20	-19.31	77.76	34.93	11.15	36.95	0.00	199	141 PEAK	4 5721.20	89.18	113.64	-24.46	80.30	34.94	11.17	37.23	0.00	199	141 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>118.11</td><td>-----</td><td>-----</td><td>109.48</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>199</td><td>141 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	118.11	-----	-----	109.48	34.96	11.20	37.53	0.00	199	141 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5643.60	67.11	68.20	-1.09	57.20	34.87	11.06	36.02	0.00	199	141 PEAK																																																																																																																						
2 5650.00	61.74	68.20	-6.46	51.91	34.88	11.07	36.12	0.00	199	141 PEAK																																																																																																																						
3 5703.20	86.89	106.20	-19.31	77.76	34.93	11.15	36.95	0.00	199	141 PEAK																																																																																																																						
4 5721.20	89.18	113.64	-24.46	80.30	34.94	11.17	37.23	0.00	199	141 PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	118.11	-----	-----	109.48	34.96	11.20	37.53	0.00	199	141 PEAK																																																																																																																						
Avg	Blank																																																																																																																															
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>108.54</td><td>-----</td><td>-----</td><td>99.91</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>199</td><td>141 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	108.54	-----	-----	99.91	34.96	11.20	37.53	0.00	199	141 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1 5775.00	108.54	-----	-----	99.91	34.96	11.20	37.53	0.00	199	141 AVERAGE																																																																																																																						




Mode	59																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 4_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.17</td><td>112.27</td><td>-50.10</td><td>55.09</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>199</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>66.76</td><td>109.16</td><td>-42.40</td><td>59.67</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>199</td><td>141</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.08</td><td>68.35</td><td>-13.27</td><td>47.77</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>199</td><td>141</td><td>PEAK</td></tr><tr><td>4</td><td>5947.60</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>49.91</td><td>35.16</td><td>11.42</td><td>39.18</td><td>0.00</td><td>199</td><td>141</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	62.17	112.27	-50.10	55.09	35.07	11.33	39.32	0.00	199	141	PEAK	2	5861.20	66.76	109.16	-42.40	59.67	35.07	11.34	39.32	0.00	199	141	PEAK	3	5924.80	55.08	68.35	-13.27	47.77	35.13	11.40	39.22	0.00	199	141	PEAK	4	5947.60	57.31	68.20	-10.89	49.91	35.16	11.42	39.18	0.00	199	141	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	62.17	112.27	-50.10	55.09	35.07	11.33	39.32	0.00	199	141	PEAK																																																																																		
2	5861.20	66.76	109.16	-42.40	59.67	35.07	11.34	39.32	0.00	199	141	PEAK																																																																																		
3	5924.80	55.08	68.35	-13.27	47.77	35.13	11.40	39.22	0.00	199	141	PEAK																																																																																		
4	5947.60	57.31	68.20	-10.89	49.91	35.16	11.42	39.18	0.00	199	141	PEAK																																																																																		






Mode	60																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>55.07</td><td>34.87</td><td>11.07</td><td>36.05</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>59.87</td><td>68.50</td><td>-8.63</td><td>50.04</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>88.43</td><td>110.12</td><td>-21.69</td><td>79.49</td><td>34.94</td><td>11.17</td><td>37.17</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>84.21</td><td>110.90</td><td>-26.69</td><td>75.32</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	64.96	68.20	-3.24	55.07	34.87	11.07	36.05	0.00	319	169	PEAK	2	5650.40	59.87	68.50	-8.63	50.04	34.88	11.07	36.12	0.00	319	169	PEAK	3	5717.20	88.43	110.12	-21.69	79.49	34.94	11.17	37.17	0.00	319	169	PEAK	4	5720.00	84.21	110.90	-26.69	75.32	34.94	11.17	37.22	0.00	319	169	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>117.83</td><td>-----</td><td>-----</td><td>109.44</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	117.83	-----	-----	109.44	34.98	11.22	37.81	0.00	319	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5646.00	64.96	68.20	-3.24	55.07	34.87	11.07	36.05	0.00	319	169	PEAK																																																																																																																														
2	5650.40	59.87	68.50	-8.63	50.04	34.88	11.07	36.12	0.00	319	169	PEAK																																																																																																																														
3	5717.20	88.43	110.12	-21.69	79.49	34.94	11.17	37.17	0.00	319	169	PEAK																																																																																																																														
4	5720.00	84.21	110.90	-26.69	75.32	34.94	11.17	37.22	0.00	319	169	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	117.83	-----	-----	109.44	34.98	11.22	37.81	0.00	319	169	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.51</td><td>-----</td><td>-----</td><td>97.12</td><td>34.98</td><td>11.22</td><td>37.81</td><td>0.00</td><td>319</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.51	-----	-----	97.12	34.98	11.22	37.81	0.00	319	169	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	105.51	-----	-----	97.12	34.98	11.22	37.81	0.00	319	169	AVERAGE																																																																																																																														




Mode	60																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>74.28</td><td>112.27</td><td>-37.99</td><td>67.20</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>79.30</td><td>110.73</td><td>-31.43</td><td>72.22</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.75</td><td>68.35</td><td>-11.60</td><td>49.44</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>49.85</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>319</td><td>169</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	74.28	112.27	-37.99	67.20	35.07	11.33	39.32	0.00	319	169	PEAK	2	5855.60	79.30	110.73	-31.43	72.22	35.07	11.34	39.33	0.00	319	169	PEAK	3	5924.80	56.75	68.35	-11.60	49.44	35.13	11.40	39.22	0.00	319	169	PEAK	4	5931.20	57.20	68.20	-11.00	49.85	35.14	11.41	39.20	0.00	319	169	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.40	74.28	112.27	-37.99	67.20	35.07	11.33	39.32	0.00	319	169	PEAK																																																																																		
2	5855.60	79.30	110.73	-31.43	72.22	35.07	11.34	39.33	0.00	319	169	PEAK																																																																																		
3	5924.80	56.75	68.35	-11.60	49.44	35.13	11.40	39.22	0.00	319	169	PEAK																																																																																		
4	5931.20	57.20	68.20	-11.00	49.85	35.14	11.41	39.20	0.00	319	169	PEAK																																																																																		





Mode	60																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																																																																										
ANT	CDD 1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.00</td><td>67.78</td><td>68.20</td><td>-0.42</td><td>57.89</td><td>34.85</td><td>11.83</td><td>35.99</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>63.58</td><td>69.69</td><td>-6.11</td><td>53.78</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>88.65</td><td>110.79</td><td>-22.14</td><td>79.75</td><td>34.94</td><td>11.17</td><td>37.21</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>92.75</td><td>113.64</td><td>-20.89</td><td>83.87</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5620.00	67.78	68.20	-0.42	57.89	34.85	11.83	35.99	0.00	195	136	PEAK	2	5652.00	63.58	69.69	-6.11	53.78	34.88	11.07	36.15	0.00	195	136	PEAK	3	5719.60	88.65	110.79	-22.14	79.75	34.94	11.17	37.21	0.00	195	136	PEAK	4	5721.20	92.75	113.64	-20.89	83.87	34.94	11.17	37.23	0.00	195	136	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>118.16</td><td>-----</td><td>-----</td><td>109.86</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	118.16	-----	-----	109.86	34.98	11.23	37.91	0.00	195	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5620.00	67.78	68.20	-0.42	57.89	34.85	11.83	35.99	0.00	195	136	PEAK																																																																																																																															
2	5652.00	63.58	69.69	-6.11	53.78	34.88	11.07	36.15	0.00	195	136	PEAK																																																																																																																															
3	5719.60	88.65	110.79	-22.14	79.75	34.94	11.17	37.21	0.00	195	136	PEAK																																																																																																																															
4	5721.20	92.75	113.64	-20.89	83.87	34.94	11.17	37.23	0.00	195	136	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	118.16	-----	-----	109.86	34.98	11.23	37.91	0.00	195	136	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.69</td><td>-----</td><td>-----</td><td>101.39</td><td>34.98</td><td>11.23</td><td>37.91</td><td>0.00</td><td>195</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5775.00	109.69	-----	-----	101.39	34.98	11.23	37.91	0.00	195	136	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	109.69	-----	-----	101.39	34.98	11.23	37.91	0.00	195	136	AVERAGE																																																																																																																															



Mode	60																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_PC 20MHz,Loc 1_5775MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>77.97</td><td>111.36</td><td>-33.39</td><td>70.89</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>80.97</td><td>108.71</td><td>-27.74</td><td>73.87</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.16</td><td>68.94</td><td>-12.78</td><td>48.85</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>58.78</td><td>68.20</td><td>-9.42</td><td>51.44</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>195</td><td>136</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	77.97	111.36	-33.39	70.89	35.07	11.34	39.33	0.00	195	136	PEAK	2	5862.00	80.97	108.71	-27.74	73.87	35.08	11.34	39.32	0.00	195	136	PEAK	3	5924.00	56.16	68.94	-12.78	48.85	35.13	11.40	39.22	0.00	195	136	PEAK	4	5930.40	58.78	68.20	-9.42	51.44	35.14	11.41	39.21	0.00	195	136	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	77.97	111.36	-33.39	70.89	35.07	11.34	39.33	0.00	195	136	PEAK																																																																																			
2	5862.00	80.97	108.71	-27.74	73.87	35.08	11.34	39.32	0.00	195	136	PEAK																																																																																			
3	5924.00	56.16	68.94	-12.78	48.85	35.13	11.40	39.22	0.00	195	136	PEAK																																																																																			
4	5930.40	58.78	68.20	-9.42	51.44	35.14	11.41	39.21	0.00	195	136	PEAK																																																																																			





Mode	48	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	48																																																																																																																		
	30-1G																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	CDD 1S4T																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>54.25</td><td>21.09</td><td>40.00</td><td>-18.91</td><td>39.31</td><td>13.55</td><td>1.01</td><td>32.78</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>72.68</td><td>20.60</td><td>40.00</td><td>-19.40</td><td>36.68</td><td>15.04</td><td>1.20</td><td>32.32</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>127.00</td><td>30.79</td><td>43.50</td><td>-12.71</td><td>44.30</td><td>17.55</td><td>1.67</td><td>32.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>166.77</td><td>23.25</td><td>43.50</td><td>-20.25</td><td>38.04</td><td>16.04</td><td>1.88</td><td>32.71</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>211.39</td><td>21.65</td><td>43.50</td><td>-21.85</td><td>37.28</td><td>15.21</td><td>2.09</td><td>32.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>326.82</td><td>30.69</td><td>46.00</td><td>-15.31</td><td>40.93</td><td>20.02</td><td>2.66</td><td>32.92</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	54.25	21.09	40.00	-18.91	39.31	13.55	1.01	32.78	0.00	--	--	Peak	2	72.68	20.60	40.00	-19.40	36.68	15.04	1.20	32.32	0.00	--	--	Peak	3	127.00	30.79	43.50	-12.71	44.30	17.55	1.67	32.73	0.00	--	--	Peak	4	166.77	23.25	43.50	-20.25	38.04	16.04	1.88	32.71	0.00	--	--	Peak	5	211.39	21.65	43.50	-21.85	37.28	15.21	2.09	32.93	0.00	--	--	Peak	6	326.82	30.69	46.00	-15.31	40.93	20.02	2.66	32.92	0.00	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	54.25	21.09	40.00	-18.91	39.31	13.55	1.01	32.78	0.00	--	--	Peak																																																																																																							
2	72.68	20.60	40.00	-19.40	36.68	15.04	1.20	32.32	0.00	--	--	Peak																																																																																																							
3	127.00	30.79	43.50	-12.71	44.30	17.55	1.67	32.73	0.00	--	--	Peak																																																																																																							
4	166.77	23.25	43.50	-20.25	38.04	16.04	1.88	32.71	0.00	--	--	Peak																																																																																																							
5	211.39	21.65	43.50	-21.85	37.28	15.21	2.09	32.93	0.00	--	--	Peak																																																																																																							
6	326.82	30.69	46.00	-15.31	40.93	20.02	2.66	32.92	0.00	--	--	Peak																																																																																																							
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>51.34</td><td>31.71</td><td>40.00</td><td>-8.29</td><td>49.32</td><td>14.26</td><td>1.00</td><td>32.87</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>127.00</td><td>25.73</td><td>43.50</td><td>-17.77</td><td>39.24</td><td>17.55</td><td>1.67</td><td>32.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>25.61</td><td>43.50</td><td>-17.89</td><td>40.60</td><td>15.84</td><td>1.90</td><td>32.73</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>212.36</td><td>26.15</td><td>43.50</td><td>-17.35</td><td>41.76</td><td>15.23</td><td>2.09</td><td>32.93</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>372.41</td><td>21.30</td><td>46.00</td><td>-24.70</td><td>30.40</td><td>21.18</td><td>2.86</td><td>33.14</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>560.59</td><td>25.38</td><td>46.00</td><td>-20.62</td><td>30.31</td><td>25.33</td><td>3.29</td><td>33.55</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	51.34	31.71	40.00	-8.29	49.32	14.26	1.00	32.87	0.00	--	--	Peak	2	127.00	25.73	43.50	-17.77	39.24	17.55	1.67	32.73	0.00	--	--	Peak	3	169.68	25.61	43.50	-17.89	40.60	15.84	1.90	32.73	0.00	--	--	Peak	4	212.36	26.15	43.50	-17.35	41.76	15.23	2.09	32.93	0.00	--	--	Peak	5	372.41	21.30	46.00	-24.70	30.40	21.18	2.86	33.14	0.00	--	--	Peak	6	560.59	25.38	46.00	-20.62	30.31	25.33	3.29	33.55	0.00	--	--	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	51.34	31.71	40.00	-8.29	49.32	14.26	1.00	32.87	0.00	--	--	Peak																																																																																																							
2	127.00	25.73	43.50	-17.77	39.24	17.55	1.67	32.73	0.00	--	--	Peak																																																																																																							
3	169.68	25.61	43.50	-17.89	40.60	15.84	1.90	32.73	0.00	--	--	Peak																																																																																																							
4	212.36	26.15	43.50	-17.35	41.76	15.23	2.09	32.93	0.00	--	--	Peak																																																																																																							
5	372.41	21.30	46.00	-24.70	30.40	21.18	2.86	33.14	0.00	--	--	Peak																																																																																																							
6	560.59	25.38	46.00	-20.62	30.31	25.33	3.29	33.55	0.00	--	--	Peak																																																																																																							





		44																																																																											
Mode		Harmonic																																																																											
		U-NII-2C_5.725-5.85_802.11a_CH144_5720MHz																																																																											
ANT		CDD 1S4T																																																																											
Pol.		Horizontal																																																																											
Peak Avg																																																																													
		Freq	Limit Level	Limit Line	Limit Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7939.40	46.29	68.20	-21.91	63.58	36.40	13.30	66.99	0.00	---	---	Peak	2	9151.60	45.06	74.00	-28.94	61.52	36.30	14.42	67.18	0.00	---	---	Peak	3	10000.80	46.89	68.20	-21.31	61.73	37.20	15.12	67.16	0.00	---	---	Peak	4	11440.00	45.41	74.00	-28.59	57.37	38.08	16.32	66.36	0.00	---	---
	Freq	Limit Level	Limit Line	Limit Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	7939.40	46.29	68.20	-21.91	63.58	36.40	13.30	66.99	0.00	---	---	Peak																																																																	
2	9151.60	45.06	74.00	-28.94	61.52	36.30	14.42	67.18	0.00	---	---	Peak																																																																	
3	10000.80	46.89	68.20	-21.31	61.73	37.20	15.12	67.16	0.00	---	---	Peak																																																																	
4	11440.00	45.41	74.00	-28.59	57.37	38.08	16.32	66.36	0.00	---	---	PEAK																																																																	
		Vertical																																																																											
Peak Avg																																																																													
		Freq	Limit Level	Limit Line	Limit Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7946.00	45.59	68.20	-22.61	62.88	36.40	13.31	67.00	0.00	---	---	Peak	2	9152.33	46.32	74.00	-27.68	62.78	36.30	14.42	67.18	0.00	---	---	Peak	3	9999.33	49.42	68.20	-18.78	64.26	37.20	15.12	67.16	0.00	---	---	Peak	4	11440.00	45.83	74.00	-28.17	57.79	38.08	16.32	66.36	0.00	---	---
	Freq	Limit Level	Limit Line	Limit Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	7946.00	45.59	68.20	-22.61	62.88	36.40	13.31	67.00	0.00	---	---	Peak																																																																	
2	9152.33	46.32	74.00	-27.68	62.78	36.30	14.42	67.18	0.00	---	---	Peak																																																																	
3	9999.33	49.42	68.20	-18.78	64.26	37.20	15.12	67.16	0.00	---	---	Peak																																																																	
4	11440.00	45.83	74.00	-28.17	57.79	38.08	16.32	66.36	0.00	---	---	PEAK																																																																	





		45																																																																																																																																																				
Mode		Harmonic																																																																																																																																																				
		U-NII-2C_5.725-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																																																																																																				
ANT		CDD 1S4T																																																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>61.64</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>58.33</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.80	68.20	-21.40	61.64	37.20	15.12	67.16	0.00	---	Peak	2	11440.00	46.37	74.00	-27.63	58.33	38.08	16.32	66.36	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9152.33</td><td>46.47</td><td>74.00</td><td>-27.53</td><td>62.93</td><td>36.30</td><td>14.42</td><td>67.18</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>48.18</td><td>68.20</td><td>-20.02</td><td>63.02</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11440.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>58.25</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9152.33	46.47	74.00	-27.53	62.93	36.30	14.42	67.18	0.00	---	Peak	2	10000.00	48.18	68.20	-20.02	63.02	37.20	15.12	67.16	0.00	---	Peak	3	11440.00	46.29	74.00	-27.71	58.25	38.08	16.32	66.36	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	9999.33	46.80	68.20	-21.40	61.64	37.20	15.12	67.16	0.00	---	Peak																																																																																																																																											
2	11440.00	46.37	74.00	-27.63	58.33	38.08	16.32	66.36	0.00	---	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	9152.33	46.47	74.00	-27.53	62.93	36.30	14.42	67.18	0.00	---	Peak																																																																																																																																											
2	10000.00	48.18	68.20	-20.02	63.02	37.20	15.12	67.16	0.00	---	Peak																																																																																																																																											
3	11440.00	46.29	74.00	-27.71	58.25	38.08	16.32	66.36	0.00	---	PEAK																																																																																																																																											



		46																																																																																							
Mode		Harmonic																																																																																							
		U-NII-2C_5.725-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																							
ANT		CDD 1S4T																																																																																							
Pol.		Horizontal						Vertical																																																																																	
Peak Avg																																																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>9999.33</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>61.85</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11420.00</td><td>44.77</td><td>74.00</td><td>-29.23</td><td>56.79</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	9999.33	47.01	68.20	-21.19	61.85	37.20	15.12	67.16	0.00	---	---	Peak	2	11420.00	44.77	74.00	-29.23	56.79	38.04	16.31	66.37	0.00	---	---	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	9999.33	47.01	68.20	-21.19	61.85	37.20	15.12	67.16	0.00	---	---	Peak																																																																													
2	11420.00	44.77	74.00	-29.23	56.79	38.04	16.31	66.37	0.00	---	---	PEAK																																																																													
																																																																																									
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>9136.20</td><td>46.76</td><td>74.00</td><td>-27.24</td><td>63.25</td><td>36.27</td><td>14.42</td><td>67.18</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>63.76</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11420.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.17</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	9136.20	46.76	74.00	-27.24	63.25	36.27	14.42	67.18	0.00	---	---	Peak	2	9999.33	48.92	68.20	-19.28	63.76	37.20	15.12	67.16	0.00	---	---	Peak	3	11420.00	45.15	74.00	-28.85	57.17	38.04	16.31	66.37	0.00	---	---	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	9136.20	46.76	74.00	-27.24	63.25	36.27	14.42	67.18	0.00	---	---	Peak																																																																													
2	9999.33	48.92	68.20	-19.28	63.76	37.20	15.12	67.16	0.00	---	---	Peak																																																																													
3	11420.00	45.15	74.00	-28.85	57.17	38.04	16.31	66.37	0.00	---	---	PEAK																																																																													



Mode	47																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2C_5.725-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8269.40</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>62.48</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9103.93</td><td>45.06</td><td>74.00</td><td>-28.14</td><td>62.45</td><td>36.21</td><td>14.40</td><td>67.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>62.03</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>11380.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>57.19</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8269.40	44.93	74.00	-29.07	62.48	36.10	13.65	67.30	0.00	---	Peak	2	9103.93	45.06	74.00	-28.14	62.45	36.21	14.40	67.20	0.00	---	Peak	3	10000.00	47.19	68.20	-21.01	62.03	37.20	15.12	67.16	0.00	---	Peak	4	11380.00	45.06	74.00	-28.94	57.19	37.98	16.29	66.40	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9103.93</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>62.66</td><td>36.21</td><td>14.40</td><td>67.20</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>50.68</td><td>68.20</td><td>-17.52</td><td>65.52</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11380.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>57.24</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9103.93	46.07	74.00	-27.93	62.66	36.21	14.40	67.20	0.00	---	Peak	2	9999.33	50.68	68.20	-17.52	65.52	37.20	15.12	67.16	0.00	---	Peak	3	11380.00	45.11	74.00	-28.89	57.24	37.98	16.29	66.40	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	8269.40	44.93	74.00	-29.07	62.48	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																																		
2	9103.93	45.06	74.00	-28.14	62.45	36.21	14.40	67.20	0.00	---	Peak																																																																																																																																																		
3	10000.00	47.19	68.20	-21.01	62.03	37.20	15.12	67.16	0.00	---	Peak																																																																																																																																																		
4	11380.00	45.06	74.00	-28.94	57.19	37.98	16.29	66.40	0.00	---	PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	9103.93	46.07	74.00	-27.93	62.66	36.21	14.40	67.20	0.00	---	Peak																																																																																																																																																		
2	9999.33	50.68	68.20	-17.52	65.52	37.20	15.12	67.16	0.00	---	Peak																																																																																																																																																		
3	11380.00	45.11	74.00	-28.89	57.24	37.98	16.29	66.40	0.00	---	PEAK																																																																																																																																																		



<TX Beamforming mode>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	36	5180	MCS0	Full RU	-
Mode 62	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	44	5220	MCS0	Full RU	-
Mode 63	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT20	48	5240	MCS0	Full RU	-
Mode 64	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	38	5190	MCS0	Full	-
Mode 65	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT40	46	5230	MCS0	Full	-
Mode 66	U-NII-1	5.15-5.25	TXBF1S4T	802.11be EHT80	42	5210	MCS0	Full	-
Mode 67	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	52	5260	MCS0	Full RU	-
Mode 68	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	60	5300	MCS0	Full RU	-
Mode 69	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 70	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	54	5270	MCS0	Full	-
Mode 71	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT40	62	5310	MCS0	Full	-
Mode 72	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT80	58	5290	MCS0	Full	-
Mode 73	U-NII-2A	5.25-5.35	TXBF1S4T	802.11be EHT160	50	5250	MCS0	Full	-
Mode 74	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	100	5500	MCS0	-	-
Mode 75	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	116	5580	MCS0	-	-
Mode 76	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT20	140	5700	MCS0	-	-
Mode 77	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	102	5510	MCS0	Full	-
Mode 78	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	110	5550	MCS0	Full	-
Mode 79	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT40	134	5670	MCS0	Full	-
Mode 80	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	106	5530	MCS0	Full	-
Mode 81	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT80	122	5610	MCS0	Full	-
Mode 82	U-NII-2C	5.47-5.725	TXBF1S4T	802.11be EHT160	114	5570	MCS0	Full	-

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 86	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	149	5745	MCS0	Full	-
Mode 87	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	157	5785	MCS0	Full	-
Mode 88	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT20	165	5825	MCS0	Full	-
Mode 89	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT40	151	5755	MCS0	Full	-
Mode 90	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT40	159	5795	MCS0	Full	-
Mode 91	U-NII-3	5.725-5.85	TXBF1S4T	802.11be EHT80	155	5775	MCS0	Full	-

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 83	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT20	144	5720	MCS0	Full	-
Mode 84	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT40	142	5710	MCS0	Full	-
Mode 85	U-NII-2C	5.725-5.85	TXBF1S4T	802.11be EHT80	138	5690	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11be EHT20	36	5150.00	53.10	54.00	-0.90	H	AVERAGE	Pass	Band Edge
61	802.11be EHT20	36	10360.00	48.65	68.20	-19.55	V	PEAK	Pass	Harmonic
62	802.11be EHT20	44	5382.24	53.59	54.00	-0.41	H	AVERAGE	Pass	Band Edge
62	802.11be EHT20	44	10440.00	50.08	68.20	-18.12	V	PEAK	Pass	Harmonic
63	802.11be EHT20	48	5401.92	53.27	54.00	-0.73	H	AVERAGE	Pass	Band Edge
63	802.11be EHT20	48	10000.00	46.83	68.20	-21.37	V	PEAK	Pass	Harmonic
64	802.11be EHT40	38	5149.92	52.39	54.00	-1.61	H	AVERAGE	Pass	Band Edge
64	802.11be EHT40	38	10380.00	44.63	68.20	-23.57	H	PEAK	Pass	Harmonic
65	802.11be EHT40	46	5399.46	53.21	54.00	-0.79	H	AVERAGE	Pass	Band Edge
65	802.11be EHT40	46	10460.00	46.42	68.20	-21.78	V	PEAK	Pass	Harmonic
66	802.11be EHT80	42	5148.00	53.15	54.00	-0.85	H	AVERAGE	Pass	Band Edge
66	802.11be EHT80	42	10420.00	46.07	68.20	-22.13	H	PEAK	Pass	Harmonic
67	802.11be EHT20	52	5405.20	51.15	54.00	-2.85	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	52	10520.00	46.02	68.20	-22.18	V	PEAK	Pass	Harmonic
68	802.11be EHT20	60	5350.80	49.08	54.00	-4.92	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	60	10000.00	44.89	68.20	-23.31	V	Peak	Pass	Harmonic
69	802.11be EHT20	64	5350.10	52.08	54.00	-1.92	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	64	8270.13	47.20	74.00	-26.80	V	Peak	Pass	Harmonic
70	802.11be EHT40	54	5410.03	50.48	54.00	-3.52	H	AVERAGE	Pass	Band Edge
70	802.11be EHT40	54	7940.13	46.38	68.20	-21.82	V	Peak	Pass	Harmonic
71	802.11be EHT40	62	5350.00	53.18	54.00	-0.82	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	62	7940.13	45.78	68.20	-22.42	V	Peak	Pass	Harmonic
72	802.11be EHT80	58	5350.00	52.99	54.00	-1.01	H	AVERAGE	Pass	Band Edge
72	802.11be EHT80	58	9999.33	48.33	68.20	-19.87	V	Peak	Pass	Harmonic
73	802.11be EHT160	50	5356.68	52.83	54.00	-1.17	H	AVERAGE	Pass	Band Edge
73	802.11be EHT160	50	10500.00	44.89	68.20	-22.66	H	PEAK	Pass	Harmonic
74	802.11be EHT20	100	5459.12	48.79	54.00	-5.21	H	AVERAGE	Pass	Band Edge
74	802.11be EHT20	100	9999.33	51.71	68.20	-16.49	V	Peak	Pass	Harmonic
75	802.11be EHT20	116	5434.80	48.79	54.00	-5.21	H	AVERAGE	Pass	Band Edge
75	802.11be EHT20	116	9999.33	52.10	68.20	-16.10	V	Peak	Pass	Harmonic
76	802.11be EHT20	140	5725.00	64.70	68.20	-3.50	H	PEAK	Pass	Band Edge
76	802.11be EHT20	140	9999.33	51.29	68.20	-16.91	V	Peak	Pass	Harmonic
77	802.11be EHT40	102	5469.52	66.42	68.20	-1.78	H	PEAK	Pass	Band Edge
77	802.11be EHT40	102	10000.80	51.02	68.20	-17.18	V	Peak	Pass	Harmonic
78	802.11be EHT40	110	5457.20	48.34	54.00	-5.66	H	AVERAGE	Pass	Band Edge
78	802.11be EHT40	110	9999.33	52.21	68.20	-15.99	V	Peak	Pass	Harmonic
79	802.11be EHT40	134	5350.32	48.89	54.00	-5.11	H	AVERAGE	Pass	Band Edge
79	802.11be EHT40	134	9999.33	51.04	68.20	-17.16	V	Peak	Pass	Harmonic
80	802.11be EHT80	106	5459.92	52.63	54.00	-1.37	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	106	9999.33	50.80	68.20	-17.40	V	Peak	Pass	Harmonic
81	802.11be EHT80	122	5456.56	49.84	54.00	-4.16	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	10000.80	51.02	68.20	-17.18	V	Peak	Pass	Harmonic
82	802.11be EHT160	114	5459.56	52.90	54.00	-1.10	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	114	9999.33	52.37	68.20	-15.83	V	Peak	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
86	802.11be EHT20	149	5446.00	53.40	54.00	-0.60	H	Average	Pass	Band Edge
86	802.11be EHT20	149	9999.33	51.87	68.20	-16.33	V	Peak	Pass	Harmonic
87	802.11be EHT20	157	5624.40	64.47	68.20	-3.73	V	PEAK	Pass	Band Edge
87	802.11be EHT20	157	11570.00	46.77	54.00	-7.23	H	AVERAGE	Pass	Harmonic
88	802.11be EHT20	165	5356.00	53.15	54.00	-0.85	H	Average	Pass	Band Edge
88	802.11be EHT20	165	11650.00	52.11	54.00	-1.89	H	AVERAGE	Pass	Harmonic
89	802.11be EHT40	151	5440.00	52.06	54.00	-1.94	H	AVERAGE	Pass	Band Edge
89	802.11be EHT40	151	10000.80	50.93	68.20	-17.27	V	Peak	Pass	Harmonic
90	802.11be EHT40	159	5649.60	65.90	68.20	-2.30	H	PEAK	Pass	Band Edge
90	802.11be EHT40	159	11590.00	45.08	54.00	-8.92	H	AVERAGE	Pass	Harmonic
91	802.11be EHT80	155	5645.60	67.34	68.20	-0.86	H	PEAK	Pass	Band Edge
91	802.11be EHT80	155	10000.80	50.09	68.20	-18.11	V	Peak	Pass	Harmonic





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
83	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT20	144	10000.80	51.43	68.20	-16.77	V	Peak	Pass	Harmonic
84	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT40	142	10000.80	51.40	68.20	-16.80	V	Peak	Pass	Harmonic
85	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	138	9999.33	51.23	68.20	-16.97	V	Peak	Pass	Harmonic





Radiated Spurious Emission Test plots

Mode	61																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.60</td><td>65.23</td><td>74.00</td><td>-8.77</td><td>46.89</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.60	65.23	74.00	-8.77	46.89	34.40	10.60	36.66	10.00	297	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>123.48</td><td>-----</td><td>-----</td><td>105.02</td><td>34.43</td><td>10.64</td><td>36.61</td><td>10.00</td><td>297</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	123.48	-----	-----	105.02	34.43	10.64	36.61	10.00	297	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.60	65.23	74.00	-8.77	46.89	34.40	10.60	36.66	10.00	297	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	123.48	-----	-----	105.02	34.43	10.64	36.61	10.00	297	360	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>53.10</td><td>54.00</td><td>-0.90</td><td>34.74</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	53.10	54.00	-0.90	34.74	34.40	10.61	36.65	10.00	297	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.99</td><td>-----</td><td>-----</td><td>95.50</td><td>34.44</td><td>10.65</td><td>36.60</td><td>10.00</td><td>297</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.99	-----	-----	95.50	34.44	10.65	36.60	10.00	297	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	53.10	54.00	-0.90	34.74	34.40	10.61	36.65	10.00	297	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	113.99	-----	-----	95.50	34.44	10.65	36.60	10.00	297	360	AVERAGE																																																																																							







		61																																																						
Mode		Band Edge																																																						
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																						
ANT		TXBF1S4T																																																						
Pol.		Vertical						Fundamental																																																
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.00</td><td>64.08</td><td>74.00</td><td>-9.92</td><td>45.74</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>128</td><td>298</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	64.08	74.00	-9.92	45.74	34.40	10.60	36.66	10.00	128	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5144.00	64.08	74.00	-9.92	45.74	34.40	10.60	36.66	10.00	128	298	PEAK																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.40</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>33.77</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>128</td><td>298</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.40	52.11	54.00	-1.89	33.77	34.40	10.60	36.66	10.00	128	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5144.40	52.11	54.00	-1.89	33.77	34.40	10.60	36.66	10.00	128	298	AVERAGE																																												
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.78</td><td>-----</td><td>-----</td><td>94.33</td><td>34.43</td><td>10.64</td><td>36.62</td><td>10.00</td><td>128</td><td>298</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.78	-----	-----	94.33	34.43	10.64	36.62	10.00	128	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	112.78	-----	-----	94.33	34.43	10.64	36.62	10.00	128	298	PEAK																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.33</td><td>-----</td><td>-----</td><td>83.91</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>128</td><td>298</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.33	-----	-----	83.91	34.42	10.63	36.63	10.00	128	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5180.00	102.33	-----	-----	83.91	34.42	10.63	36.63	10.00	128	298	AVERAGE																																												





Mode	61																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full RU_5180MHz																																																																																																																																																												
ANT	TXBF1S4T																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8270.13</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>62.31</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>60.03</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10360.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>59.34</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8270.13	44.76	74.00	-29.24	62.31	36.10	13.65	67.30	0.00	---	Peak	2	10000.00	45.19	68.20	-23.01	60.03	37.20	15.12	67.16	0.00	---	PEAK	3	10360.00	45.19	68.20	-23.01	59.34	37.36	15.45	66.96	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>46.49</td><td>68.20</td><td>-21.71</td><td>63.78</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8269.40</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>64.06</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>45.95</td><td>68.20</td><td>-22.25</td><td>60.79</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10360.00</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>62.00</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7940.13	46.49	68.20	-21.71	63.78	36.40	13.30	66.99	0.00	---	Peak	2	8269.40	46.51	74.00	-27.49	64.06	36.10	13.65	67.30	0.00	---	Peak	3	10000.00	45.95	68.20	-22.25	60.79	37.20	15.12	67.16	0.00	---	PEAK	4	10360.00	48.65	68.20	-19.55	62.00	37.36	15.45	66.96	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	8270.13	44.76	74.00	-29.24	62.31	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																																		
2	10000.00	45.19	68.20	-23.01	60.03	37.20	15.12	67.16	0.00	---	PEAK																																																																																																																																																		
3	10360.00	45.19	68.20	-23.01	59.34	37.36	15.45	66.96	0.00	---	PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	7940.13	46.49	68.20	-21.71	63.78	36.40	13.30	66.99	0.00	---	Peak																																																																																																																																																		
2	8269.40	46.51	74.00	-27.49	64.06	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																																		
3	10000.00	45.95	68.20	-22.25	60.79	37.20	15.12	67.16	0.00	---	PEAK																																																																																																																																																		
4	10360.00	48.65	68.20	-19.55	62.00	37.36	15.45	66.96	0.00	---	PEAK																																																																																																																																																		







Mode	62																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal																																																				
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5007.70</td><td>64.21</td><td>74.00</td><td>-9.79</td><td>46.34</td><td>34.27</td><td>10.46</td><td>36.86</td><td>10.00</td><td>175 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5007.70	64.21	74.00	-9.79	46.34	34.27	10.46	36.86	10.00	175 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5007.70	64.21	74.00	-9.79	46.34	34.27	10.46	36.86	10.00	175 PEAK																																											
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>123.51</td><td>-----</td><td>-----</td><td>104.93</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>175 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	123.51	-----	-----	104.93	34.47	10.67	36.56	10.00	175 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5220.00	123.51	-----	-----	104.93	34.47	10.67	36.56	10.00	175 PEAK																																											
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5073.26</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>34.26</td><td>34.33</td><td>10.53</td><td>36.76</td><td>10.00</td><td>175 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5073.26	52.36	54.00	-1.64	34.26	34.33	10.53	36.76	10.00	175 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5073.26	52.36	54.00	-1.64	34.26	34.33	10.53	36.76	10.00	175 AVERAGE																																											
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>114.79</td><td>-----</td><td>-----</td><td>96.17</td><td>34.48</td><td>10.68</td><td>36.54</td><td>10.00</td><td>175 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	114.79	-----	-----	96.17	34.48	10.68	36.54	10.00	175 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5220.00	114.79	-----	-----	96.17	34.48	10.68	36.54	10.00	175 AVERAGE																																											





Mode	62																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5413.68</td><td>63.89</td><td>74.00</td><td>-10.11</td><td>44.73</td><td>34.65</td><td>10.79</td><td>36.28</td><td>10.00</td><td>175</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.68	63.89	74.00	-10.11	44.73	34.65	10.79	36.28	10.00	175	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5413.68	63.89	74.00	-10.11	44.73	34.65	10.79	36.28	10.00	175	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.24</td><td>53.59</td><td>54.00</td><td>-0.41</td><td>34.52</td><td>34.62</td><td>10.77</td><td>36.32</td><td>10.00</td><td>175</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.24	53.59	54.00	-0.41	34.52	34.62	10.77	36.32	10.00	175	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5382.24	53.59	54.00	-0.41	34.52	34.62	10.77	36.32	10.00	175	AVERAGE																																											





Mode	62																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5082.72</td><td>63.96</td><td>74.00</td><td>-10.04</td><td>45.83</td><td>34.34</td><td>10.54</td><td>36.75</td><td>10.00</td><td>349</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5082.72	63.96	74.00	-10.04	45.83	34.34	10.54	36.75	10.00	349	20	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>114.87</td><td>-----</td><td>-----</td><td>96.29</td><td>34.47</td><td>10.67</td><td>36.56</td><td>10.00</td><td>349</td><td>20</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	114.87	-----	-----	96.29	34.47	10.67	36.56	10.00	349	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5082.72	63.96	74.00	-10.04	45.83	34.34	10.54	36.75	10.00	349	20	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	114.87	-----	-----	96.29	34.47	10.67	36.56	10.00	349	20	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5048.84</td><td>51.94</td><td>54.00</td><td>-2.06</td><td>33.93</td><td>34.31</td><td>10.50</td><td>36.80</td><td>10.00</td><td>349</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5048.84	51.94	54.00	-2.06	33.93	34.31	10.50	36.80	10.00	349	20	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>104.80</td><td>-----</td><td>-----</td><td>86.24</td><td>34.46</td><td>10.67</td><td>36.57</td><td>10.00</td><td>349</td><td>20</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	104.80	-----	-----	86.24	34.46	10.67	36.57	10.00	349	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5048.84	51.94	54.00	-2.06	33.93	34.31	10.50	36.80	10.00	349	20	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	104.80	-----	-----	86.24	34.46	10.67	36.57	10.00	349	20	AVERAGE																																																																																																			







Mode	62																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.60</td><td>62.58</td><td>74.00</td><td>-11.42</td><td>43.27</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>349</td><td>20</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.60	62.58	74.00	-11.42	43.27	34.69	10.84	36.22	10.00	349	20	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.60	62.58	74.00	-11.42	43.27	34.69	10.84	36.22	10.00	349	20	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.28</td><td>51.13</td><td>54.00</td><td>-2.87</td><td>31.83</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>349</td><td>20</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.28	51.13	54.00	-2.87	31.83	34.69	10.83	36.22	10.00	349	20	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.28	51.13	54.00	-2.87	31.83	34.69	10.83	36.22	10.00	349	20	AVERAGE																																												





Mode	62																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full RU_5220MHz																																																																																																																																																				
ANT	TXBF1S4T																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10000.00</td><td>44.15</td><td>68.20</td><td>-24.05</td><td>58.99</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>45.09</td><td>68.20</td><td>-23.11</td><td>59.05</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10000.00	44.15	68.20	-24.05	58.99	37.20	15.12	67.16	0.00	---	---	PEAK	2	10440.00	45.09	68.20	-23.11	59.05	37.44	15.52	66.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7940.13</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>62.81</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8269.40</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>62.96</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>44.97</td><td>68.20</td><td>-23.23</td><td>59.81</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10440.00</td><td>50.08</td><td>68.20</td><td>-18.12</td><td>64.04</td><td>37.44</td><td>15.52</td><td>66.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7940.13	45.52	68.20	-22.68	62.81	36.40	13.30	66.99	0.00	---	---	Peak	2	8269.40	45.41	74.00	-28.59	62.96	36.10	13.65	67.30	0.00	---	---	Peak	3	10000.00	44.97	68.20	-23.23	59.81	37.20	15.12	67.16	0.00	---	---	PEAK	4	10440.00	50.08	68.20	-18.12	64.04	37.44	15.52	66.92	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	10000.00	44.15	68.20	-24.05	58.99	37.20	15.12	67.16	0.00	---	---	PEAK																																																																																																																																									
2	10440.00	45.09	68.20	-23.11	59.05	37.44	15.52	66.92	0.00	---	---	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																												
1	7940.13	45.52	68.20	-22.68	62.81	36.40	13.30	66.99	0.00	---	---	Peak																																																																																																																																									
2	8269.40	45.41	74.00	-28.59	62.96	36.10	13.65	67.30	0.00	---	---	Peak																																																																																																																																									
3	10000.00	44.97	68.20	-23.23	59.81	37.20	15.12	67.16	0.00	---	---	PEAK																																																																																																																																									
4	10440.00	50.08	68.20	-18.12	64.04	37.44	15.52	66.92	0.00	---	---	PEAK																																																																																																																																									







Mode	63																																																													
	Band Edge - L																																																													
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																													
ANT	TXBF1S4T																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5035.28</td><td>64.29</td><td>74.00</td><td>-9.71</td><td>46.32</td><td>34.30</td><td>10.49</td><td>36.82</td><td>10.00</td><td>119</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5035.28	64.29	74.00	-9.71	46.32	34.30	10.49	36.82	10.00	119	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5035.28	64.29	74.00	-9.71	46.32	34.30	10.49	36.82	10.00	119	191	PEAK																																																		
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5240.00</td><td>123.46</td><td>-----</td><td>-----</td><td>104.81</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>119</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5240.00	123.46	-----	-----	104.81	34.49	10.68	36.52	10.00	119	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5240.00	123.46	-----	-----	104.81	34.49	10.68	36.52	10.00	119	191	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5088.56</td><td>52.41</td><td>54.00</td><td>-1.59</td><td>34.26</td><td>34.35</td><td>10.54</td><td>36.74</td><td>10.00</td><td>119</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5088.56	52.41	54.00	-1.59	34.26	34.35	10.54	36.74	10.00	119	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5088.56	52.41	54.00	-1.59	34.26	34.35	10.54	36.74	10.00	119	191	AVERAGE																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5240.00</td><td>114.38</td><td>-----</td><td>-----</td><td>95.70</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>119</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5240.00	114.38	-----	-----	95.70	34.50	10.69	36.51	10.00	119	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5240.00	114.38	-----	-----	95.70	34.50	10.69	36.51	10.00	119	191	AVERAGE																																																		





Mode	63																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																												
ANT	TXBF1S4T																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.58</td><td>64.73</td><td>74.00</td><td>-9.27</td><td>45.61</td><td>34.64</td><td>10.78</td><td>36.30</td><td>10.00</td><td>119</td><td>191 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.58	64.73	74.00	-9.27	45.61	34.64	10.78	36.30	10.00	119	191 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5402.58	64.73	74.00	-9.27	45.61	34.64	10.78	36.30	10.00	119	191 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5401.92</td><td>53.27</td><td>54.00</td><td>-0.73</td><td>34.15</td><td>34.64</td><td>10.78</td><td>36.30</td><td>10.00</td><td>119</td><td>191 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.92	53.27	54.00	-0.73	34.15	34.64	10.78	36.30	10.00	119	191 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	5401.92	53.27	54.00	-0.73	34.15	34.64	10.78	36.30	10.00	119	191 AVERAGE																																		



Mode	63																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5088.56</td><td>64.12</td><td>74.00</td><td>-9.88</td><td>45.97</td><td>34.35</td><td>10.54</td><td>36.74</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5088.56	64.12	74.00	-9.88	45.97	34.35	10.54	36.74	10.00	101	304	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>113.33</td><td>-----</td><td>-----</td><td>94.70</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	113.33	-----	-----	94.70	34.48	10.68	36.53	10.00	101	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5088.56	64.12	74.00	-9.88	45.97	34.35	10.54	36.74	10.00	101	304	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	113.33	-----	-----	94.70	34.48	10.68	36.53	10.00	101	304	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5092.88</td><td>51.96</td><td>54.00</td><td>-2.04</td><td>33.79</td><td>34.35</td><td>10.55</td><td>36.73</td><td>10.00</td><td>101</td><td>304</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5092.88	51.96	54.00	-2.04	33.79	34.35	10.55	36.73	10.00	101	304	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>103.11</td><td>-----</td><td>-----</td><td>84.48</td><td>34.48</td><td>10.68</td><td>36.53</td><td>10.00</td><td>101</td><td>304</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	103.11	-----	-----	84.48	34.48	10.68	36.53	10.00	101	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5092.88	51.96	54.00	-2.04	33.79	34.35	10.55	36.73	10.00	101	304	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	103.11	-----	-----	84.48	34.48	10.68	36.53	10.00	101	304	AVERAGE																																																																																																			







Mode	63																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.28</td><td>62.11</td><td>74.00</td><td>-11.89</td><td>43.06</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.28	62.11	74.00	-11.89	43.06	34.62	10.76	36.33	10.00	101	304	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.28	62.11	74.00	-11.89	43.06	34.62	10.76	36.33	10.00	101	304	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.38</td><td>51.14</td><td>54.00</td><td>-2.86</td><td>31.84</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>101</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	51.14	54.00	-2.86	31.84	34.69	10.83	36.22	10.00	101	304	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5455.38	51.14	54.00	-2.86	31.84	34.69	10.83	36.22	10.00	101	304	AVERAGE																																												



Mode	63																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full RU_5240MHz																																																																																																																																																																																																																																							
ANT	TXBF1S4T																																																																																																																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																																																																																																																															
Peak Avg																																																																																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8269.40</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>62.31</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>43.85</td><td>68.20</td><td>-24.35</td><td>58.69</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10480.00</td><td>44.66</td><td>68.20</td><td>-23.54</td><td>58.51</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	8269.40	44.76	74.00	-29.24	62.31	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak	2	10000.00	43.85	68.20	-24.35	58.69	37.20	15.12	67.16	0.00	---	---	---	---	---	---	PEAK	3	10480.00	44.66	68.20	-23.54	58.51	37.48	15.56	66.89	0.00	---	---	---	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>45.96</td><td>68.20</td><td>-22.24</td><td>63.25</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8270.13</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>62.98</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>46.83</td><td>68.20</td><td>-21.37</td><td>61.67</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10480.00</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>60.37</td><td>37.48</td><td>15.56</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	7940.13	45.96	68.20	-22.24	63.25	36.40	13.30	66.99	0.00	---	---	---	---	---	---	Peak	2	8270.13	45.43	74.00	-28.57	62.98	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak	3	10000.00	46.83	68.20	-21.37	61.67	37.20	15.12	67.16	0.00	---	---	---	---	---	---	PEAK	4	10480.00	46.52	68.20	-21.68	60.37	37.48	15.56	66.89	0.00	---	---	---	---	---	---
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	8269.40	44.76	74.00	-29.24	62.31	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																								
2	10000.00	43.85	68.20	-24.35	58.69	37.20	15.12	67.16	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																								
3	10480.00	44.66	68.20	-23.54	58.51	37.48	15.56	66.89	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																								
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																									
1	7940.13	45.96	68.20	-22.24	63.25	36.40	13.30	66.99	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																								
2	8270.13	45.43	74.00	-28.57	62.98	36.10	13.65	67.30	0.00	---	---	---	---	---	---	Peak																																																																																																																																																																																																																								
3	10000.00	46.83	68.20	-21.37	61.67	37.20	15.12	67.16	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																								
4	10480.00	46.52	68.20	-21.68	60.37	37.48	15.56	66.89	0.00	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																								







		64																																																																																														
Mode	Band Edge - L																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.12</td><td>65.73</td><td>74.00</td><td>-8.27</td><td>47.37</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>131</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.12	65.73	74.00	-8.27	47.37	34.40	10.61	36.65	10.00	131	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>115.79</td><td>-----</td><td>-----</td><td>97.24</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>131</td><td>0 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	115.79	-----	-----	97.24	34.46	10.66	36.57	10.00	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.12	65.73	74.00	-8.27	47.37	34.40	10.61	36.65	10.00	131	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5190.00	115.79	-----	-----	97.24	34.46	10.66	36.57	10.00	131	0 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>52.39</td><td>54.00</td><td>-1.61</td><td>34.03</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>131</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	52.39	54.00	-1.61	34.03	34.40	10.61	36.65	10.00	131	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.32</td><td>-----</td><td>-----</td><td>87.77</td><td>34.46</td><td>10.66</td><td>36.57</td><td>10.00</td><td>131</td><td>0 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.32	-----	-----	87.77	34.46	10.66	36.57	10.00	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.92	52.39	54.00	-1.61	34.03	34.40	10.61	36.65	10.00	131	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5190.00	106.32	-----	-----	87.77	34.46	10.66	36.57	10.00	131	0 AVERAGE																																																																																					





Mode	64																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.67</td><td>60.44</td><td>74.00</td><td>-13.56</td><td>41.19</td><td>34.68</td><td>10.82</td><td>36.25</td><td>10.00</td><td>131</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.67	60.44	74.00	-13.56	41.19	34.68	10.82	36.25	10.00	131	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5438.67	60.44	74.00	-13.56	41.19	34.68	10.82	36.25	10.00	131	0 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.64</td><td>48.20</td><td>54.00</td><td>-5.80</td><td>29.21</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>131</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.64	48.20	54.00	-5.80	29.21	34.60	10.75	36.36	10.00	131	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.64	48.20	54.00	-5.80	29.21	34.60	10.75	36.36	10.00	131	0 AVERAGE																																													





Mode	64																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.12</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>42.36</td><td>34.37</td><td>10.57</td><td>36.70</td><td>10.00</td><td>130</td><td>297</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.12	60.60	74.00	-13.40	42.36	34.37	10.57	36.70	10.00	130	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5117.12	60.60	74.00	-13.40	42.36	34.37	10.57	36.70	10.00	130	297	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>106.39</td><td>-----</td><td>-----</td><td>87.97</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>0</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	106.39	-----	-----	87.97	34.42	10.63	36.63	10.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	106.39	-----	-----	87.97	34.42	10.63	36.63	10.00	0	0	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>48.71</td><td>54.00</td><td>-5.29</td><td>30.35</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>130</td><td>297</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	48.71	54.00	-5.29	30.35	34.40	10.61	36.65	10.00	130	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.76	48.71	54.00	-5.29	30.35	34.40	10.61	36.65	10.00	130	297	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>96.80</td><td>-----</td><td>-----</td><td>78.38</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>0</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	96.80	-----	-----	78.38	34.42	10.63	36.63	10.00	0	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	96.80	-----	-----	78.38	34.42	10.63	36.63	10.00	0	0	AVERAGE																																											







Mode	64																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.99</td><td>59.41</td><td>74.00</td><td>-14.59</td><td>40.41</td><td>34.60</td><td>10.75</td><td>36.35</td><td>10.00</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.99	59.41	74.00	-14.59	40.41	34.60	10.75	36.35	10.00	0	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5361.99	59.41	74.00	-14.59	40.41	34.60	10.75	36.35	10.00	0	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.71</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>28.26</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.71	47.55	54.00	-6.45	28.26	34.69	10.83	36.23	10.00	0	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5452.71	47.55	54.00	-6.45	28.26	34.69	10.83	36.23	10.00	0	AVERAGE																																											





Mode	64																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																																																																	
ANT	TXBF1S4T																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8269.40</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>62.24</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>58.29</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10380.00</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>58.73</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8269.40	44.69	74.00	-29.31	62.24	36.10	13.65	67.30	0.00	---	Peak	2	10000.00	43.45	68.20	-24.75	58.29	37.20	15.12	67.16	0.00	---	PEAK	3	10380.00	44.63	68.20	-23.57	58.73	37.38	15.47	66.95	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8269.40</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>63.62</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>59.37</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10380.00</td><td>44.62</td><td>68.20</td><td>-23.58</td><td>58.72</td><td>37.38</td><td>15.47</td><td>66.95</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8269.40	46.07	74.00	-27.93	63.62	36.10	13.65	67.30	0.00	---	Peak	2	10000.00	44.53	68.20	-23.67	59.37	37.20	15.12	67.16	0.00	---	PEAK	3	10380.00	44.62	68.20	-23.58	58.72	37.38	15.47	66.95	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	8269.40	44.69	74.00	-29.31	62.24	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																							
2	10000.00	43.45	68.20	-24.75	58.29	37.20	15.12	67.16	0.00	---	PEAK																																																																																																																																							
3	10380.00	44.63	68.20	-23.57	58.73	37.38	15.47	66.95	0.00	---	PEAK																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																								
1	8269.40	46.07	74.00	-27.93	63.62	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																							
2	10000.00	44.53	68.20	-23.67	59.37	37.20	15.12	67.16	0.00	---	PEAK																																																																																																																																							
3	10380.00	44.62	68.20	-23.58	58.72	37.38	15.47	66.95	0.00	---	PEAK																																																																																																																																							







Mode	65																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.44</td><td>64.99</td><td>74.00</td><td>-9.01</td><td>46.79</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>111</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.44	64.99	74.00	-9.01	46.79	34.36	10.56	36.72	10.00	111	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5105.44	64.99	74.00	-9.01	46.79	34.36	10.56	36.72	10.00	111	191	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>123.96</td><td>-----</td><td>-----</td><td>105.31</td><td>34.49</td><td>10.68</td><td>36.52</td><td>10.00</td><td>111</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	123.96	-----	-----	105.31	34.49	10.68	36.52	10.00	111	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	123.96	-----	-----	105.31	34.49	10.68	36.52	10.00	111	191	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.60</td><td>52.98</td><td>54.00</td><td>-1.02</td><td>34.62</td><td>34.40</td><td>10.61</td><td>36.65</td><td>10.00</td><td>111</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	52.98	54.00	-1.02	34.62	34.40	10.61	36.65	10.00	111	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.60	52.98	54.00	-1.02	34.62	34.40	10.61	36.65	10.00	111	191	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>112.77</td><td>-----</td><td>-----</td><td>94.09</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>111</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	112.77	-----	-----	94.09	34.50	10.69	36.51	10.00	111	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5230.00	112.77	-----	-----	94.09	34.50	10.69	36.51	10.00	111	191	AVERAGE																																											





Mode	65																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal										Fundamental																																												
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.08</td><td>65.06</td><td>74.00</td><td>-8.94</td><td>46.02</td><td>34.62</td><td>10.76</td><td>36.34</td><td>10.00</td><td>111</td><td>191</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.08	65.06	74.00	-8.94	46.02	34.62	10.76	36.34	10.00	111	191	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5374.08	65.06	74.00	-8.94	46.02	34.62	10.76	36.34	10.00	111	191	PEAK																																											
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.46</td><td>53.21</td><td>54.00</td><td>-0.79</td><td>34.09</td><td>34.64</td><td>10.78</td><td>36.30</td><td>10.00</td><td>111</td><td>191</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.46	53.21	54.00	-0.79	34.09	34.64	10.78	36.30	10.00	111	191	AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.46	53.21	54.00	-0.79	34.09	34.64	10.78	36.30	10.00	111	191	AVERAGE																																											





Mode	65																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5139.84</td><td>63.87</td><td>74.00</td><td>-10.13</td><td>45.55</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>356</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.84	63.87	74.00	-10.13	45.55	34.39	10.60	36.67	10.00	356	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>114.23</td><td>-----</td><td>-----</td><td>95.55</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>356</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	114.23	-----	-----	95.55	34.50	10.69	36.51	10.00	356	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5139.84	63.87	74.00	-10.13	45.55	34.39	10.60	36.67	10.00	356	115	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	114.23	-----	-----	95.55	34.50	10.69	36.51	10.00	356	115	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.04</td><td>51.96</td><td>54.00</td><td>-2.04</td><td>33.65</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>356</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.04	51.96	54.00	-2.04	33.65	34.39	10.59	36.67	10.00	356	115	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>104.00</td><td>-----</td><td>-----</td><td>86.12</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>356</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	104.00	-----	-----	86.12	34.50	10.69	36.51	10.00	356	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5135.04	51.96	54.00	-2.04	33.65	34.39	10.59	36.67	10.00	356	115	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	104.00	-----	-----	86.12	34.50	10.69	36.51	10.00	356	115	AVERAGE																																																																																							







Mode	65																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.70</td><td>62.86</td><td>74.00</td><td>-11.14</td><td>43.87</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>356</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.70	62.86	74.00	-11.14	43.87	34.60	10.75	36.36	10.00	356	115	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.70	62.86	74.00	-11.14	43.87	34.60	10.75	36.36	10.00	356	115	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.16</td><td>50.79</td><td>54.00</td><td>-3.21</td><td>31.72</td><td>34.62</td><td>10.77</td><td>36.32</td><td>10.00</td><td>356</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.16	50.79	54.00	-3.21	31.72	34.62	10.77	36.32	10.00	356	115	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5384.16	50.79	54.00	-3.21	31.72	34.62	10.77	36.32	10.00	356	115	AVERAGE																																												





Mode	65																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT40_CH46_Full_5230MHz																																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>45.98</td><td>68.20</td><td>-22.22</td><td>63.27</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>44.03</td><td>68.20</td><td>-24.17</td><td>58.87</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10460.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>58.80</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7940.13	45.98	68.20	-22.22	63.27	36.40	13.30	66.99	0.00	---	Peak	2	10000.00	44.03	68.20	-24.17	58.87	37.20	15.12	67.16	0.00	---	Peak	3	10460.00	44.89	68.20	-23.31	58.80	37.46	15.54	66.91	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>45.41</td><td>68.20</td><td>-22.79</td><td>62.70</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8269.40</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>63.27</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>44.32</td><td>68.20</td><td>-23.88</td><td>59.16</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10460.00</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>60.33</td><td>37.46</td><td>15.54</td><td>66.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7940.13	45.41	68.20	-22.79	62.70	36.40	13.30	66.99	0.00	---	Peak	2	8269.40	45.72	74.00	-28.28	63.27	36.10	13.65	67.30	0.00	---	Peak	3	10000.00	44.32	68.20	-23.88	59.16	37.20	15.12	67.16	0.00	---	PEAK	4	10460.00	46.42	68.20	-21.78	60.33	37.46	15.54	66.91	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7940.13	45.98	68.20	-22.22	63.27	36.40	13.30	66.99	0.00	---	Peak																																																																																																																																																	
2	10000.00	44.03	68.20	-24.17	58.87	37.20	15.12	67.16	0.00	---	Peak																																																																																																																																																	
3	10460.00	44.89	68.20	-23.31	58.80	37.46	15.54	66.91	0.00	---	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	7940.13	45.41	68.20	-22.79	62.70	36.40	13.30	66.99	0.00	---	Peak																																																																																																																																																	
2	8269.40	45.72	74.00	-28.28	63.27	36.10	13.65	67.30	0.00	---	Peak																																																																																																																																																	
3	10000.00	44.32	68.20	-23.88	59.16	37.20	15.12	67.16	0.00	---	PEAK																																																																																																																																																	
4	10460.00	46.42	68.20	-21.78	60.33	37.46	15.54	66.91	0.00	---	PEAK																																																																																																																																																	







Mode	66																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.76</td><td>65.79</td><td>74.00</td><td>-8.21</td><td>47.45</td><td>34.40</td><td>10.60</td><td>36.66</td><td>10.00</td><td>105</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.76	65.79	74.00	-8.21	47.45	34.40	10.60	36.66	10.00	105	194	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>114.24</td><td>-----</td><td>-----</td><td>95.82</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>105</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	114.24	-----	-----	95.82	34.42	10.63	36.63	10.00	105	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.76	65.79	74.00	-8.21	47.45	34.40	10.60	36.66	10.00	105	194	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	114.24	-----	-----	95.82	34.42	10.63	36.63	10.00	105	194	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>53.15</td><td>54.00</td><td>-0.85</td><td>34.80</td><td>34.40</td><td>10.61</td><td>36.66</td><td>10.00</td><td>105</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	53.15	54.00	-0.85	34.80	34.40	10.61	36.66	10.00	105	194	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>102.73</td><td>-----</td><td>-----</td><td>84.05</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>105</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.73	-----	-----	84.05	34.50	10.69	36.51	10.00	105	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.00	53.15	54.00	-0.85	34.80	34.40	10.61	36.66	10.00	105	194	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	102.73	-----	-----	84.05	34.50	10.69	36.51	10.00	105	194	AVERAGE																																																																																							





Mode	66																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																					
ANT	TXBF1S4T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.32</td><td>60.52</td><td>74.00</td><td>-13.48</td><td>41.53</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>105</td><td>194 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.32	60.52	74.00	-13.48	41.53	34.60	10.75	36.36	10.00	105	194 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5359.32	60.52	74.00	-13.48	41.53	34.60	10.75	36.36	10.00	105	194 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.88</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>29.28</td><td>34.63</td><td>10.77</td><td>36.32</td><td>10.00</td><td>105</td><td>194 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.88	48.36	54.00	-5.64	29.28	34.63	10.77	36.32	10.00	105	194 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5384.88	48.36	54.00	-5.64	29.28	34.63	10.77	36.32	10.00	105	194 AVERAGE																																											





		66																																																		
Mode		Band Edge - L																																																		
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																		
ANT		TXBF1S4T																																																		
Pol.		Vertical					Fundamental																																													
Peak																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.64</td><td>60.82</td><td>74.00</td><td>-13.18</td><td>42.51</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>293 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.64	60.82	74.00	-13.18	42.51	34.39	10.59	36.67	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5136.64	60.82	74.00	-13.18	42.51	34.39	10.59	36.67	10.00	293 PEAK																																										
Fundamental																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.39</td><td>-----</td><td>-----</td><td>81.97</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>293 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.39	-----	-----	81.97	34.42	10.63	36.63	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	100.39	-----	-----	81.97	34.42	10.63	36.63	10.00	293 PEAK																																										
Avg																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.56</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>30.04</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>293 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.56	48.36	54.00	-5.64	30.04	34.39	10.60	36.67	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5138.56	48.36	54.00	-5.64	30.04	34.39	10.60	36.67	10.00	293 AVERAGE																																										
Fundamental																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.23</td><td>-----</td><td>-----</td><td>71.81</td><td>34.42</td><td>10.63</td><td>36.63</td><td>10.00</td><td>293 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.23	-----	-----	71.81	34.42	10.63	36.63	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5210.00	90.23	-----	-----	71.81	34.42	10.63	36.63	10.00	293 AVERAGE																																										







Mode	66																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.08</td><td>59.27</td><td>74.00</td><td>-14.73</td><td>40.18</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>100</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.08	59.27	74.00	-14.73	40.18	34.63	10.77	36.31	10.00	100	293	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5392.08	59.27	74.00	-14.73	40.18	34.63	10.77	36.31	10.00	100	293	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.24</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>28.11</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.24	47.20	54.00	-6.80	28.11	34.63	10.77	36.31	10.00	100	293	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5394.24	47.20	54.00	-6.80	28.11	34.63	10.77	36.31	10.00	100	293	AVERAGE																																												





Mode	66																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10000.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>59.35</td><td>37.29</td><td>15.19</td><td>67.11</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.07</td><td>68.20</td><td>-22.13</td><td>60.07</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10000.00	44.72	68.20	-23.48	59.35	37.29	15.19	67.11	0.00	300	360	PEAK	2	10420.00	46.07	68.20	-22.13	60.07	37.42	15.51	66.93	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10000.00</td><td>45.06</td><td>68.20</td><td>-23.14</td><td>58.87</td><td>37.50</td><td>15.58</td><td>66.89</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>59.02</td><td>37.42</td><td>15.51</td><td>66.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10000.00	45.06	68.20	-23.14	58.87	37.50	15.58	66.89	0.00	100	360	PEAK	2	10420.00	45.02	68.20	-23.18	59.02	37.42	15.51	66.93	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10000.00	44.72	68.20	-23.48	59.35	37.29	15.19	67.11	0.00	300	360	PEAK																																																																																																																																
2	10420.00	46.07	68.20	-22.13	60.07	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10000.00	45.06	68.20	-23.14	58.87	37.50	15.58	66.89	0.00	100	360	PEAK																																																																																																																																
2	10420.00	45.02	68.20	-23.18	59.02	37.42	15.51	66.93	0.00	---	---	PEAK																																																																																																																																







Mode	67																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.76</td><td>62.40</td><td>74.00</td><td>-11.60</td><td>44.20</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>145</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.76	62.40	74.00	-11.60	44.20	34.36	10.56	36.72	10.00	145	191	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>123.55</td><td>-----</td><td>-----</td><td>104.87</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>145</td><td>191</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	123.55	-----	-----	104.87	34.50	10.69	36.51	10.00	145	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5101.76	62.40	74.00	-11.60	44.20	34.36	10.56	36.72	10.00	145	191	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	123.55	-----	-----	104.87	34.50	10.69	36.51	10.00	145	191	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.40</td><td>50.54</td><td>54.00</td><td>-3.46</td><td>32.30</td><td>34.37</td><td>10.57</td><td>36.70</td><td>10.00</td><td>145</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.40	50.54	54.00	-3.46	32.30	34.37	10.57	36.70	10.00	145	191	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>112.44</td><td>-----</td><td>-----</td><td>93.72</td><td>34.51</td><td>10.70</td><td>36.49</td><td>10.00</td><td>145</td><td>191</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	112.44	-----	-----	93.72	34.51	10.70	36.49	10.00	145	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5114.40	50.54	54.00	-3.46	32.30	34.37	10.57	36.70	10.00	145	191	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	112.44	-----	-----	93.72	34.51	10.70	36.49	10.00	145	191	AVERAGE																																																																																																			





	67																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.40</td><td>62.21</td><td>74.00</td><td>-11.79</td><td>43.16</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>145</td><td>191</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.40	62.21	74.00	-11.79	43.16	34.62	10.76	36.33	10.00	145	191	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5376.40	62.21	74.00	-11.79	43.16	34.62	10.76	36.33	10.00	145	191	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.20</td><td>51.15</td><td>54.00</td><td>-2.85</td><td>32.02</td><td>34.64</td><td>10.78</td><td>36.29</td><td>10.00</td><td>145</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.20	51.15	54.00	-2.85	32.02	34.64	10.78	36.29	10.00	145	191	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5405.20	51.15	54.00	-2.85	32.02	34.64	10.78	36.29	10.00	145	191	AVERAGE																																												





Mode	67																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																		
ANT	TXBF1S4T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5132.64</td><td>62.02</td><td>74.00</td><td>-11.98</td><td>43.72</td><td>34.39</td><td>10.59</td><td>36.68</td><td>10.00</td><td>393</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5132.64	62.02	74.00	-11.98	43.72	34.39	10.59	36.68	10.00	393	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>115.32</td><td>-----</td><td>-----</td><td>96.60</td><td>34.51</td><td>10.70</td><td>36.49</td><td>10.00</td><td>393</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	115.32	-----	-----	96.60	34.51	10.70	36.49	10.00	393	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5132.64	62.02	74.00	-11.98	43.72	34.39	10.59	36.68	10.00	393	115	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	115.32	-----	-----	96.60	34.51	10.70	36.49	10.00	393	115	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.60</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>31.90</td><td>34.37</td><td>10.57</td><td>36.71</td><td>10.00</td><td>393</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.60	50.13	54.00	-3.87	31.90	34.37	10.57	36.71	10.00	393	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>104.89</td><td>-----</td><td>-----</td><td>86.17</td><td>34.51</td><td>10.70</td><td>36.49</td><td>10.00</td><td>393</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	104.89	-----	-----	86.17	34.51	10.70	36.49	10.00	393	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5113.60	50.13	54.00	-3.87	31.90	34.37	10.57	36.71	10.00	393	115	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	104.89	-----	-----	86.17	34.51	10.70	36.49	10.00	393	115	AVERAGE																																																																																							







Mode	67																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.40</td><td>62.20</td><td>74.00</td><td>-11.80</td><td>42.99</td><td>34.67</td><td>10.80</td><td>36.26</td><td>10.00</td><td>393</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.40	62.20	74.00	-11.80	42.99	34.67	10.80	36.26	10.00	393	115	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5428.40	62.20	74.00	-11.80	42.99	34.67	10.80	36.26	10.00	393	115	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.60</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>30.23</td><td>34.65</td><td>10.78</td><td>36.28</td><td>10.00</td><td>393</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.60	49.38	54.00	-4.62	30.23	34.65	10.78	36.28	10.00	393	115	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5411.60	49.38	54.00	-4.62	30.23	34.65	10.78	36.28	10.00	393	115	AVERAGE																																											





Mode	67																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full RU_5260MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>45.57</td><td>68.20</td><td>-22.63</td><td>60.41</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10520.00</td><td>44.55</td><td>68.20</td><td>-23.65</td><td>58.30</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	45.57	68.20	-22.63	60.41	37.20	15.12	67.16	0.00	---	---	PEAK	2	10520.00	44.55	68.20	-23.65	58.30	37.52	15.60	66.87	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8269.40</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>62.63</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>59.84</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10520.00</td><td>46.02</td><td>68.20</td><td>-22.18</td><td>59.77</td><td>37.52</td><td>15.60</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8269.40	45.08	74.00	-28.92	62.63	36.10	13.65	67.30	0.00	---	---	Peak	2	10000.00	45.00	68.20	-23.20	59.84	37.20	15.12	67.16	0.00	---	---	PEAK	3	10520.00	46.02	68.20	-22.18	59.77	37.52	15.60	66.87	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	10000.00	45.57	68.20	-22.63	60.41	37.20	15.12	67.16	0.00	---	---	PEAK																																																																																																																														
2	10520.00	44.55	68.20	-23.65	58.30	37.52	15.60	66.87	0.00	---	---	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	8269.40	45.08	74.00	-28.92	62.63	36.10	13.65	67.30	0.00	---	---	Peak																																																																																																																														
2	10000.00	45.00	68.20	-23.20	59.84	37.20	15.12	67.16	0.00	---	---	PEAK																																																																																																																														
3	10520.00	46.02	68.20	-22.18	59.77	37.52	15.60	66.87	0.00	---	---	PEAK																																																																																																																														







Mode	68																																																				
	Band Edge - L																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																				
ANT	TXBF1S4T																																																				
Pol.	Horizontal						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.50</td><td>60.66</td><td>74.00</td><td>-13.34</td><td>42.34</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>186</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.50	60.66	74.00	-13.34	42.34	34.39	10.60	36.67	10.00	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5139.50	60.66	74.00	-13.34	42.34	34.39	10.60	36.67	10.00	186	PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>122.30</td><td>-----</td><td>-----</td><td>103.49</td><td>34.54</td><td>10.72</td><td>36.45</td><td>10.00</td><td>186</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	122.30	-----	-----	103.49	34.54	10.72	36.45	10.00	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5300.00	122.30	-----	-----	103.49	34.54	10.72	36.45	10.00	186	PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.90</td><td>49.02</td><td>54.00</td><td>-4.98</td><td>30.70</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>186</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.90	49.02	54.00	-4.98	30.70	34.39	10.60	36.67	10.00	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5138.90	49.02	54.00	-4.98	30.70	34.39	10.60	36.67	10.00	186	AVERAGE																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>112.85</td><td>-----</td><td>-----</td><td>94.01</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>186</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	112.85	-----	-----	94.01	34.55	10.72	36.43	10.00	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5300.00	112.85	-----	-----	94.01	34.55	10.72	36.43	10.00	186	AVERAGE																																										



Mode	68																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.60</td><td>60.32</td><td>74.00</td><td>-13.68</td><td>41.33</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>100</td><td>186</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.60	60.32	74.00	-13.68	41.33	34.60	10.75	36.36	10.00	100	186	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.60	60.32	74.00	-13.68	41.33	34.60	10.75	36.36	10.00	100	186	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.00</td><td>49.00</td><td>54.00</td><td>-4.92</td><td>30.11</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>100</td><td>186</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	49.00	54.00	-4.92	30.11	34.59	10.75	36.37	10.00	100	186	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.00	49.00	54.00	-4.92	30.11	34.59	10.75	36.37	10.00	100	186	AVERAGE																																												



Mode	68																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.00</td><td>60.55</td><td>74.00</td><td>-13.45</td><td>42.28</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>300</td><td>66</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5126.00	60.55	74.00	-13.45	42.28	34.38	10.58	36.69	10.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																													
1	5126.00	60.55	74.00	-13.45	42.28	34.38	10.58	36.69	10.00	300	66	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>108.42</td><td>-----</td><td>-----</td><td>89.58</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>300</td><td>66</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5300.00	108.42	-----	-----	89.58	34.55	10.72	36.43	10.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																													
1	5300.00	108.42	-----	-----	89.58	34.55	10.72	36.43	10.00	300	66	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.20</td><td>48.42</td><td>54.00</td><td>-5.58</td><td>30.22</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>300</td><td>66</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5103.20	48.42	54.00	-5.58	30.22	34.36	10.56	36.72	10.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																													
1	5103.20	48.42	54.00	-5.58	30.22	34.36	10.56	36.72	10.00	300	66	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>99.03</td><td>-----</td><td>-----</td><td>80.19</td><td>34.55</td><td>10.72</td><td>36.43</td><td>10.00</td><td>300</td><td>66</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5300.00	99.03	-----	-----	80.19	34.55	10.72	36.43	10.00	300	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																													
1	5300.00	99.03	-----	-----	80.19	34.55	10.72	36.43	10.00	300	66	AVERAGE																																											







Mode	68																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5381.70</td><td>58.66</td><td>74.00</td><td>-15.34</td><td>39.61</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>300 66 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5381.70	58.66	74.00	-15.34	39.61	34.62	10.76	36.33	10.00	300 66 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5381.70	58.66	74.00	-15.34	39.61	34.62	10.76	36.33	10.00	300 66 PEAK																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5395.70</td><td>47.19</td><td>54.00</td><td>-6.81</td><td>28.09</td><td>34.64</td><td>10.77</td><td>36.31</td><td>10.00</td><td>300 66 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5395.70	47.19	54.00	-6.81	28.09	34.64	10.77	36.31	10.00	300 66 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	5395.70	47.19	54.00	-6.81	28.09	34.64	10.77	36.31	10.00	300 66 AVERAGE																																													







Mode	68																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full RU_5300MHz																																																																																																																																																																																																																																		
ANT	TXBF1S4T																																																																																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>10000.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>60.04</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.89</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg								1	10000.00	45.20	68.20	-23.00	60.04	37.20	15.12	67.16	0.00	---	---	---	---	---	---	---	---	PEAK	2	10600.00	44.33	74.00	-29.67	57.89	37.60	15.67	66.83	0.00	---	---	---	---	---	---	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="6"></th><th></th></tr><tr><td>1</td><td>8269.40</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>63.72</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>59.73</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>58.83</td><td>37.60</td><td>15.67</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg								1	8269.40	46.17	74.00	-27.83	63.72	36.10	13.65	67.30	0.00	---	---	---	---	---	---	---	---	Peak	2	10000.00	44.89	68.20	-23.31	59.73	37.20	15.12	67.16	0.00	---	---	---	---	---	---	---	---	PEAK	3	10600.00	45.27	74.00	-28.73	58.83	37.60	15.67	66.83	0.00	---	---	---	---	---	---	---	---	PEAK
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																							
1	10000.00	45.20	68.20	-23.00	60.04	37.20	15.12	67.16	0.00	---	---	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																	
2	10600.00	44.33	74.00	-29.67	57.89	37.60	15.67	66.83	0.00	---	---	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																	
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																							
1	8269.40	46.17	74.00	-27.83	63.72	36.10	13.65	67.30	0.00	---	---	---	---	---	---	---	---	Peak																																																																																																																																																																																																																	
2	10000.00	44.89	68.20	-23.31	59.73	37.20	15.12	67.16	0.00	---	---	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																	
3	10600.00	45.27	74.00	-28.73	58.83	37.60	15.67	66.83	0.00	---	---	---	---	---	---	---	---	PEAK																																																																																																																																																																																																																	





	69																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>64.07</td><td>74.00</td><td>-9.93</td><td>45.10</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>107</td><td>188</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	64.07	74.00	-9.93	45.10	34.59	10.75	36.37	10.00	107	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.50	64.07	74.00	-9.93	45.10	34.59	10.75	36.37	10.00	107	188	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>123.16</td><td>-----</td><td>-----</td><td>104.26</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>107</td><td>188</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	123.16	-----	-----	104.26	34.57	10.73	36.40	10.00	107	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	123.16	-----	-----	104.26	34.57	10.73	36.40	10.00	107	188	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>52.00</td><td>54.00</td><td>-1.92</td><td>33.11</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>107</td><td>188</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	52.00	54.00	-1.92	33.11	34.59	10.75	36.37	10.00	107	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.10	52.00	54.00	-1.92	33.11	34.59	10.75	36.37	10.00	107	188	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.88</td><td>-----</td><td>-----</td><td>93.98</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>107</td><td>188</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.88	-----	-----	93.98	34.57	10.73	36.40	10.00	107	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	112.88	-----	-----	93.98	34.57	10.73	36.40	10.00	107	188	AVERAGE																																											



Mode	69																																																																																															
	Band Edge																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.50</td><td>60.53</td><td>74.00</td><td>-13.47</td><td>41.50</td><td>34.61</td><td>10.76</td><td>36.34</td><td>10.00</td><td>301</td><td>332 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.50	60.53	74.00	-13.47	41.50	34.61	10.76	36.34	10.00	301	332 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.82</td><td>-----</td><td>-----</td><td>91.95</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>301</td><td>332 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.82	-----	-----	91.95	34.56	10.73	36.42	10.00	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5369.50	60.53	74.00	-13.47	41.50	34.61	10.76	36.34	10.00	301	332 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5320.00	110.82	-----	-----	91.95	34.56	10.73	36.42	10.00	301	332 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.70</td><td>47.17</td><td>54.00</td><td>-6.83</td><td>28.00</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>301</td><td>332 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.70	47.17	54.00	-6.83	28.00	34.63	10.77	36.31	10.00	301	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.13</td><td>-----</td><td>-----</td><td>83.26</td><td>34.56</td><td>10.73</td><td>36.42</td><td>10.00</td><td>301</td><td>332 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.13	-----	-----	83.26	34.56	10.73	36.42	10.00	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5393.70	47.17	54.00	-6.83	28.00	34.63	10.77	36.31	10.00	301	332 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5320.00	102.13	-----	-----	83.26	34.56	10.73	36.42	10.00	301	332 AVERAGE																																																																																					



		69																																																																																
Mode		Harmonic																																																																																
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full RU_5320MHz																																																																																
ANT		TXBF1S4T																																																																																
Pol.		Horizontal						Vertical																																																																										
Peak Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>58.66</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>57.03</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	43.82	68.20	-24.38	58.66	37.20	15.12	67.16	0.00	---	---	PEAK	2	10640.00	43.53	74.00	-30.47	57.03	37.60	15.71	66.81	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	10000.00	43.82	68.20	-24.38	58.66	37.20	15.12	67.16	0.00	---	---	PEAK																																																																						
2	10640.00	43.53	74.00	-30.47	57.03	37.60	15.71	66.81	0.00	---	---	PEAK																																																																						
																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8270.13</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>64.75</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>44.58</td><td>68.20</td><td>-23.62</td><td>59.42</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>57.74</td><td>37.60</td><td>15.71</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8270.13	47.20	74.00	-26.80	64.75	36.10	13.65	67.30	0.00	---	---	Peak	2	10000.00	44.58	68.20	-23.62	59.42	37.20	15.12	67.16	0.00	---	---	PEAK	3	10640.00	44.24	74.00	-29.76	57.74	37.60	15.71	66.81	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	8270.13	47.20	74.00	-26.80	64.75	36.10	13.65	67.30	0.00	---	---	Peak																																																																						
2	10000.00	44.58	68.20	-23.62	59.42	37.20	15.12	67.16	0.00	---	---	PEAK																																																																						
3	10640.00	44.24	74.00	-29.76	57.74	37.60	15.71	66.81	0.00	---	---	PEAK																																																																						