













Mode	70																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																	
ANT	TXBF1S4T																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.11</td><td>62.04</td><td>74.00</td><td>-11.96</td><td>43.84</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>145 193 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5106.11	62.04	74.00	-11.96	43.84	34.36	10.56	36.72	10.00	145 193 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>119.83</td><td>-----</td><td>-----</td><td>101.05</td><td>34.53</td><td>10.71</td><td>36.46</td><td>10.00</td><td>145 193 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	119.83	-----	-----	101.05	34.53	10.71	36.46	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5106.11	62.04	74.00	-11.96	43.84	34.36	10.56	36.72	10.00	145 193 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5270.00	119.83	-----	-----	101.05	34.53	10.71	36.46	10.00	145 193 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.27</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>32.00</td><td>34.39</td><td>10.59</td><td>36.67</td><td>10.00</td><td>145 193 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5135.27	50.39	54.00	-3.61	32.00	34.39	10.59	36.67	10.00	145 193 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>109.63</td><td>-----</td><td>-----</td><td>90.87</td><td>34.52</td><td>10.71</td><td>36.47</td><td>10.00</td><td>145 193 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	109.63	-----	-----	90.87	34.52	10.71	36.47	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5135.27	50.39	54.00	-3.61	32.00	34.39	10.59	36.67	10.00	145 193 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5270.00	109.63	-----	-----	90.87	34.52	10.71	36.47	10.00	145 193 AVERAGE																																																																																								



Mode	70																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5425.42</td><td>62.10</td><td>74.00</td><td>-11.90</td><td>42.90</td><td>34.66</td><td>10.80</td><td>36.26</td><td>10.00</td><td>145</td><td>193</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.42	62.10	74.00	-11.90	42.90	34.66	10.80	36.26	10.00	145	193	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5425.42	62.10	74.00	-11.90	42.90	34.66	10.80	36.26	10.00	145	193	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.03</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>31.34</td><td>34.65</td><td>10.78</td><td>36.29</td><td>10.00</td><td>145</td><td>193</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5410.03	50.48	54.00	-3.52	31.34	34.65	10.78	36.29	10.00	145	193	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5410.03	50.48	54.00	-3.52	31.34	34.65	10.78	36.29	10.00	145	193	AVERAGE																																												





Mode	70																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5063.45</td><td>61.54</td><td>74.00</td><td>-12.46</td><td>43.48</td><td>34.32</td><td>10.52</td><td>36.78</td><td>10.00</td><td>106</td><td>296</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5063.45	61.54	74.00	-12.46	43.48	34.32	10.52	36.78	10.00	106	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>109.95</td><td>-----</td><td>-----</td><td>91.27</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>106</td><td>296</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	109.95	-----	-----	91.27	34.50	10.69	36.51	10.00	106	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5063.45	61.54	74.00	-12.46	43.48	34.32	10.52	36.78	10.00	106	296	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	109.95	-----	-----	91.27	34.50	10.69	36.51	10.00	106	296	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.06</td><td>50.13</td><td>54.00</td><td>-3.87</td><td>31.93</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>106</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.06	50.13	54.00	-3.87	31.93	34.36	10.56	36.72	10.00	106	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>99.85</td><td>-----</td><td>-----</td><td>81.17</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>106</td><td>296</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	99.85	-----	-----	81.17	34.50	10.69	36.51	10.00	106	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.06	50.13	54.00	-3.87	31.93	34.36	10.56	36.72	10.00	106	296	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5270.00	99.85	-----	-----	81.17	34.50	10.69	36.51	10.00	106	296	AVERAGE																																																																																																			







Mode	70																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.05</td><td>60.95</td><td>74.00</td><td>-13.05</td><td>41.69</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>106</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.05	60.95	74.00	-13.05	41.69	34.68	10.82	36.24	10.00	106	296	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5448.05	60.95	74.00	-13.05	41.69	34.68	10.82	36.24	10.00	106	296	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.59</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>29.92</td><td>34.69</td><td>10.83</td><td>36.23</td><td>10.00</td><td>106</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.59	49.21	54.00	-4.79	29.92	34.69	10.83	36.23	10.00	106	296	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5452.59	49.21	54.00	-4.79	29.92	34.69	10.83	36.23	10.00	106	296	AVERAGE																																											



		70																																																																																									
Mode		Harmonic																																																																																									
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																									
ANT		TXBF1S4T																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>58.34</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>45.43</td><td>68.20</td><td>-22.77</td><td>59.13</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	43.50	68.20	-24.70	58.34	37.20	15.12	67.16	0.00	---	PEAK	2	10540.00	45.43	68.20	-22.77	59.13	37.54	15.62	66.86	0.00	---	PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10000.00	43.50	68.20	-24.70	58.34	37.20	15.12	67.16	0.00	---	PEAK																																																																																
2	10540.00	45.43	68.20	-22.77	59.13	37.54	15.62	66.86	0.00	---	PEAK																																																																																
																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>46.38</td><td>68.20</td><td>-21.82</td><td>63.67</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8269.40</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>63.44</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>44.93</td><td>68.20</td><td>-23.27</td><td>59.77</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10540.00</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>58.19</td><td>37.54</td><td>15.62</td><td>66.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7940.13	46.38	68.20	-21.82	63.67	36.40	13.30	66.99	0.00	---	Peak	2	8269.40	45.89	74.00	-28.11	63.44	36.10	13.65	67.30	0.00	---	Peak	3	10000.00	44.93	68.20	-23.27	59.77	37.20	15.12	67.16	0.00	---	PEAK	4	10540.00	44.49	68.20	-23.71	58.19	37.54	15.62	66.86	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	7940.13	46.38	68.20	-21.82	63.67	36.40	13.30	66.99	0.00	---	Peak																																																																																
2	8269.40	45.89	74.00	-28.11	63.44	36.10	13.65	67.30	0.00	---	Peak																																																																																
3	10000.00	44.93	68.20	-23.27	59.77	37.20	15.12	67.16	0.00	---	PEAK																																																																																
4	10540.00	44.49	68.20	-23.71	58.19	37.54	15.62	66.86	0.00	---	PEAK																																																																																







Mode	71																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.28</td><td>60.05</td><td>74.00</td><td>-13.95</td><td>41.78</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>187</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.28	60.05	74.00	-13.95	41.78	34.38	10.58	36.69	10.00	187	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>116.15</td><td>-----</td><td>-----</td><td>97.25</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>187</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	116.15	-----	-----	97.25	34.57	10.73	36.40	10.00	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5125.28	60.05	74.00	-13.95	41.78	34.38	10.58	36.69	10.00	187	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	116.15	-----	-----	97.25	34.57	10.73	36.40	10.00	187	PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.24</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>30.24</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>187</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.24	48.56	54.00	-5.44	30.24	34.39	10.60	36.67	10.00	187	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.46</td><td>-----</td><td>-----</td><td>86.56</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>187</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.46	-----	-----	86.56	34.57	10.73	36.40	10.00	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5138.24	48.56	54.00	-5.44	30.24	34.39	10.60	36.67	10.00	187	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	105.46	-----	-----	86.56	34.57	10.73	36.40	10.00	187	AVERAGE																																																																																					





Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.90</td><td>65.11</td><td>74.00</td><td>-8.89</td><td>46.14</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>108 187 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.90	65.11	74.00	-8.89	46.14	34.59	10.75	36.37	10.00	108 187 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.90	65.11	74.00	-8.89	46.14	34.59	10.75	36.37	10.00	108 187 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>53.18</td><td>54.00</td><td>-0.82</td><td>34.21</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>108 187 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	53.18	54.00	-0.82	34.21	34.59	10.75	36.37	10.00	108 187 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	53.18	54.00	-0.82	34.21	34.59	10.75	36.37	10.00	108 187 AVERAGE																																													





Mode	71																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.20</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>41.52</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>101</td><td>55 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.20	59.84	74.00	-14.16	41.52	34.39	10.60	36.67	10.00	101	55 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>102.44</td><td>-----</td><td>-----</td><td>83.54</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>101</td><td>55 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.44	-----	-----	83.54	34.57	10.73	36.40	10.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5139.20	59.84	74.00	-14.16	41.52	34.39	10.60	36.67	10.00	101	55 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	102.44	-----	-----	83.54	34.57	10.73	36.40	10.00	101	55 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.48</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>30.00</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>101</td><td>55 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.48	48.28	54.00	-5.72	30.00	34.36	10.56	36.72	10.00	101	55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>93.32</td><td>-----</td><td>-----</td><td>74.42</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>101</td><td>55 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.32	-----	-----	74.42	34.57	10.73	36.40	10.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5104.48	48.28	54.00	-5.72	30.00	34.36	10.56	36.72	10.00	101	55 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5310.00	93.32	-----	-----	74.42	34.57	10.73	36.40	10.00	101	55 AVERAGE																																																																																					







Mode	71																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.30</td><td>60.15</td><td>74.00</td><td>-13.85</td><td>41.18</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>101</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.30	60.15	74.00	-13.85	41.18	34.59	10.75	36.37	10.00	101	55	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.30	60.15	74.00	-13.85	41.18	34.59	10.75	36.37	10.00	101	55	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.10</td><td>47.11</td><td>54.00</td><td>-6.89</td><td>28.14</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>101</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	47.11	54.00	-6.89	28.14	34.59	10.75	36.37	10.00	101	55	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.10	47.11	54.00	-6.89	28.14	34.59	10.75	36.37	10.00	101	55	AVERAGE																																											



		71																																																																																								
Mode		Harmonic																																																																																								
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																								
ANT		TXBF1S4T																																																																																								
Pol.		Horizontal					Vertical																																																																																			
Peak Avg																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8270.13</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>62.13</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>42.97</td><td>68.20</td><td>-25.23</td><td>57.81</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>10620.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.36</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8270.13	44.58	74.00	-29.42	62.13	36.10	13.65	67.30	0.00	---	Peak	2	10000.00	42.97	68.20	-25.23	57.81	37.20	15.12	67.16	0.00	---	PEAK	3	10620.00	44.83	74.00	-29.17	58.36	37.60	15.69	66.82	0.00	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	8270.13	44.58	74.00	-29.42	62.13	36.10	13.65	67.30	0.00	---	Peak																																																																															
2	10000.00	42.97	68.20	-25.23	57.81	37.20	15.12	67.16	0.00	---	PEAK																																																																															
3	10620.00	44.83	74.00	-29.17	58.36	37.60	15.69	66.82	0.00	---	PEAK																																																																															
																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7940.13</td><td>45.78</td><td>68.20</td><td>-22.42</td><td>63.07</td><td>36.40</td><td>13.30</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8269.40</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>63.72</td><td>36.10</td><td>13.65</td><td>67.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10000.00</td><td>43.77</td><td>68.20</td><td>-24.43</td><td>58.61</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10620.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>57.56</td><td>37.60</td><td>15.69</td><td>66.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7940.13	45.78	68.20	-22.42	63.07	36.40	13.30	66.99	0.00	---	Peak	2	8269.40	46.17	74.00	-27.83	63.72	36.10	13.65	67.30	0.00	---	Peak	3	10000.00	43.77	68.20	-24.43	58.61	37.20	15.12	67.16	0.00	---	PEAK	4	10620.00	44.03	74.00	-29.97	57.56	37.60	15.69	66.82	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	7940.13	45.78	68.20	-22.42	63.07	36.40	13.30	66.99	0.00	---	Peak																																																																															
2	8269.40	46.17	74.00	-27.83	63.72	36.10	13.65	67.30	0.00	---	Peak																																																																															
3	10000.00	43.77	68.20	-24.43	58.61	37.20	15.12	67.16	0.00	---	PEAK																																																																															
4	10620.00	44.03	74.00	-29.97	57.56	37.60	15.69	66.82	0.00	---	PEAK																																																																															







Mode	72																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.32</td><td>59.85</td><td>74.00</td><td>-14.15</td><td>41.65</td><td>34.36</td><td>10.56</td><td>36.72</td><td>10.00</td><td>106</td><td>186</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.32	59.85	74.00	-14.15	41.65	34.36	10.56	36.72	10.00	106	186	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>112.53</td><td>-----</td><td>-----</td><td>93.81</td><td>34.51</td><td>10.70</td><td>36.49</td><td>10.00</td><td>106</td><td>186</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	112.53	-----	-----	93.81	34.51	10.70	36.49	10.00	106	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5104.32	59.85	74.00	-14.15	41.65	34.36	10.56	36.72	10.00	106	186	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	112.53	-----	-----	93.81	34.51	10.70	36.49	10.00	106	186	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.60</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>30.28</td><td>34.38</td><td>10.58</td><td>36.69</td><td>10.00</td><td>106</td><td>186</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.60	48.55	54.00	-5.45	30.28	34.38	10.58	36.69	10.00	106	186	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.85</td><td>-----</td><td>-----</td><td>82.95</td><td>34.57</td><td>10.73</td><td>36.40</td><td>10.00</td><td>106</td><td>186</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.85	-----	-----	82.95	34.57	10.73	36.40	10.00	106	186
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5125.60	48.55	54.00	-5.45	30.28	34.38	10.58	36.69	10.00	106	186	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	101.85	-----	-----	82.95	34.57	10.73	36.40	10.00	106	186	AVERAGE																																																																																																			



Mode	72																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.60</td><td>65.21</td><td>74.00</td><td>-8.79</td><td>46.22</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>106</td><td>186</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.60	65.21	74.00	-8.79	46.22	34.60	10.75	36.36	10.00	106	186	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.60	65.21	74.00	-8.79	46.22	34.60	10.75	36.36	10.00	106	186	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.00</td><td>52.99</td><td>54.00</td><td>-1.01</td><td>34.02</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>106</td><td>186</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.00	52.99	54.00	-1.01	34.02	34.59	10.75	36.37	10.00	106	186	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.00	52.99	54.00	-1.01	34.02	34.59	10.75	36.37	10.00	106	186	AVERAGE																																												





Mode	72																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																															
ANT	TXBF1S4T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5120.80</td><td>60.06</td><td>74.00</td><td>-13.94</td><td>41.80</td><td>34.38</td><td>10.58</td><td>36.70</td><td>10.00</td><td>101</td><td>295 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.80	60.06	74.00	-13.94	41.80	34.38	10.58	36.70	10.00	101	295 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.59</td><td>-----</td><td>-----</td><td>82.91</td><td>34.50</td><td>10.69</td><td>36.51</td><td>10.00</td><td>101</td><td>295 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.59	-----	-----	82.91	34.50	10.69	36.51	10.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5120.80	60.06	74.00	-13.94	41.80	34.38	10.58	36.70	10.00	101	295 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5290.00	101.59	-----	-----	82.91	34.50	10.69	36.51	10.00	101	295 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.52</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>29.93</td><td>34.38</td><td>10.58</td><td>36.70</td><td>10.00</td><td>101</td><td>295 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.52	48.19	54.00	-5.81	29.93	34.38	10.58	36.70	10.00	101	295 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.20</td><td>-----</td><td>-----</td><td>73.48</td><td>34.51</td><td>10.70</td><td>36.49</td><td>10.00</td><td>101</td><td>295 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.20	-----	-----	73.48	34.51	10.70	36.49	10.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5119.52	48.19	54.00	-5.81	29.93	34.38	10.58	36.70	10.00	101	295 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5290.00	92.20	-----	-----	73.48	34.51	10.70	36.49	10.00	101	295 AVERAGE																																																																																					







Mode	72										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz										
ANT	TXBF1S4T										
Pol.	Vertical										
Peak	Level (dBuV/m)										





		72																																																																					
Mode		Harmonic																																																																					
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																					
ANT		TXBF1S4T																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
																																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10580.00</td><td>44.18</td><td>68.20</td><td>-24.02</td><td>57.79</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10580.00	44.18	68.20	-24.02	57.79	37.58	15.65	66.84	0.00	---	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	10580.00	44.18	68.20	-24.02	57.79	37.58	15.65	66.84	0.00	---	---	PEAK																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>48.33</td><td>68.20</td><td>-19.87</td><td>63.17</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10580.00</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>58.25</td><td>37.58</td><td>15.65</td><td>66.84</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.33	48.33	68.20	-19.87	63.17	37.20	15.12	67.16	0.00	---	---	Peak	2	10580.00	44.64	68.20	-23.56	58.25	37.58	15.65	66.84	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	9999.33	48.33	68.20	-19.87	63.17	37.20	15.12	67.16	0.00	---	---	Peak																																																											
2	10580.00	44.64	68.20	-23.56	58.25	37.58	15.65	66.84	0.00	---	---	PEAK																																																											







Mode	73																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																														
ANT	TXBF1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5118.50</td><td>63.61</td><td>74.00</td><td>-10.39</td><td>45.36</td><td>34.37</td><td>10.58</td><td>36.70</td><td>10.00</td><td>122</td><td>190</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.50	63.61	74.00	-10.39	45.36	34.37	10.58	36.70	10.00	122	190	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>109.93</td><td>-----</td><td>-----</td><td>91.05</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>122</td><td>190</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	122	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5118.50	63.61	74.00	-10.39	45.36	34.37	10.58	36.70	10.00	122	190	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	109.93	-----	-----	91.05	34.56	10.73	36.41	10.00	122	190	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.75</td><td>51.88</td><td>54.00</td><td>-2.12</td><td>33.56</td><td>34.39</td><td>10.60</td><td>36.67</td><td>10.00</td><td>122</td><td>190</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.75	51.88	54.00	-2.12	33.56	34.39	10.60	36.67	10.00	122	190	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>99.45</td><td>-----</td><td>-----</td><td>80.57</td><td>34.56</td><td>10.73</td><td>36.41</td><td>10.00</td><td>122</td><td>190</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.45	-----	-----	80.57	34.56	10.73	36.41	10.00	122	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5138.75	51.88	54.00	-2.12	33.56	34.39	10.60	36.67	10.00	122	190	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5250.00	99.45	-----	-----	80.57	34.56	10.73	36.41	10.00	122	190	AVERAGE																																																																																																			





Mode	73																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.62</td><td>64.08</td><td>74.00</td><td>-9.92</td><td>45.09</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>122</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.62	64.08	74.00	-9.92	45.09	34.60	10.75	36.36	10.00	122	190	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5359.62	64.08	74.00	-9.92	45.09	34.60	10.75	36.36	10.00	122	190	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.68</td><td>52.83</td><td>54.00</td><td>-1.17</td><td>33.84</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>122</td><td>190</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.68	52.83	54.00	-1.17	33.84	34.60	10.75	36.36	10.00	122	190	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5356.68	52.83	54.00	-1.17	33.84	34.60	10.75	36.36	10.00	122	190	AVERAGE																																											





		73																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																									
ANT		TXBF1S4T																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5082.25	62.13	74.00	-11.87	44.00	34.34	10.54	36.75	10.00	295	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.32	-----	-----	79.87	34.43	10.64	36.62	10.00	100	295	PEAK				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5082.25	62.13	74.00	-11.87	44.00	34.34	10.54	36.75	10.00	295	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5250.00	98.32	-----	-----	79.87	34.43	10.64	36.62	10.00	100	295	PEAK																																																																															
Avg																																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5087.50	50.04	54.00	-3.96	31.90	34.34	10.54	36.74	10.00	295	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.10	-----	-----	70.68	34.42	10.63	36.63	10.00	100	295	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5087.50	50.04	54.00	-3.96	31.90	34.34	10.54	36.74	10.00	295	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5250.00	89.10	-----	-----	70.68	34.42	10.63	36.63	10.00	100	295	AVERAGE																																																																															



Mode	73																																														
	Band Edge - R																																														
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																														
ANT	TXBF1S4T																																														
Pol.	Vertical						Fundamental																																								
Peak							Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.75</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>41.32</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>295 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.75	60.62	74.00	-13.38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5454.75	60.62	74.00	-13.38	41.32	34.69	10.83	36.22	10.00	295 PEAK																																					
Avg							Blank																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.38</td><td>49.16</td><td>54.00</td><td>-4.84</td><td>29.86</td><td>34.69</td><td>10.83</td><td>36.22</td><td>10.00</td><td>295 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	49.16	54.00	-4.84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5455.38	49.16	54.00	-4.84	29.86	34.69	10.83	36.22	10.00	295 AVERAGE																																					



Mode	73																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Full_5250MHz																																																																																																																													
ANT	TXBF1S4T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>44.55</td><td>68.20</td><td>-23.65</td><td>59.06</td><td>37.30</td><td>15.26</td><td>67.07</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>44.89</td><td>68.20</td><td>-23.31</td><td>58.69</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	44.55	68.20	-23.65	59.06	37.30	15.26	67.07	0.00	300	360	PEAK	2	10500.00	44.89	68.20	-23.31	58.69	37.50	15.58	66.88	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>45.54</td><td>68.20</td><td>-22.66</td><td>59.46</td><td>37.45</td><td>15.54</td><td>66.91</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>10500.00</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>58.60</td><td>37.50</td><td>15.58</td><td>66.88</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	45.54	68.20	-22.66	59.46	37.45	15.54	66.91	0.00	100	360	PEAK	2	10500.00	44.80	68.20	-23.40	58.60	37.50	15.58	66.88	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10000.00	44.55	68.20	-23.65	59.06	37.30	15.26	67.07	0.00	300	360	PEAK																																																																																																																		
2	10500.00	44.89	68.20	-23.31	58.69	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	10000.00	45.54	68.20	-22.66	59.46	37.45	15.54	66.91	0.00	100	360	PEAK																																																																																																																		
2	10500.00	44.80	68.20	-23.40	58.60	37.50	15.58	66.88	0.00	---	---	PEAK																																																																																																																		



		74									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz										
ANT	TXBF1S4T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										





Horizontal																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5437.84</td><td>61.07</td><td>74.00</td><td>-12.93</td><td>41.83</td><td>34.68</td><td>10.81</td><td>36.25</td><td>10.00</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>60.99</td><td>68.20</td><td>-7.21</td><td>41.64</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5437.84	61.07	74.00	-12.93	41.83	34.68	10.81	36.25	10.00	303	PEAK	2	5468.72	60.99	68.20	-7.21	41.64	34.70	10.85	36.20	10.00	303	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5437.84	61.07	74.00	-12.93	41.83	34.68	10.81	36.25	10.00	303	PEAK																																																												
2	5468.72	60.99	68.20	-7.21	41.64	34.70	10.85	36.20	10.00	303	PEAK																																																												

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>122.16</td><td>-----</td><td>-----</td><td>102.72</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	122.16	-----	-----	102.72	34.73	10.88	36.17	10.00	303	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5500.00	122.16	-----	-----	102.72	34.73	10.88	36.17	10.00	303	PEAK																																																

Horizontal																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.12</td><td>48.79</td><td>54.00</td><td>-5.21</td><td>29.47</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.12	48.79	54.00	-5.21	29.47	34.70	10.84	36.22	10.00	303	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5459.12	48.79	54.00	-5.21	29.47	34.70	10.84	36.22	10.00	303	AVERAGE																																																

Fundamental																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>111.25</td><td>-----</td><td>-----</td><td>91.77</td><td>34.74</td><td>10.89</td><td>36.15</td><td>10.00</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	111.25	-----	-----	91.77	34.74	10.89	36.15	10.00	303	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	5500.00	111.25	-----	-----	91.77	34.74	10.89	36.15	10.00	303	AVERAGE																																																







	74																																																																																																																
Mode	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																																
ANT	TXBF1S4T																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>60.12</td><td>74.00</td><td>-13.88</td><td>40.80</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr><tr><td>2</td><td>5461.68</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>38.84</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	60.12	74.00	-13.88	40.80	34.70	10.84	36.22	10.00	272	0 PEAK	2	5461.68	58.17	68.20	-10.03	38.84	34.70	10.84	36.21	10.00	272	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.50</td><td>-----</td><td>-----</td><td>95.06</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.50	-----	-----	95.06	34.73	10.88	36.17	10.00	272	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.96	60.12	74.00	-13.88	40.80	34.70	10.84	36.22	10.00	272	0 PEAK																																																																																																						
2	5461.68	58.17	68.20	-10.03	38.84	34.70	10.84	36.21	10.00	272	0 PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	114.50	-----	-----	95.06	34.73	10.88	36.17	10.00	272	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.64</td><td>47.70</td><td>54.00</td><td>-6.30</td><td>28.43</td><td>34.68</td><td>10.82</td><td>36.23</td><td>10.00</td><td>272</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.64	47.70	54.00	-6.30	28.43	34.68	10.82	36.23	10.00	272	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.72</td><td>-----</td><td>-----</td><td>85.28</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>272</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.72	-----	-----	85.28	34.73	10.88	36.17	10.00	272	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5446.64	47.70	54.00	-6.30	28.43	34.68	10.82	36.23	10.00	272	0 AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	104.72	-----	-----	85.28	34.73	10.88	36.17	10.00	272	0 AVERAGE																																																																																																						




		74																																																																											
Mode		Harmonic																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																											
ANT		TXBF1S4T																																																																											
Pol.		Horizontal					Vertical																																																																						
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>60.51</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>58.10</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	45.67	68.20	-22.53	60.51	37.20	15.12	67.16	0.00	---	Peak	2	11000.00	45.43	74.00	-28.57	58.10	37.90	16.04	66.61	0.00	---	PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	9999.33	45.67	68.20	-22.53	60.51	37.20	15.12	67.16	0.00	---	Peak																																																																		
2	11000.00	45.43	74.00	-28.57	58.10	37.90	16.04	66.61	0.00	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8799.60</td><td>45.22</td><td>68.20</td><td>-22.98</td><td>62.24</td><td>36.20</td><td>14.14</td><td>67.36</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>51.71</td><td>68.20</td><td>-16.49</td><td>66.55</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11000.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>58.67</td><td>37.90</td><td>16.04</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8799.60	45.22	68.20	-22.98	62.24	36.20	14.14	67.36	0.00	---	Peak	2	9999.33	51.71	68.20	-16.49	66.55	37.20	15.12	67.16	0.00	---	Peak	3	11000.00	46.00	74.00	-28.00	58.67	37.90	16.04	66.61	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	8799.60	45.22	68.20	-22.98	62.24	36.20	14.14	67.36	0.00	---	Peak																																																																		
2	9999.33	51.71	68.20	-16.49	66.55	37.20	15.12	67.16	0.00	---	Peak																																																																		
3	11000.00	46.00	74.00	-28.00	58.67	37.90	16.04	66.61	0.00	---	PEAK																																																																		







Mode	75																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																																											
ANT	TXBF1S4T																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.68</td><td>59.73</td><td>74.00</td><td>-14.27</td><td>40.50</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>58.86</td><td>68.20</td><td>-9.34</td><td>39.51</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.68	59.73	74.00	-14.27	40.50	34.67	10.81	36.25	10.00	100	300	PEAK	2	5469.20	58.86	68.20	-9.34	39.51	34.70	10.85	36.20	10.00	100	300	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>121.97</td><td>-----</td><td>-----</td><td>102.23</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	121.97	-----	-----	102.23	34.81	10.98	36.05	10.00	100	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5433.68	59.73	74.00	-14.27	40.50	34.67	10.81	36.25	10.00	100	300	PEAK																																																																																																																
2	5469.20	58.86	68.20	-9.34	39.51	34.70	10.85	36.20	10.00	100	300	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5580.00	121.97	-----	-----	102.23	34.81	10.98	36.05	10.00	100	300	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.00</td><td>48.79</td><td>54.00</td><td>-5.21</td><td>29.56</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.00	48.79	54.00	-5.21	29.56	34.67	10.81	36.25	10.00	100	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>111.28</td><td>-----</td><td>-----</td><td>91.50</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	111.28	-----	-----	91.50	34.82	10.99	36.03	10.00	100	300	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5434.00	48.79	54.00	-5.21	29.56	34.67	10.81	36.25	10.00	100	300	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5580.00	111.28	-----	-----	91.50	34.82	10.99	36.03	10.00	100	300	AVERAGE																																																																																																																




Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.08</td><td>59.72</td><td>68.20</td><td>-8.48</td><td>40.88</td><td>34.95</td><td>11.18</td><td>37.29</td><td>10.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.08	59.72	68.20	-8.48	40.88	34.95	11.18	37.29	10.00	100	300	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.08	59.72	68.20	-8.48	40.88	34.95	11.18	37.29	10.00	100	300	PEAK																																												



Mode	75																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.32	59.38	74.00	-14.62	40.33	34.62	10.76	36.33	10.00	281	113	PEAK	2	5464.56	58.42	68.20	-9.78	39.08	34.70	10.85	36.21	10.00	281	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.53</td><td>-----</td><td>-----</td><td>87.79</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>281</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	107.53	-----	-----	87.79	34.81	10.98	36.05	10.00	281	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5378.32	59.38	74.00	-14.62	40.33	34.62	10.76	36.33	10.00	281	113	PEAK																																																																																									
2	5464.56	58.42	68.20	-9.78	39.08	34.70	10.85	36.21	10.00	281	113	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	107.53	-----	-----	87.79	34.81	10.98	36.05	10.00	281	113	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.40	47.55	54.00	-6.45	28.26	34.69	10.83	36.23	10.00	281	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>96.73</td><td>-----</td><td>-----</td><td>77.02</td><td>34.80</td><td>10.97</td><td>36.06</td><td>10.00</td><td>281</td><td>113</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	96.73	-----	-----	77.02	34.80	10.97	36.06	10.00	281	113	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5452.40	47.55	54.00	-6.45	28.26	34.69	10.83	36.23	10.00	281	113	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	96.73	-----	-----	77.02	34.80	10.97	36.06	10.00	281	113	AVERAGE																																																																																									






Mode	75																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.72</td><td>59.41</td><td>68.20</td><td>-8.79</td><td>40.67</td><td>34.95</td><td>11.19</td><td>37.40</td><td>10.00</td><td>281</td><td>113</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.72	59.41	68.20	-8.79	40.67	34.95	11.19	37.40	10.00	281	113	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.72	59.41	68.20	-8.79	40.67	34.95	11.19	37.40	10.00	281	113	PEAK																																												






Mode	75																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.52</td><td>68.20</td><td>-21.68</td><td>61.36</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>57.54</td><td>37.06</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.52	68.20	-21.68	61.36	37.20	15.12	67.16	0.00	---	Peak	2	11160.00	45.03	74.00	-28.97	57.54	37.06	16.15	66.52	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>52.10</td><td>68.20</td><td>-16.10</td><td>66.94</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11160.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>58.36</td><td>37.86</td><td>16.15</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	52.10	68.20	-16.10	66.94	37.20	15.12	67.16	0.00	---	Peak	2	11160.00	45.85	74.00	-28.15	58.36	37.86	16.15	66.52	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	46.52	68.20	-21.68	61.36	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11160.00	45.03	74.00	-28.97	57.54	37.06	16.15	66.52	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	52.10	68.20	-16.10	66.94	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11160.00	45.85	74.00	-28.15	58.36	37.86	16.15	66.52	0.00	---	PEAK																																																																																																															





Mode	76																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																																	
ANT	TXBF1S4T																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.00</td><td>64.70</td><td>68.20</td><td>-3.50</td><td>45.86</td><td>34.95</td><td>11.18</td><td>37.29</td><td>10.00</td><td></td><td>100</td><td>307 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5725.00	64.70	68.20	-3.50	45.86	34.95	11.18	37.29	10.00		100	307 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>119.72</td><td>-----</td><td>-----</td><td>100.60</td><td>34.93</td><td>11.15</td><td>36.96</td><td>10.00</td><td></td><td>100</td><td>307 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5700.00	119.72	-----	-----	100.60	34.93	11.15	36.96	10.00		100	307 PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																						
1	5725.00	64.70	68.20	-3.50	45.86	34.95	11.18	37.29	10.00		100	307 PEAK																																																																																																						
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																						
1	5700.00	119.72	-----	-----	100.60	34.93	11.15	36.96	10.00		100	307 PEAK																																																																																																						
Avg	Blank																																																																																																																	
							<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.64</td><td>-----</td><td>-----</td><td>91.61</td><td>34.93</td><td>11.16</td><td>37.06</td><td>10.00</td><td></td><td>100</td><td>307 AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg	1	5700.00	110.64	-----	-----	91.61	34.93	11.16	37.06	10.00		100	307 AVERAGE																																																			
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																						
1	5700.00	110.64	-----	-----	91.61	34.93	11.16	37.06	10.00		100	307 AVERAGE																																																																																																						







Mode	76																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																									
ANT	TXBF1S4T																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5743.56</td><td>59.70</td><td>68.20</td><td>-8.50</td><td>41.12</td><td>34.96</td><td>11.20</td><td>37.58</td><td>10.00</td><td>389</td><td>257</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.56	59.70	68.20	-8.50	41.12	34.96	11.20	37.58	10.00	389	257	PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.74</td><td>-----</td><td>-----</td><td>91.55</td><td>34.92</td><td>11.14</td><td>36.87</td><td>10.00</td><td>389</td><td>257</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.74	-----	-----	91.55	34.92	11.14	36.87	10.00	389	257	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5743.56	59.70	68.20	-8.50	41.12	34.96	11.20	37.58	10.00	389	257	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	110.74	-----	-----	91.55	34.92	11.14	36.87	10.00	389	257	PEAK																																																																														
Avg	Blank	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.17</td><td>-----</td><td>-----</td><td>82.98</td><td>34.92</td><td>11.14</td><td>36.87</td><td>10.00</td><td>389</td><td>257</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.17	-----	-----	82.98	34.92	11.14	36.87	10.00	389	257	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	102.17	-----	-----	82.98	34.92	11.14	36.87	10.00	389	257	AVERAGE																																																																														




Mode	76																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>60.54</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>56.96</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	45.70	68.20	-22.50	60.54	37.20	15.12	67.16	0.00	---	Peak	2	11400.00	44.87	74.00	-29.13	56.96	38.00	16.30	66.39	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>51.29</td><td>68.20</td><td>-16.91</td><td>66.13</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>57.22</td><td>38.00</td><td>16.30</td><td>66.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	51.29	68.20	-16.91	66.13	37.20	15.12	67.16	0.00	---	Peak	2	11400.00	45.13	74.00	-28.87	57.22	38.00	16.30	66.39	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	45.70	68.20	-22.50	60.54	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11400.00	44.87	74.00	-29.13	56.96	38.00	16.30	66.39	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	51.29	68.20	-16.91	66.13	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11400.00	45.13	74.00	-28.87	57.22	38.00	16.30	66.39	0.00	---	PEAK																																																																																																															



		77																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																															
ANT		TXBF1S4T																																																															
Pol.		Horizontal					Fundamental																																																										
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>42.76</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>66.42</td><td>68.20</td><td>-1.78</td><td>47.06</td><td>34.71</td><td>10.85</td><td>36.20</td><td>10.00</td><td>303</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	62.09	74.00	-11.91	42.76	34.70	10.84	36.21	10.00	303	PEAK	2	5469.52	66.42	68.20	-1.78	47.06	34.71	10.85	36.20	10.00	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.92	62.09	74.00	-11.91	42.76	34.70	10.84	36.21	10.00	303	PEAK																																																						
2	5469.52	66.42	68.20	-1.78	47.06	34.71	10.85	36.20	10.00	303	PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>31.45</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>303</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.78	54.00	-3.22	31.45	34.70	10.84	36.21	10.00	303	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.92	50.78	54.00	-3.22	31.45	34.70	10.84	36.21	10.00	303	AVERAGE																																																						
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>117.34</td><td>-----</td><td>-----</td><td>97.88</td><td>34.73</td><td>10.89</td><td>36.16</td><td>10.00</td><td>303</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	117.34	-----	-----	97.88	34.73	10.89	36.16	10.00	303	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	117.34	-----	-----	97.88	34.73	10.89	36.16	10.00	303	PEAK																																																						
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.64</td><td>-----</td><td>-----</td><td>87.08</td><td>34.76</td><td>10.92</td><td>36.12</td><td>10.00</td><td>303</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.64	-----	-----	87.08	34.76	10.92	36.12	10.00	303	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	106.64	-----	-----	87.08	34.76	10.92	36.12	10.00	303	AVERAGE																																																						




Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.20</td><td>60.01</td><td>68.20</td><td>-8.19</td><td>41.31</td><td>34.95</td><td>11.19</td><td>37.44</td><td>10.00</td><td>100</td><td>303</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.20	60.01	68.20	-8.19	41.31	34.95	11.19	37.44	10.00	100	303	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.20	60.01	68.20	-8.19	41.31	34.95	11.19	37.44	10.00	100	303	PEAK																																												





		77																																																															
Mode		Band Edge - L																																																															
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																															
ANT		TXBF1S4T																																																															
Pol.		Vertical					Fundamental																																																										
Peak																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.52</td><td>59.12</td><td>74.00</td><td>-14.88</td><td>39.96</td><td>34.65</td><td>10.79</td><td>36.28</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr><tr><td>2</td><td>5478.00</td><td>59.98</td><td>68.20</td><td>-8.22</td><td>40.62</td><td>34.71</td><td>10.85</td><td>36.20</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.52	59.12	74.00	-14.88	39.96	34.65	10.79	36.28	10.00	272	0 PEAK	2	5478.00	59.98	68.20	-8.22	40.62	34.71	10.85	36.20	10.00	272
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5413.52	59.12	74.00	-14.88	39.96	34.65	10.79	36.28	10.00	272	0 PEAK																																																						
2	5478.00	59.98	68.20	-8.22	40.62	34.71	10.85	36.20	10.00	272	0 PEAK																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>110.45</td><td>-----</td><td>-----</td><td>90.90</td><td>34.76</td><td>10.91</td><td>36.12</td><td>10.00</td><td>272</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	110.45	-----	-----	90.90	34.76	10.91	36.12	10.00	272	0 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	110.45	-----	-----	90.90	34.76	10.91	36.12	10.00	272	0 PEAK																																																						
Avg																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>28.41</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>272</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	47.74	54.00	-6.26	28.41	34.70	10.84	36.21	10.00	272	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.92	47.74	54.00	-6.26	28.41	34.70	10.84	36.21	10.00	272	0 AVERAGE																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.58</td><td>-----</td><td>-----</td><td>78.14</td><td>34.73</td><td>10.88</td><td>36.17</td><td>10.00</td><td>272</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.58	-----	-----	78.14	34.73	10.88	36.17	10.00	272	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5510.00	97.58	-----	-----	78.14	34.73	10.88	36.17	10.00	272	0 AVERAGE																																																						



Mode	77																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.12</td><td>59.09</td><td>68.20</td><td>-9.11</td><td>40.65</td><td>34.97</td><td>11.22</td><td>37.75</td><td>10.00</td><td>272</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.12	59.09	68.20	-9.11	40.65	34.97	11.22	37.75	10.00	272	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.12	59.09	68.20	-9.11	40.65	34.97	11.22	37.75	10.00	272	0	PEAK																																												




		77																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																												
ANT		TXBF1S4T																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.92</td><td>68.20</td><td>-21.28</td><td>61.76</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>58.05</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.92	68.20	-21.28	61.76	37.20	15.12	67.16	0.00	---	Peak	2	11020.00	45.39	74.00	-28.61	58.05	37.88	16.06	66.60	0.00	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	9999.33	46.92	68.20	-21.28	61.76	37.20	15.12	67.16	0.00	---	Peak																																																																			
2	11020.00	45.39	74.00	-28.61	58.05	37.88	16.06	66.60	0.00	---	PEAK																																																																			
																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8815.73</td><td>45.25</td><td>68.20</td><td>-22.95</td><td>62.27</td><td>36.17</td><td>14.16</td><td>67.35</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>65.06</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11020.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.81</td><td>37.88</td><td>16.06</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8815.73	45.25	68.20	-22.95	62.27	36.17	14.16	67.35	0.00	---	Peak	2	10000.00	51.02	68.20	-17.18	65.06	37.20	15.12	67.16	0.00	---	Peak	3	11020.00	45.15	74.00	-28.85	57.81	37.88	16.06	66.60	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	8815.73	45.25	68.20	-22.95	62.27	36.17	14.16	67.35	0.00	---	Peak																																																																			
2	10000.00	51.02	68.20	-17.18	65.06	37.20	15.12	67.16	0.00	---	Peak																																																																			
3	11020.00	45.15	74.00	-28.85	57.81	37.88	16.06	66.60	0.00	---	PEAK																																																																			







		78																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																		
ANT		TXBF1S4T																																																																																																		
Pol.	Horizontal										Fundamental																																																																																									
Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.80	60.44	74.00	-13.56	41.15	34.69	10.83	36.23	10.00	100	301	PEAK	2	5466.20	60.38	68.20	-7.82	41.04	34.70	10.85	36.21	10.00	100	301	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	118.92	-----	-----	99.29	34.78	10.94	36.09	10.00	100	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5449.80	60.44	74.00	-13.56	41.15	34.69	10.83	36.23	10.00	100	301	PEAK																																																																																								
2	5466.20	60.38	68.20	-7.82	41.04	34.70	10.85	36.21	10.00	100	301	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5550.00	118.92	-----	-----	99.29	34.78	10.94	36.09	10.00	100	301	PEAK																																																																																								
Avg																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	48.34	54.00	-5.66	29.03	34.69	10.84	36.22	10.00	100	301	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	108.54	-----	-----	88.98	34.76	10.92	36.12	10.00	100	301	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.20	48.34	54.00	-5.66	29.03	34.69	10.84	36.22	10.00	100	301	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5550.00	108.54	-----	-----	88.98	34.76	10.92	36.12	10.00	100	301	AVERAGE																																																																																								




Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.71</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>40.76</td><td>34.98</td><td>11.23</td><td>37.90</td><td>10.00</td><td>100</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.71	59.07	68.20	-9.13	40.76	34.98	11.23	37.90	10.00	100	301	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.71	59.07	68.20	-9.13	40.76	34.98	11.23	37.90	10.00	100	301	PEAK																																												



		78																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																			
ANT		TXBF1S4T																																																																																																			
Pol.	Vertical										Fundamental																																																																																										
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.60	59.62	74.00	-14.38	40.37	34.68	10.82	36.25	10.00	333	115	PEAK	2	5466.00	58.50	68.20	-9.70	39.16	34.70	10.85	36.21	10.00	333	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>109.34</td><td>-----</td><td>-----</td><td>89.64</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>333</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	109.34	-----	-----	89.64	34.80	10.96	36.06	10.00	333	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5438.60	59.62	74.00	-14.38	40.37	34.68	10.82	36.25	10.00	333	115	PEAK																																																																																									
2	5466.00	58.50	68.20	-9.70	39.16	34.70	10.85	36.21	10.00	333	115	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	109.34	-----	-----	89.64	34.80	10.96	36.06	10.00	333	115	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	47.45	54.00	-6.55	28.14	34.69	10.84	36.22	10.00	333	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>100.63</td><td>-----</td><td>-----</td><td>80.93</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>333</td><td>115</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	100.63	-----	-----	80.93	34.80	10.96	36.06	10.00	333	115	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.60	47.45	54.00	-6.55	28.14	34.69	10.84	36.22	10.00	333	115	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5550.00	100.63	-----	-----	80.93	34.80	10.96	36.06	10.00	333	115	AVERAGE																																																																																									







Mode	78																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.99</td><td>58.40</td><td>68.20</td><td>-9.80</td><td>39.75</td><td>34.96</td><td>11.20</td><td>37.51</td><td>10.00</td><td>333</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.99	58.40	68.20	-9.80	39.75	34.96	11.20	37.51	10.00	333	115	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.99	58.40	68.20	-9.80	39.75	34.96	11.20	37.51	10.00	333	115	PEAK																																												




Mode	78																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																	
ANT	TXBF1S4T																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>47.12</td><td>68.20</td><td>-21.08</td><td>61.96</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>57.73</td><td>37.00</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	47.12	68.20	-21.08	61.96	37.20	15.12	67.16	0.00	---	Peak	2	11100.00	45.09	74.00	-28.91	57.73	37.00	16.11	66.55	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	9999.33	47.12	68.20	-21.08	61.96	37.20	15.12	67.16	0.00	---	Peak																																																							
2	11100.00	45.09	74.00	-28.91	57.73	37.00	16.11	66.55	0.00	---	PEAK																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>52.21</td><td>68.20</td><td>-15.99</td><td>67.05</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>57.54</td><td>37.80</td><td>16.11</td><td>66.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	52.21	68.20	-15.99	67.05	37.20	15.12	67.16	0.00	---	Peak	2	11100.00	44.90	74.00	-29.10	57.54	37.80	16.11	66.55	0.00	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	9999.33	52.21	68.20	-15.99	67.05	37.20	15.12	67.16	0.00	---	Peak																																																							
2	11100.00	44.90	74.00	-29.10	57.54	37.80	16.11	66.55	0.00	---	PEAK																																																							







Mode	79																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.40</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>41.11</td><td>34.66</td><td>10.79</td><td>36.28</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>39.96</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5416.40	60.28	74.00	-13.72	41.11	34.66	10.79	36.28	10.00	101	304	PEAK	2	5469.04	59.31	68.20	-8.89	39.96	34.70	10.85	36.20	10.00	101	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>118.69</td><td>-----</td><td>-----</td><td>98.86</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	118.69	-----	-----	98.86	34.88	11.07	36.12	10.00	101	304	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5416.40	60.28	74.00	-13.72	41.11	34.66	10.79	36.28	10.00	101	304	PEAK																																																																																																				
2	5469.04	59.31	68.20	-8.89	39.96	34.70	10.85	36.20	10.00	101	304	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5670.00	118.69	-----	-----	98.86	34.88	11.07	36.12	10.00	101	304	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.32</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>29.92</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>101</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.32	48.89	54.00	-5.11	29.92	34.59	10.75	36.37	10.00	101	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>109.34</td><td>-----</td><td>-----</td><td>89.51</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>101</td><td>304</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	109.34	-----	-----	89.51	34.88	11.07	36.12	10.00	101	304	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5350.32	48.89	54.00	-5.11	29.92	34.59	10.75	36.37	10.00	101	304	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5670.00	109.34	-----	-----	89.51	34.88	11.07	36.12	10.00	101	304	AVERAGE																																																																																																				




Mode	79																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>61.44</td><td>68.20</td><td>-6.76</td><td>42.61</td><td>34.95</td><td>11.18</td><td>37.30</td><td>10.00</td><td>101</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	61.44	68.20	-6.76	42.61	34.95	11.18	37.30	10.00	101	304	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.40	61.44	68.20	-6.76	42.61	34.95	11.18	37.30	10.00	101	304	PEAK																																												





Mode	79																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.64</td><td>59.22</td><td>74.00</td><td>-14.78</td><td>40.13</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>241</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>40.73</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>241</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.64	59.22	74.00	-14.78	40.13	34.63	10.77	36.31	10.00	241	234	PEAK	2	5460.40	60.06	68.20	-8.14	40.73	34.70	10.84	36.21	10.00	241	234	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.61</td><td>-----</td><td>-----</td><td>87.78</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>241</td><td>234</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.61	-----	-----	87.78	34.88	11.07	36.12	10.00	241	234
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5394.64	59.22	74.00	-14.78	40.13	34.63	10.77	36.31	10.00	241	234	PEAK																																																																																																				
2	5460.40	60.06	68.20	-8.14	40.73	34.70	10.84	36.21	10.00	241	234	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.61	-----	-----	87.78	34.88	11.07	36.12	10.00	241	234	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5381.20</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>28.63</td><td>34.62</td><td>10.76</td><td>36.33</td><td>10.00</td><td>241</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.20	47.68	54.00	-6.32	28.63	34.62	10.76	36.33	10.00	241	234	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.75</td><td>-----</td><td>-----</td><td>77.92</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>241</td><td>234</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.75	-----	-----	77.92	34.88	11.07	36.12	10.00	241	234	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5381.20	47.68	54.00	-6.32	28.63	34.62	10.76	36.33	10.00	241	234	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	97.75	-----	-----	77.92	34.88	11.07	36.12	10.00	241	234	AVERAGE																																																																																																				







Mode	79																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.80</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>40.92</td><td>34.97</td><td>11.22</td><td>37.75</td><td>10.00</td><td>241</td><td>234</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.80	59.36	68.20	-8.84	40.92	34.97	11.22	37.75	10.00	241	234	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5753.80	59.36	68.20	-8.84	40.92	34.97	11.22	37.75	10.00	241	234	PEAK																																											




Mode	79																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>45.90</td><td>68.20</td><td>-22.30</td><td>60.74</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>57.36</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10000.00	45.90	68.20	-22.30	60.74	37.20	15.12	67.16	0.00	---	Peak	2	11340.00	45.14	74.00	-28.86	57.36	37.94	16.26	66.42	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>51.04</td><td>68.20</td><td>-17.16</td><td>65.08</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>56.09</td><td>37.94</td><td>16.26</td><td>66.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9999.33	51.04	68.20	-17.16	65.08	37.20	15.12	67.16	0.00	---	Peak	2	11340.00	44.67	74.00	-29.33	56.09	37.94	16.26	66.42	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	10000.00	45.90	68.20	-22.30	60.74	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11340.00	45.14	74.00	-28.86	57.36	37.94	16.26	66.42	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	9999.33	51.04	68.20	-17.16	65.08	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11340.00	44.67	74.00	-29.33	56.09	37.94	16.26	66.42	0.00	---	PEAK																																																																																																															







Mode	80																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																															
ANT	TXBF1S4T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>64.45</td><td>74.00</td><td>-9.55</td><td>45.13</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>104</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>65.93</td><td>68.20</td><td>-2.27</td><td>46.58</td><td>34.70</td><td>10.85</td><td>36.20</td><td>10.00</td><td>104</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	64.45	74.00	-9.55	45.13	34.70	10.84	36.22	10.00	104	307	PEAK	2	5469.04	65.93	68.20	-2.27	46.58	34.70	10.85	36.20	10.00	104	307	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>113.68</td><td>-----</td><td>-----</td><td>94.07</td><td>34.77</td><td>10.94</td><td>36.10</td><td>10.00</td><td>104</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	113.68	-----	-----	94.07	34.77	10.94	36.10	10.00	104	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	64.45	74.00	-9.55	45.13	34.70	10.84	36.22	10.00	104	307	PEAK																																																																																																				
2	5469.04	65.93	68.20	-2.27	46.58	34.70	10.85	36.20	10.00	104	307	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	113.68	-----	-----	94.07	34.77	10.94	36.10	10.00	104	307	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>52.63</td><td>54.00</td><td>-1.37</td><td>33.30</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>104</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	52.63	54.00	-1.37	33.30	34.70	10.84	36.21	10.00	104	307	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.51</td><td>-----</td><td>-----</td><td>82.90</td><td>34.77</td><td>10.94</td><td>36.10</td><td>10.00</td><td>104</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.51	-----	-----	82.90	34.77	10.94	36.10	10.00	104	307	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	52.63	54.00	-1.37	33.30	34.70	10.84	36.21	10.00	104	307	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	102.51	-----	-----	82.90	34.77	10.94	36.10	10.00	104	307	AVERAGE																																																																																																				




Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.28</td><td>60.84</td><td>68.20</td><td>-7.36</td><td>42.21</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>104</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.28	60.84	68.20	-7.36	42.21	34.96	11.20	37.53	10.00	104	307	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5740.28	60.84	68.20	-7.36	42.21	34.96	11.20	37.53	10.00	104	307	PEAK																																												





Mode	80																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																											
ANT	TXBF1S4T																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.60</td><td>61.24</td><td>74.00</td><td>-12.76</td><td>42.27</td><td>34.59</td><td>10.75</td><td>36.37</td><td>10.00</td><td>369</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>41.46</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>369</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.60	61.24	74.00	-12.76	42.27	34.59	10.75	36.37	10.00	369	330	PEAK	2	5463.92	60.79	68.20	-7.41	41.46	34.70	10.84	36.21	10.00	369	330	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>108.06</td><td>-----</td><td>-----</td><td>88.36</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>369</td><td>330</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	108.06	-----	-----	88.36	34.80	10.96	36.06	10.00	369	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5351.60	61.24	74.00	-12.76	42.27	34.59	10.75	36.37	10.00	369	330	PEAK																																																																																																																
2	5463.92	60.79	68.20	-7.41	41.46	34.70	10.84	36.21	10.00	369	330	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	108.06	-----	-----	88.36	34.80	10.96	36.06	10.00	369	330	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>49.31</td><td>54.00</td><td>-4.69</td><td>29.99</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>369</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	49.31	54.00	-4.69	29.99	34.70	10.84	36.22	10.00	369	330	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.14</td><td>-----</td><td>-----</td><td>77.44</td><td>34.80</td><td>10.96</td><td>36.06</td><td>10.00</td><td>369</td><td>330</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.14	-----	-----	77.44	34.80	10.96	36.06	10.00	369	330	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.96	49.31	54.00	-4.69	29.99	34.70	10.84	36.22	10.00	369	330	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5530.00	97.14	-----	-----	77.44	34.80	10.96	36.06	10.00	369	330	AVERAGE																																																																																																																







Mode	80																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.72</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>42.65</td><td>34.98</td><td>11.23</td><td>37.90</td><td>10.00</td><td>369</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.72	60.96	68.20	-7.24	42.65	34.98	11.23	37.90	10.00	369	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.72	60.96	68.20	-7.24	42.65	34.98	11.23	37.90	10.00	369	330	PEAK																																												



Mode	80																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>59.80</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.80</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	44.96	68.20	-23.24	59.80	37.20	15.12	67.16	0.00	---	Peak	2	11060.00	45.15	74.00	-28.85	57.80	37.84	16.08	66.57	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>50.80</td><td>68.20</td><td>-17.40</td><td>65.64</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>58.04</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	50.80	68.20	-17.40	65.64	37.20	15.12	67.16	0.00	---	Peak	2	11060.00	45.39	74.00	-28.61	58.04	37.84	16.08	66.57	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	44.96	68.20	-23.24	59.80	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11060.00	45.15	74.00	-28.85	57.80	37.84	16.08	66.57	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	50.80	68.20	-17.40	65.64	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11060.00	45.39	74.00	-28.61	58.04	37.84	16.08	66.57	0.00	---	PEAK																																																																																																															



Mode	81																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																											
ANT	TXBF1S4T																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.48</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>42.33</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>103</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>41.20</td><td>34.70</td><td>10.85</td><td>36.21</td><td>10.00</td><td>103</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.48	61.59	74.00	-12.41	42.33	34.68	10.82	36.24	10.00	103	303	PEAK	2	5466.80	60.54	68.20	-7.66	41.20	34.70	10.85	36.21	10.00	103	303	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>116.89</td><td>-----</td><td>-----</td><td>96.98</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>103</td><td>303</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	116.89	-----	-----	96.98	34.85	11.04	35.98	10.00	103	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5442.48	61.59	74.00	-12.41	42.33	34.68	10.82	36.24	10.00	103	303	PEAK																																																																																																																
2	5466.80	60.54	68.20	-7.66	41.20	34.70	10.85	36.21	10.00	103	303	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	116.89	-----	-----	96.98	34.85	11.04	35.98	10.00	103	303	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>30.53</td><td>34.69</td><td>10.84</td><td>36.22</td><td>10.00</td><td>103</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	49.84	54.00	-4.16	30.53	34.69	10.84	36.22	10.00	103	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.65</td><td>-----</td><td>-----</td><td>85.74</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>103</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.65	-----	-----	85.74	34.85	11.04	35.98	10.00	103	303	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.56	49.84	54.00	-4.16	30.53	34.69	10.84	36.22	10.00	103	303	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5610.00	105.65	-----	-----	85.74	34.85	11.04	35.98	10.00	103	303	AVERAGE																																																																																																																



Mode	81																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.28</td><td>62.03</td><td>68.20</td><td>-6.17</td><td>43.33</td><td>34.95</td><td>11.19</td><td>37.44</td><td>10.00</td><td>103</td><td>303</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.28	62.03	68.20	-6.17	43.33	34.95	11.19	37.44	10.00	103	303	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.28	62.03	68.20	-6.17	43.33	34.95	11.19	37.44	10.00	103	303	PEAK																																												





Mode	81																																																																							
	Band Edge - L																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																							
ANT	TXBF1S4T																																																																							
Pol.	Vertical						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5431.92</td><td>61.66</td><td>74.00</td><td>-12.34</td><td>42.43</td><td>34.67</td><td>10.81</td><td>36.25</td><td>10.00</td><td>341</td><td>89 PEAK</td></tr><tr><td>2</td><td>5461.36</td><td>60.63</td><td>68.20</td><td>-7.57</td><td>41.30</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>341</td><td>89 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5431.92	61.66	74.00	-12.34	42.43	34.67	10.81	36.25	10.00	341	89 PEAK	2	5461.36	60.63	68.20	-7.57	41.30	34.70	10.84	36.21	10.00	341	89 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5431.92	61.66	74.00	-12.34	42.43	34.67	10.81	36.25	10.00	341	89 PEAK																																																													
2	5461.36	60.63	68.20	-7.57	41.30	34.70	10.84	36.21	10.00	341	89 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5447.60</td><td>49.37</td><td>54.00</td><td>-4.63</td><td>30.09</td><td>34.68</td><td>10.83</td><td>36.23</td><td>10.00</td><td>341</td><td>89 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5447.60	49.37	54.00	-4.63	30.09	34.68	10.83	36.23	10.00	341	89 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5447.60	49.37	54.00	-4.63	30.09	34.68	10.83	36.23	10.00	341	89 AVERAGE																																																													
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>108.49</td><td>-----</td><td>-----</td><td>88.58</td><td>34.87</td><td>11.06</td><td>36.02</td><td>10.00</td><td>341</td><td>89 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	108.49	-----	-----	88.58	34.87	11.06	36.02	10.00	341	89 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5610.00	108.49	-----	-----	88.58	34.87	11.06	36.02	10.00	341	89 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>97.84</td><td>-----</td><td>-----</td><td>77.93</td><td>34.87</td><td>11.06</td><td>36.02</td><td>10.00</td><td>341</td><td>89 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	97.84	-----	-----	77.93	34.87	11.06	36.02	10.00	341	89 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5610.00	97.84	-----	-----	77.93	34.87	11.06	36.02	10.00	341	89 AVERAGE																																																													







Mode	81																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	TXBF1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5738.52</td><td>61.03</td><td>68.20</td><td>-7.17</td><td>42.39</td><td>34.96</td><td>11.19</td><td>37.51</td><td>10.00</td><td>341</td><td>89 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5738.52	61.03	68.20	-7.17	42.39	34.96	11.19	37.51	10.00	341	89 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5738.52	61.03	68.20	-7.17	42.39	34.96	11.19	37.51	10.00	341	89 PEAK																																												



Mode	81																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																								
ANT	TXBF1S4T																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.69</td><td>68.20</td><td>-21.51</td><td>61.53</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>57.45</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.69	68.20	-21.51	61.53	37.20	15.12	67.16	0.00	---	Peak	2	11220.00	45.05	74.00	-28.95	57.45	37.90	16.18	66.48	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>51.02</td><td>68.20</td><td>-17.18</td><td>65.06</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>57.33</td><td>37.90</td><td>16.18</td><td>66.48</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	51.02	68.20	-17.18	65.06	37.20	15.12	67.16	0.00	---	Peak	2	11220.00	44.93	74.00	-29.07	57.33	37.90	16.18	66.48	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	9999.33	46.69	68.20	-21.51	61.53	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11220.00	45.05	74.00	-28.95	57.45	37.90	16.18	66.48	0.00	---	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10000.00	51.02	68.20	-17.18	65.06	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11220.00	44.93	74.00	-29.07	57.33	37.90	16.18	66.48	0.00	---	PEAK																																																																																																														







Mode	82																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																									
ANT	TXBF1S4T																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.34</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>44.48</td><td>34.63</td><td>10.77</td><td>36.31</td><td>10.00</td><td>301 PEAK</td></tr><tr><td>2</td><td>5461.54</td><td>65.10</td><td>68.20</td><td>-3.10</td><td>45.77</td><td>34.70</td><td>10.84</td><td>36.21</td><td>10.00</td><td>301 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5393.34	63.57	74.00	-10.43	44.48	34.63	10.77	36.31	10.00	301 PEAK	2	5461.54	65.10	68.20	-3.10	45.77	34.70	10.84	36.21	10.00	301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>112.40</td><td>-----</td><td>-----</td><td>92.49</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>301 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	112.40	-----	-----	92.49	34.85	11.04	35.98	10.00	301 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5393.34	63.57	74.00	-10.43	44.48	34.63	10.77	36.31	10.00	301 PEAK																																																																																																
2	5461.54	65.10	68.20	-3.10	45.77	34.70	10.84	36.21	10.00	301 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5570.00	112.40	-----	-----	92.49	34.85	11.04	35.98	10.00	301 PEAK																																																																																																
Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.56</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>33.58</td><td>34.70</td><td>10.84</td><td>36.22</td><td>10.00</td><td>301 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.56	52.90	54.00	-1.10	33.58	34.70	10.84	36.22	10.00	301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.51</td><td>-----</td><td>-----</td><td>80.73</td><td>34.82</td><td>10.99</td><td>36.03</td><td>10.00</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	100.51	-----	-----	80.73	34.82	10.99	36.03	10.00	301 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5459.56	52.90	54.00	-1.10	33.58	34.70	10.84	36.22	10.00	301 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5570.00	100.51	-----	-----	80.73	34.82	10.99	36.03	10.00	301 AVERAGE																																																																																																




Mode	82																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																									
ANT	TXBF1S4T																																									
Pol.	Horizontal	Fundamental																																								
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5738.48</td><td>64.70</td><td>68.20</td><td>-3.50</td><td>46.06</td><td>34.96</td><td>11.19</td><td>37.51</td><td>10.00</td><td>100 301 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5738.48	64.70	68.20	-3.50	46.06	34.96	11.19	37.51	10.00	100 301 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5738.48	64.70	68.20	-3.50	46.06	34.96	11.19	37.51	10.00	100 301 PEAK																																	





Mode	82																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																																																				
ANT	TXBF1S4T																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5434.70	61.52	74.00	-12.48	42.29	34.67	10.81	36.25	10.00	333	89	PEAK	2	5465.28	62.45	68.20	-5.75	43.11	34.70	10.85	36.21	10.00	333	89	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>104.95</td><td>-----</td><td>-----</td><td>85.21</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>333</td><td>89</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.95	-----	-----	85.21	34.81	10.98	36.05	10.00	333	89
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5434.70	61.52	74.00	-12.48	42.29	34.67	10.81	36.25	10.00	333	89	PEAK																																																																																									
2	5465.28	62.45	68.20	-5.75	43.11	34.70	10.85	36.21	10.00	333	89	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	104.95	-----	-----	85.21	34.81	10.98	36.05	10.00	333	89	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.16	50.00	54.00	-3.92	30.78	34.69	10.83	36.22	10.00	333	89	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.00</td><td>-----</td><td>-----</td><td>74.06</td><td>34.81</td><td>10.98</td><td>36.05</td><td>10.00</td><td>333</td><td>89</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.00	-----	-----	74.06	34.81	10.98	36.05	10.00	333	89	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5455.16	50.00	54.00	-3.92	30.78	34.69	10.83	36.22	10.00	333	89	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	93.00	-----	-----	74.06	34.81	10.98	36.05	10.00	333	89	AVERAGE																																																																																									






Mode	82																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	TXBF1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.47</td><td>61.05</td><td>68.20</td><td>-7.15</td><td>42.62</td><td>34.97</td><td>11.22</td><td>37.76</td><td>10.00</td><td>333</td><td>89</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.47	61.05	68.20	-7.15	42.62	34.97	11.22	37.76	10.00	333	89	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.47	61.05	68.20	-7.15	42.62	34.97	11.22	37.76	10.00	333	89	PEAK																																												






		82																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Full_5570MHz																																																																												
ANT		TXBF1S4T																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>47.69</td><td>68.20</td><td>-20.51</td><td>62.53</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11140.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>57.82</td><td>37.04</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	47.69	68.20	-20.51	62.53	37.20	15.12	67.16	0.00	---	Peak	2	11140.00	45.26	74.00	-28.74	57.82	37.04	16.13	66.53	0.00	---	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	9999.33	47.69	68.20	-20.51	62.53	37.20	15.12	67.16	0.00	---	Peak																																																																			
2	11140.00	45.26	74.00	-28.74	57.82	37.04	16.13	66.53	0.00	---	PEAK																																																																			
																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8911.00</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>62.19</td><td>36.10</td><td>14.26</td><td>67.29</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>9999.33</td><td>52.37</td><td>68.20</td><td>-15.83</td><td>67.21</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11140.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>57.97</td><td>37.84</td><td>16.13</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8911.00	45.26	68.20	-22.94	62.19	36.10	14.26	67.29	0.00	---	Peak	2	9999.33	52.37	68.20	-15.83	67.21	37.20	15.12	67.16	0.00	---	Peak	3	11140.00	45.41	74.00	-28.59	57.97	37.84	16.13	66.53	0.00	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	8911.00	45.26	68.20	-22.94	62.19	36.10	14.26	67.29	0.00	---	Peak																																																																			
2	9999.33	52.37	68.20	-15.83	67.21	37.20	15.12	67.16	0.00	---	Peak																																																																			
3	11140.00	45.41	74.00	-28.59	57.97	37.84	16.13	66.53	0.00	---	PEAK																																																																			





Mode	86																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																								
ANT	TXBF1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>63.47</td><td>68.20</td><td>-4.73</td><td>43.56</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>304</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>59.78</td><td>68.50</td><td>-8.72</td><td>39.95</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>304</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>68.87</td><td>110.90</td><td>-42.03</td><td>49.98</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>304</td><td>PEAK</td></tr><tr><td>4</td><td>5720.20</td><td>68.87</td><td>111.36</td><td>-42.49</td><td>49.98</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>304</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.00	63.47	68.20	-4.73	43.56	34.85	11.04	35.98	10.00	304	PEAK	2	5650.40	59.78	68.50	-8.72	39.95	34.88	11.07	36.12	10.00	304	PEAK	3	5720.00	68.87	110.90	-42.03	49.98	34.94	11.17	37.22	10.00	304	PEAK	4	5720.20	68.87	111.36	-42.49	49.98	34.94	11.17	37.22	10.00	304	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>121.45</td><td>-----</td><td>-----</td><td>102.99</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>304</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	121.45	-----	-----	102.99	34.97	11.21	37.72	10.00	304	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5624.00	63.47	68.20	-4.73	43.56	34.85	11.04	35.98	10.00	304	PEAK																																																																																																																														
2	5650.40	59.78	68.50	-8.72	39.95	34.88	11.07	36.12	10.00	304	PEAK																																																																																																																														
3	5720.00	68.87	110.90	-42.03	49.98	34.94	11.17	37.22	10.00	304	PEAK																																																																																																																														
4	5720.20	68.87	111.36	-42.49	49.98	34.94	11.17	37.22	10.00	304	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	121.45	-----	-----	102.99	34.97	11.21	37.72	10.00	304	PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.00</td><td>53.40</td><td>54.00</td><td>-0.60</td><td>34.13</td><td>34.68</td><td>10.82</td><td>36.23</td><td>10.00</td><td>304</td><td>Average</td></tr><tr><td>2</td><td>5745.00</td><td>112.18</td><td>-----</td><td>-----</td><td>93.72</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>304</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.00	53.40	54.00	-0.60	34.13	34.68	10.82	36.23	10.00	304	Average	2	5745.00	112.18	-----	-----	93.72	34.97	11.21	37.72	10.00	304	AVERAGE																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5446.00	53.40	54.00	-0.60	34.13	34.68	10.82	36.23	10.00	304	Average																																																																																																																														
2	5745.00	112.18	-----	-----	93.72	34.97	11.21	37.72	10.00	304	AVERAGE																																																																																																																														






Mode	86																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																						
ANT	TXBF1S4T																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5681.20</td><td>61.47</td><td>68.20</td><td>-6.73</td><td>41.65</td><td>34.83</td><td>11.00</td><td>36.01</td><td>10.00</td><td>400 258 PEAK</td></tr><tr><td>2 5651.20</td><td>59.36</td><td>69.09</td><td>-9.73</td><td>39.55</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>400 258 PEAK</td></tr><tr><td>3 5718.00</td><td>66.10</td><td>110.56</td><td>-44.46</td><td>47.19</td><td>34.94</td><td>11.17</td><td>37.20</td><td>10.00</td><td>400 258 PEAK</td></tr><tr><td>4 5720.00</td><td>63.06</td><td>110.90</td><td>-47.84</td><td>44.17</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>400 258 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5681.20	61.47	68.20	-6.73	41.65	34.83	11.00	36.01	10.00	400 258 PEAK	2 5651.20	59.36	69.09	-9.73	39.55	34.88	11.07	36.14	10.00	400 258 PEAK	3 5718.00	66.10	110.56	-44.46	47.19	34.94	11.17	37.20	10.00	400 258 PEAK	4 5720.00	63.06	110.90	-47.84	44.17	34.94	11.17	37.22	10.00	400 258 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>113.77</td><td>-----</td><td>-----</td><td>95.06</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>400 258 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	113.77	-----	-----	95.06	34.95	11.19	37.43	10.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5681.20	61.47	68.20	-6.73	41.65	34.83	11.00	36.01	10.00	400 258 PEAK																																																																																																														
2 5651.20	59.36	69.09	-9.73	39.55	34.88	11.07	36.14	10.00	400 258 PEAK																																																																																																														
3 5718.00	66.10	110.56	-44.46	47.19	34.94	11.17	37.20	10.00	400 258 PEAK																																																																																																														
4 5720.00	63.06	110.90	-47.84	44.17	34.94	11.17	37.22	10.00	400 258 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	113.77	-----	-----	95.06	34.95	11.19	37.43	10.00	400 258 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.86</td><td>-----</td><td>-----</td><td>86.15</td><td>34.95</td><td>11.19</td><td>37.43</td><td>10.00</td><td>400 258 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	104.86	-----	-----	86.15	34.95	11.19	37.43	10.00	400 258 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	104.86	-----	-----	86.15	34.95	11.19	37.43	10.00	400 258 AVERAGE																																																																																																														




Mode	86																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>61.73</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>56.60</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.89	68.20	-21.31	61.73	37.20	15.12	67.16	0.00	---	Peak	2	11490.00	44.80	74.00	-29.20	56.60	38.18	16.36	66.34	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>51.87</td><td>68.20</td><td>-16.33</td><td>66.71</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>56.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	51.87	68.20	-16.33	66.71	37.20	15.12	67.16	0.00	---	Peak	2	11490.00	45.00	74.00	-29.00	56.00	38.18	16.36	66.34	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	46.89	68.20	-21.31	61.73	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11490.00	44.80	74.00	-29.20	56.60	38.18	16.36	66.34	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	51.87	68.20	-16.33	66.71	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11490.00	45.00	74.00	-29.00	56.00	38.18	16.36	66.34	0.00	---	PEAK																																																																																																															






Mode	87																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																			
ANT	TXBF1S4T																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5606.80</td><td>64.14</td><td>68.20</td><td>-4.06</td><td>44.31</td><td>34.83</td><td>11.01</td><td>36.01</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>62.13</td><td>69.39</td><td>-7.26</td><td>42.32</td><td>34.88</td><td>11.07</td><td>36.14</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>5782.40</td><td>62.73</td><td>105.97</td><td>-43.24</td><td>43.61</td><td>34.92</td><td>11.14</td><td>36.94</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>4</td><td>5728.40</td><td>60.18</td><td>111.81</td><td>-51.63</td><td>41.29</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5606.80	64.14	68.20	-4.06	44.31	34.83	11.01	36.01	10.00	370	320	PEAK	2	5651.60	62.13	69.39	-7.26	42.32	34.88	11.07	36.14	10.00	370	320	PEAK	3	5782.40	62.73	105.97	-43.24	43.61	34.92	11.14	36.94	10.00	370	320	PEAK	4	5728.40	60.18	111.81	-51.63	41.29	34.94	11.17	37.22	10.00	370	320	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																											
1	5606.80	64.14	68.20	-4.06	44.31	34.83	11.01	36.01	10.00	370	320	PEAK																																																																																								
2	5651.60	62.13	69.39	-7.26	42.32	34.88	11.07	36.14	10.00	370	320	PEAK																																																																																								
3	5782.40	62.73	105.97	-43.24	43.61	34.92	11.14	36.94	10.00	370	320	PEAK																																																																																								
4	5728.40	60.18	111.81	-51.63	41.29	34.94	11.17	37.22	10.00	370	320	PEAK																																																																																								
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>121.62</td><td>-----</td><td>-----</td><td>103.55</td><td>35.00</td><td>11.26</td><td>38.19</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5785.00	121.62	-----	-----	103.55	35.00	11.26	38.19	10.00	370	320	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																											
1	5785.00	121.62	-----	-----	103.55	35.00	11.26	38.19	10.00	370	320	PEAK																																																																																								
Blank																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.95</td><td>-----</td><td>-----</td><td>92.88</td><td>35.00</td><td>11.26</td><td>38.19</td><td>10.00</td><td>370</td><td>320</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5785.00	110.95	-----	-----	92.88	35.00	11.26	38.19	10.00	370	320	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																											
1	5785.00	110.95	-----	-----	92.88	35.00	11.26	38.19	10.00	370	320	AVERAGE																																																																																								




Mode	87																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>59.05</td><td>111.36</td><td>-52.31</td><td>41.97</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>61.99</td><td>105.36</td><td>-43.37</td><td>44.85</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>61.75</td><td>68.94</td><td>-7.19</td><td>44.44</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr><tr><td>4</td><td>5958.00</td><td>62.01</td><td>68.20</td><td>-6.19</td><td>44.57</td><td>35.17</td><td>11.43</td><td>39.16</td><td>10.00</td><td>370</td><td>320</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	59.05	111.36	-52.31	41.97	35.07	11.34	39.33	10.00	370	320	PEAK	2	5874.00	61.99	105.36	-43.37	44.85	35.09	11.35	39.30	10.00	370	320	PEAK	3	5924.00	61.75	68.94	-7.19	44.44	35.13	11.40	39.22	10.00	370	320	PEAK	4	5958.00	62.01	68.20	-6.19	44.57	35.17	11.43	39.16	10.00	370	320	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	59.05	111.36	-52.31	41.97	35.07	11.34	39.33	10.00	370	320	PEAK																																																																									
2	5874.00	61.99	105.36	-43.37	44.85	35.09	11.35	39.30	10.00	370	320	PEAK																																																																									
3	5924.00	61.75	68.94	-7.19	44.44	35.13	11.40	39.22	10.00	370	320	PEAK																																																																									
4	5958.00	62.01	68.20	-6.19	44.57	35.17	11.43	39.16	10.00	370	320	PEAK																																																																									



Mode	87																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>64.47</td><td>68.20</td><td>-3.73</td><td>44.56</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>62.02</td><td>68.50</td><td>-6.48</td><td>42.19</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>62.91</td><td>105.52</td><td>-42.61</td><td>43.76</td><td>34.92</td><td>11.14</td><td>36.91</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.88</td><td>110.90</td><td>-51.02</td><td>40.99</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.40	64.47	68.20	-3.73	44.56	34.85	11.04	35.98	10.00	300	116	PEAK	2	5650.40	62.02	68.50	-6.48	42.19	34.88	11.07	36.12	10.00	300	116	PEAK	3	5700.80	62.91	105.52	-42.61	43.76	34.92	11.14	36.91	10.00	300	116	PEAK	4	5720.00	59.88	110.90	-51.02	40.99	34.94	11.17	37.22	10.00	300	116	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>125.94</td><td>-----</td><td>-----</td><td>107.79</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	125.94	-----	-----	107.79	34.99	11.25	38.09	10.00	300	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5624.40	64.47	68.20	-3.73	44.56	34.85	11.04	35.98	10.00	300	116	PEAK																																																																																																																														
2	5650.40	62.02	68.50	-6.48	42.19	34.88	11.07	36.12	10.00	300	116	PEAK																																																																																																																														
3	5700.80	62.91	105.52	-42.61	43.76	34.92	11.14	36.91	10.00	300	116	PEAK																																																																																																																														
4	5720.00	59.88	110.90	-51.02	40.99	34.94	11.17	37.22	10.00	300	116	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	125.94	-----	-----	107.79	34.99	11.25	38.09	10.00	300	116	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>113.34</td><td>-----</td><td>-----</td><td>95.19</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>116</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	113.34	-----	-----	95.19	34.99	11.25	38.09	10.00	300	116	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	113.34	-----	-----	95.19	34.99	11.25	38.09	10.00	300	116	AVERAGE																																																																																																																														






Mode	87																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																														
ANT	TXBF1S4T																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.03</td><td>111.36</td><td>-52.33</td><td>41.95</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>59.37</td><td>105.36</td><td>-45.99</td><td>42.23</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>60.78</td><td>69.23</td><td>-8.45</td><td>43.47</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5964.40</td><td>60.93</td><td>68.20</td><td>-7.27</td><td>43.47</td><td>35.17</td><td>11.44</td><td>39.15</td><td>10.00</td><td>300</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.03	111.36	-52.33	41.95	35.07	11.34	39.33	10.00	300	116	PEAK	2	5874.80	59.37	105.36	-45.99	42.23	35.09	11.35	39.30	10.00	300	116	PEAK	3	5923.60	60.78	69.23	-8.45	43.47	35.13	11.40	39.22	10.00	300	116	PEAK	4	5964.40	60.93	68.20	-7.27	43.47	35.17	11.44	39.15	10.00	300	116	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	59.03	111.36	-52.33	41.95	35.07	11.34	39.33	10.00	300	116	PEAK																																																																																			
2	5874.80	59.37	105.36	-45.99	42.23	35.09	11.35	39.30	10.00	300	116	PEAK																																																																																			
3	5923.60	60.78	69.23	-8.45	43.47	35.13	11.40	39.22	10.00	300	116	PEAK																																																																																			
4	5964.40	60.93	68.20	-7.27	43.47	35.17	11.44	39.15	10.00	300	116	PEAK																																																																																			






Mode	87																																																																																								
	Harmonic																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																								
ANT	TXBF1S4T																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>9999.33</td><td>47.14</td><td>68.20</td><td>-21.06</td><td>61.98</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>56.97</td><td>74.00</td><td>-17.03</td><td>68.69</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>200</td><td>276</td><td>PEAK</td></tr><tr><td>3</td><td>11570.00</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>58.49</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>200</td><td>276</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	9999.33	47.14	68.20	-21.06	61.98	37.20	15.12	67.16	0.00	---	---	Peak	2	11570.00	56.97	74.00	-17.03	68.69	38.20	16.41	66.33	0.00	200	276	PEAK	3	11570.00	46.77	54.00	-7.23	58.49	38.20	16.41	66.33	0.00	200	276	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	9999.33	47.14	68.20	-21.06	61.98	37.20	15.12	67.16	0.00	---	---	Peak																																																																													
2	11570.00	56.97	74.00	-17.03	68.69	38.20	16.41	66.33	0.00	200	276	PEAK																																																																													
3	11570.00	46.77	54.00	-7.23	58.49	38.20	16.41	66.33	0.00	200	276	AVERAGE																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10000.00</td><td>50.59</td><td>68.20</td><td>-17.61</td><td>65.43</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>57.51</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10000.00	50.59	68.20	-17.61	65.43	37.20	15.12	67.16	0.00	---	---	Peak	2	11570.00	45.79	74.00	-28.21	57.51	38.20	16.41	66.33	0.00	---	---	PEAK														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	10000.00	50.59	68.20	-17.61	65.43	37.20	15.12	67.16	0.00	---	---	Peak																																																																													
2	11570.00	45.79	74.00	-28.21	57.51	38.20	16.41	66.33	0.00	---	---	PEAK																																																																													





Mode	88																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																			
ANT	TXBF1S4T																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5850.00</td><td>93.69</td><td>122.30</td><td>-28.61</td><td>76.55</td><td>35.06</td><td>11.33</td><td>39.25</td><td>10.00</td><td>210</td><td>259 PEAK</td></tr><tr><td>2 5855.60</td><td>77.62</td><td>110.73</td><td>-33.11</td><td>60.54</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>210</td><td>259 PEAK</td></tr><tr><td>3 5924.40</td><td>59.86</td><td>68.64</td><td>-8.78</td><td>42.55</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>210</td><td>259 PEAK</td></tr><tr><td>4 5940.40</td><td>61.16</td><td>68.20</td><td>-7.04</td><td>43.78</td><td>35.15</td><td>11.42</td><td>39.19</td><td>10.00</td><td>210</td><td>259 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5850.00	93.69	122.30	-28.61	76.55	35.06	11.33	39.25	10.00	210	259 PEAK	2 5855.60	77.62	110.73	-33.11	60.54	35.07	11.34	39.33	10.00	210	259 PEAK	3 5924.40	59.86	68.64	-8.78	42.55	35.13	11.40	39.22	10.00	210	259 PEAK	4 5940.40	61.16	68.20	-7.04	43.78	35.15	11.42	39.19	10.00	210	259 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>126.03</td><td>-----</td><td>-----</td><td>108.53</td><td>35.04</td><td>11.31</td><td>38.85</td><td>10.00</td><td>210</td><td>259 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	126.03	-----	-----	108.53	35.04	11.31	38.85	10.00	210	259 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5850.00	93.69	122.30	-28.61	76.55	35.06	11.33	39.25	10.00	210	259 PEAK																																																																																																																										
2 5855.60	77.62	110.73	-33.11	60.54	35.07	11.34	39.33	10.00	210	259 PEAK																																																																																																																										
3 5924.40	59.86	68.64	-8.78	42.55	35.13	11.40	39.22	10.00	210	259 PEAK																																																																																																																										
4 5940.40	61.16	68.20	-7.04	43.78	35.15	11.42	39.19	10.00	210	259 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	126.03	-----	-----	108.53	35.04	11.31	38.85	10.00	210	259 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5356.00</td><td>53.15</td><td>54.00</td><td>-0.85</td><td>34.16</td><td>34.60</td><td>10.75</td><td>36.36</td><td>10.00</td><td>210</td><td>259 Average</td></tr><tr><td>2 5825.00</td><td>115.95</td><td>-----</td><td>-----</td><td>98.37</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>210</td><td>259 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.00	53.15	54.00	-0.85	34.16	34.60	10.75	36.36	10.00	210	259 Average	2 5825.00	115.95	-----	-----	98.37	35.03	11.30	38.75	10.00	210	259 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5356.00	53.15	54.00	-0.85	34.16	34.60	10.75	36.36	10.00	210	259 Average																																																																																																																										
2 5825.00	115.95	-----	-----	98.37	35.03	11.30	38.75	10.00	210	259 AVERAGE																																																																																																																										







Mode	88																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																		
ANT	TXBF1S4T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5851.60</td><td>77.60</td><td>118.65</td><td>-41.05</td><td>60.48</td><td>35.07</td><td>11.33</td><td>39.28</td><td>10.00</td><td>246</td><td>0 PEAK</td></tr><tr><td>2 5857.60</td><td>66.33</td><td>110.17</td><td>-43.84</td><td>49.25</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>246</td><td>0 PEAK</td></tr><tr><td>3 5924.80</td><td>59.44</td><td>68.35</td><td>-8.91</td><td>42.13</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>246</td><td>0 PEAK</td></tr><tr><td>4 5933.60</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>45.05</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>246</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5851.60	77.60	118.65	-41.05	60.48	35.07	11.33	39.28	10.00	246	0 PEAK	2 5857.60	66.33	110.17	-43.84	49.25	35.07	11.34	39.33	10.00	246	0 PEAK	3 5924.80	59.44	68.35	-8.91	42.13	35.13	11.40	39.22	10.00	246	0 PEAK	4 5933.60	62.40	68.20	-5.80	45.05	35.14	11.41	39.20	10.00	246	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>114.53</td><td>-----</td><td>-----</td><td>96.95</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>246</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	114.53	-----	-----	96.95	35.03	11.30	38.75	10.00	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5851.60	77.60	118.65	-41.05	60.48	35.07	11.33	39.28	10.00	246	0 PEAK																																																																																																																									
2 5857.60	66.33	110.17	-43.84	49.25	35.07	11.34	39.33	10.00	246	0 PEAK																																																																																																																									
3 5924.80	59.44	68.35	-8.91	42.13	35.13	11.40	39.22	10.00	246	0 PEAK																																																																																																																									
4 5933.60	62.40	68.20	-5.80	45.05	35.14	11.41	39.20	10.00	246	0 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	114.53	-----	-----	96.95	35.03	11.30	38.75	10.00	246	0 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.06</td><td>-----</td><td>-----</td><td>86.48</td><td>35.03</td><td>11.30</td><td>38.75</td><td>10.00</td><td>246</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.06	-----	-----	86.48	35.03	11.30	38.75	10.00	246	0 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	104.06	-----	-----	86.48	35.03	11.30	38.75	10.00	246	0 AVERAGE																																																																																																																									




Mode	88																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																																																																
ANT	TXBF1S4T																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>47.80</td><td>68.20</td><td>-20.40</td><td>62.64</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>62.72</td><td>74.00</td><td>-11.28</td><td>74.34</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>130</td><td>264</td><td>PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>63.73</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>130</td><td>264</td><td>AVERAGE</td></tr><tr><td>4</td><td>17480.00</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>58.92</td><td>41.18</td><td>20.32</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10000.00	47.80	68.20	-20.40	62.64	37.20	15.12	67.16	0.00	---	---	Peak	2	11650.00	62.72	74.00	-11.28	74.34	38.25	16.46	66.33	0.00	130	264	PEAK	3	11650.00	52.11	54.00	-1.89	63.73	38.25	16.46	66.33	0.00	130	264	AVERAGE	4	17480.00	55.91	68.20	-12.29	58.92	41.18	20.32	64.51	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9319.53</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>62.01</td><td>36.50</td><td>14.60</td><td>67.11</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10000.00</td><td>50.40</td><td>68.20</td><td>-17.80</td><td>65.24</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11650.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.28</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17469.80</td><td>50.87</td><td>68.20</td><td>-17.33</td><td>53.89</td><td>41.17</td><td>20.31</td><td>64.50</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9319.53	46.00	74.00	-28.00	62.01	36.50	14.60	67.11	0.00	---	---	Peak	2	10000.00	50.40	68.20	-17.80	65.24	37.20	15.12	67.16	0.00	---	---	Peak	3	11650.00	45.66	74.00	-28.34	57.28	38.25	16.46	66.33	0.00	---	---	PEAK	4	17469.80	50.87	68.20	-17.33	53.89	41.17	20.31	64.50	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10000.00	47.80	68.20	-20.40	62.64	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																					
2	11650.00	62.72	74.00	-11.28	74.34	38.25	16.46	66.33	0.00	130	264	PEAK																																																																																																																																																																					
3	11650.00	52.11	54.00	-1.89	63.73	38.25	16.46	66.33	0.00	130	264	AVERAGE																																																																																																																																																																					
4	17480.00	55.91	68.20	-12.29	58.92	41.18	20.32	64.51	0.00	---	---	Peak																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	9319.53	46.00	74.00	-28.00	62.01	36.50	14.60	67.11	0.00	---	---	Peak																																																																																																																																																																					
2	10000.00	50.40	68.20	-17.80	65.24	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																																					
3	11650.00	45.66	74.00	-28.34	57.28	38.25	16.46	66.33	0.00	---	---	PEAK																																																																																																																																																																					
4	17469.80	50.87	68.20	-17.33	53.89	41.17	20.31	64.50	0.00	---	---	Peak																																																																																																																																																																					






Mode	89																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																											
ANT	TXBF1S4T																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.23</td><td>64.49</td><td>68.20</td><td>-3.71</td><td>44.54</td><td>34.87</td><td>11.06</td><td>35.98</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>63.80</td><td>68.59</td><td>-4.79</td><td>43.98</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>91.66</td><td>110.67</td><td>-19.01</td><td>72.75</td><td>34.94</td><td>11.17</td><td>37.20</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>90.94</td><td>111.89</td><td>-20.95</td><td>72.05</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.23	64.49	68.20	-3.71	44.54	34.87	11.06	35.98	10.00	105	305	PEAK	2	5650.53	63.80	68.59	-4.79	43.98	34.88	11.07	36.13	10.00	105	305	PEAK	3	5719.20	91.66	110.67	-19.01	72.75	34.94	11.17	37.20	10.00	105	305	PEAK	4	5720.44	90.94	111.89	-20.95	72.05	34.94	11.17	37.22	10.00	105	305	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>122.90</td><td>-----</td><td>-----</td><td>104.34</td><td>34.97</td><td>11.21</td><td>37.62</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	122.90	-----	-----	104.34	34.97	11.21	37.62	10.00	105	305	PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5641.23	64.49	68.20	-3.71	44.54	34.87	11.06	35.98	10.00	105	305	PEAK																																																																																																																																
2	5650.53	63.80	68.59	-4.79	43.98	34.88	11.07	36.13	10.00	105	305	PEAK																																																																																																																																
3	5719.20	91.66	110.67	-19.01	72.75	34.94	11.17	37.20	10.00	105	305	PEAK																																																																																																																																
4	5720.44	90.94	111.89	-20.95	72.05	34.94	11.17	37.22	10.00	105	305	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5755.00	122.90	-----	-----	104.34	34.97	11.21	37.62	10.00	105	305	PEAK																																																																																																																																
Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr><tr><td>1</td><td>5440.00</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>32.80</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>105</td><td>305</td><td>Average</td><td>0.00</td></tr><tr><td>2</td><td>5755.00</td><td>113.50</td><td>-----</td><td>-----</td><td>94.94</td><td>34.97</td><td>11.21</td><td>37.62</td><td>10.00</td><td>105</td><td>305</td><td>AVERAGE</td><td>0.00</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB	1	5440.00	52.06	54.00	-1.94	32.80	34.68	10.82	36.24	10.00	105	305	Average	0.00	2	5755.00	113.50	-----	-----	94.94	34.97	11.21	37.62	10.00	105	305	AVERAGE	0.00	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th><th>Aux6</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>dB</th></tr><tr><td>1</td><td>5440.00</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>32.80</td><td>34.68</td><td>10.82</td><td>36.24</td><td>10.00</td><td>105</td><td>305</td><td>Average</td><td>0.00</td></tr><tr><td>2</td><td>5755.00</td><td>113.50</td><td>-----</td><td>-----</td><td>94.94</td><td>34.97</td><td>11.21</td><td>37.62</td><td>10.00</td><td>105</td><td>305</td><td>AVERAGE</td><td>0.00</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB	1	5440.00	52.06	54.00	-1.94	32.80	34.68	10.82	36.24	10.00	105	305	Average	0.00	2	5755.00	113.50	-----	-----	94.94	34.97	11.21	37.62	10.00	105	305	AVERAGE	0.00
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB																																																																																																																																	
1	5440.00	52.06	54.00	-1.94	32.80	34.68	10.82	36.24	10.00	105	305	Average	0.00																																																																																																																															
2	5755.00	113.50	-----	-----	94.94	34.97	11.21	37.62	10.00	105	305	AVERAGE	0.00																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Aux6																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	dB																																																																																																																																	
1	5440.00	52.06	54.00	-1.94	32.80	34.68	10.82	36.24	10.00	105	305	Average	0.00																																																																																																																															
2	5755.00	113.50	-----	-----	94.94	34.97	11.21	37.62	10.00	105	305	AVERAGE	0.00																																																																																																																															
Blank																																																																																																																																												




Mode	89																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																														
ANT	TXBF1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.06</td><td>60.22</td><td>113.04</td><td>-52.82</td><td>43.14</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5866.54</td><td>61.49</td><td>107.67</td><td>-46.18</td><td>44.37</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>60.08</td><td>68.89</td><td>-8.81</td><td>42.77</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>5943.37</td><td>60.28</td><td>68.20</td><td>-7.92</td><td>42.89</td><td>35.15</td><td>11.42</td><td>39.18</td><td>10.00</td><td>105</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.06	60.22	113.04	-52.82	43.14	35.07	11.33	39.32	10.00	105	305	PEAK	2	5866.54	61.49	107.67	-46.18	44.37	35.08	11.35	39.31	10.00	105	305	PEAK	3	5924.07	60.08	68.89	-8.81	42.77	35.13	11.40	39.22	10.00	105	305	PEAK	4	5943.37	60.28	68.20	-7.92	42.89	35.15	11.42	39.18	10.00	105	305	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.06	60.22	113.04	-52.82	43.14	35.07	11.33	39.32	10.00	105	305	PEAK																																																																																			
2	5866.54	61.49	107.67	-46.18	44.37	35.08	11.35	39.31	10.00	105	305	PEAK																																																																																			
3	5924.07	60.08	68.89	-8.81	42.77	35.13	11.40	39.22	10.00	105	305	PEAK																																																																																			
4	5943.37	60.28	68.20	-7.92	42.89	35.15	11.42	39.18	10.00	105	305	PEAK																																																																																			





Mode	89																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.80</td><td>62.51</td><td>68.20</td><td>-5.69</td><td>42.65</td><td>34.84</td><td>11.82</td><td>36.00</td><td>10.00</td><td>400</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5651.15</td><td>60.24</td><td>69.06</td><td>-8.82</td><td>40.42</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>400</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5719.66</td><td>78.72</td><td>110.81</td><td>-32.09</td><td>59.82</td><td>34.94</td><td>11.17</td><td>37.21</td><td>10.00</td><td>400</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5728.28</td><td>78.69</td><td>111.54</td><td>-32.85</td><td>59.80</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>400</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.80	62.51	68.20	-5.69	42.65	34.84	11.82	36.00	10.00	400	258	PEAK	2	5651.15	60.24	69.06	-8.82	40.42	34.88	11.07	36.13	10.00	400	258	PEAK	3	5719.66	78.72	110.81	-32.09	59.82	34.94	11.17	37.21	10.00	400	258	PEAK	4	5728.28	78.69	111.54	-32.85	59.80	34.94	11.17	37.22	10.00	400	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>115.43</td><td>-----</td><td>-----</td><td>96.80</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>400</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	115.43	-----	-----	96.80	34.96	11.20	37.53	10.00	400	258	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5613.80	62.51	68.20	-5.69	42.65	34.84	11.82	36.00	10.00	400	258	PEAK																																																																																																																															
2	5651.15	60.24	69.06	-8.82	40.42	34.88	11.07	36.13	10.00	400	258	PEAK																																																																																																																															
3	5719.66	78.72	110.81	-32.09	59.82	34.94	11.17	37.21	10.00	400	258	PEAK																																																																																																																															
4	5728.28	78.69	111.54	-32.85	59.80	34.94	11.17	37.22	10.00	400	258	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	115.43	-----	-----	96.80	34.96	11.20	37.53	10.00	400	258	PEAK																																																																																																																															
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.04</td><td>-----</td><td>-----</td><td>87.41</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>400</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	106.04	-----	-----	87.41	34.96	11.20	37.53	10.00	400	258	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	106.04	-----	-----	87.41	34.96	11.20	37.53	10.00	400	258	AVERAGE																																																																																																																															






Mode	89																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>57.62</td><td>111.71</td><td>-54.09</td><td>40.54</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>400</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>5871.61</td><td>60.45</td><td>106.25</td><td>-45.80</td><td>43.32</td><td>35.08</td><td>11.35</td><td>39.30</td><td>10.00</td><td>400</td><td>250</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>59.32</td><td>68.89</td><td>-9.57</td><td>42.01</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>400</td><td>250</td><td>PEAK</td></tr><tr><td>4</td><td>5934.79</td><td>59.47</td><td>68.20</td><td>-8.73</td><td>42.12</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>400</td><td>250</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	57.62	111.71	-54.09	40.54	35.07	11.34	39.33	10.00	400	250	PEAK	2	5871.61	60.45	106.25	-45.80	43.32	35.08	11.35	39.30	10.00	400	250	PEAK	3	5924.07	59.32	68.89	-9.57	42.01	35.13	11.40	39.22	10.00	400	250	PEAK	4	5934.79	59.47	68.20	-8.73	42.12	35.14	11.41	39.20	10.00	400	250	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	57.62	111.71	-54.09	40.54	35.07	11.34	39.33	10.00	400	250	PEAK																																																																									
2	5871.61	60.45	106.25	-45.80	43.32	35.08	11.35	39.30	10.00	400	250	PEAK																																																																									
3	5924.07	59.32	68.89	-9.57	42.01	35.13	11.40	39.22	10.00	400	250	PEAK																																																																									
4	5934.79	59.47	68.20	-8.73	42.12	35.14	11.41	39.20	10.00	400	250	PEAK																																																																									




Mode	89																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>46.70</td><td>68.20</td><td>-21.50</td><td>61.54</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>56.79</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	46.70	68.20	-21.50	61.54	37.20	15.12	67.16	0.00	---	Peak	2	11510.00	45.03	74.00	-28.97	56.79	38.20	16.37	66.33	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>65.77</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>56.78</td><td>38.20</td><td>16.37</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	50.93	68.20	-17.27	65.77	37.20	15.12	67.16	0.00	---	Peak	2	11510.00	45.02	74.00	-28.98	56.78	38.20	16.37	66.33	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	9999.33	46.70	68.20	-21.50	61.54	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11510.00	45.03	74.00	-28.97	56.79	38.20	16.37	66.33	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10000.00	50.93	68.20	-17.27	65.77	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11510.00	45.02	74.00	-28.98	56.78	38.20	16.37	66.33	0.00	---	PEAK																																																																																																															






Mode	90																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																														
ANT	TXBF1S4T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>65.90</td><td>68.20</td><td>-2.30</td><td>46.06</td><td>34.88</td><td>11.07</td><td>36.11</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>63.28</td><td>68.50</td><td>-5.22</td><td>43.45</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>72.48</td><td>106.87</td><td>-34.39</td><td>53.39</td><td>34.93</td><td>11.15</td><td>36.99</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>73.12</td><td>112.72</td><td>-39.60</td><td>54.24</td><td>34.94</td><td>11.17</td><td>37.23</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	65.90	68.20	-2.30	46.06	34.88	11.07	36.11	10.00	201	254	PEAK	2	5650.40	63.28	68.50	-5.22	43.45	34.88	11.07	36.12	10.00	201	254	PEAK	3	5705.60	72.48	106.87	-34.39	53.39	34.93	11.15	36.99	10.00	201	254	PEAK	4	5720.80	73.12	112.72	-39.60	54.24	34.94	11.17	37.23	10.00	201	254	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>124.99</td><td>-----</td><td>-----</td><td>106.92</td><td>35.00</td><td>11.26</td><td>38.19</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	124.99	-----	-----	106.92	35.00	11.26	38.19	10.00	201	254	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5649.60	65.90	68.20	-2.30	46.06	34.88	11.07	36.11	10.00	201	254	PEAK																																																																																																																																			
2	5650.40	63.28	68.50	-5.22	43.45	34.88	11.07	36.12	10.00	201	254	PEAK																																																																																																																																			
3	5705.60	72.48	106.87	-34.39	53.39	34.93	11.15	36.99	10.00	201	254	PEAK																																																																																																																																			
4	5720.80	73.12	112.72	-39.60	54.24	34.94	11.17	37.23	10.00	201	254	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	124.99	-----	-----	106.92	35.00	11.26	38.19	10.00	201	254	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>113.83</td><td>-----</td><td>-----</td><td>95.68</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>201</td><td>254</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	113.83	-----	-----	95.68	34.99	11.25	38.09	10.00	201	254	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	113.83	-----	-----	95.68	34.99	11.25	38.09	10.00	201	254	AVERAGE																																																																																																																																			




Mode	90																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																				
ANT	TXBF1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.60</td><td>79.76</td><td>118.65</td><td>-38.89</td><td>62.64</td><td>35.07</td><td>11.33</td><td>39.28</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>76.25</td><td>110.17</td><td>-33.92</td><td>59.17</td><td>35.07</td><td>11.34</td><td>39.33</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.58</td><td>68.35</td><td>-7.77</td><td>43.27</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr><tr><td>4</td><td>5968.80</td><td>61.65</td><td>68.20</td><td>-6.55</td><td>44.20</td><td>35.17</td><td>11.44</td><td>39.16</td><td>10.00</td><td>201</td><td>254</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5851.60	79.76	118.65	-38.89	62.64	35.07	11.33	39.28	10.00	201	254	PEAK	2	5857.60	76.25	110.17	-33.92	59.17	35.07	11.34	39.33	10.00	201	254	PEAK	3	5924.80	60.58	68.35	-7.77	43.27	35.13	11.40	39.22	10.00	201	254	PEAK	4	5968.80	61.65	68.20	-6.55	44.20	35.17	11.44	39.16	10.00	201	254	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5851.60	79.76	118.65	-38.89	62.64	35.07	11.33	39.28	10.00	201	254	PEAK																																																																									
2	5857.60	76.25	110.17	-33.92	59.17	35.07	11.34	39.33	10.00	201	254	PEAK																																																																									
3	5924.80	60.58	68.35	-7.77	43.27	35.13	11.40	39.22	10.00	201	254	PEAK																																																																									
4	5968.80	61.65	68.20	-6.55	44.20	35.17	11.44	39.16	10.00	201	254	PEAK																																																																									





Mode	90																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																					
ANT	TXBF1S4T																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>62.79</td><td>68.20</td><td>-5.41</td><td>42.95</td><td>34.87</td><td>11.07</td><td>36.10</td><td>10.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>59.82</td><td>68.80</td><td>-8.98</td><td>40.00</td><td>34.88</td><td>11.07</td><td>36.13</td><td>10.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>62.59</td><td>105.30</td><td>-42.71</td><td>43.43</td><td>34.92</td><td>11.14</td><td>36.90</td><td>10.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.50</td><td>110.90</td><td>-46.40</td><td>45.61</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.20	62.79	68.20	-5.41	42.95	34.87	11.07	36.10	10.00	300	0 PEAK	2	5650.80	59.82	68.80	-8.98	40.00	34.88	11.07	36.13	10.00	300	0 PEAK	3	5700.00	62.59	105.30	-42.71	43.43	34.92	11.14	36.90	10.00	300	0 PEAK	4	5720.00	64.50	110.90	-46.40	45.61	34.94	11.17	37.22	10.00	300	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>114.42</td><td>-----</td><td>-----</td><td>96.27</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	114.42	-----	-----	96.27	34.99	11.25	38.09	10.00	300	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5649.20	62.79	68.20	-5.41	42.95	34.87	11.07	36.10	10.00	300	0 PEAK																																																																																																																											
2	5650.80	59.82	68.80	-8.98	40.00	34.88	11.07	36.13	10.00	300	0 PEAK																																																																																																																											
3	5700.00	62.59	105.30	-42.71	43.43	34.92	11.14	36.90	10.00	300	0 PEAK																																																																																																																											
4	5720.00	64.50	110.90	-46.40	45.61	34.94	11.17	37.22	10.00	300	0 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5795.00	114.42	-----	-----	96.27	34.99	11.25	38.09	10.00	300	0 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.05</td><td>-----</td><td>-----</td><td>85.90</td><td>34.99</td><td>11.25</td><td>38.09</td><td>10.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.05	-----	-----	85.90	34.99	11.25	38.09	10.00	300	0 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5795.00	104.05	-----	-----	85.90	34.99	11.25	38.09	10.00	300	0 AVERAGE																																																																																																																											






Mode	90																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																	
ANT	TXBF1S4T																																																																																	
Pol.	Vertical						Fundamental																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5850.00</td><td>75.01</td><td>122.30</td><td>-47.29</td><td>57.87</td><td>35.06</td><td>11.33</td><td>39.25</td><td>10.00</td><td>300 0 PEAK</td></tr><tr><td>2 5867.60</td><td>63.20</td><td>107.37</td><td>-44.17</td><td>46.08</td><td>35.08</td><td>11.35</td><td>39.31</td><td>10.00</td><td>300 0 PEAK</td></tr><tr><td>3 5923.20</td><td>60.22</td><td>69.53</td><td>-9.31</td><td>42.91</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>300 0 PEAK</td></tr><tr><td>4 5980.40</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>43.89</td><td>35.19</td><td>11.45</td><td>39.12</td><td>10.00</td><td>300 0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5850.00	75.01	122.30	-47.29	57.87	35.06	11.33	39.25	10.00	300 0 PEAK	2 5867.60	63.20	107.37	-44.17	46.08	35.08	11.35	39.31	10.00	300 0 PEAK	3 5923.20	60.22	69.53	-9.31	42.91	35.13	11.40	39.22	10.00	300 0 PEAK	4 5980.40	61.41	68.20	-6.79	43.89	35.19	11.45	39.12	10.00	300 0 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5850.00	75.01	122.30	-47.29	57.87	35.06	11.33	39.25	10.00	300 0 PEAK																																																																									
2 5867.60	63.20	107.37	-44.17	46.08	35.08	11.35	39.31	10.00	300 0 PEAK																																																																									
3 5923.20	60.22	69.53	-9.31	42.91	35.13	11.40	39.22	10.00	300 0 PEAK																																																																									
4 5980.40	61.41	68.20	-6.79	43.89	35.19	11.45	39.12	10.00	300 0 PEAK																																																																									




Mode	90																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																					
ANT	TXBF1S4T																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>46.94</td><td>68.20</td><td>-21.26</td><td>61.78</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>67.35</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>193</td><td>252 PEAK</td></tr><tr><td>3</td><td>11590.00</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>56.79</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>193</td><td>252 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	46.94	68.20	-21.26	61.78	37.20	15.12	67.16	0.00	---	Peak	2	11590.00	55.64	74.00	-18.36	67.35	38.20	16.42	66.33	0.00	193	252 PEAK	3	11590.00	45.08	54.00	-8.92	56.79	38.20	16.42	66.33	0.00	193	252 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9999.33</td><td>51.04</td><td>68.20</td><td>-17.16</td><td>65.88</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>55.38</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	51.04	68.20	-17.16	65.88	37.20	15.12	67.16	0.00	---	Peak	2	11590.00	43.67	74.00	-30.33	55.38	38.20	16.42	66.33	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	10000.00	46.94	68.20	-21.26	61.78	37.20	15.12	67.16	0.00	---	Peak																																																																																																																											
2	11590.00	55.64	74.00	-18.36	67.35	38.20	16.42	66.33	0.00	193	252 PEAK																																																																																																																											
3	11590.00	45.08	54.00	-8.92	56.79	38.20	16.42	66.33	0.00	193	252 AVERAGE																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	9999.33	51.04	68.20	-17.16	65.88	37.20	15.12	67.16	0.00	---	Peak																																																																																																																											
2	11590.00	43.67	74.00	-30.33	55.38	38.20	16.42	66.33	0.00	---	PEAK																																																																																																																											







Mode	91																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	TXBF1S4T																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.60</td><td>67.34</td><td>68.20</td><td>-0.86</td><td>47.45</td><td>34.87</td><td>11.07</td><td>36.05</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>65.83</td><td>68.50</td><td>-2.67</td><td>46.00</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>80.52</td><td>105.64</td><td>-25.12</td><td>61.38</td><td>34.92</td><td>11.14</td><td>36.92</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>82.46</td><td>111.81</td><td>-29.35</td><td>63.57</td><td>34.94</td><td>11.17</td><td>37.22</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.60	67.34	68.20	-0.86	47.45	34.87	11.07	36.05	10.00	100	307	PEAK	2	5650.40	65.83	68.50	-2.67	46.00	34.88	11.07	36.12	10.00	100	307	PEAK	3	5701.20	80.52	105.64	-25.12	61.38	34.92	11.14	36.92	10.00	100	307	PEAK	4	5720.40	82.46	111.81	-29.35	63.57	34.94	11.17	37.22	10.00	100	307	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>118.72</td><td>-----</td><td>-----</td><td>100.26</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	118.72	-----	-----	100.26	34.97	11.21	37.72	10.00	100	307	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.60	67.34	68.20	-0.86	47.45	34.87	11.07	36.05	10.00	100	307	PEAK																																																																																																																															
2	5650.40	65.83	68.50	-2.67	46.00	34.88	11.07	36.12	10.00	100	307	PEAK																																																																																																																															
3	5701.20	80.52	105.64	-25.12	61.38	34.92	11.14	36.92	10.00	100	307	PEAK																																																																																																																															
4	5720.40	82.46	111.81	-29.35	63.57	34.94	11.17	37.22	10.00	100	307	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	118.72	-----	-----	100.26	34.97	11.21	37.72	10.00	100	307	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>108.95</td><td>-----</td><td>-----</td><td>90.49</td><td>34.97</td><td>11.21</td><td>37.72</td><td>10.00</td><td>100</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	108.95	-----	-----	90.49	34.97	11.21	37.72	10.00	100	307	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	108.95	-----	-----	90.49	34.97	11.21	37.72	10.00	100	307	AVERAGE																																																																																																																															




Mode	91																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																														
ANT	TXBF1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>79.45</td><td>112.27</td><td>-32.82</td><td>62.37</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>81.15</td><td>109.72</td><td>-28.57</td><td>64.06</td><td>35.07</td><td>11.34</td><td>39.32</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.26</td><td>68.35</td><td>-9.09</td><td>41.95</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr><tr><td>4</td><td>5945.60</td><td>61.88</td><td>68.20</td><td>-6.32</td><td>44.49</td><td>35.15</td><td>11.42</td><td>39.18</td><td>10.00</td><td>100</td><td>307</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	79.45	112.27	-32.82	62.37	35.07	11.33	39.32	10.00	100	307	PEAK	2	5859.20	81.15	109.72	-28.57	64.06	35.07	11.34	39.32	10.00	100	307	PEAK	3	5924.00	59.26	68.35	-9.09	41.95	35.13	11.40	39.22	10.00	100	307	PEAK	4	5945.60	61.88	68.20	-6.32	44.49	35.15	11.42	39.18	10.00	100	307	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.40	79.45	112.27	-32.82	62.37	35.07	11.33	39.32	10.00	100	307	PEAK																																																																																			
2	5859.20	81.15	109.72	-28.57	64.06	35.07	11.34	39.32	10.00	100	307	PEAK																																																																																			
3	5924.00	59.26	68.35	-9.09	41.95	35.13	11.40	39.22	10.00	100	307	PEAK																																																																																			
4	5945.60	61.88	68.20	-6.32	44.49	35.15	11.42	39.18	10.00	100	307	PEAK																																																																																			





Mode	91																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	TXBF1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>64.56</td><td>68.20</td><td>-3.64</td><td>44.65</td><td>34.85</td><td>11.04</td><td>35.98</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>63.08</td><td>68.50</td><td>-5.42</td><td>43.25</td><td>34.88</td><td>11.07</td><td>36.12</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>66.60</td><td>106.31</td><td>-39.71</td><td>47.48</td><td>34.93</td><td>11.15</td><td>36.96</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>74.36</td><td>115.46</td><td>-41.10</td><td>55.50</td><td>34.94</td><td>11.17</td><td>37.25</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.40	64.56	68.20	-3.64	44.65	34.85	11.04	35.98	10.00	399	258	PEAK	2	5650.40	63.08	68.50	-5.42	43.25	34.88	11.07	36.12	10.00	399	258	PEAK	3	5703.60	66.60	106.31	-39.71	47.48	34.93	11.15	36.96	10.00	399	258	PEAK	4	5722.00	74.36	115.46	-41.10	55.50	34.94	11.17	37.25	10.00	399	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>112.74</td><td>-----</td><td>-----</td><td>94.11</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	112.74	-----	-----	94.11	34.96	11.20	37.53	10.00	399	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5624.40	64.56	68.20	-3.64	44.65	34.85	11.04	35.98	10.00	399	258	PEAK																																																																																																																														
2	5650.40	63.08	68.50	-5.42	43.25	34.88	11.07	36.12	10.00	399	258	PEAK																																																																																																																														
3	5703.60	66.60	106.31	-39.71	47.48	34.93	11.15	36.96	10.00	399	258	PEAK																																																																																																																														
4	5722.00	74.36	115.46	-41.10	55.50	34.94	11.17	37.25	10.00	399	258	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	112.74	-----	-----	94.11	34.96	11.20	37.53	10.00	399	258	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.82</td><td>-----</td><td>-----</td><td>83.19</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>399</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.82	-----	-----	83.19	34.96	11.20	37.53	10.00	399	258	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.82</td><td>-----</td><td>-----</td><td>83.19</td><td>34.96</td><td>11.20</td><td>37.53</td><td>10.00</td><td>399</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.82	-----	-----	83.19	34.96	11.20	37.53	10.00	399	258	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	101.82	-----	-----	83.19	34.96	11.20	37.53	10.00	399	258	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	101.82	-----	-----	83.19	34.96	11.20	37.53	10.00	399	258	AVERAGE																																																																																																																														





Mode	91																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	TXBF1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.72</td><td>113.18</td><td>-48.46</td><td>47.64</td><td>35.07</td><td>11.33</td><td>39.32</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>63.24</td><td>105.47</td><td>-42.23</td><td>46.10</td><td>35.09</td><td>11.35</td><td>39.30</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.43</td><td>68.35</td><td>-8.92</td><td>42.12</td><td>35.13</td><td>11.40</td><td>39.22</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>60.97</td><td>68.20</td><td>-7.23</td><td>43.62</td><td>35.14</td><td>11.41</td><td>39.20</td><td>10.00</td><td>399</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	64.72	113.18	-48.46	47.64	35.07	11.33	39.32	10.00	399	258	PEAK	2	5874.40	63.24	105.47	-42.23	46.10	35.09	11.35	39.30	10.00	399	258	PEAK	3	5924.00	59.43	68.35	-8.92	42.12	35.13	11.40	39.22	10.00	399	258	PEAK	4	5933.60	60.97	68.20	-7.23	43.62	35.14	11.41	39.20	10.00	399	258	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	64.72	113.18	-48.46	47.64	35.07	11.33	39.32	10.00	399	258	PEAK																																																																																		
2	5874.40	63.24	105.47	-42.23	46.10	35.09	11.35	39.30	10.00	399	258	PEAK																																																																																		
3	5924.00	59.43	68.35	-8.92	42.12	35.13	11.40	39.22	10.00	399	258	PEAK																																																																																		
4	5933.60	60.97	68.20	-7.23	43.62	35.14	11.41	39.20	10.00	399	258	PEAK																																																																																		





Mode	91																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																									
ANT	TXBF1S4T																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>60.35</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>56.92</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	45.51	68.20	-22.69	60.35	37.20	15.12	67.16	0.00	---	Peak	2	11550.00	45.18	74.00	-28.82	56.92	38.20	16.39	66.33	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10000.00</td><td>50.09</td><td>68.20</td><td>-18.11</td><td>64.93</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.37</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	50.09	68.20	-18.11	64.93	37.20	15.12	67.16	0.00	---	Peak	2	11550.00	44.63	74.00	-29.37	56.37	38.20	16.39	66.33	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10000.00	45.51	68.20	-22.69	60.35	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11550.00	45.18	74.00	-28.82	56.92	38.20	16.39	66.33	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10000.00	50.09	68.20	-18.11	64.93	37.20	15.12	67.16	0.00	---	Peak																																																																																																															
2	11550.00	44.63	74.00	-29.37	56.37	38.20	16.39	66.33	0.00	---	PEAK																																																																																																															





		83																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-2C_5.725-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																																																																																																										
ANT		TXBF1S4T																																																																																																																																																										
Pol.		Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10000.00</td><td>46.46</td><td>68.20</td><td>-21.74</td><td>61.30</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>57.52</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10000.00	46.46	68.20	-21.74	61.30	37.20	15.12	67.16	0.00	---	---	Peak	2	11440.00	45.56	74.00	-28.44	57.52	38.08	16.32	66.36	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10000.00</td><td>51.43</td><td>68.20</td><td>-16.77</td><td>66.27</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>56.87</td><td>38.08</td><td>16.32</td><td>66.36</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10000.00	51.43	68.20	-16.77	66.27	37.20	15.12	67.16	0.00	---	---	Peak	2	11440.00	44.91	74.00	-29.09	56.87	38.08	16.32	66.36	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	10000.00	46.46	68.20	-21.74	61.30	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																
2	11440.00	45.56	74.00	-28.44	57.52	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	10000.00	51.43	68.20	-16.77	66.27	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																																
2	11440.00	44.91	74.00	-29.09	56.87	38.08	16.32	66.36	0.00	---	---	PEAK																																																																																																																																																



Mode	84																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.725-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																																																																												
ANT	TXBF1S4T																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																						
Peak Avg																																																																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>9999.33</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>62.04</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11420.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.46</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	9999.33	47.20	68.20	-21.00	62.04	37.20	15.12	67.16	0.00	---	---	Peak	2	11420.00	45.44	74.00	-28.56	57.46	38.04	16.31	66.37	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10000.00</td><td>51.40</td><td>68.20</td><td>-16.80</td><td>66.24</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11420.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.75</td><td>38.04</td><td>16.31</td><td>66.37</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10000.00	51.40	68.20	-16.80	66.24	37.20	15.12	67.16	0.00	---	---	Peak	2	11420.00	44.73	74.00	-29.27	56.75	38.04	16.31	66.37	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	9999.33	47.20	68.20	-21.00	62.04	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																	
2	11420.00	45.44	74.00	-28.56	57.46	38.04	16.31	66.37	0.00	---	---	PEAK																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	10000.00	51.40	68.20	-16.80	66.24	37.20	15.12	67.16	0.00	---	---	Peak																																																																																																																																	
2	11420.00	44.73	74.00	-29.27	56.75	38.04	16.31	66.37	0.00	---	---	PEAK																																																																																																																																	



Mode	85																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2C_5.725-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																																																								
ANT	TXBF1S4T																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10000.00</td><td>45.78</td><td>68.20</td><td>-22.42</td><td>60.62</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11380.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>56.78</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10000.00	45.78	68.20	-22.42	60.62	37.20	15.12	67.16	0.00	---	Peak	2	11380.00	44.65	74.00	-29.35	56.78	37.98	16.29	66.40	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9999.33</td><td>51.23</td><td>68.20</td><td>-16.97</td><td>66.07</td><td>37.20</td><td>15.12</td><td>67.16</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11380.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>57.22</td><td>37.98</td><td>16.29</td><td>66.40</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9999.33	51.23	68.20	-16.97	66.07	37.20	15.12	67.16	0.00	---	Peak	2	11380.00	45.09	74.00	-28.91	57.22	37.98	16.29	66.40	0.00	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10000.00	45.78	68.20	-22.42	60.62	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11380.00	44.65	74.00	-29.35	56.78	37.98	16.29	66.40	0.00	---	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	9999.33	51.23	68.20	-16.97	66.07	37.20	15.12	67.16	0.00	---	Peak																																																																																																														
2	11380.00	45.09	74.00	-28.91	57.22	37.98	16.29	66.40	0.00	---	PEAK																																																																																																														