




Mode	802.11g	Channel	3
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2337.17	41.29	18.96	60.25	74	-13.75	PK
		2388.85	31	18.86	49.86	54	-4.14	AVG
	@	2422	87.12	18.91	106.03	N/A	N/A	PK
	@	2422	78.59	18.91	97.5	N/A	N/A	AVG
	*	4844	36.56	2.18	38.74	74	-35.26	PK
Vertical		2389.8	45.82	18.86	64.68	74	-9.32	PK
		2389.99	34.55	18.86	53.41	54	-0.59	AVG
	@	2422	94.37	18.91	113.28	N/A	N/A	PK
	@	2422	86.87	18.91	105.78	N/A	N/A	AVG
	*	4844	37.83	2.18	40.01	74	-33.99	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2338.5	30.89	18.95	49.84	54	-4.16	AVG
		2375.55	41.62	18.89	60.51	74	-13.49	PK
	@	2437	88.93	18.97	107.9	N/A	N/A	PK
	@	2437	81.45	18.97	100.42	N/A	N/A	AVG
		2484.04	40.83	18.81	59.64	74	-14.36	PK
		2494.49	30.76	18.74	49.5	54	-4.5	AVG
	*	4874	36.68	2.2	38.88	74	-35.12	PK
Vertical		2389.61	33.39	18.86	52.25	54	-1.75	AVG
		2389.8	45.58	18.86	64.44	74	-9.56	PK
	@	2437	97.85	18.97	116.82	N/A	N/A	PK
	@	2437	89.67	18.97	108.64	N/A	N/A	AVG
		2484.8	32.83	18.8	51.63	54	-2.37	AVG
		2496.2	44.53	18.73	63.26	74	-10.74	PK
	*	4874	37.36	2.2	39.56	74	-34.44	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11g	Channel	9
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	83.75	19.01	102.76	N/A	N/A	PK
	@	2452	77.16	19.01	96.17	N/A	N/A	AVG
		2485.18	30.97	18.8	49.77	54	-4.23	AVG
		2486.7	40.37	18.8	59.17	74	-14.83	PK
	*	4904	36.5	2.23	38.73	74	-35.27	PK
Vertical	@	2452	95.22	19.01	114.23	N/A	N/A	PK
	@	2452	88.08	19.01	107.09	N/A	N/A	AVG
		2483.66	33.57	18.81	52.38	54	-1.62	AVG
		2484.99	47.16	18.8	65.96	74	-8.04	PK
	*	4904	36.18	2.23	38.41	74	-35.59	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11g	Channel	10
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	76.53	18.98	95.51	N/A	N/A	PK
	@	2457	69.51	18.98	88.49	N/A	N/A	AVG
		2494.49	30.96	18.74	49.7	54	-4.3	AVG
		2494.87	40.66	18.74	59.4	74	-14.6	PK
	*	4914	35.89	2.24	38.13	74	-35.87	PK
Vertical	@	2457	85.26	18.98	104.24	N/A	N/A	PK
	@	2457	78.89	18.98	97.87	N/A	N/A	AVG
		2488.03	41.19	18.79	59.98	74	-14.02	PK
		2492.59	30.83	18.76	49.59	54	-4.41	AVG
	*	4914	35.81	2.24	38.05	74	-35.95	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11g	Channel	11
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	77.09	18.95	96.04	N/A	N/A	PK
	@	2462	69.58	18.95	88.53	N/A	N/A	AVG
		2484.04	40.98	18.81	59.79	74	-14.21	PK
		2497.15	31.1	18.72	49.82	54	-4.18	AVG
	*	4924	37.27	2.25	39.52	74	-34.48	PK
Vertical	@	2462	84.91	18.95	103.86	N/A	N/A	PK
	@	2462	78.98	18.95	97.93	N/A	N/A	AVG
		2483.66	31.3	18.81	50.11	54	-3.89	AVG
		2485.18	43.82	18.8	62.62	74	-11.38	PK
	*	4924	36.67	2.25	38.92	74	-35.08	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	1
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2327.1	42.1	18.96	61.06	74	-12.94	PK
		2349.14	31.34	18.95	50.29	54	-3.71	AVG
	@	2412	74.98	18.88	93.86	N/A	N/A	PK
	@	2412	67.81	18.88	86.69	N/A	N/A	AVG
	*	4824	37.36	2.16	39.52	74	-34.48	PK
Vertical		2388.85	44.91	18.86	63.77	74	-10.23	PK
		2389.99	32.03	18.86	50.89	54	-3.11	AVG
	@	2412	87.16	18.88	106.04	N/A	N/A	PK
	@	2412	76.86	18.88	95.74	N/A	N/A	AVG
	*	4824	35.39	2.16	37.55	74	-36.45	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	2
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2314.56	41.28	18.95	60.23	74	-13.77	PK
		2348.57	31.07	18.95	50.02	54	-3.98	AVG
	@	2417	75.47	18.89	94.36	N/A	N/A	PK
	@	2417	66.19	18.89	85.08	N/A	N/A	AVG
	*	4834	35.29	2.17	37.46	74	-36.54	PK
Vertical		2342.68	31.07	18.95	50.02	54	-3.98	AVG
		2389.99	43.18	18.86	62.04	74	-11.96	PK
	@	2417	85.55	18.89	104.44	N/A	N/A	PK
	@	2417	76.98	18.89	95.87	N/A	N/A	AVG
	*	4834	36.25	2.17	38.42	74	-35.58	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone :+886-2-7737-3000

Facsimile (FAX) :+886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	3
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2339.45	41.16	18.95	60.11	74	-13.89	PK
		2387.9	30.28	18.87	49.15	54	-4.85	AVG
	@	2422	86.25	18.91	105.16	N/A	N/A	PK
	@	2422	76.06	18.91	94.97	N/A	N/A	AVG
	*	4844	37.09	2.18	39.27	74	-34.73	PK
Vertical		2387.9	50.62	18.87	69.49	74	-4.51	PK
		2389.99	34.64	18.86	53.5	54	-0.5	AVG
	@	2422	96.58	18.91	115.49	N/A	N/A	PK
	@	2422	86.3	18.91	105.21	N/A	N/A	AVG
	*	4844	39.79	2.18	41.97	74	-32.03	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	6
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2335.65	41.43	18.96	60.39	74	-13.61	PK
		2389.8	30.64	18.86	49.5	54	-4.5	AVG
	@	2437	88.79	18.97	107.76	N/A	N/A	PK
	@	2437	80.11	18.97	99.08	N/A	N/A	AVG
		2484.42	30.72	18.8	49.52	54	-4.48	AVG
		2490.31	42.38	18.77	61.15	74	-12.85	PK
	*	4874	38.08	2.2	40.28	74	-33.72	PK
Vertical		2389.61	48.17	18.86	67.03	74	-6.97	PK
		2389.99	34.26	18.86	53.12	54	-0.88	AVG
	@	2437	99.56	18.97	118.53	N/A	N/A	PK
	@	2437	89.68	18.97	108.65	N/A	N/A	AVG
		2483.85	48.38	18.81	67.19	74	-6.81	PK
		2483.85	34.57	18.81	53.38	54	-0.62	AVG
	*	4874	38.34	2.2	40.54	74	-33.46	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	9
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	87.26	19.01	106.27	N/A	N/A	PK
	@	2452	78.24	19.01	97.25	N/A	N/A	AVG
		2483.66	31.15	18.81	49.96	54	-4.04	AVG
		2488.41	42.78	18.78	61.56	74	-12.44	PK
	*	4904	36.96	2.23	39.19	74	-34.81	PK
Vertical	@	2452	97.18	19.01	116.19	N/A	N/A	PK
	@	2452	87.49	19.01	106.5	N/A	N/A	AVG
		2483.85	34.76	18.81	53.57	54	-0.43	AVG
		2484.61	49.44	18.8	68.24	74	-5.76	PK
	*	4904	37.8	2.23	40.03	74	-33.97	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	10
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2457	77.65	18.98	96.63	N/A	N/A	PK
	@	2457	68.33	18.98	87.31	N/A	N/A	AVG
		2495.44	40.94	18.74	59.68	74	-14.32	PK
		2499.05	30.85	18.72	49.57	54	-4.43	AVG
	*	4914	35.81	2.24	38.05	74	-35.95	PK
Vertical	@	2457	85.62	18.98	104.6	N/A	N/A	PK
	@	2457	77.51	18.98	96.49	N/A	N/A	AVG
		2489.93	30.99	18.77	49.76	54	-4.24	AVG
		2496.2	41.4	18.73	60.13	74	-13.87	PK
	*	4914	36	2.24	38.24	74	-35.76	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE20)	Channel	11
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2462	76.64	18.95	95.59	N/A	N/A	PK
	@	2462	68.67	18.95	87.62	N/A	N/A	AVG
		2493.73	30.91	18.75	49.66	54	-4.34	AVG
		2498.48	41.54	18.72	60.26	74	-13.74	PK
	*	4924	35.62	2.25	37.87	74	-36.13	PK
Vertical	@	2462	87.95	18.95	106.9	N/A	N/A	PK
	@	2462	77.69	18.95	96.64	N/A	N/A	AVG
		2483.85	47.85	18.81	66.66	74	-7.34	PK
		2484.04	31.92	18.81	50.73	54	-3.27	AVG
	*	4924	35.59	2.25	37.84	74	-36.16	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE40)	Channel	3
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2328.24	41.9	18.95	60.85	74	-13.15	PK
		2362.25	31.1	18.92	50.02	54	-3.98	AVG
	@	2422	74.1	18.91	93.01	N/A	N/A	PK
	@	2422	66.05	18.91	84.96	N/A	N/A	AVG
	*	4844	35.79	2.18	37.97	74	-36.03	PK
Vertical		2385.43	32.88	18.87	51.75	54	-2.25	AVG
		2388.47	45.23	18.87	64.1	74	-9.9	PK
	@	2422	84.31	18.91	103.22	N/A	N/A	PK
	@	2422	75.61	18.91	94.52	N/A	N/A	AVG
	*	4844	36.7	2.18	38.88	74	-35.12	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE40)	Channel	6
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		2336.98	31	18.96	49.96	54	-4.04	AVG
		2339.26	41.64	18.95	60.59	74	-13.41	PK
	@	2437	74.23	18.97	93.2	N/A	N/A	PK
	@	2437	64.6	18.97	83.57	N/A	N/A	AVG
		2487.08	41.17	18.79	59.96	74	-14.04	PK
		2492.21	30.72	18.76	49.48	54	-4.52	AVG
	*	4874	35.9	2.2	38.1	74	-35.9	PK
Vertical		2316.46	41.43	18.96	60.39	74	-13.61	PK
		2336.03	30.95	18.96	49.91	54	-4.09	AVG
	@	2437	84.34	18.97	103.31	N/A	N/A	PK
	@	2437	74.02	18.97	92.99	N/A	N/A	AVG
		2483.85	30.86	18.81	49.67	54	-4.33	AVG
		2492.78	40.91	18.76	59.67	74	-14.33	PK
	*	4874	35.94	2.2	38.14	74	-35.86	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Mode	802.11ax(HE40)	Channel	9
------	----------------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	2452	73.92	19.01	92.93	N/A	N/A	PK
	@	2452	65.63	19.01	84.64	N/A	N/A	AVG
		2487.46	31.09	18.79	49.88	54	-4.12	AVG
		2494.11	41.07	18.75	59.82	74	-14.18	PK
	*	4904	35.62	2.23	37.85	74	-36.15	PK
Vertical	@	2452	85.11	19.01	104.12	N/A	N/A	PK
	@	2452	75.28	19.01	94.29	N/A	N/A	AVG
		2483.85	33.96	18.81	52.77	54	-1.23	AVG
		2485.56	45.81	18.8	64.61	74	-9.39	PK
	*	4904	35.56	2.23	37.79	74	-36.21	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948


Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1



Below 1 GHz

Mode	802.11g	Channel	6
------	---------	---------	---

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		99.84	53.6	-16.65	36.95	43.5	-6.55	PK
		165.8	44.03	-11.75	32.28	43.5	-11.22	PK
		232.73	42.65	-13.5	29.15	46	-16.85	PK
		298.69	48.44	-10.67	37.77	46	-8.23	PK
		497.54	34.65	-5.17	29.48	46	-16.52	PK
		697.36	33.19	-0.8	32.39	46	-13.61	PK
Vertical		99.84	49.48	-16.65	32.83	43.5	-10.67	PK
		198.78	53.56	-14.82	38.74	43.5	-4.76	PK
		232.73	38.97	-13.5	25.47	46	-20.53	PK
		296.75	40.94	-10.68	30.26	46	-15.74	PK
		336.52	37.57	-9.42	28.15	46	-17.85	PK
		497.54	35.62	-5.17	30.45	46	-15.55	PK



9 kHz ~ 30 MHz Data:

For 9 kHz to 30 MHz radiated emission have performed all modes of operation were investigated. The amplitude of spurious emissions attenuated more than 20 dB below the permissible value is not required to be report.

No non-compliance noted:

KDB 414788 D01 OATS and Chamber Correlation Justification

- Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field.

- OATs and chamber correlation testing had been performed and chamber measured test results is the worst case test result.

Although these tests were performed other than open area test site, adequate comparison measurements were confirmed against 30m open area test site. Therefore sufficient tests were made to demonstrate that the alternative site produces results that correlate with the ones of tests made in an open field based on KDB 414788.

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

9.6. AC Power Line Conducted Emission

Requirements

Frequency (MHz)	Conducted limit (dB μ V)	
	Quasi-peak	Average
0.15 - 0.5	66 - 56	56 - 46
0.50 - 5.0	56	46
5.0 - 30	60	50

Note:

1. The lower limit shall apply at the transition frequencies.
2. The limit decreases in line with the logarithm of the frequency in the range of 0.15 to 0.50MHz.

Test Procedures

- a. The EUT was placed 0.4 meters from the conducting wall of the shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). Other support units were connected to the power mains through another LISN. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- c. The frequency range from 150kHz to 30MHz was searched. Emission levels under (Limit - 20dB) was not recorded.

NOTE:

1. The resolution bandwidth and video bandwidth of test receiver is 9kHz for quasi-peak detection (QP) and average detection (AV) at frequency 0.15MHz-30MHz.
2. All modes of operation were investigated (includes all external accessories) and the worst-case emissions are reported, the other emission levels were low against the limit.
3. Test data of Result value (dB μ V) = Reading value (dB μ V) + Correction Factor (dB).
4. Test data of Margin(dB) = Result value (dB μ V) - Limit value (dB μ V).
5. Test data of Correction Factor (dB) = Insertion loss(dB) + Cable loss(dB).

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

Test Setup




Note: 1.Support units were connected to second LISN.

For the actual test configuration, please refer to the Setup Configurations.

Test Data

Mode	802.11g_TX2437	Channel	6
------	----------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1539	26.62	19.54	46.16	65.79	-19.63	QP
2	0.1539	11.82	19.54	31.36	55.79	-24.43	AVG
3	0.1700	23.29	19.54	42.83	64.96	-22.13	QP
4	0.1700	9.66	19.54	29.20	54.96	-25.76	AVG
5	0.1900	19.92	19.53	39.45	64.04	-24.59	QP
6	0.1900	6.54	19.53	26.07	54.04	-27.97	AVG
7	0.2100	16.17	19.53	35.70	63.21	-27.51	QP
8	0.2100	3.81	19.53	23.34	53.21	-29.87	AVG
9	0.5660	10.80	19.52	30.32	56.00	-25.68	QP
10	0.5660	6.93	19.52	26.45	46.00	-19.55	AVG
11	3.0579	10.65	19.57	30.22	56.00	-25.78	QP
12	3.0579	5.65	19.57	25.22	46.00	-20.78	AVG

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1

Mode	802.11g_TX2437	Channel	6
------	----------------	---------	---



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1500	27.39	19.54	46.93	66.00	-19.07	QP
2	0.1500	13.03	19.54	32.57	56.00	-23.43	AVG
3	0.1700	23.26	19.54	42.80	64.96	-22.16	QP
4	0.1700	10.18	19.54	29.72	54.96	-25.24	AVG
5	0.1819	20.96	19.53	40.49	64.40	-23.91	QP
6	0.1819	7.63	19.53	27.16	54.40	-27.24	AVG
7	0.2020	17.29	19.53	36.82	63.53	-26.71	QP
8	0.2020	5.23	19.53	24.76	53.53	-28.77	AVG
9	0.5899	10.97	19.52	30.49	56.00	-25.51	QP
10	0.5899	6.75	19.52	26.27	46.00	-19.73	AVG
11	2.5579	10.42	19.55	29.97	56.00	-26.03	QP
12	2.5579	5.86	19.55	25.41	46.00	-20.59	AVG

END OF REPORT

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004737 (DCS:17-EM-F0876) / 6.1