



Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5440.25	40.15	13.63	53.78	74	-20.22	PK
		5440.25	29.99	13.63	43.62	54	-10.38	AVG
		5465.8	39.62	13.72	53.34	68.2	-14.86	PK
	@	5580	94.31	13.98	108.29	N/A	N/A	PK
	@	5580	83.4	13.98	97.38	N/A	N/A	AVG
		5738.45	40.97	14.24	55.21	68.2	-12.99	PK
	*	11160	29.8	18.32	48.12	74	-25.88	PK
Vertical		5408.4	39.8	13.46	53.26	74	-20.74	PK
		5408.4	28.6	13.46	42.06	54	-11.94	AVG
		5460.55	38.85	13.7	52.55	68.2	-15.65	PK
	@	5580	93.15	13.98	107.13	N/A	N/A	PK
	@	5580	82.5	13.98	96.48	N/A	N/A	AVG
		5745.45	40.26	14.28	54.54	68.2	-13.66	PK
	*	11160	29.98	18.32	48.3	74	-25.7	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	91.97	14.05	106.02	N/A	N/A	PK
	@	5700	80.8	14.05	94.85	N/A	N/A	AVG
	*	5725.5	42.68	14.18	56.86	68.2	-11.34	PK
	*	11400	30.17	18.74	48.91	74	-25.09	PK
Vertical	@	5700	88.56	14.05	102.61	N/A	N/A	PK
	@	5700	78.6	14.05	92.65	N/A	N/A	AVG
	*	5736	40.01	14.23	54.24	68.2	-13.96	PK
	*	11400	29.91	18.74	48.65	74	-25.35	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5626.5	41.28	14.02	55.3	68.2	-12.9	PK
		5700	48.19	14.05	62.24	105.2	-42.96	PK
	@	5745	96.12	14.28	110.4	N/A	N/A	PK
	*	11490	32.37	19.02	51.39	74	-22.61	PK
Vertical		5594	40.79	14.02	54.81	68.2	-13.39	PK
		5659	40.61	14	54.61	74.88	-20.27	PK
	@	5745	93.06	14.28	107.34	N/A	N/A	PK
	*	11490	31.12	19.02	50.14	74	-23.86	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5592	40.88	14.02	54.9	68.2	-13.3	PK
		5673.5	41.02	14.02	55.04	85.63	-30.59	PK
		5785	96.45	14.48	110.93	N/A	N/A	PK
		5922.5	40.35	14.99	55.34	70.04	-14.7	PK
		5930	40.74	15	55.74	68.2	-12.46	PK
	*	11570	30.38	18.88	49.26	74	-24.74	PK
Vertical	@	5579.5	40.56	13.98	54.54	68.2	-13.66	PK
		5694.5	40.33	14.05	54.38	101.15	-46.77	PK
		5785	93.37	14.48	107.85	N/A	N/A	PK
		5876.5	40.92	14.89	55.81	104.09	-48.28	PK
		5948	41.12	15.02	56.14	68.2	-12.06	PK
	*	11570	30.02	18.88	48.9	74	-25.1	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	99.09	14.69	113.78	N/A	N/A	PK
		5877.5	48.78	14.89	63.67	103.34	-39.67	PK
		5984	40.56	15.12	55.68	68.2	-12.52	PK
	*	11650	29.44	18.63	48.07	74	-25.93	PK
Vertical	@	5825	93.32	14.69	108.01	N/A	N/A	PK
		5918.5	40.84	14.98	55.82	72.99	-17.17	PK
		5967	40.81	15.07	55.88	68.2	-12.32	PK
	*	11650	30.47	18.63	49.1	74	-24.9	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5116.2	41.68	13.46	55.14	74	-18.86	PK
		5148.75	34.82	13.42	48.24	54	-5.76	AVG
	@	5180	95.51	13.4	108.91	N/A	N/A	PK
	@	5180	87.59	13.4	100.99	N/A	N/A	AVG
	*	10360	29.81	17.39	47.2	68.2	-21	PK
Vertical		5079.8	30.7	13.4	44.1	54	-9.9	AVG
		5080.15	42.34	13.4	55.74	74	-18.26	PK
	@	5180	92.91	13.4	106.31	N/A	N/A	PK
	@	5180	84.98	13.4	98.38	N/A	N/A	AVG
	*	10360	30.83	17.39	48.22	68.2	-19.98	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5096.95	31.18	13.45	44.63	54	-9.37	AVG
		5142.45	42.1	13.44	55.54	74	-18.46	PK
	@	5220	97.86	13.33	111.19	N/A	N/A	PK
	@	5220	90.24	13.33	103.57	N/A	N/A	AVG
	*	10440	29.96	17.63	47.59	68.2	-20.61	PK
Vertical		5098.7	42.11	13.46	55.57	74	-18.43	PK
		5109.55	30.75	13.46	44.21	54	-9.79	AVG
	@	5220	95.66	13.33	108.99	N/A	N/A	PK
	@	5220	85.42	13.33	98.75	N/A	N/A	AVG
	*	10440	30.37	17.63	48	68.2	-20.2	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5091.7	41.58	13.43	55.01	74	-18.99	PK
		5099.4	31.29	13.46	44.75	54	-9.25	AVG
	@	5240	95.16	13.27	108.43	N/A	N/A	PK
	@	5240	90.2	13.27	103.47	N/A	N/A	AVG
	*	10480	29.47	17.69	47.16	68.2	-21.04	PK
Vertical		5086.1	30.88	13.42	44.3	54	-9.7	AVG
		5101.5	42.69	13.46	56.15	74	-17.85	PK
	@	5240	95.13	13.27	108.4	N/A	N/A	PK
	@	5240	85.18	13.27	98.45	N/A	N/A	AVG
	*	10480	31.56	17.69	49.25	68.2	-18.95	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	95.46	13.24	108.7	N/A	N/A	PK
	@	5260	90.3	13.24	103.54	N/A	N/A	AVG
		5374.8	40.28	13.34	53.62	74	-20.38	PK
		5445.3	28.68	13.65	42.33	54	-11.67	AVG
	*	10520	30.2	17.73	47.93	68.2	-20.27	PK
Vertical	@	5260	93.97	13.24	107.21	N/A	N/A	PK
	@	5260	85.09	13.24	98.33	N/A	N/A	AVG
		5401.2	40.04	13.42	53.46	74	-20.54	PK
		5453.7	28.58	13.69	42.27	54	-11.73	AVG
	*	10520	31.37	17.73	49.1	68.2	-19.1	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	94.94	13.21	108.15	N/A	N/A	PK
	@	5300	89.89	13.21	103.1	N/A	N/A	AVG
		5350.8	30.71	13.26	43.97	54	-10.03	AVG
		5459.7	39.68	13.7	53.38	74	-20.62	PK
	*	10600	30.61	17.73	48.34	68.2	-19.86	PK
Vertical	@	5300	93.78	13.21	106.99	N/A	N/A	PK
	@	5300	84.47	13.21	97.68	N/A	N/A	AVG
		5445.6	40.65	13.65	54.3	74	-19.7	PK
		5456.7	28.57	13.69	42.26	54	-11.74	AVG
	*	10600	29.78	17.73	47.51	68.2	-20.69	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	96.42	13.23	109.65	N/A	N/A	PK
	@	5320	87.87	13.23	101.1	N/A	N/A	AVG
		5350.2	35.64	13.26	48.9	54	-5.1	AVG
		5457	39.59	13.69	53.28	74	-20.72	PK
	*	10640	30.26	17.82	48.08	74	-25.92	PK
Vertical	@	5320	94.73	13.23	107.96	N/A	N/A	PK
	@	5320	85.27	13.23	98.5	N/A	N/A	AVG
		5444.1	39.91	13.65	53.56	74	-20.44	PK
		5457	28.61	13.69	42.3	54	-11.7	AVG
	*	10640	30.36	17.82	48.18	74	-25.82	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1







Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5459.5	39.27	13.7	52.97	74	-21.03	PK
		5459.5	29.1	13.7	42.8	54	-11.2	AVG
		5468.25	51.85	13.74	65.59	68.2	-2.61	PK
	@	5500	94.54	13.83	108.37	N/A	N/A	PK
	@	5500	83.4	13.83	97.23	N/A	N/A	AVG
	*	11000	29.59	18.28	47.87	74	-26.13	PK
Vertical		5440.6	40.29	13.63	53.92	74	-20.08	PK
		5440.6	28.6	13.63	42.23	54	-11.77	AVG
		5464.75	38.63	13.72	52.35	68.2	-15.85	PK
	@	5500	92.95	13.83	106.78	N/A	N/A	PK
	@	5500	81.9	13.83	95.73	N/A	N/A	AVG
	*	11000	31.62	18.28	49.9	74	-24.1	PK

TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5443.75	40.13	13.65	53.78	74	-20.22	PK
		5443.75	29.69	13.65	43.34	54	-10.66	AVG
		5467.2	39.06	13.72	52.78	68.2	-15.42	PK
	@	5580	96.81	13.98	110.79	N/A	N/A	PK
	@	5580	85.3	13.98	99.28	N/A	N/A	AVG
		5745.45	39.61	14.28	53.89	68.2	-14.31	PK
	*	11160	29.8	18.32	48.12	74	-25.88	PK
Vertical		5454.95	40.36	13.69	54.05	74	-19.95	PK
		5454.95	28.1	13.69	41.79	54	-12.21	AVG
		5460.55	39.83	13.7	53.53	68.2	-14.67	PK
	@	5580	94.47	13.98	108.45	N/A	N/A	PK
	@	5580	84.7	13.98	98.68	N/A	N/A	AVG
		5730.75	39.78	14.2	53.98	68.2	-14.22	PK
	*	11160	29.82	18.32	48.14	74	-25.86	PK

TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 116)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 116)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	90.99	14.05	105.04	N/A	N/A	PK
	@	5700	80.2	14.05	94.25	N/A	N/A	AVG
	*	5730.75	40.38	14.2	54.58	68.2	-13.62	PK
	*	11400	30.22	18.74	48.96	74	-25.04	PK
Vertical	@	5700	88.22	14.05	102.27	N/A	N/A	PK
	@	5700	78.9	14.05	92.95	N/A	N/A	AVG
	*	5741.95	39.88	14.27	54.15	68.2	-14.05	PK
	*	11400	29.78	18.74	48.52	74	-25.48	PK


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal







TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical







Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5629	40.67	14.02	54.69	68.2	-13.51	PK
		5693	53.01	14.05	67.06	100.04	-32.98	PK
	@	5745	95.92	14.28	110.2	N/A	N/A	PK
	*	11490	30.3	19.02	49.32	74	-24.68	PK
Vertical		5543	41.33	13.88	55.21	68.2	-12.99	PK
		5699.5	45.83	14.05	59.88	104.83	-44.95	PK
	@	5745	95.32	14.28	109.6	N/A	N/A	PK
	*	11490	30.08	19.02	49.1	74	-24.9	PK

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 149)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 149)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5622.5	41.03	14.03	55.06	68.2	-13.14	PK
		5697.5	41.33	14.05	55.38	103.36	-47.98	PK
	@	5785	96.8	14.48	111.28	N/A	N/A	PK
		5879	41.85	14.9	56.75	102.23	-45.48	PK
		5956	40.54	15.04	55.58	68.2	-12.62	PK
	*	11570	30.67	18.88	49.55	74	-24.45	PK
Vertical		5591.5	41.26	14.02	55.28	68.2	-12.92	PK
		5689.5	40.51	14.04	54.55	97.46	-42.91	PK
	@	5785	95.3	14.48	109.78	N/A	N/A	PK
		5905.5	40.58	14.98	55.56	82.59	-27.03	PK
		5949.5	40.69	15.02	55.71	68.2	-12.49	PK
	*	11570	30.05	18.88	48.93	74	-25.07	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	99.75	14.69	114.44	N/A	N/A	PK
		5875	58.1	14.89	72.99	105.2	-32.21	PK
		5926	42.47	14.99	57.46	68.2	-10.74	PK
	*	11650	29.25	18.63	47.88	74	-26.12	PK
Vertical	@	5825	96.85	14.69	111.54	N/A	N/A	PK
		5875.5	42.87	14.89	57.76	104.83	-47.07	PK
		6018	40.32	15.2	55.52	68.2	-12.68	PK
	*	11650	30.46	18.63	49.09	74	-24.91	PK



Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5095.9	42.21	13.45	55.66	74	-18.34	PK
		5149.45	31.42	13.43	44.85	54	-9.15	AVG
	@	5190	89.88	13.4	103.28	N/A	N/A	PK
	@	5190	79.22	13.4	92.62	N/A	N/A	AVG
	*	10380	29.77	17.49	47.26	68.2	-20.94	PK
Vertical		5096.25	30.57	13.45	44.02	54	-9.98	AVG
		5126	42.02	13.44	55.46	74	-18.54	PK
	@	5190	87.49	13.4	100.89	N/A	N/A	PK
	@	5190	78.6	13.4	92	N/A	N/A	AVG
	*	10380	30.01	17.49	47.5	68.2	-20.7	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5114.45	42.11	13.45	55.56	74	-18.44	PK
		5147.35	35.7	13.43	49.13	54	-4.87	AVG
	@	5230	93.24	13.3	106.54	N/A	N/A	PK
	@	5230	87.75	13.3	101.05	N/A	N/A	AVG
	*	10460	30.87	17.66	48.53	68.2	-19.67	PK
Vertical		5061.6	42.12	13.33	55.45	74	-18.55	PK
		5098.7	30.83	13.46	44.29	54	-9.71	AVG
	@	5230	91.48	13.3	104.78	N/A	N/A	PK
	@	5230	81.86	13.3	95.16	N/A	N/A	AVG
	*	10460	30.98	17.66	48.64	68.2	-19.56	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	91.45	13.22	104.67	N/A	N/A	PK
	@	5270	87.61	13.22	100.83	N/A	N/A	AVG
		5351.1	34.27	13.26	47.53	54	-6.47	AVG
		5456.1	39.69	13.69	53.38	74	-20.62	PK
	*	10540	30.68	17.72	48.4	68.2	-19.8	PK
Vertical	@	5270	90.47	13.22	103.69	N/A	N/A	PK
	@	5270	81.37	13.22	94.59	N/A	N/A	AVG
		5400.6	39.87	13.42	53.29	74	-20.71	PK
		5452.2	28.59	13.67	42.26	54	-11.74	AVG
	*	10540	30.73	17.72	48.45	68.2	-19.75	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE40) (Ch 54)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 54)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Horizontal




TX, 802.11ax(HE40) (Ch 54)
Band Edge (Average), Vertical



TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE40) (Ch 54)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	88.5	13.21	101.71	N/A	N/A	PK
	@	5310	78.48	13.21	91.69	N/A	N/A	AVG
		5352.6	28.9	13.27	42.17	54	-11.83	AVG
		5442.6	39.91	13.64	53.55	74	-20.45	PK
	*	10620	30.34	17.78	48.12	74	-25.88	PK
Vertical	@	5310	87.16	13.21	100.37	N/A	N/A	PK
	@	5310	77.89	13.21	91.1	N/A	N/A	AVG
		5454.3	39.7	13.69	53.39	74	-20.61	PK
		5457.3	28.53	13.69	42.22	54	-11.78	AVG
	*	10620	29.9	17.78	47.68	74	-26.32	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000




Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	40.21	13.67	53.88	74	-20.12	PK
		5452.5	30.13	13.67	43.8	54	-10.2	AVG
		5469.3	43.49	13.74	57.23	68.2	-10.97	PK
	@	5510	89.48	13.84	103.32	N/A	N/A	PK
	@	5510	79.2	13.84	93.04	N/A	N/A	AVG
	*	11020	29.85	18.32	48.17	74	-25.83	PK
Vertical		5437.8	39.27	13.61	52.88	74	-21.12	PK
		5437.8	28.3	13.61	41.91	54	-12.09	AVG
		5464.05	39.09	13.72	52.81	68.2	-15.39	PK
	@	5510	86.88	13.84	100.72	N/A	N/A	PK
	@	5510	76.3	13.84	90.14	N/A	N/A	AVG
	*	11020	30.6	18.32	48.92	74	-25.08	PK

TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Vertical
