


Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5458.1	41.79	13.7	55.49	74	-18.51	PK
		5458.1	30.2	13.7	43.9	54	-10.1	AVG
		5465.8	41.5	13.72	55.22	68.2	-12.98	PK
	@	5550	94.67	13.88	108.55	N/A	N/A	PK
	@	5550	83.31	13.88	97.19	N/A	N/A	AVG
	*	5746.85	40.24	14.29	54.53	68.2	-13.67	PK
Vertical		11100	30.08	18.49	48.57	74	-25.43	PK
		5430.45	40.08	13.57	53.65	74	-20.35	PK
		5430.45	28.6	13.57	42.17	54	-11.83	AVG
		5467.9	39.23	13.74	52.97	68.2	-15.23	PK
	@	5550	93.12	13.88	107	N/A	N/A	PK
	@	5550	83.41	13.88	97.29	N/A	N/A	AVG
		5737.4	40.81	14.24	55.05	68.2	-13.15	PK
	*	11100	29.62	18.49	48.11	74	-25.89	PK


TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Horizontal







TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5670	91.24	14.02	105.26	N/A	N/A	PK
	@	5670	80.3	14.02	94.32	N/A	N/A	AVG
	*	5726.9	45.67	14.19	59.86	68.2	-8.34	PK
Vertical	*	11340	29.64	18.55	48.19	74	-25.81	PK
	@	5670	88.9	14.02	102.92	N/A	N/A	PK
	@	5670	77.9	14.02	91.92	N/A	N/A	AVG
		5725.15	41.27	14.18	55.45	68.2	-12.75	PK
	*	11340	28.99	18.55	47.54	74	-26.46	PK

TX, 802.11ax(HE40) (Ch 134)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 134)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 134)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5647	47.05	14.01	61.06	68.2	-7.14	PK
		5697.5	63.96	14.05	78.01	103.36	-25.35	PK
	@	5755	93.22	14.33	107.55	N/A	N/A	PK
	*	11510	29.77	19.03	48.8	74	-25.2	PK
Vertical		5595	41.09	14.02	55.11	68.2	-13.09	PK
		5700	45.85	14.05	59.9	105.2	-45.3	PK
	@	5755	91.47	14.33	105.8	N/A	N/A	PK
	*	11510	30.95	19.03	49.98	74	-24.02	PK


TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal







TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	93.45	14.53	107.98	N/A	N/A	PK
		5876	52.71	14.89	67.6	104.46	-36.86	PK
		5925.5	41.93	14.99	56.92	68.2	-11.28	PK
	*	11590	30.68	18.84	49.52	74	-24.48	PK
Vertical	@	5795	92.02	14.53	106.55	N/A	N/A	PK
		5906	40.67	14.98	55.65	82.22	-26.57	PK
		5952.5	40.35	15.03	55.38	68.2	-12.82	PK
	*	11590	30.94	18.84	49.78	74	-24.22	PK

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5092.4	42.56	13.43	55.99	74	-18.01	PK
		5149.1	32.88	13.43	46.31	54	-7.69	AVG
	@	5210	88.41	13.36	101.77	N/A	N/A	PK
	@	5210	77.4	13.36	90.76	N/A	N/A	AVG
	*	10420	30.98	17.6	48.58	68.2	-19.62	PK
Vertical		5013.3	42.77	12.89	55.66	74	-18.34	PK
		5149.45	31.62	13.43	45.05	54	-8.95	AVG
	@	5210	86.22	13.36	99.58	N/A	N/A	PK
	@	5210	74.93	13.36	88.29	N/A	N/A	AVG
	*	10420	31.48	17.6	49.08	68.2	-19.12	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	86.38	13.21	99.59	N/A	N/A	PK
	@	5290	77.45	13.21	90.66	N/A	N/A	AVG
		5355.9	30.86	13.28	44.14	54	-9.86	AVG
		5450.4	39.69	13.67	53.36	74	-20.64	PK
	*	10580	30.48	17.73	48.21	68.2	-19.99	PK
Vertical	@	5290	85	13.21	98.21	N/A	N/A	PK
	@	5290	73.69	13.21	86.9	N/A	N/A	AVG
		5450.4	39.69	13.67	53.36	74	-20.64	PK
		5457	28.39	13.69	42.08	54	-11.92	AVG
	*	10580	29.75	17.73	47.48	68.2	-20.72	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5454.6	45.19	13.69	58.88	74	-15.12	PK
		5454.6	34.1	13.69	47.79	54	-6.21	AVG
		5465.1	47.24	13.72	60.96	68.2	-7.24	PK
	@	5530	88.92	13.87	102.79	N/A	N/A	PK
	@	5530	77.19	13.87	91.06	N/A	N/A	AVG
	*	11060	29.87	18.41	48.28	74	-25.72	PK
Vertical		5452.5	41.16	13.67	54.83	74	-19.17	PK
		5452.5	28.41	13.67	42.08	54	-11.92	AVG
		5466.5	40.62	13.72	54.34	68.2	-13.86	PK
	@	5530	85.66	13.87	99.53	N/A	N/A	PK
	@	5530	74.79	13.87	88.66	N/A	N/A	AVG
	*	11060	29.93	18.41	48.34	74	-25.66	PK


TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5443.75	40.36	13.65	54.01	74	-19.99	PK
		5443.75	29.09	13.65	42.74	54	-11.26	AVG
		5466.85	40.23	13.72	53.95	68.2	-14.25	PK
	@	5610	91.53	14.03	105.56	N/A	N/A	PK
	@	5610	80.3	14.03	94.33	N/A	N/A	AVG
		5743.7	41.16	14.27	55.43	68.2	-12.77	PK
Vertical	*	11220	30.32	18.25	48.57	74	-25.43	PK
		5437.1	38.7	13.61	52.31	74	-21.69	PK
		5437.1	27.5	13.61	41.11	54	-12.89	AVG
		5469.3	39.3	13.74	53.04	68.2	-15.16	PK
	@	5610	84.49	14.03	98.52	N/A	N/A	PK
	@	5610	73.6	14.03	87.63	N/A	N/A	AVG
		5743.35	39.66	14.27	53.93	68.2	-14.27	PK
	*	11220	30.08	18.25	48.33	74	-25.67	PK


TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Horizontal







TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5649.5	50.88	14	64.88	68.2	-3.32	PK
		5694.5	62.83	14.05	76.88	101.15	-24.27	PK
	@	5775	93.69	14.44	108.13	N/A	N/A	PK
		5875.5	57.98	14.89	72.87	104.83	-31.96	PK
		5926	42.73	14.99	57.72	68.2	-10.48	PK
	*	11550	29.87	18.93	48.8	74	-25.2	PK
Vertical		5645	41	14.01	55.01	68.2	-13.19	PK
		5691	40.68	14.04	54.72	98.56	-43.84	PK
	@	5775	80.3	14.44	94.74	N/A	N/A	PK
		5885.5	40.53	14.92	55.45	97.4	-41.95	PK
		5943	41.95	15.01	56.96	68.2	-11.24	PK
	*	11550	30.36	18.93	49.29	74	-24.71	PK

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		99.84	38.73	-16.43	22.3	43.5	-21.2	PK
		240.49	44.86	-12.1	32.76	46	-13.24	PK
		299.66	51	-9.93	41.07	46	-4.93	PK
		343.31	41.3	-8.66	32.64	46	-13.36	PK
		499.48	43.26	-4.76	38.5	46	-7.5	PK
		699.3	33.8	-0.46	33.34	46	-12.66	PK
Vertical		31.94	38.76	-12.64	26.12	40	-13.88	PK
		298.69	37.9	-9.98	27.92	46	-18.08	PK
		499.48	31.18	-4.76	26.42	46	-19.58	PK
		649.83	29.98	-1.56	28.42	46	-17.58	PK
		738.1	30.33	0.22	30.55	46	-15.45	PK
		883.6	29.43	2.58	32.01	46	-13.99	PK


TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11 ax(HE20) (Ch 149)

Radiated Spurious Emission, Vertical



FPC Antenna

Above 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5095.2	41.91	13.44	55.35	74	-18.65	PK
		5112.35	30.7	13.46	44.16	54	-9.84	AVG
	@	5180	85.23	13.4	98.63	N/A	N/A	PK
	@	5180	76.55	13.4	89.95	N/A	N/A	AVG
	*	10360	29.87	17.39	47.26	68.2	-20.94	PK
Vertical		5077	37.33	13.39	50.72	74	-23.28	PK
		5121.8	30.67	13.45	44.12	54	-9.88	AVG
	@	5180	83.31	13.4	96.71	N/A	N/A	PK
	@	5180	80.33	13.4	93.73	N/A	N/A	AVG
	*	10360	31.45	17.39	48.84	68.2	-19.36	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 36)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 36)
Band Edge (Average), Vertical



TX, 802.11a (Ch 36)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 36)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5103.25	30.73	13.46	44.19	54	-9.81	AVG
		5148.5	44.09	13.42	57.51	74	-16.49	PK
	@	5220	84.76	13.33	98.09	N/A	N/A	PK
	@	5220	77.02	13.33	90.35	N/A	N/A	AVG
	*	10440	30.38	17.63	48.01	68.2	-20.19	PK
Vertical		5066.9	42.32	13.35	55.67	74	-18.33	PK
		5088.9	31.09	13.43	44.52	54	-9.48	AVG
	@	5220	89.51	13.33	102.84	N/A	N/A	PK
	@	5220	81.58	13.33	94.91	N/A	N/A	AVG
	*	10440	30.47	17.63	48.1	68.2	-20.1	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 44)
Band Edge (Average), Vertical



TX, 802.11a (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5074.1	41.76	13.38	55.14	74	-18.86	PK
		5111.65	31.05	13.46	44.51	54	-9.49	AVG
	@	5240	84.95	13.27	98.22	N/A	N/A	PK
	@	5240	76.85	13.27	90.12	N/A	N/A	AVG
	*	10480	29.74	17.69	47.43	68.2	-20.77	PK
Vertical		5094.15	30.88	13.44	44.32	54	-9.68	AVG
		5137.7	41.16	13.43	54.59	74	-19.41	PK
	@	5240	88.7	13.27	101.97	N/A	N/A	PK
	@	5240	81.61	13.27	94.88	N/A	N/A	AVG
	*	10480	31.68	17.69	49.37	68.2	-18.83	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	83.97	13.24	97.21	N/A	N/A	PK
	@	5260	76.19	13.24	89.43	N/A	N/A	AVG
		5442	41.13	13.64	54.77	74	-19.23	PK
		5457.9	28.81	13.7	42.51	54	-11.49	AVG
	*	10520	30.27	17.73	48	68.2	-20.2	PK
Vertical	@	5260	87.93	13.24	101.17	N/A	N/A	PK
	@	5260	82.22	13.24	95.46	N/A	N/A	AVG
		5453.7	28.94	13.69	42.63	54	-11.37	AVG
		5454.9	39.53	13.69	53.22	74	-20.78	PK
	*	10520	31.21	17.73	48.94	68.2	-19.26	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	84.36	13.21	97.57	N/A	N/A	PK
	@	5300	77.42	13.21	90.63	N/A	N/A	AVG
		5441.1	28.86	13.63	42.49	54	-11.51	AVG
		5454.9	39.63	13.69	53.32	74	-20.68	PK
	*	10600	30.57	17.73	48.3	68.2	-19.9	PK
Vertical	@	5300	91.06	13.21	104.27	N/A	N/A	PK
	@	5300	83.23	13.21	96.44	N/A	N/A	AVG
		5352.6	40.31	13.27	53.58	74	-20.42	PK
		5455.8	29.17	13.69	42.86	54	-11.14	AVG
	*	10600	29.85	17.73	47.58	68.2	-20.62	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	84.79	13.23	98.02	N/A	N/A	PK
	@	5320	78.24	13.23	91.47	N/A	N/A	AVG
		5440.5	39.11	13.63	52.74	74	-21.26	PK
		5460	28.94	13.7	42.64	54	-11.36	AVG
	*	10640	30.52	17.82	48.34	74	-25.66	PK
Vertical	@	5320	91.13	13.23	104.36	N/A	N/A	PK
	@	5320	83.71	13.23	96.94	N/A	N/A	AVG
		5437.8	39.6	13.61	53.21	74	-20.79	PK
		5459.7	29.01	13.7	42.71	54	-11.29	AVG
	*	10640	30.4	17.82	48.22	74	-25.78	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Average), Vertical



TX, 802.11a (Ch 64)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5415.4	38.95	13.49	52.44	74	-21.56	PK
		5415.4	28.11	13.49	41.6	54	-12.4	AVG
		5460.2	38.91	13.7	52.61	68.2	-15.59	PK
	@	5500	85.85	13.83	99.68	N/A	N/A	PK
	@	5500	75.9	13.83	89.73	N/A	N/A	AVG
	*	11000	29.8	18.28	48.08	74	-25.92	PK
Vertical		5458.8	39.3	13.7	53	74	-21	PK
		5458.8	28.45	13.7	42.15	54	-11.85	AVG
		5467.2	39.38	13.72	53.1	68.2	-15.1	PK
	@	5500	93.77	13.83	107.6	N/A	N/A	PK
	@	5500	83.2	13.83	97.03	N/A	N/A	AVG
	*	11000	31.67	18.28	49.95	74	-24.05	PK




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.15	38.95	13.67	52.62	74	-21.38	PK
		5452.15	28.11	13.67	41.78	54	-12.22	AVG
		5465.1	38.34	13.72	52.06	68.2	-16.14	PK
	@	5580	86.13	13.98	100.11	N/A	N/A	PK
	@	5580	76.4	13.98	90.38	N/A	N/A	AVG
		5730.05	41.96	14.2	56.16	68.2	-12.04	PK
Vertical	*	11160	29.9	18.32	48.22	74	-25.78	PK
		5430.45	39.81	13.57	53.38	74	-20.62	PK
		5430.45	28.5	13.57	42.07	54	-11.93	AVG
		5461.95	39.68	13.71	53.39	68.2	-14.81	PK
	@	5580	94.25	13.98	108.23	N/A	N/A	PK
	@	5580	83.9	13.98	97.88	N/A	N/A	AVG
		5727.95	40.43	14.19	54.62	68.2	-13.58	PK
	*	11160	30.03	18.32	48.35	74	-25.65	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	83.98	14.05	98.03	N/A	N/A	PK
	@	5700	73.1	14.05	87.15	N/A	N/A	AVG
	*	5738.1	39.43	14.24	53.67	68.2	-14.53	PK
	*	11400	30.27	18.74	49.01	74	-24.99	PK
Vertical	@	5700	97.27	14.05	111.32	N/A	N/A	PK
	@	5700	87.52	14.05	101.57	N/A	N/A	AVG
	*	5725.5	41.57	14.18	55.75	68.2	-12.45	PK
	*	11400	30.01	18.74	48.75	74	-25.25	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5633	40.78	14.01	54.79	68.2	-13.41	PK
		5685	41.18	14.04	55.22	94.13	-38.91	PK
	@	5745	85.76	14.28	100.04	N/A	N/A	PK
	*	11490	30.53	19.02	49.55	74	-24.45	PK
Vertical		5642	40.27	14.01	54.28	68.2	-13.92	PK
		5697.5	41.44	14.05	55.49	103.36	-47.87	PK
	@	5745	100.61	14.28	114.89	N/A	N/A	PK
	*	11490	30.2	19.02	49.22	74	-24.78	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5599.5	40.53	14.04	54.57	68.2	-13.63	PK
		5651	39.99	14	53.99	68.94	-14.95	PK
		5785	86.34	14.48	100.82	N/A	N/A	PK
	*	5914.5	40.18	14.98	55.16	75.94	-20.78	PK
		5967	40.18	15.07	55.25	68.2	-12.95	PK
		11570	30.48	18.88	49.36	74	-24.64	PK
Vertical	@	5572.5	41.17	13.95	55.12	68.2	-13.08	PK
		5684.5	40.25	14.04	54.29	93.76	-39.47	PK
		5785	97.99	14.48	112.47	N/A	N/A	PK
	*	5914.5	40	14.98	54.98	75.94	-20.96	PK
		5961	40.53	15.05	55.58	68.2	-12.62	PK
		11570	30.11	18.88	48.99	74	-25.01	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	83.26	14.69	97.95	N/A	N/A	PK
		5908.5	39.72	14.97	54.69	80.38	-25.69	PK
		5991.5	40.54	15.14	55.68	68.2	-12.52	PK
	*	11650	29.6	18.63	48.23	74	-25.77	PK
Vertical	@	5825	98.08	14.69	112.77	N/A	N/A	PK
		5885	40.36	14.92	55.28	97.77	-42.49	PK
		5957.5	40.23	15.05	55.28	68.2	-12.92	PK
	*	11650	30.55	18.63	49.18	74	-24.82	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5096.25	30.42	13.45	43.87	54	-10.13	AVG
		5131.7	41.24	13.44	54.68	74	-19.32	PK
	@	5180	84.17	13.4	97.57	N/A	N/A	PK
	@	5180	75.16	13.4	88.56	N/A	N/A	AVG
	*	10360	29.94	17.39	47.33	68.2	-20.87	PK
Vertical		5071.7	42.18	13.37	55.55	74	-18.45	PK
		5101.5	30.45	13.46	43.91	54	-10.09	AVG
	@	5180	89.18	13.4	102.58	N/A	N/A	PK
	@	5180	79.34	13.4	92.74	N/A	N/A	AVG
	*	10360	31.51	17.39	48.9	68.2	-19.3	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1