

Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	75.33	13.21	88.54	N/A	N/A	PK
	@	5290	65.93	13.21	79.14	N/A	N/A	AVG
		5449.8	28.16	13.67	41.83	54	-12.17	AVG
		5457.3	39.74	13.69	53.43	74	-20.57	PK
	*	10580	30.6	17.73	48.33	68.2	-19.87	PK
Vertical	@	5290	83.48	13.21	96.69	N/A	N/A	PK
	@	5290	71.66	13.21	84.87	N/A	N/A	AVG
		5390.7	39.74	13.39	53.13	74	-20.87	PK
		5456.1	28.15	13.69	41.84	54	-12.16	AVG
	*	10580	29.85	17.73	47.58	68.2	-20.62	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5429.4	39.2	13.57	52.77	74	-21.23	PK
		5429.4	28.1	13.57	41.67	54	-12.33	AVG
		5465.45	38.13	13.72	51.85	68.2	-16.35	PK
	@	5530	77.28	13.87	91.15	N/A	N/A	PK
	@	5530	67.79	13.87	81.66	N/A	N/A	AVG
	*	11060	29.99	18.41	48.4	74	-25.6	PK
Vertical		5451.1	40.06	13.67	53.73	74	-20.27	PK
		5451.1	28.11	13.67	41.78	54	-12.22	AVG
		5468.95	39.95	13.74	53.69	68.2	-14.51	PK
	@	5530	84.76	13.87	98.63	N/A	N/A	PK
	@	5530	74.19	13.87	88.06	N/A	N/A	AVG
	*	11060	29.99	18.41	48.4	74	-25.6	PK


TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	40.06	13.67	53.73	74	-20.27	PK
		5452.5	28.11	13.67	41.78	54	-12.22	AVG
		5465.8	38.8	13.72	52.52	68.2	-15.68	PK
	@	5610	76.51	14.03	90.54	N/A	N/A	PK
	@	5610	66.9	14.03	80.93	N/A	N/A	AVG
		5728.3	40.43	14.19	54.62	68.2	-13.58	PK
Vertical	*	11220	30.39	18.25	48.64	74	-25.36	PK
		5458.8	39.19	13.7	52.89	74	-21.11	PK
		5458.8	28.3	13.7	42	54	-12	AVG
		5469.65	39.48	13.74	53.22	68.2	-14.98	PK
	@	5610	84.79	14.03	98.82	N/A	N/A	PK
	@	5610	74.3	14.03	88.33	N/A	N/A	AVG
		5746.5	40.02	14.29	54.31	68.2	-13.89	PK
	*	11220	30.21	18.25	48.46	74	-25.54	PK


TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Horizontal







TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5626.5	40.89	14.02	54.91	68.2	-13.29	PK
		5671	39.55	14.02	53.57	83.78	-30.21	PK
		5775	76.22	14.44	90.66	N/A	N/A	PK
		5907.5	40.82	14.97	55.79	81.11	-25.32	PK
		6029.5	40.7	15.21	55.91	68.2	-12.29	PK
	*	11550	29.99	18.93	48.92	74	-25.08	PK
Vertical	@	5619	41.34	14.02	55.36	68.2	-12.84	PK
		5697.5	44.15	14.05	58.2	103.36	-45.16	PK
		5775	88.64	14.44	103.08	N/A	N/A	PK
		5894	40.36	14.95	55.31	91.1	-35.79	PK
		5981	40.74	15.11	55.85	68.2	-12.35	PK
	*	11550	30.41	18.93	49.34	74	-24.66	PK

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		196.84	42.6	-13.73	28.87	43.5	-14.63	PK
		265.71	46.3	-11.12	35.18	46	-10.82	PK
		299.66	50.2	-9.93	40.27	46	-5.73	PK
		336.52	41.3	-8.77	32.53	46	-13.47	PK
		497.54	42.64	-4.77	37.87	46	-8.13	PK
		697.36	33.95	-0.47	33.48	46	-12.52	PK
Vertical		31.94	37.7	-12.64	25.06	40	-14.94	PK
		299.66	38.98	-9.93	29.05	46	-16.95	PK
		320.03	35.01	-9.28	25.73	46	-20.27	PK
		495.6	33.34	-4.79	28.55	46	-17.45	PK
		606.18	29.21	-1.88	27.33	46	-18.67	PK
		752.65	30.43	0.59	31.02	46	-14.98	PK


TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Vertical



Dipole Antenna

Above 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5075.25	31.53	13.38	44.91	54	-9.09	AVG
		5149.8	42.33	13.43	55.76	74	-18.24	PK
	@	5180	87.2	13.4	100.6	N/A	N/A	PK
	@	5180	80.66	13.4	94.06	N/A	N/A	AVG
	*	10360	29.69	17.39	47.08	68.2	-21.12	PK
Vertical		5063	43.48	13.35	56.83	74	-17.17	PK
		5149.8	39.41	13.43	52.84	54	-1.16	AVG
	@	5180	98.88	13.4	112.28	N/A	N/A	PK
	@	5180	93.3	13.4	106.7	N/A	N/A	AVG
	*	10360	31.2	17.39	48.59	68.2	-19.61	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 36)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 36)
Band Edge (Average), Vertical



TX, 802.11a (Ch 36)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 36)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5026.6	41.98	13.04	55.02	74	-18.98	PK
		5095.2	31.23	13.44	44.67	54	-9.33	AVG
	@	5220	88.37	13.33	101.7	N/A	N/A	PK
	@	5220	81.64	13.33	94.97	N/A	N/A	AVG
	*	10440	30.13	17.63	47.76	68.2	-20.44	PK
Vertical		5032.55	33.12	13.11	46.23	54	-7.77	AVG
		5099.05	43.18	13.46	56.64	74	-17.36	PK
	@	5220	100.25	13.33	113.58	N/A	N/A	PK
	@	5220	93.08	13.33	106.41	N/A	N/A	AVG
	*	10440	30.24	17.63	47.87	68.2	-20.33	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 44)
Band Edge (Average), Vertical



TX, 802.11a (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5043.75	43.46	13.24	56.7	74	-17.3	PK
		5089.95	31.39	13.43	44.82	54	-9.18	AVG
	@	5240	88.61	13.27	101.88	N/A	N/A	PK
	@	5240	81.08	13.27	94.35	N/A	N/A	AVG
	*	10480	29.32	17.69	47.01	68.2	-21.19	PK
Vertical		5054.25	32.96	13.31	46.27	54	-7.73	AVG
		5087.15	43.08	13.42	56.5	74	-17.5	PK
	@	5240	100.47	13.27	113.74	N/A	N/A	PK
	@	5240	93.09	13.27	106.36	N/A	N/A	AVG
	*	10480	31.45	17.69	49.14	68.2	-19.06	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	86.66	13.24	99.9	N/A	N/A	PK
	@	5260	80.14	13.24	93.38	N/A	N/A	AVG
		5435.7	40.24	13.6	53.84	74	-20.16	PK
		5449.8	28.94	13.67	42.61	54	-11.39	AVG
	*	10520	30.22	17.73	47.95	68.2	-20.25	PK
Vertical	@	5260	99.91	13.24	113.15	N/A	N/A	PK
	@	5260	93.33	13.24	106.57	N/A	N/A	AVG
		5402.7	41	13.43	54.43	74	-19.57	PK
		5450.7	30.39	13.67	44.06	54	-9.94	AVG
	*	10520	31.21	17.73	48.94	68.2	-19.26	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	87.64	13.21	100.85	N/A	N/A	PK
	@	5300	80.4	13.21	93.61	N/A	N/A	AVG
		5457	39.46	13.69	53.15	74	-20.85	PK
		5459.7	29	13.7	42.7	54	-11.3	AVG
	*	10600	30.45	17.73	48.18	68.2	-20.02	PK
Vertical	@	5300	101.72	13.21	114.93	N/A	N/A	PK
	@	5300	93.37	13.21	106.58	N/A	N/A	AVG
		5351.7	31.14	13.26	44.4	54	-9.6	AVG
		5448.6	40.83	13.66	54.49	74	-19.51	PK
	*	10600	29.9	17.73	47.63	68.2	-20.57	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 60)
Band Edge (Average), Vertical



TX, 802.11a (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	86.71	13.23	99.94	N/A	N/A	PK
	@	5320	79.69	13.23	92.92	N/A	N/A	AVG
		5427.3	39.44	13.56	53	74	-21	PK
		5457.9	29.14	13.7	42.84	54	-11.16	AVG
	*	10640	30.33	17.82	48.15	74	-25.85	PK
Vertical	@	5320	101.71	13.23	114.94	N/A	N/A	PK
	@	5320	92.97	13.23	106.2	N/A	N/A	AVG
		5350.5	41.9	13.26	55.16	74	-18.84	PK
		5351.1	37.82	13.26	51.08	54	-2.92	AVG
	*	10640	30.21	17.82	48.03	74	-25.97	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Average), Vertical



TX, 802.11a (Ch 64)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5442.7	39.52	13.64	53.16	74	-20.84	PK
		5442.7	28.5	13.64	42.14	54	-11.86	AVG
		5470	39.08	13.74	52.82	68.2	-15.38	PK
	@	5500	84.94	13.83	98.77	N/A	N/A	PK
	@	5500	73.8	13.83	87.63	N/A	N/A	AVG
	*	11000	29.69	18.28	47.97	74	-26.03	PK
Vertical		5457.75	41.81	13.7	55.51	74	-18.49	PK
		5457.75	30.73	13.7	44.43	54	-9.57	AVG
		5469.65	53.67	13.74	67.41	68.2	-0.79	PK
	@	5500	99.71	13.83	113.54	N/A	N/A	PK
	@	5500	91.42	13.83	105.25	N/A	N/A	AVG
	*	11000	31.36	18.28	49.64	74	-24.36	PK




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5407.7	39.61	13.46	53.07	74	-20.93	PK
		5407.7	28.2	13.46	41.66	54	-12.34	AVG
		5464.05	39.1	13.72	52.82	68.2	-15.38	PK
	@	5580	85.34	13.98	99.32	N/A	N/A	PK
	@	5580	75.1	13.98	89.08	N/A	N/A	AVG
	*	5731.45	39.99	14.21	54.2	68.2	-14	PK
Vertical		11160	29.69	18.32	48.01	74	-25.99	PK
		5441.3	41.12	13.64	54.76	74	-19.24	PK
		5441.3	29.49	13.64	43.13	54	-10.87	AVG
		5466.85	39.79	13.72	53.51	68.2	-14.69	PK
	@	5580	99.74	13.98	113.72	N/A	N/A	PK
	@	5580	89.6	13.98	103.58	N/A	N/A	AVG
		5746.15	40.87	14.28	55.15	68.2	-13.05	PK
	*	11160	29.87	18.32	48.19	74	-25.81	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	81.91	14.05	95.96	N/A	N/A	PK
	@	5700	71.3	14.05	85.35	N/A	N/A	AVG
	*	5735.65	40.02	14.23	54.25	68.2	-13.95	PK
	*	11400	30.1	18.74	48.84	74	-25.16	PK
Vertical	@	5700	98.37	14.05	112.42	N/A	N/A	PK
	@	5700	88.1	14.05	102.15	N/A	N/A	AVG
	*	5725.15	47.58	14.18	61.76	68.2	-6.44	PK
	*	11400	29.88	18.74	48.62	74	-25.38	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5597.5	39.88	14.03	53.91	68.2	-14.29	PK
		5678	40.16	14.03	54.19	88.96	-34.77	PK
	@	5745	82.28	14.28	96.56	N/A	N/A	PK
	*	11490	32.4	19.02	51.42	74	-22.58	PK
Vertical		5647.5	43.71	14.01	57.72	68.2	-10.48	PK
		5700	60.39	14.05	74.44	105.2	-30.76	PK
	@	5745	103.08	14.28	117.36	N/A	N/A	PK
	*	11490	31.17	19.02	50.19	74	-23.81	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5585.5	40.35	14	54.35	68.2	-13.85	PK
		5699.5	41.1	14.05	55.15	104.83	-49.68	PK
		5785	82.65	14.48	97.13	N/A	N/A	PK
		5892	40.16	14.94	55.1	92.58	-37.48	PK
		5965.5	40.31	15.07	55.38	68.2	-12.82	PK
	*	11570	30.47	18.88	49.35	74	-24.65	PK
Vertical	@	5575.5	40.99	13.97	54.96	68.2	-13.24	PK
		5699.5	41.12	14.05	55.17	104.83	-49.66	PK
		5785	102.88	14.48	117.36	N/A	N/A	PK
		5875	43.27	14.89	58.16	105.2	-47.04	PK
		5982.5	41.42	15.11	56.53	68.2	-11.67	PK
	*	11570	29.88	18.88	48.76	74	-25.24	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	81.57	14.69	96.26	N/A	N/A	PK
		5909	40.52	14.97	55.49	80.01	-24.52	PK
		5988.5	40.11	15.14	55.25	68.2	-12.95	PK
	*	11650	29.32	18.63	47.95	74	-26.05	PK
Vertical	@	5825	100.79	14.69	115.48	N/A	N/A	PK
		5878	55.85	14.9	70.75	102.97	-32.22	PK
		6010	42.61	15.18	57.79	68.2	-10.41	PK
	*	11650	30.52	18.63	49.15	74	-24.85	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5117.25	30.5	13.46	43.96	54	-10.04	AVG
		5146.3	41.78	13.43	55.21	74	-18.79	PK
	@	5180	88.59	13.4	101.99	N/A	N/A	PK
	@	5180	79.42	13.4	92.82	N/A	N/A	AVG
	*	10360	29.8	17.39	47.19	68.2	-21.01	PK
Vertical		5093.45	42.6	13.44	56.04	74	-17.96	PK
		5149.45	39.14	13.43	52.57	54	-1.43	AVG
	@	5180	100.23	13.4	113.63	N/A	N/A	PK
	@	5180	91.8	13.4	105.2	N/A	N/A	AVG
	*	10360	30.97	17.39	48.36	68.2	-19.84	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5070.7	42.39	13.37	55.76	74	-18.24	PK
		5090.65	30.69	13.43	44.12	54	-9.88	AVG
	@	5220	88.74	13.33	102.07	N/A	N/A	PK
	@	5220	80.63	13.33	93.96	N/A	N/A	AVG
	*	10440	29.9	17.63	47.53	68.2	-20.67	PK
Vertical		5029.75	32.68	13.08	45.76	54	-8.24	AVG
		5070	42.71	13.37	56.08	74	-17.92	PK
	@	5220	102.88	13.33	116.21	N/A	N/A	PK
	@	5220	93.98	13.33	107.31	N/A	N/A	AVG
	*	10440	30.29	17.63	47.92	68.2	-20.28	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5136.85	42.56	13.44	56	74	-18	PK
		5139.3	30.6	13.43	44.03	54	-9.97	AVG
	@	5240	89.17	13.27	102.44	N/A	N/A	PK
	@	5240	79.52	13.27	92.79	N/A	N/A	AVG
	*	10480	29.38	17.69	47.07	68.2	-21.13	PK
Vertical		5044.1	42.88	13.24	56.12	74	-17.88	PK
		5052.15	32.63	13.31	45.94	54	-8.06	AVG
	@	5240	100.14	13.27	113.41	N/A	N/A	PK
	@	5240	94.08	13.27	107.35	N/A	N/A	AVG
	*	10480	31.53	17.69	49.22	68.2	-18.98	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	87.15	13.24	100.39	N/A	N/A	PK
	@	5260	79.84	13.24	93.08	N/A	N/A	AVG
		5456.7	28.32	13.69	42.01	54	-11.99	AVG
		5459.4	39.65	13.7	53.35	74	-20.65	PK
	*	10520	30.13	17.73	47.86	68.2	-20.34	PK
Vertical	@	5260	100.38	13.24	113.62	N/A	N/A	PK
	@	5260	93.81	13.24	107.05	N/A	N/A	AVG
		5436.3	40.34	13.61	53.95	74	-20.05	PK
		5448.6	29.79	13.66	43.45	54	-10.55	AVG
	*	10520	31.32	17.73	49.05	68.2	-19.15	PK






Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 52)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Horizontal

TX, 802.11ax(HE20) (Ch 52)
Band Edge (Average), Vertical

TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 52)
Band Edge (Peak), Vertical
