

Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	86.91	13.21	100.12	N/A	N/A	PK
	@	5300	79.7	13.21	92.91	N/A	N/A	AVG
		5452.2	28.43	13.67	42.1	54	-11.9	AVG
		5459.1	40.03	13.7	53.73	74	-20.27	PK
	*	10600	30.52	17.73	48.25	68.2	-19.95	PK
Vertical	@	5300	100.68	13.21	113.89	N/A	N/A	PK
	@	5300	93.8	13.21	107.01	N/A	N/A	AVG
		5350.2	34.98	13.26	48.24	54	-5.76	AVG
		5416.2	41.86	13.49	55.35	74	-18.65	PK
	*	10600	29.75	17.73	47.48	68.2	-20.72	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	88.52	13.23	101.75	N/A	N/A	PK
	@	5320	80.19	13.23	93.42	N/A	N/A	AVG
		5406.3	40.02	13.46	53.48	74	-20.52	PK
		5458.5	28.39	13.7	42.09	54	-11.91	AVG
	*	10640	30.21	17.82	48.03	74	-25.97	PK
Vertical	@	5320	101.22	13.23	114.45	N/A	N/A	PK
	@	5320	91.45	13.23	104.68	N/A	N/A	AVG
		5350.2	39.84	13.26	53.1	54	-0.9	AVG
		5350.5	46.59	13.26	59.85	74	-14.15	PK
	*	10640	30.27	17.82	48.09	74	-25.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	100
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5455.65	39.44	13.69	53.13	74	-20.87	PK
		5455.65	28.4	13.69	42.09	54	-11.91	AVG
		5468.25	38.59	13.74	52.33	68.2	-15.87	PK
	@	5500	84.46	13.83	98.29	N/A	N/A	PK
	@	5500	73.9	13.83	87.73	N/A	N/A	AVG
	*	11000	29.55	18.28	47.83	74	-26.17	PK
Vertical		5459.5	44.55	13.7	58.25	74	-15.75	PK
		5459.5	34.4	13.7	48.1	54	-5.9	AVG
		5469.65	53.79	13.74	67.53	68.2	-0.67	PK
	@	5500	101.1	13.83	114.93	N/A	N/A	PK
	@	5500	90.8	13.83	104.63	N/A	N/A	AVG
	*	11000	31.48	18.28	49.76	74	-24.24	PK


TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 100)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 100)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	116
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5452.5	38.93	13.67	52.6	74	-21.4	PK
		5452.5	28.51	13.67	42.18	54	-11.82	AVG
		5464.75	39.23	13.72	52.95	68.2	-15.25	PK
	@	5580	85.04	13.98	99.02	N/A	N/A	PK
	@	5580	74.9	13.98	88.88	N/A	N/A	AVG
		5750	40.29	14.31	54.6	68.2	-13.6	PK
Vertical	*	11160	29.77	18.32	48.09	74	-25.91	PK
		5453.2	41.28	13.68	54.96	74	-19.04	PK
		5453.2	31.1	13.68	44.78	54	-9.22	AVG
		5460.9	40.64	13.71	54.35	68.2	-13.85	PK
	@	5580	102.59	13.98	116.57	N/A	N/A	PK
	@	5580	92.3	13.98	106.28	N/A	N/A	AVG
		5733.2	40.88	14.22	55.1	68.2	-13.1	PK
	*	11160	29.75	18.32	48.07	74	-25.93	PK


TX, 802.11ax(HE20) (Ch 116)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 116)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 116)

Band Edge (Peak), Horizontal







TX, 802.11ax(HE20) (Ch 116)

Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	140
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	79.46	14.05	93.51	N/A	N/A	PK
	@	5700	69.5	14.05	83.55	N/A	N/A	AVG
	*	5743.7	39.98	14.27	54.25	68.2	-13.95	PK
	*	11400	30.19	18.74	48.93	74	-25.07	PK
Vertical	@	5700	97.79	14.05	111.84	N/A	N/A	PK
	@	5700	87.6	14.05	101.65	N/A	N/A	AVG
	*	5725.15	51.42	14.18	65.6	68.2	-2.6	PK
	*	11400	29.73	18.74	48.47	74	-25.53	PK


TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 140)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 140)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5575	40.3	13.97	54.27	68.2	-13.93	PK
		5693.5	40.5	14.05	54.55	100.41	-45.86	PK
	@	5745	85.59	14.28	99.87	N/A	N/A	PK
	*	11490	30.24	19.02	49.26	74	-24.74	PK
Vertical		5646.5	46.88	14.01	60.89	68.2	-7.31	PK
		5695	59.78	14.05	73.83	101.51	-27.68	PK
	@	5745	103.2	14.28	117.48	N/A	N/A	PK
	*	11490	30	19.02	49.02	74	-24.98	PK


TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 149)

Band Edge (Peak), Horizontal







TX, 802.11ax(HE20) (Ch 149)

Band Edge (Peak), Vertical







Mode	802.11ax(HE20)	Channel	157
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5622.5	40.18	14.03	54.21	68.2	-13.99	PK
		5661	39.4	14.01	53.41	76.37	-22.96	PK
		5785	83.81	14.48	98.29	N/A	N/A	PK
		5879.5	40.72	14.91	55.63	101.86	-46.23	PK
		5952.5	40.84	15.03	55.87	68.2	-12.33	PK
	*	11570	30.64	18.88	49.52	74	-24.48	PK
Vertical	@	5586	41.56	14	55.56	68.2	-12.64	PK
		5699	46.33	14.05	60.38	104.46	-44.08	PK
		5785	102.2	14.48	116.68	N/A	N/A	PK
		5878	47.39	14.9	62.29	102.97	-40.68	PK
		5949	40.52	15.02	55.54	68.2	-12.66	PK
	*	11570	30	18.88	48.88	74	-25.12	PK

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 157)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 157)
Band Edge (Peak), Vertical


Mode	802.11ax(HE20)	Channel	165
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	84.34	14.69	99.03	N/A	N/A	PK
		5900	40.15	14.97	55.12	86.66	-31.54	PK
		5925.5	40.69	14.99	55.68	68.2	-12.52	PK
	*	11650	29.17	18.63	47.8	74	-26.2	PK
Vertical	@	5825	101.77	14.69	116.46	N/A	N/A	PK
		5875.5	60.71	14.89	75.6	104.83	-29.23	PK
		5928	45.3	14.99	60.29	68.2	-7.91	PK
	*	11650	30.4	18.63	49.03	74	-24.97	PK

TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE20) (Ch 165)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE20) (Ch 165)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	38
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5098	30.56	13.46	44.02	54	-9.98	AVG
		5113.75	42.78	13.45	56.23	74	-17.77	PK
	@	5190	81.74	13.4	95.14	N/A	N/A	PK
	@	5190	73.56	13.4	86.96	N/A	N/A	AVG
	*	10380	29.69	17.49	47.18	68.2	-21.02	PK
Vertical		5116.9	42.43	13.46	55.89	74	-18.11	PK
		5149.8	33.91	13.43	47.34	54	-6.66	AVG
	@	5190	93.38	13.4	106.78	N/A	N/A	PK
	@	5190	84.41	13.4	97.81	N/A	N/A	AVG
	*	10380	29.92	17.49	47.41	68.2	-20.79	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	46
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5079.45	42.45	13.4	55.85	74	-18.15	PK
		5105.7	30.55	13.46	44.01	54	-9.99	AVG
	@	5230	86.73	13.3	100.03	N/A	N/A	PK
	@	5230	77.38	13.3	90.68	N/A	N/A	AVG
	*	10460	30.81	17.66	48.47	68.2	-19.73	PK
Vertical		5068.6	42.59	13.36	55.95	74	-18.05	PK
		5149.8	39.61	13.43	53.04	54	-0.96	AVG
	@	5230	98.98	13.3	112.28	N/A	N/A	PK
	@	5230	90.88	13.3	104.18	N/A	N/A	AVG
	*	10460	30.9	17.66	48.56	68.2	-19.64	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	54
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5270	84.52	13.22	97.74	N/A	N/A	PK
	@	5270	76.64	13.22	89.86	N/A	N/A	AVG
		5429.1	39.78	13.57	53.35	74	-20.65	PK
		5457.6	28.38	13.7	42.08	54	-11.92	AVG
	*	10540	30.62	17.72	48.34	68.2	-19.86	PK
Vertical	@	5270	97.47	13.22	110.69	N/A	N/A	PK
	@	5270	91.42	13.22	104.64	N/A	N/A	AVG
		5350.2	38.7	13.26	51.96	54	-2.04	AVG
		5436	40.11	13.6	53.71	74	-20.29	PK
	*	10540	30.69	17.72	48.41	68.2	-19.79	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	62
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5310	80.18	13.21	93.39	N/A	N/A	PK
	@	5310	72.89	13.21	86.1	N/A	N/A	AVG
		5447.1	39.99	13.66	53.65	74	-20.35	PK
		5458.5	28.36	13.7	42.06	54	-11.94	AVG
	*	10620	30.2	17.78	47.98	74	-26.02	PK
Vertical	@	5310	95.08	13.21	108.29	N/A	N/A	PK
	@	5310	83.37	13.21	96.58	N/A	N/A	AVG
		5350.5	32.3	13.26	45.56	54	-8.44	AVG
		5355	42.74	13.28	56.02	74	-17.98	PK
	*	10620	29.75	17.78	47.53	74	-26.47	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE40)	Channel	102
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5450.05	39.92	13.67	53.59	74	-20.41	PK
		5450.05	28.3	13.67	41.97	54	-12.03	AVG
		5462.65	38.76	13.72	52.48	68.2	-15.72	PK
	@	5510	80.85	13.84	94.69	N/A	N/A	PK
	@	5510	70.6	13.84	84.44	N/A	N/A	AVG
	*	11020	29.77	18.32	48.09	74	-25.91	PK
Vertical		5458.8	43.75	13.7	57.45	74	-16.55	PK
		5458.8	33.5	13.7	47.2	54	-6.8	AVG
		5468.25	53.4	13.74	67.14	68.2	-1.06	PK
	@	5510	94.01	13.84	107.85	N/A	N/A	PK
	@	5510	83.8	13.84	97.64	N/A	N/A	AVG
	*	11020	30.57	18.32	48.89	74	-25.11	PK


TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 102)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 102)
Band Edge (Peak), Vertical


Mode	802.11ax(HE40)	Channel	110
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5453.9	40.21	13.69	53.9	74	-20.1	PK
		5453.9	28.3	13.69	41.99	54	-12.01	AVG
		5464.05	39.48	13.72	53.2	68.2	-15	PK
	@	5550	82.83	13.88	96.71	N/A	N/A	PK
	@	5550	72.91	13.88	86.79	N/A	N/A	AVG
		5727.25	40.27	14.19	54.46	68.2	-13.74	PK
Vertical	*	11100	30.02	18.49	48.51	74	-25.49	PK
		5459.5	44.64	13.7	58.34	74	-15.66	PK
		5459.5	33.4	13.7	47.1	54	-6.9	AVG
		5465.1	50.07	13.72	63.79	68.2	-4.41	PK
	@	5550	98.56	13.88	112.44	N/A	N/A	PK
	@	5550	87.21	13.88	101.09	N/A	N/A	AVG
		5749.3	39.98	14.31	54.29	68.2	-13.91	PK
	*	11100	29.53	18.49	48.02	74	-25.98	PK


TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 110)

Radiated Spurious Emission, Vertical




TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Horizontal




TX, 802.11ax(HE40) (Ch 110)

Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	134
------	----------------	---------	-----


Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5670	80.64	14.02	94.66	N/A	N/A	PK
	@	5670	70.2	14.02	84.22	N/A	N/A	AVG
	*	5741.95	40.45	14.27	54.72	68.2	-13.48	PK
Vertical	@	11340	29.53	18.55	48.08	74	-25.92	PK
	@	5670	97.41	14.02	111.43	N/A	N/A	PK
	@	5670	87.6	14.02	101.62	N/A	N/A	AVG
	*	5737.05	52.98	14.24	67.22	68.2	-0.98	PK
	*	11340	28.83	18.55	47.38	74	-26.62	PK




Mode	802.11ax(HE40)	Channel	151
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5587.5	40.96	14	54.96	68.2	-13.24	PK
		5698	40.5	14.05	54.55	103.73	-49.18	PK
	@	5755	82.32	14.33	96.65	N/A	N/A	PK
	*	11510	29.65	19.03	48.68	74	-25.32	PK
Vertical		5643	53.2	14	67.2	68.2	-1	PK
		5699.5	72.55	14.05	86.6	104.83	-18.23	PK
	@	5755	98.68	14.33	113.01	N/A	N/A	PK
	*	11510	30.92	19.03	49.95	74	-24.05	PK


TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE40) (Ch 151)
Radiated Spurious Emission, Vertical



TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Horizontal







TX, 802.11ax(HE40) (Ch 151)
Band Edge (Peak), Vertical



Mode	802.11ax(HE40)	Channel	159
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5795	80.28	14.53	94.81	N/A	N/A	PK
		5925	39.69	14.99	54.68	68.2	-13.52	PK
		5989.5	41.19	15.14	56.33	68.2	-11.87	PK
	*	11590	30.63	18.84	49.47	74	-24.53	PK
Vertical	@	5795	99.32	14.53	113.85	N/A	N/A	PK
		5875.5	58.58	14.89	73.47	104.83	-31.36	PK
		5926.5	49.45	14.99	64.44	68.2	-3.76	PK
	*	11590	30.86	18.84	49.7	74	-24.3	PK

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE40) (Ch 159)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE40) (Ch 159)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	42
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5087.85	42.13	13.43	55.56	74	-18.44	PK
		5108.15	30.48	13.45	43.93	54	-10.07	AVG
	@	5210	79.17	13.36	92.53	N/A	N/A	PK
	@	5210	70.84	13.36	84.2	N/A	N/A	AVG
	*	10420	30.89	17.6	48.49	68.2	-19.71	PK
Vertical		5145.6	44.31	13.43	57.74	74	-16.26	PK
		5147.35	35.54	13.43	48.97	54	-5.03	AVG
	@	5210	91.62	13.36	104.98	N/A	N/A	PK
	@	5210	81.17	13.36	94.53	N/A	N/A	AVG
	*	10420	31.42	17.6	49.02	68.2	-19.18	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE80) (Ch 42)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 42)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE80) (Ch 42)
Band Edge (Average), Horizontal




TX, 802.11ax(HE80) (Ch 42)
Band Edge (Average), Vertical



TX, 802.11ax(HE80) (Ch 42)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 42)
Band Edge (Peak), Vertical



Mode	802.11ax(HE80)	Channel	58
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5290	79.48	13.21	92.69	N/A	N/A	PK
	@	5290	68.83	13.21	82.04	N/A	N/A	AVG
		5408.1	39.94	13.46	53.4	74	-20.6	PK
		5458.8	28.31	13.7	42.01	54	-11.99	AVG
	*	10580	30.43	17.73	48.16	68.2	-20.04	PK
Vertical	@	5290	91.28	13.21	104.49	N/A	N/A	PK
	@	5290	80.09	13.21	93.3	N/A	N/A	AVG
		5350.2	33.92	13.26	47.18	54	-6.82	AVG
		5355.9	43.62	13.28	56.9	74	-17.1	PK
	*	10580	29.66	17.73	47.39	68.2	-20.81	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000





Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE80)	Channel	106
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5443.4	39.49	13.64	53.13	74	-20.87	PK
		5443.4	28.4	13.64	42.04	54	-11.96	AVG
		5467.2	38.5	13.72	52.22	68.2	-15.98	PK
	@	5530	76.14	13.87	90.01	N/A	N/A	PK
	@	5530	67.09	13.87	80.96	N/A	N/A	AVG
	*	11060	29.76	18.41	48.17	74	-25.83	PK
Vertical		5449.7	48.42	13.67	62.09	74	-11.91	PK
		5449.7	37.1	13.67	50.77	54	-3.23	AVG
		5468.6	53.78	13.74	67.52	68.2	-0.68	PK
	@	5530	91.25	13.87	105.12	N/A	N/A	PK
	@	5530	81.08	13.87	94.95	N/A	N/A	AVG
	*	11060	29.8	18.41	48.21	74	-25.79	PK


TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 106)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 106)
Band Edge (Peak), Vertical


Mode	802.11ax(HE80)	Channel	122
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5458.8	39.82	13.7	53.52	74	-20.48	PK
		5458.8	27.9	13.7	41.6	54	-12.4	AVG
		5463	38.95	13.72	52.67	68.2	-15.53	PK
	@	5610	74.02	14.03	88.05	N/A	N/A	PK
	@	5610	64.3	14.03	78.33	N/A	N/A	AVG
		5729.35	40.81	14.2	55.01	68.2	-13.19	PK
	*	11220	30.16	18.25	48.41	74	-25.59	PK
Vertical		5457.05	41.76	13.69	55.45	74	-18.55	PK
		5457.05	30.91	13.69	44.6	54	-9.4	AVG
		5469.3	42.01	13.74	55.75	68.2	-12.45	PK
	@	5610	92.78	14.03	106.81	N/A	N/A	PK
	@	5610	82.3	14.03	96.33	N/A	N/A	AVG
		5744.75	45.7	14.28	59.98	68.2	-8.22	PK
	*	11220	29.9	18.25	48.15	74	-25.85	PK


TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE80) (Ch 122)

Radiated Spurious Emission, Vertical



TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Horizontal



TX, 802.11ax(HE80) (Ch 122)

Band Edge (Peak), Vertical

