





Mode	802.11ax(HE80)	Channel	155
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5581.5	41.16	13.98	55.14	68.2	-13.06	PK
		5665.5	41.08	14.01	55.09	79.7	-24.61	PK
		5775	71.88	14.44	86.32	N/A	N/A	PK
		5904	41.22	14.98	56.2	83.7	-27.5	PK
		6023.5	39.87	15.21	55.08	68.2	-13.12	PK
	*	11550	29.75	18.93	48.68	74	-25.32	PK
Vertical	@	5643.5	53.18	14	67.18	68.2	-1.02	PK
		5695.5	67.05	14.05	81.1	101.88	-20.78	PK
		5775	93.84	14.44	108.28	N/A	N/A	PK
		5876.5	61.28	14.89	76.17	104.09	-27.92	PK
		5936	48.24	15	63.24	68.2	-4.96	PK
	*	11550	30.21	18.93	49.14	74	-24.86	PK

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Horizontal

TX, 802.11ax(HE80) (Ch 155)
Radiated Spurious Emission, Vertical

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Horizontal

TX, 802.11ax(HE80) (Ch 155)
Band Edge (Peak), Vertical



Below 1 GHz

Mode	802.11ax(HE20)	Channel	149
------	----------------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		168.71	37.07	-11.29	25.78	43.5	-17.72	PK
		261.83	46.2	-11.34	34.86	46	-11.14	PK
		298.69	50.9	-9.98	40.92	46	-5.08	PK
		345.25	41.35	-8.62	32.73	46	-13.27	PK
		499.48	42.79	-4.76	38.03	46	-7.97	PK
		697.36	32.49	-0.47	32.02	46	-13.98	PK
Vertical		156.1	32.6	-11.21	21.39	43.5	-22.11	PK
		299.66	38.39	-9.93	28.46	46	-17.54	PK
		359.8	33.19	-8.24	24.95	46	-21.05	PK
		499.48	31.49	-4.76	26.73	46	-19.27	PK
		659.53	30.12	-1.33	28.79	46	-17.21	PK
		817.64	29.97	1.51	31.48	46	-14.52	PK


TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Horizontal



TX, 802.11ax(HE20) (Ch 149)

Radiated Spurious Emission, Vertical



PCB Antenna

Above 1 GHz

Mode	802.11a	Channel	36
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5096.3	41.65	13.45	55.1	74	-18.9	PK
		5148.75	31.76	13.42	45.18	54	-8.82	AVG
	@	5180	83.96	13.4	97.36	N/A	N/A	PK
	@	5180	79.76	13.4	93.16	N/A	N/A	AVG
	*	10360	29.85	17.39	47.24	68.2	-20.96	PK
Vertical		5079.5	42.87	13.4	56.27	74	-17.73	PK
		5149.8	38.48	13.43	51.91	54	-2.09	AVG
	@	5180	98.65	13.4	112.05	N/A	N/A	PK
	@	5180	92.2	13.4	105.6	N/A	N/A	AVG
	*	10360	31.41	17.39	48.8	68.2	-19.4	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 36)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 36)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 36)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 36)
Band Edge (Average), Vertical



TX, 802.11a (Ch 36)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 36)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	44
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5048	41.73	13.28	55.01	74	-18.99	PK
		5116.2	30.94	13.46	44.4	54	-9.6	AVG
	@	5220	85.45	13.33	98.78	N/A	N/A	PK
	@	5220	77.8	13.33	91.13	N/A	N/A	AVG
	*	10440	30.27	17.63	47.9	68.2	-20.3	PK
Vertical		5039.6	42.09	13.19	55.28	74	-18.72	PK
		5056	31.99	13.32	45.31	54	-8.69	AVG
	@	5220	101.28	13.33	114.61	N/A	N/A	PK
	@	5220	92.31	13.33	105.64	N/A	N/A	AVG
	*	10440	30.35	17.63	47.98	68.2	-20.22	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 44)
Band Edge (Average), Vertical



TX, 802.11a (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	48
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5068.1	41.58	13.36	54.94	74	-19.06	PK
		5086.1	31.01	13.42	44.43	54	-9.57	AVG
	@	5240	84.16	13.27	97.43	N/A	N/A	PK
	@	5240	75.91	13.27	89.18	N/A	N/A	AVG
	*	10480	29.62	17.69	47.31	68.2	-20.89	PK
Vertical		5093.6	43.12	13.44	56.56	74	-17.44	PK
		5093.8	31.92	13.44	45.36	54	-8.64	AVG
	@	5240	100.89	13.27	114.16	N/A	N/A	PK
	@	5240	92.3	13.27	105.57	N/A	N/A	AVG
	*	10480	31.59	17.69	49.28	68.2	-18.92	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 48)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 48)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 48)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 48)
Band Edge (Average), Vertical



TX, 802.11a (Ch 48)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 48)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	52
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	84.61	13.24	97.85	N/A	N/A	PK
	@	5260	77.65	13.24	90.89	N/A	N/A	AVG
		5361.6	40.91	13.29	54.2	74	-19.8	PK
		5458.8	29.02	13.7	42.72	54	-11.28	AVG
	*	10520	30.22	17.73	47.95	68.2	-20.25	PK
Vertical	@	5260	102.74	13.24	115.98	N/A	N/A	PK
	@	5260	92.37	13.24	105.61	N/A	N/A	AVG
		5392.5	40.7	13.4	54.1	74	-19.9	PK
		5449.5	30.19	13.67	43.86	54	-10.14	AVG
	*	10520	31.2	17.73	48.93	68.2	-19.27	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11a	Channel	60
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	84.76	13.21	97.97	N/A	N/A	PK
	@	5300	76.25	13.21	89.46	N/A	N/A	AVG
		5421.9	39.7	13.53	53.23	74	-20.77	PK
		5457	28.84	13.69	42.53	54	-11.47	AVG
	*	10600	30.54	17.73	48.27	68.2	-19.93	PK
Vertical	@	5300	101.77	13.21	114.98	N/A	N/A	PK
	@	5300	92.46	13.21	105.67	N/A	N/A	AVG
		5375.4	40.83	13.33	54.16	74	-19.84	PK
		5449.2	30.24	13.67	43.91	54	-10.09	AVG
	*	10600	29.8	17.73	47.53	68.2	-20.67	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 60)
Band Edge (Average), Vertical



TX, 802.11a (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11a (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11a	Channel	64
------	---------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	84.58	13.23	97.81	N/A	N/A	PK
	@	5320	77.3	13.23	90.53	N/A	N/A	AVG
		5394.9	39.31	13.4	52.71	74	-21.29	PK
		5456.7	28.77	13.69	42.46	54	-11.54	AVG
	*	10640	30.48	17.82	48.3	74	-25.7	PK
Vertical	@	5320	102.35	13.23	115.58	N/A	N/A	PK
	@	5320	92.12	13.23	105.35	N/A	N/A	AVG
		5350.2	36.5	13.26	49.76	54	-4.24	AVG
		5351.4	50.83	13.26	64.09	74	-9.91	PK
	*	10640	30.34	17.82	48.16	74	-25.84	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11a (Ch 64)
Radiated Spurious Emission, Horizontal




TX, 802.11a (Ch 64)
Radiated Spurious Emission, Vertical




TX, 802.11a (Ch 64)
Band Edge (Average), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Average), Vertical



TX, 802.11a (Ch 64)
Band Edge (Peak), Horizontal




TX, 802.11a (Ch 64)
Band Edge (Peak), Vertical




Mode	802.11a	Channel	100
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5445.85	39.38	13.65	53.03	74	-20.97	PK
		5445.85	28.2	13.65	41.85	54	-12.15	AVG
		5469.65	39.18	13.74	52.92	68.2	-15.28	PK
	@	5500	83.69	13.83	97.52	N/A	N/A	PK
	@	5500	73.5	13.83	87.33	N/A	N/A	AVG
	*	11000	29.75	18.28	48.03	74	-25.97	PK
Vertical		5451.1	41.66	13.67	55.33	74	-18.67	PK
		5451.1	30.21	13.67	43.88	54	-10.12	AVG
		5468.25	48.68	13.74	62.42	68.2	-5.78	PK
	@	5500	98.7	13.83	112.53	N/A	N/A	PK
	@	5500	88.5	13.83	102.33	N/A	N/A	AVG
	*	11000	31.46	18.28	49.74	74	-24.26	PK




Mode	802.11a	Channel	116
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5433.95	38.91	13.6	52.51	74	-21.49	PK
		5463.7	38.81	13.72	52.53	68.2	-15.67	PK
	@	5580	85.22	13.98	99.2	N/A	N/A	PK
	@	5580	75.3	13.98	89.28	N/A	N/A	AVG
		5732.15	41.13	14.21	55.34	68.2	-12.86	PK
	*	11160	29.89	18.32	48.21	74	-25.79	PK
Vertical		5438.85	40.59	13.62	54.21	74	-19.79	PK
		5438.85	30.1	13.62	43.72	54	-10.28	AVG
		5460.9	39.25	13.71	52.96	68.2	-15.24	PK
	@	5580	98.69	13.98	112.67	N/A	N/A	PK
	@	5580	88.2	13.98	102.18	N/A	N/A	AVG
		5729.35	40.53	14.2	54.73	68.2	-13.47	PK
	*	11160	30	18.32	48.32	74	-25.68	PK




Mode	802.11a	Channel	140
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5700	83.17	14.05	97.22	N/A	N/A	PK
	@	5700	72.6	14.05	86.65	N/A	N/A	AVG
	*	5725	39.51	14.18	53.69	68.2	-14.51	PK
	*	11400	30.22	18.74	48.96	74	-25.04	PK
Vertical	@	5700	96.78	14.05	110.83	N/A	N/A	PK
	@	5700	86.1	14.05	100.15	N/A	N/A	AVG
	*	5726.55	50.4	14.19	64.59	68.2	-3.61	PK
	*	11400	29.99	18.74	48.73	74	-25.27	PK




Mode	802.11a	Channel	149
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5590	41.72	14.02	55.74	68.2	-12.46	PK
		5654	39.68	14.01	53.69	71.17	-17.48	PK
	@	5745	85.73	14.28	100.01	N/A	N/A	PK
	*	11490	30.48	19.02	49.5	74	-24.5	PK
Vertical		5643	41.42	14	55.42	68.2	-12.78	PK
		5698	54.45	14.05	68.5	103.73	-35.23	PK
	@	5745	102.52	14.28	116.8	N/A	N/A	PK
	*	11490	30.13	19.02	49.15	74	-24.85	PK




Mode	802.11a	Channel	157
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5547	40.78	13.88	54.66	68.2	-13.54	PK
		5692	40.99	14.04	55.03	99.3	-44.27	PK
	@	5785	85.29	14.48	99.77	N/A	N/A	PK
		5913.5	40.39	14.98	55.37	76.68	-21.31	PK
		6026	39.78	15.21	54.99	68.2	-13.21	PK
	*	11570	30.42	18.88	49.3	74	-24.7	PK
Vertical		5630.5	40.48	14.02	54.5	68.2	-13.7	PK
		5675	41.2	14.02	55.22	86.74	-31.52	PK
	@	5785	103.71	14.48	118.19	N/A	N/A	PK
		5906	40.75	14.98	55.73	82.22	-26.49	PK
		5976.5	40.56	15.09	55.65	68.2	-12.55	PK
	*	11570	30.09	18.88	48.97	74	-25.03	PK



Mode	802.11a	Channel	165
------	---------	---------	-----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5825	84.81	14.69	99.5	N/A	N/A	PK
		5902	40.4	14.97	55.37	85.18	-29.81	PK
		6004.5	40.37	15.18	55.55	68.2	-12.65	PK
	*	11650	29.54	18.63	48.17	74	-25.83	PK
Vertical	@	5825	101.57	14.69	116.26	N/A	N/A	PK
		5878	53.87	14.9	68.77	102.97	-34.2	PK
		5991	40.36	15.14	55.5	68.2	-12.7	PK
	*	11650	30.5	18.63	49.13	74	-24.87	PK



Mode	802.11ax(HE20)	Channel	36
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5063.7	30.43	13.35	43.78	54	-10.22	AVG
		5144.9	41.9	13.43	55.33	74	-18.67	PK
	@	5180	83.2	13.4	96.6	N/A	N/A	PK
	@	5180	73.93	13.4	87.33	N/A	N/A	AVG
	*	10360	29.86	17.39	47.25	68.2	-20.95	PK
Vertical		5098.1	43.43	13.46	56.89	74	-17.11	PK
		5149.8	37.49	13.43	50.92	54	-3.08	AVG
	@	5180	98.57	13.4	111.97	N/A	N/A	PK
	@	5180	90.71	13.4	104.11	N/A	N/A	AVG
	*	10360	30.9	17.39	48.29	68.2	-19.91	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	44
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5095.2	30.31	13.44	43.75	54	-10.25	AVG
		5140.1	42.16	13.43	55.59	74	-18.41	PK
	@	5220	84.85	13.33	98.18	N/A	N/A	PK
	@	5220	75.9	13.33	89.23	N/A	N/A	AVG
	*	10440	30.05	17.63	47.68	68.2	-20.52	PK
Vertical		5096.6	31.38	13.45	44.83	54	-9.17	AVG
		5120.6	42.17	13.45	55.62	74	-18.38	PK
	@	5220	102.1	13.33	115.43	N/A	N/A	PK
	@	5220	93.29	13.33	106.62	N/A	N/A	AVG
	*	10440	30.48	17.63	48.11	68.2	-20.09	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 44)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 44)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 44)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	48
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal		5057.4	30.35	13.32	43.67	54	-10.33	AVG
		5067.2	42.04	13.35	55.39	74	-18.61	PK
	@	5240	84.05	13.27	97.32	N/A	N/A	PK
	@	5240	75.38	13.27	88.65	N/A	N/A	AVG
	*	10480	29.49	17.69	47.18	68.2	-21.02	PK
Vertical		5077.7	42.09	13.4	55.49	74	-18.51	PK
		5092.75	31.38	13.44	44.82	54	-9.18	AVG
	@	5240	102.61	13.27	115.88	N/A	N/A	PK
	@	5240	93.31	13.27	106.58	N/A	N/A	AVG
	*	10480	31.59	17.69	49.28	68.2	-18.92	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	52
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5260	85.49	13.24	98.73	N/A	N/A	PK
	@	5260	77	13.24	90.24	N/A	N/A	AVG
		5412	40.28	13.48	53.76	74	-20.24	PK
		5458.2	28.14	13.7	41.84	54	-12.16	AVG
	*	10520	30.24	17.73	47.97	68.2	-20.23	PK
Vertical	@	5260	101.65	13.24	114.89	N/A	N/A	PK
	@	5260	93.22	13.24	106.46	N/A	N/A	AVG
		5354.7	29.81	13.27	43.08	54	-10.92	AVG
		5423.4	40.28	13.53	53.81	74	-20.19	PK
	*	10520	31.42	17.73	49.15	68.2	-19.05	PK


Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1



Mode	802.11ax(HE20)	Channel	60
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5300	85.17	13.21	98.38	N/A	N/A	PK
	@	5300	75.21	13.21	88.42	N/A	N/A	AVG
		5448.9	40.01	13.67	53.68	74	-20.32	PK
		5457	28.32	13.69	42.01	54	-11.99	AVG
	*	10600	30.67	17.73	48.4	68.2	-19.8	PK
Vertical	@	5300	101.33	13.21	114.54	N/A	N/A	PK
	@	5300	93.24	13.21	106.45	N/A	N/A	AVG
		5350.8	33.3	13.26	46.56	54	-7.44	AVG
		5351.4	41.95	13.26	55.21	74	-18.79	PK
	*	10600	29.85	17.73	47.58	68.2	-20.62	PK

Underwriters Laboratories Taiwan Co., Ltd.


Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000


Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1


TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Horizontal




TX, 802.11ax(HE20) (Ch 60)
Radiated Spurious Emission, Vertical




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Horizontal




TX, 802.11ax(HE20) (Ch 60)
Band Edge (Average), Vertical



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Horizontal



TX, 802.11ax(HE20) (Ch 60)
Band Edge (Peak), Vertical



Mode	802.11ax(HE20)	Channel	64
------	----------------	---------	----

Polarization	Notation	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
Horizontal	@	5320	83.48	13.23	96.71	N/A	N/A	PK
	@	5320	77.13	13.23	90.36	N/A	N/A	AVG
		5392.5	40.13	13.4	53.53	74	-20.47	PK
		5451	28.26	13.67	41.93	54	-12.07	AVG
	*	10640	30.34	17.82	48.16	74	-25.84	PK
Vertical	@	5320	101.62	13.23	114.85	N/A	N/A	PK
	@	5320	91.49	13.23	104.72	N/A	N/A	AVG
		5350.2	54.75	13.26	68.01	74	-5.99	PK
		5350.2	39.07	13.26	52.33	54	-1.67	AVG
	*	10640	30.49	17.82	48.31	74	-25.69	PK

Underwriters Laboratories Taiwan Co., Ltd.

Building A, B and E, No. 372-7, Sec. 4, Zhongxing Rd., Zhudong Township, Hsinchu County, Taiwan

Telephone : +886-2-7737-3000

Facsimile (FAX) : +886-3-583-7948

Doc No: Form-ULID-004739 (DCS:17-EM-F0878) / 6.1

