

RF EXPOSURE REPORT

FOR

Applicant	:	Innovative Concepts and Design LLC
Address	:	458 Florida Grove Road, Perth Amboy, New Jersey 08861-3729 United States
Equipment under Test	:	Wireless microphone
Model No.	:	WM-KP800
Trade Mark	:	GEMINI
FCC ID	:	2AE6G-WMKP800
Manufacturer	:	Shenzhen Youjun Electronics Limited
Address	:	B12 Building of the first industrial area, Baihuadong, Guanguang road, Guangming new district 518107, Shenzhen, Guangdong, China

Issued By: Dongguan Dongdian Testing Service Co., Ltd.

Add.: No. 17, Zongbu Road 2, Songshan Lake Sci&Tech, Industry Park,
Dongguan City, Guangdong Province, China, 523808

Tel.: +86-0769-38826678, **E-mail:** ddt@dgddt.com, <http://www.dgddt.com>

REPORT

Table of Contents

	Test report declares.....	3
1.	General Information.....	5
1.1.	Description of equipment.....	5
1.2.	Assess laboratory	5
2.	RF Exposure evaluation for FCC	5

Test Report Declare

Applicant	:	Innovative Concepts and Design LLC
Address	:	458 Florida Grove Road, Perth Amboy, New Jersey 08861-3729 United States
Equipment under Test	:	Wireless microphone
Model No.	:	WM-KP800
Trade mark	:	GEMINI
Manufacturer	:	Shenzhen Youjun Electronics Limited
Address	:	B12 Building of the first industrial area, Baihuadong, Guangang road, Guangming new district 518107, Shenzhen, Guangdong, China

Standard Used: KDB447498 D01 General RF Exposure Guidance v06

We Declare:

The equipment described above is assessed by Dongguan Dongdian Testing Service Co., Ltd and in the configuration assessed the equipment complied with the standards specified above. The assessed results are contained in this report and Dongguan Dongdian Testing Service Co., Ltd is assumed of full responsibility for the accuracy and completeness of these assess.

After evaluation, our opinion is that the equipment In Accordance with above standard.

Report No:	DDT-R20032729-1E2		
Date of Receipt:	Apr. 02, 2020	Date of Test:	Apr. 02, 2020 ~ Jun. 09, 2020

Prepared By:

Talent Zhang

Talent Zhang/Engineer

Approved By:



Damon Hu/EMC Manager

Note: This report applies to above tested sample only. This report shall not be reproduced in parts without written approval of Dongguan Dongdian Testing Service Co., Ltd.

Revision History

Rev.	Revisions	Issue Date	Revised By
---	Initial issue	Jun. 09, 2020	

1. General Information

1.1. Description of equipment

Eut* Name	: Wireless microphone
Model Number	: WM-KP800
EUT Function Description	: Please reference user manual of this device
Power Supply	: DC 3V from battery
Operation Frequency	: 203.76 MHz and 207.76 MHz
Modulation	: FM
Antenna Type	: Spring antenna, maximum PK gain: 1 dBi
Sample Type	: Series production

1.2. Assess laboratory

Dongguan Dongdian Testing Service Co., Ltd.

Add.: No. 17, Zongbu Road 2, Songshan Lake Sci&Tech, Industry Park, Dongguan City, Guangdong Province, China, 523808

Tel.: +86-0769-38826678, <http://www.dgddt.com>, Email: ddt@dgddt.com

CNAS Registration No. CNAS L6451; A2LA Certificate Number: 3870.01;

FCC Designation Number: CN1182; FCC Test Firm Registration Number: 540522

Industry Canada Site Registration Number: 10288A-1

2. RF Exposure evaluation for FCC

According to 447498 D01 General RF Exposure Guidance v06

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot [\sqrt{f(\text{GHz})}] \leq 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, where:

$f(\text{GHz})$ is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation

The result is rounded to one decimal place for comparison

Worse case is as below: [203.76MHz, 14.95dBm 31.26mW) output power]

$(31.26/5) \cdot [\sqrt{0.20376(\text{GHz})}] = 2.82 < 3.0$ for 1-g SAR

Then SAR evaluation is not required

END OF REPORT