

FCC ID: 2AECN300

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Model: IM-301
IntelliMeter Power Pack

UL File: E470522

Contains FCC ID: 2AECN300

Input: 120-277VAC, 50/60Hz

Output: 24VDC, 150mA (Class 2)

Ballast or Incandescent Load: 20A


Motor Load: 1HP

UL 2043 Plenum Rated

Enclosed Energy Management Equipment: UL 9034



Ibis NETWORKS



Model: IM-301
IntelliMeter

UL File: E470522

Contains FCC ID: 2AECN300

Input: 120-277VAC, 50/60Hz

Output: 24VDC, 150mA (Class 2)

Ballast or Incandescent Load: 20A

Motor Load: 1HP

UL 2043 Plenum Rated


Enclosed Energy Management Equipment: UL 9034



ibis NETWORKS



Energy Management Equipment
E470522



Ibis NETWORKS
IntelliMeter



Model: IM-303

Contains FCC ID: 2AECN300
120-277V 30A 50/60Hz 40C
For indoor use only

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Energy Management Equipment
E476032



Ibis NETWORKS
IntelliMaster

Model: IM-303

Contains FCC ID: 2AECN303
120-277V 30A 50/60Hz 40C
For indoor use only

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

5.25m