



Canada

Exhibit: Test Setup Photos

FCC ID: 2AED9-RR401

IC: 20128-RR401

Report File #: 7169003381R-000

© TÜV SÜD Canada Inc. This test report shall not be reproduced except in full, without written approval of TÜV SÜD Canada Inc

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	




Figure 1 – EUT Close Up

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 2 – Radiated Emissions Setup – Photo 1

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 3 – Radiated Emissions Setup – Photo 2

Client	Rutherford Controls Int'l Inc. (RCI)	
Product	Lock N' Prox, Model 3590	
Standard(s)	RSS-210 Issue 9:2016 FCC Part 15 Subpart 15.209:2016	



Figure 4 – Radiated Emissions Setup – Photo 3

Note: As per ANSI C63.10-2013 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm.