

# **USER MANUAL**



**Mobile Stand Bluetooth Speaker**

Model: IMT-B01

## 1. Product Specifications

Support HFPV, A2DP, AVRCP.

Bluetooth version : V2.1+EDR

Transmission range: up to 10m

Speaker: Ø 40mm

Passive radiator: Ø 40mm

Speaker driver: 4ohm 3 Watt

Battery Charging voltage: 5V±0.5V.

Battery capacity: 400mAh.

Battery charging time: 2~3hours

Play back time : 3.5~5 hours

Distortion: ≤ 0.3%

Signal to Noise: ≥75dB.


Charging indication: Red LED lighting

Speaker working indication: Blue LED lighting

Product size: 74 x 63 x 54mm

Net Weight: 130g.

## 2. Structure



①Power Switch: On/Off

②Mic: Serve As Microphone During Hands-free Call

③Suction Cup: Capable Of Sucking On Any Smooth Surface

④Micro USB: Charging Port

⑤Led Indicator: Built-in Battery Indicator

- Red light on-in charging

- Red light off-fully charged

- Blue light flashing quickly-Bluetooth pairing

- Blue light flashing slowly-Bluetooth pairing successfully

⑥3.5mm Earphone jet: Audio Jack

### **3. Usage**

Switch on the speaker;

- 1) Pairing mode (blue light flashing quickly)

Activate Mobile phone's Bluetooth to search speaker pair name "LI-PARTY" pairing-Connect and Play.

- 2) 3.5mm Aux playing mode.

### **4. Application**

Be applicable to all Bluetooth devices

### **5. Warning**

- 1) Do not charge the speaker with other unsuitable AC/DC power adaptors, it may cause speaker damage.
- 2) The speaker must be charged properly by USB ports or by a AC/DC adaptor with Input: AC100-240V, 50-60Hz; Output: DC 5V 500mA
- 3) To keep the battery in good condition, charge the speaker at least once every 3 months.

### **6. Attenions**

- 1) Do not hit or beat the speaker.
- 2) Please keep the speaker away from fire.
- 3) To make sure the speaker work normally, please recharge timely when it is lack of power.
- 4) The speaker appearance, features and specifications are subject to the real product.

### **FCC Statement**

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired

operation.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.