







Band2-9400-5-0.009~0.15MHz-PASS




Band2-9400-1-0.15~30MHz-PASS




Band2-9400-2-0.15~30MHz-PASS




Band2-9400-3-0.15~30MHz-PASS




Band2-9400-4-0.15~30MHz-PASS




Band2-9400-5-0.15~30MHz-PASS




Band2-9400-1-30~1000MHz-PASS




Band2-9400-2-30~1000MHz-PASS




Band2-9400-3-30~1000MHz-PASS




Band2-9400-4-30~1000MHz-PASS



Band2-9400-5-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS




Band2-9400-5-1000~20000MHz-PASS




Band2-9538-1-0.009~0.15MHz-PASS




Band2-9538-2-0.009~0.15MHz-PASS



Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS




Band2-9538-1-0.15~30MHz-PASS




Band2-9538-2-0.15~30MHz-PASS




Band2-9538-3-0.15~30MHz-PASS



Band2-9538-4-0.15~30MHz-PASS




Band2-9538-5-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-3-30~1000MHz-PASS







Band2-9538-4-30~1000MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-1-1000~20000MHz-PASS



Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	12.60	0.006802	±2.5	PASS
Band2	9262	VL	NT	12.43	0.006710	±2.5	PASS
Band2	9262	VH	NT	11.80	0.006370	±2.5	PASS
Band2	9400	VN	NT	11.61	0.006176	±2.5	PASS
Band2	9400	VL	NT	10.63	0.005654	±2.5	PASS
Band2	9400	VH	NT	11.65	0.006197	±2.5	PASS
Band2	9538	VN	NT	9.43	0.004943	±2.5	PASS
Band2	9538	VL	NT	9.64	0.005053	±2.5	PASS
Band2	9538	VH	NT	9.07	0.004755	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	13.21	0.007131	±2.5	PASS
Band2	9262	NV	-20	12.62	0.006813	±2.5	PASS
Band2	9262	NV	-10	12.55	0.006775	±2.5	PASS
Band2	9262	NV	0	14.25	0.007693	±2.5	PASS
Band2	9262	NV	10	12.83	0.006926	±2.5	PASS
Band2	9262	NV	20	12.46	0.006726	±2.5	PASS
Band2	9262	NV	30	12.00	0.006478	±2.5	PASS
Band2	9262	NV	40	13.02	0.007029	±2.5	PASS
Band2	9262	NV	50	12.60	0.006802	±2.5	PASS
Band2	9400	NV	-30	11.43	0.006080	±2.5	PASS
Band2	9400	NV	-20	11.54	0.006138	±2.5	PASS
Band2	9400	NV	-10	12.41	0.006601	±2.5	PASS
Band2	9400	NV	0	11.67	0.006207	±2.5	PASS
Band2	9400	NV	10	10.56	0.005617	±2.5	PASS
Band2	9400	NV	20	12.32	0.006553	±2.5	PASS
Band2	9400	NV	30	10.87	0.005782	±2.5	PASS
Band2	9400	NV	40	11.43	0.006080	±2.5	PASS
Band2	9400	NV	50	12.38	0.006585	±2.5	PASS
Band2	9538	NV	-30	9.28	0.004865	±2.5	PASS
Band2	9538	NV	-20	9.09	0.004765	±2.5	PASS
Band2	9538	NV	-10	10.44	0.005473	±2.5	PASS
Band2	9538	NV	0	8.50	0.004456	±2.5	PASS
Band2	9538	NV	10	8.99	0.004713	±2.5	PASS

Band2	9538	NV	20	9.71	0.005090	±2.5	PASS
Band2	9538	NV	30	9.44	0.004949	±2.5	PASS
Band2	9538	NV	40	9.39	0.004922	±2.5	PASS
Band2	9538	NV	50	9.21	0.004828	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	9.57	0.005166	±2.5	PASS
Band2	9262	1	VL	NT	10.10	0.005452	±2.5	PASS
Band2	9262	1	VH	NT	9.42	0.005085	±2.5	PASS
Band2	9262	2	VN	NT	7.91	0.004270	±2.5	PASS
Band2	9262	2	VL	NT	8.60	0.004643	±2.5	PASS
Band2	9262	2	VH	NT	9.59	0.005177	±2.5	PASS
Band2	9262	3	VN	NT	9.26	0.004999	±2.5	PASS
Band2	9262	3	VL	NT	9.85	0.005317	±2.5	PASS
Band2	9262	3	VH	NT	8.39	0.004529	±2.5	PASS
Band2	9262	4	VN	NT	9.66	0.005215	±2.5	PASS
Band2	9262	4	VL	NT	8.92	0.004815	±2.5	PASS
Band2	9262	4	VH	NT	9.00	0.004859	±2.5	PASS
Band2	9400	1	VN	NT	10.80	0.005745	±2.5	PASS
Band2	9400	1	VL	NT	9.03	0.004803	±2.5	PASS
Band2	9400	1	VH	NT	9.42	0.005011	±2.5	PASS
Band2	9400	2	VN	NT	7.87	0.004186	±2.5	PASS
Band2	9400	2	VL	NT	7.53	0.004005	±2.5	PASS
Band2	9400	2	VH	NT	8.45	0.004495	±2.5	PASS
Band2	9400	3	VN	NT	8.84	0.004702	±2.5	PASS
Band2	9400	3	VL	NT	8.69	0.004622	±2.5	PASS
Band2	9400	3	VH	NT	8.48	0.004511	±2.5	PASS
Band2	9400	4	VN	NT	9.18	0.004883	±2.5	PASS
Band2	9400	4	VL	NT	9.03	0.004803	±2.5	PASS
Band2	9400	4	VH	NT	9.00	0.004787	±2.5	PASS
Band2	9538	1	VN	NT	8.61	0.004514	±2.5	PASS
Band2	9538	1	VL	NT	8.66	0.004540	±2.5	PASS
Band2	9538	1	VH	NT	7.58	0.003974	±2.5	PASS
Band2	9538	2	VN	NT	7.92	0.004152	±2.5	PASS
Band2	9538	2	VL	NT	8.88	0.004655	±2.5	PASS
Band2	9538	2	VH	NT	8.87	0.004650	±2.5	PASS
Band2	9538	3	VN	NT	9.02	0.004728	±2.5	PASS
Band2	9538	3	VL	NT	10.43	0.005468	±2.5	PASS
Band2	9538	3	VH	NT	9.27	0.004860	±2.5	PASS
Band2	9538	4	VN	NT	8.17	0.004283	±2.5	PASS

Band2	9538	4	VL	NT	9.57	0.005017	±2.5	PASS
Band2	9538	4	VH	NT	7.94	0.004162	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	8.29	0.004475	±2.5	PASS
Band2	9262	1	NV	-20	8.25	0.004454	±2.5	PASS
Band2	9262	1	NV	-10	9.55	0.005155	±2.5	PASS
Band2	9262	1	NV	0	9.14	0.004934	±2.5	PASS
Band2	9262	1	NV	10	8.65	0.004670	±2.5	PASS
Band2	9262	1	NV	20	8.75	0.004724	±2.5	PASS
Band2	9262	1	NV	30	8.80	0.004751	±2.5	PASS
Band2	9262	1	NV	40	8.27	0.004464	±2.5	PASS
Band2	9262	1	NV	50	11.33	0.006116	±2.5	PASS
Band2	9262	2	NV	-30	9.33	0.005037	±2.5	PASS
Band2	9262	2	NV	-20	9.13	0.004929	±2.5	PASS
Band2	9262	2	NV	-10	9.61	0.005188	±2.5	PASS
Band2	9262	2	NV	0	8.66	0.004675	±2.5	PASS
Band2	9262	2	NV	10	9.90	0.005344	±2.5	PASS
Band2	9262	2	NV	20	8.41	0.004540	±2.5	PASS
Band2	9262	2	NV	30	8.15	0.004400	±2.5	PASS
Band2	9262	2	NV	40	9.74	0.005258	±2.5	PASS
Band2	9262	2	NV	50	7.65	0.004130	±2.5	PASS
Band2	9262	3	NV	-30	9.22	0.004977	±2.5	PASS
Band2	9262	3	NV	-20	8.96	0.004837	±2.5	PASS
Band2	9262	3	NV	-10	9.17	0.004950	±2.5	PASS
Band2	9262	3	NV	0	8.30	0.004481	±2.5	PASS
Band2	9262	3	NV	10	8.47	0.004572	±2.5	PASS
Band2	9262	3	NV	20	9.44	0.005096	±2.5	PASS
Band2	9262	3	NV	30	8.81	0.004756	±2.5	PASS
Band2	9262	3	NV	40	9.14	0.004934	±2.5	PASS
Band2	9262	3	NV	50	8.43	0.004551	±2.5	PASS
Band2	9262	4	NV	-30	9.43	0.005091	±2.5	PASS
Band2	9262	4	NV	-20	9.14	0.004934	±2.5	PASS
Band2	9262	4	NV	-10	9.83	0.005307	±2.5	PASS
Band2	9262	4	NV	0	9.33	0.005037	±2.5	PASS
Band2	9262	4	NV	10	8.99	0.004853	±2.5	PASS
Band2	9262	4	NV	20	9.27	0.005004	±2.5	PASS
Band2	9262	4	NV	30	9.84	0.005312	±2.5	PASS
Band2	9262	4	NV	40	9.59	0.005177	±2.5	PASS
Band2	9262	4	NV	50	8.05	0.004346	±2.5	PASS

Band2	9400	1	NV	-30	8.65	0.004601	±2.5	PASS
Band2	9400	1	NV	-20	9.92	0.005277	±2.5	PASS
Band2	9400	1	NV	-10	7.84	0.004170	±2.5	PASS
Band2	9400	1	NV	0	8.58	0.004564	±2.5	PASS
Band2	9400	1	NV	10	9.37	0.004984	±2.5	PASS
Band2	9400	1	NV	20	8.75	0.004654	±2.5	PASS
Band2	9400	1	NV	30	9.37	0.004984	±2.5	PASS
Band2	9400	1	NV	40	9.14	0.004862	±2.5	PASS
Band2	9400	1	NV	50	9.13	0.004856	±2.5	PASS
Band2	9400	2	NV	-30	9.18	0.004883	±2.5	PASS
Band2	9400	2	NV	-20	9.22	0.004904	±2.5	PASS
Band2	9400	2	NV	-10	8.98	0.004777	±2.5	PASS
Band2	9400	2	NV	0	9.17	0.004878	±2.5	PASS
Band2	9400	2	NV	10	9.04	0.004809	±2.5	PASS
Band2	9400	2	NV	20	8.07	0.004293	±2.5	PASS
Band2	9400	2	NV	30	8.39	0.004463	±2.5	PASS
Band2	9400	2	NV	40	8.89	0.004729	±2.5	PASS
Band2	9400	2	NV	50	9.06	0.004819	±2.5	PASS
Band2	9400	3	NV	-30	8.53	0.004537	±2.5	PASS
Band2	9400	3	NV	-20	9.40	0.005000	±2.5	PASS
Band2	9400	3	NV	-10	8.40	0.004468	±2.5	PASS
Band2	9400	3	NV	0	9.54	0.005074	±2.5	PASS
Band2	9400	3	NV	10	9.10	0.004840	±2.5	PASS
Band2	9400	3	NV	20	9.50	0.005053	±2.5	PASS
Band2	9400	3	NV	30	8.86	0.004713	±2.5	PASS
Band2	9400	3	NV	40	9.04	0.004809	±2.5	PASS
Band2	9400	3	NV	50	9.86	0.005245	±2.5	PASS
Band2	9400	4	NV	-30	8.14	0.004330	±2.5	PASS
Band2	9400	4	NV	-20	8.88	0.004723	±2.5	PASS
Band2	9400	4	NV	-10	8.49	0.004516	±2.5	PASS
Band2	9400	4	NV	0	8.15	0.004335	±2.5	PASS
Band2	9400	4	NV	10	7.87	0.004186	±2.5	PASS
Band2	9400	4	NV	20	9.49	0.005048	±2.5	PASS
Band2	9400	4	NV	30	9.06	0.004819	±2.5	PASS
Band2	9400	4	NV	40	9.93	0.005282	±2.5	PASS
Band2	9400	4	NV	50	8.85	0.004707	±2.5	PASS
Band2	9538	1	NV	-30	8.42	0.004414	±2.5	PASS
Band2	9538	1	NV	-20	9.07	0.004755	±2.5	PASS
Band2	9538	1	NV	-10	8.46	0.004435	±2.5	PASS
Band2	9538	1	NV	0	7.89	0.004136	±2.5	PASS
Band2	9538	1	NV	10	8.56	0.004487	±2.5	PASS

Band2	9538	1	NV	20	9.20	0.004823	±2.5	PASS
Band2	9538	1	NV	30	8.71	0.004566	±2.5	PASS
Band2	9538	1	NV	40	9.02	0.004728	±2.5	PASS
Band2	9538	1	NV	50	9.42	0.004938	±2.5	PASS
Band2	9538	2	NV	-30	9.66	0.005064	±2.5	PASS
Band2	9538	2	NV	-20	8.45	0.004430	±2.5	PASS
Band2	9538	2	NV	-10	8.68	0.004550	±2.5	PASS
Band2	9538	2	NV	0	9.59	0.005027	±2.5	PASS
Band2	9538	2	NV	10	7.81	0.004094	±2.5	PASS
Band2	9538	2	NV	20	9.21	0.004828	±2.5	PASS
Band2	9538	2	NV	30	9.73	0.005101	±2.5	PASS
Band2	9538	2	NV	40	9.22	0.004833	±2.5	PASS
Band2	9538	2	NV	50	8.02	0.004204	±2.5	PASS
Band2	9538	3	NV	-30	9.18	0.004812	±2.5	PASS
Band2	9538	3	NV	-20	8.91	0.004671	±2.5	PASS
Band2	9538	3	NV	-10	8.20	0.004299	±2.5	PASS
Band2	9538	3	NV	0	8.05	0.004220	±2.5	PASS
Band2	9538	3	NV	10	8.30	0.004351	±2.5	PASS
Band2	9538	3	NV	20	9.71	0.005090	±2.5	PASS
Band2	9538	3	NV	30	8.28	0.004341	±2.5	PASS
Band2	9538	3	NV	40	8.78	0.004603	±2.5	PASS
Band2	9538	3	NV	50	8.23	0.004314	±2.5	PASS
Band2	9538	4	NV	-30	9.18	0.004812	±2.5	PASS
Band2	9538	4	NV	-20	9.47	0.004964	±2.5	PASS
Band2	9538	4	NV	-10	8.99	0.004713	±2.5	PASS
Band2	9538	4	NV	0	9.37	0.004912	±2.5	PASS
Band2	9538	4	NV	10	9.00	0.004718	±2.5	PASS
Band2	9538	4	NV	20	9.67	0.005069	±2.5	PASS
Band2	9538	4	NV	30	8.18	0.004288	±2.5	PASS
Band2	9538	4	NV	40	7.76	0.004068	±2.5	PASS
Band2	9538	4	NV	50	8.95	0.004692	±2.5	PASS

Voltage								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	9.22	0.004977	±2.5	PASS
Band2	9262	1	VL	NT	10.38	0.005604	±2.5	PASS
Band2	9262	1	VH	NT	8.79	0.004745	±2.5	PASS
Band2	9262	2	VN	NT	9.24	0.004988	±2.5	PASS
Band2	9262	2	VL	NT	9.89	0.005339	±2.5	PASS
Band2	9262	2	VH	NT	8.66	0.004675	±2.5	PASS
Band2	9262	3	VN	NT	9.06	0.004891	±2.5	PASS

Band2	9262	3	VL	NT	9.11	0.004918	±2.5	PASS
Band2	9262	3	VH	NT	10.36	0.005593	±2.5	PASS
Band2	9262	4	VN	NT	10.38	0.005604	±2.5	PASS
Band2	9262	4	VL	NT	8.96	0.004837	±2.5	PASS
Band2	9262	4	VH	NT	8.92	0.004815	±2.5	PASS
Band2	9262	5	VN	NT	10.15	0.005479	±2.5	PASS
Band2	9262	5	VL	NT	9.87	0.005328	±2.5	PASS
Band2	9262	5	VH	NT	9.12	0.004923	±2.5	PASS
Band2	9400	1	VN	NT	10.01	0.005324	±2.5	PASS
Band2	9400	1	VL	NT	9.36	0.004979	±2.5	PASS
Band2	9400	1	VH	NT	9.19	0.004888	±2.5	PASS
Band2	9400	2	VN	NT	9.52	0.005064	±2.5	PASS
Band2	9400	2	VL	NT	9.95	0.005293	±2.5	PASS
Band2	9400	2	VH	NT	9.51	0.005059	±2.5	PASS
Band2	9400	3	VN	NT	9.43	0.005016	±2.5	PASS
Band2	9400	3	VL	NT	9.62	0.005117	±2.5	PASS
Band2	9400	3	VH	NT	9.56	0.005085	±2.5	PASS
Band2	9400	4	VN	NT	9.59	0.005101	±2.5	PASS
Band2	9400	4	VL	NT	9.65	0.005133	±2.5	PASS
Band2	9400	4	VH	NT	9.26	0.004926	±2.5	PASS
Band2	9400	5	VN	NT	8.54	0.004543	±2.5	PASS
Band2	9400	5	VL	NT	10.38	0.005521	±2.5	PASS
Band2	9400	5	VH	NT	9.50	0.005053	±2.5	PASS
Band2	9538	1	VN	NT	9.45	0.004954	±2.5	PASS
Band2	9538	1	VL	NT	9.80	0.005137	±2.5	PASS
Band2	9538	1	VH	NT	8.70	0.004561	±2.5	PASS
Band2	9538	2	VN	NT	10.48	0.005494	±2.5	PASS
Band2	9538	2	VL	NT	9.36	0.004907	±2.5	PASS
Band2	9538	2	VH	NT	8.89	0.004660	±2.5	PASS
Band2	9538	3	VN	NT	9.47	0.004964	±2.5	PASS
Band2	9538	3	VL	NT	8.33	0.004367	±2.5	PASS
Band2	9538	3	VH	NT	7.67	0.004021	±2.5	PASS
Band2	9538	4	VN	NT	10.18	0.005337	±2.5	PASS
Band2	9538	4	VL	NT	9.18	0.004812	±2.5	PASS
Band2	9538	4	VH	NT	9.39	0.004922	±2.5	PASS
Band2	9538	5	VN	NT	10.14	0.005316	±2.5	PASS
Band2	9538	5	VL	NT	10.22	0.005358	±2.5	PASS
Band2	9538	5	VH	NT	9.60	0.005033	±2.5	PASS

Temperature								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band2	9262	1	NV	-30	9.21	0.004972	±2.5	PASS
Band2	9262	1	NV	-20	9.14	0.004934	±2.5	PASS
Band2	9262	1	NV	-10	10.21	0.005512	±2.5	PASS
Band2	9262	1	NV	0	9.45	0.005101	±2.5	PASS
Band2	9262	1	NV	10	8.65	0.004670	±2.5	PASS
Band2	9262	1	NV	20	8.91	0.004810	±2.5	PASS
Band2	9262	1	NV	30	9.12	0.004923	±2.5	PASS
Band2	9262	1	NV	40	9.46	0.005107	±2.5	PASS
Band2	9262	1	NV	50	8.98	0.004848	±2.5	PASS
Band2	9262	2	NV	-30	9.83	0.005307	±2.5	PASS
Band2	9262	2	NV	-20	9.01	0.004864	±2.5	PASS
Band2	9262	2	NV	-10	9.61	0.005188	±2.5	PASS
Band2	9262	2	NV	0	9.49	0.005123	±2.5	PASS
Band2	9262	2	NV	10	9.18	0.004956	±2.5	PASS
Band2	9262	2	NV	20	9.19	0.004961	±2.5	PASS
Band2	9262	2	NV	30	9.13	0.004929	±2.5	PASS
Band2	9262	2	NV	40	10.15	0.005479	±2.5	PASS
Band2	9262	2	NV	50	8.79	0.004745	±2.5	PASS
Band2	9262	3	NV	-30	9.74	0.005258	±2.5	PASS
Band2	9262	3	NV	-20	8.86	0.004783	±2.5	PASS
Band2	9262	3	NV	-10	8.19	0.004421	±2.5	PASS
Band2	9262	3	NV	0	9.90	0.005344	±2.5	PASS
Band2	9262	3	NV	10	8.98	0.004848	±2.5	PASS
Band2	9262	3	NV	20	9.04	0.004880	±2.5	PASS
Band2	9262	3	NV	30	8.14	0.004394	±2.5	PASS
Band2	9262	3	NV	40	9.94	0.005366	±2.5	PASS
Band2	9262	3	NV	50	9.00	0.004859	±2.5	PASS
Band2	9262	4	NV	-30	8.77	0.004734	±2.5	PASS
Band2	9262	4	NV	-20	10.06	0.005431	±2.5	PASS
Band2	9262	4	NV	-10	9.49	0.005123	±2.5	PASS
Band2	9262	4	NV	0	8.84	0.004772	±2.5	PASS
Band2	9262	4	NV	10	9.33	0.005037	±2.5	PASS
Band2	9262	4	NV	20	9.46	0.005107	±2.5	PASS
Band2	9262	4	NV	30	9.10	0.004913	±2.5	PASS
Band2	9262	4	NV	40	9.36	0.005053	±2.5	PASS
Band2	9262	4	NV	50	9.22	0.004977	±2.5	PASS
Band2	9262	5	NV	-30	8.98	0.004848	±2.5	PASS
Band2	9262	5	NV	-20	9.29	0.005015	±2.5	PASS
Band2	9262	5	NV	-10	9.31	0.005026	±2.5	PASS
Band2	9262	5	NV	0	7.71	0.004162	±2.5	PASS
Band2	9262	5	NV	10	8.69	0.004691	±2.5	PASS

Band2	9262	5	NV	20	8.17	0.004410	±2.5	PASS
Band2	9262	5	NV	30	9.74	0.005258	±2.5	PASS
Band2	9262	5	NV	40	9.25	0.004994	±2.5	PASS
Band2	9262	5	NV	50	8.67	0.004680	±2.5	PASS
Band2	9400	1	NV	-30	9.74	0.005181	±2.5	PASS
Band2	9400	1	NV	-20	9.73	0.005176	±2.5	PASS
Band2	9400	1	NV	-10	9.49	0.005048	±2.5	PASS
Band2	9400	1	NV	0	9.34	0.004968	±2.5	PASS
Band2	9400	1	NV	10	9.69	0.005154	±2.5	PASS
Band2	9400	1	NV	20	9.12	0.004851	±2.5	PASS
Band2	9400	1	NV	30	8.98	0.004777	±2.5	PASS
Band2	9400	1	NV	40	10.35	0.005505	±2.5	PASS
Band2	9400	1	NV	50	8.24	0.004383	±2.5	PASS
Band2	9400	2	NV	-30	9.83	0.005229	±2.5	PASS
Band2	9400	2	NV	-20	9.39	0.004995	±2.5	PASS
Band2	9400	2	NV	-10	8.73	0.004644	±2.5	PASS
Band2	9400	2	NV	0	8.42	0.004479	±2.5	PASS
Band2	9400	2	NV	10	9.60	0.005106	±2.5	PASS
Band2	9400	2	NV	20	9.79	0.005207	±2.5	PASS
Band2	9400	2	NV	30	8.27	0.004399	±2.5	PASS
Band2	9400	2	NV	40	9.46	0.005032	±2.5	PASS
Band2	9400	2	NV	50	8.75	0.004654	±2.5	PASS
Band2	9400	3	NV	-30	9.30	0.004947	±2.5	PASS
Band2	9400	3	NV	-20	7.93	0.004218	±2.5	PASS
Band2	9400	3	NV	-10	7.67	0.004080	±2.5	PASS
Band2	9400	3	NV	0	9.43	0.005016	±2.5	PASS
Band2	9400	3	NV	10	8.25	0.004388	±2.5	PASS
Band2	9400	3	NV	20	9.15	0.004867	±2.5	PASS
Band2	9400	3	NV	30	8.74	0.004649	±2.5	PASS
Band2	9400	3	NV	40	9.16	0.004872	±2.5	PASS
Band2	9400	3	NV	50	9.06	0.004819	±2.5	PASS
Band2	9400	4	NV	-30	9.41	0.005005	±2.5	PASS
Band2	9400	4	NV	-20	9.29	0.004941	±2.5	PASS
Band2	9400	4	NV	-10	9.75	0.005186	±2.5	PASS
Band2	9400	4	NV	0	8.01	0.004261	±2.5	PASS
Band2	9400	4	NV	10	8.87	0.004718	±2.5	PASS
Band2	9400	4	NV	20	9.77	0.005197	±2.5	PASS
Band2	9400	4	NV	30	10.34	0.005500	±2.5	PASS
Band2	9400	4	NV	40	9.37	0.004984	±2.5	PASS
Band2	9400	4	NV	50	9.33	0.004963	±2.5	PASS
Band2	9400	5	NV	-30	8.94	0.004755	±2.5	PASS

Band2	9400	5	NV	-20	9.29	0.004941	±2.5	PASS
Band2	9400	5	NV	-10	9.53	0.005069	±2.5	PASS
Band2	9400	5	NV	0	8.86	0.004713	±2.5	PASS
Band2	9400	5	NV	10	7.30	0.003883	±2.5	PASS
Band2	9400	5	NV	20	10.09	0.005367	±2.5	PASS
Band2	9400	5	NV	30	9.09	0.004835	±2.5	PASS
Band2	9400	5	NV	40	9.98	0.005309	±2.5	PASS
Band2	9400	5	NV	50	8.69	0.004622	±2.5	PASS
Band2	9538	1	NV	-30	7.50	0.003932	±2.5	PASS
Band2	9538	1	NV	-20	8.60	0.004508	±2.5	PASS
Band2	9538	1	NV	-10	9.19	0.004818	±2.5	PASS
Band2	9538	1	NV	0	9.16	0.004802	±2.5	PASS
Band2	9538	1	NV	10	9.07	0.004755	±2.5	PASS
Band2	9538	1	NV	20	7.98	0.004183	±2.5	PASS
Band2	9538	1	NV	30	7.28	0.003816	±2.5	PASS
Band2	9538	1	NV	40	7.50	0.003932	±2.5	PASS
Band2	9538	1	NV	50	7.73	0.004052	±2.5	PASS
Band2	9538	2	NV	-30	9.54	0.005001	±2.5	PASS
Band2	9538	2	NV	-20	9.80	0.005137	±2.5	PASS
Band2	9538	2	NV	-10	9.01	0.004723	±2.5	PASS
Band2	9538	2	NV	0	8.73	0.004576	±2.5	PASS
Band2	9538	2	NV	10	9.87	0.005174	±2.5	PASS
Band2	9538	2	NV	20	8.67	0.004545	±2.5	PASS
Band2	9538	2	NV	30	9.00	0.004718	±2.5	PASS
Band2	9538	2	NV	40	8.60	0.004508	±2.5	PASS
Band2	9538	2	NV	50	9.74	0.005106	±2.5	PASS
Band2	9538	3	NV	-30	9.39	0.004922	±2.5	PASS
Band2	9538	3	NV	-20	8.58	0.004498	±2.5	PASS
Band2	9538	3	NV	-10	9.76	0.005116	±2.5	PASS
Band2	9538	3	NV	0	9.24	0.004844	±2.5	PASS
Band2	9538	3	NV	10	9.05	0.004744	±2.5	PASS
Band2	9538	3	NV	20	9.21	0.004828	±2.5	PASS
Band2	9538	3	NV	30	9.65	0.005059	±2.5	PASS
Band2	9538	3	NV	40	9.38	0.004917	±2.5	PASS
Band2	9538	3	NV	50	8.61	0.004514	±2.5	PASS
Band2	9538	4	NV	-30	9.12	0.004781	±2.5	PASS
Band2	9538	4	NV	-20	8.42	0.004414	±2.5	PASS
Band2	9538	4	NV	-10	9.52	0.004991	±2.5	PASS
Band2	9538	4	NV	0	8.84	0.004634	±2.5	PASS
Band2	9538	4	NV	10	8.94	0.004687	±2.5	PASS
Band2	9538	4	NV	20	8.80	0.004613	±2.5	PASS

Band2	9538	4	NV	30	10.66	0.005588	±2.5	PASS
Band2	9538	4	NV	40	10.16	0.005326	±2.5	PASS
Band2	9538	4	NV	50	9.33	0.004891	±2.5	PASS
Band2	9538	5	NV	-30	9.33	0.004891	±2.5	PASS
Band2	9538	5	NV	-20	9.97	0.005226	±2.5	PASS
Band2	9538	5	NV	-10	8.04	0.004215	±2.5	PASS
Band2	9538	5	NV	0	9.22	0.004833	±2.5	PASS
Band2	9538	5	NV	10	8.65	0.004534	±2.5	PASS
Band2	9538	5	NV	20	9.63	0.005048	±2.5	PASS
Band2	9538	5	NV	30	10.59	0.005551	±2.5	PASS
Band2	9538	5	NV	40	10.16	0.005326	±2.5	PASS
Band2	9538	5	NV	50	10.45	0.005478	±2.5	PASS