







NTNV_DC_26A_n77A-3450-3550_PC2_30_5+80_M+H_TID5_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+80_M+H_TID5_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+80_M+H_TID5_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+80_M+H_TID5_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+80_M+H_TID5_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS
_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS
_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS
_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID1_NS_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID2_NS_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID4_NS_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+L_TID5_NS_01_26000_40000_#1







NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N_S_01_0.009_0.15_#1





NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N_S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N_S_01_30_1000_#1

NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N
S_01_1000_3000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N
S_01_3000_6000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N
S_01_6000_26000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID1_N
S_01_26000_40000_#1







NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID2_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID2_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID2_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_3000_6000_#1




10:02:18 AM 07/03/2024

NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_6000_26000_#1

10:02:27 AM 07/03/2024


NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID4_N
S_01_26000_40000_#1

10:02:43 AM 07/03/2024


NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_0.009_0.15_#1

10:02:51 AM 07/03/2024


NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+M_TID5_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID1_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID2_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID4_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+90_M+H_TID5_N
S_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_
NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_
NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_
NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_ NS_01_1000_3000_#1







NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_ NS_01_3000_6000_#1








NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_ NS_01_6000_26000_#1



NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID1_ NS_01_26000_40000_#1


NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_0.009_0.15_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_0.15_30_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_30_1000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_1000_3000_#1

NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_3000_6000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_6000_26000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID2_
NS_01_26000_40000_#1NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_
NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_


NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_
NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_
NS_01_1000_3000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_
NS_01_3000_6000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_ NS_01_6000_26000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID4_ NS_01_26000_40000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_0.009_0.15_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_0.15_30_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_30_1000_#1




NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_1000_3000_#1



NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_3000_6000_#1



NTNV_DC_26A_n77A-3450-3550_PC2_30_5+100_M+M_TID5_ NS_01_6000_26000_#1



Frequency Stability for NSA

Test Result

Frequency Error VS. Voltage

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit (ppm)	Verdict
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VL	NT	-16.399999	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VN	NT	3.400000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VH	NT	-9.100000	0.000000	±2.5	PASS

Frequency Error VS. Temperature

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit (ppm)	Verdict
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-30	-14.600000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-20	12.600000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-10	1.700000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	0	-14.600000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	10	1.400000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	20	-19.800000	-0.010000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	30	-4.600000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	40	1.300000	0.000000	±2.5	PASS
DC_26A_n77A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	50	-22.400000	-0.010000	±2.5	PASS