






04:30:03 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID4_N
S_01_26000_40000_#1




04:30:18 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_0.009_0.15_#1




04:30:26 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_0.15_30_#1




04:30:34 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_30_1000_#1




04:30:42 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_1000_3000_#1




04:30:50 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_3000_6000_#1



04:30:59 PM 07/04/2024

NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_6000_26000_#1




04:31:07 PM 07/04/2024


NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+M_TID5_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID1_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID2_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID4_N
S_01_6000_26000_#1







NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID5_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID5_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID5_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+90_M+H_TID5_N
S_01_26000_40000_#1







NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID1_N
S_01_3000_6000_#1







NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID1_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID1_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_0.009_0.15_#1


NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_0.15_30_#1NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_30_1000_#1NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_1000_3000_#1NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID2_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID4_N
S_01_6000_26000_#1







NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID5_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID5_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID5_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+L_TID5_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID1_ NS_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID2_ NS_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID4_ NS_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+M_TID5_ NS_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID1_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID2_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_1000_3000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_3000_6000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_6000_26000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID4_N
S_01_26000_40000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_0.009_0.15_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_0.15_30_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_30_1000_#1




NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_1000_3000_#1



NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_3000_6000_#1



NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_6000_26000_#1



NTNV_DC_26A_n78A-3450-3550_PC3_30_5+100_M+H_TID5_N
S_01_26000_40000_#1

Frequency Stability for NSA

Test Result

Frequency Error VS. Voltage

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit (ppm)	Verdict
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VL	NT	-6.200000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VN	NT	-10.700000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	VH	NT	-4.099999	0.000000	±2.5	PASS

Frequency Error VS. Temperature

Band	SC S	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit (ppm)	Verdict
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-30	-4.800000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-20	-2.100000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	-10	1.100000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	0	-2.200000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	10	-1.900000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	20	-4.200000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	30	1.500000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	40	-1.800000	0.000000	±2.5	PASS
DC_26A_n78A-3450-3550	30	5+100	DFT-QPSK	M+M	Outer_Full	NV	50	0.100000	0.000000	±2.5	PASS