


Band Edge for MIMO ANT2


Test Graphs

Note: For UL MIMO mode, the conducted BE/Spurious are tested at single antenna port and add $10 \cdot \log(\text{NANT})$ according to KDB 662911 D01. The result of the single antenna port test is below the limit by more than 3dB margin, so the results of Ant1+Ant2 also meet the limit requirements.




NTNV-n78(3700-3800)-PC2-30-20-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-20-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-20-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-20-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-30-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-30-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-30-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-30-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-40-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-40-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-40-H-CP-QPSK-Edge_1RB_Right-PA

SS



NTNV-n78(3700-3800)-PC2-30-40-H-CP-QPSK-Outer_Full-PA


SS



10:37:38 AM 09/06/2024

NTNV-n78(3700-3800)-PC2-30-50-L-CP-QPSK-Edge_1RB_Left-PAS


S



10:37:18 AM 09/06/2024

NTNV-n78(3700-3800)-PC2-30-50-L-CP-QPSK-Outer_Full-PA


SS



10:38:34 AM 09/06/2024

NTNV-n78(3700-3800)-PC2-30-50-H-CP-QPSK-Edge_1RB_Right-PA


SS



10:38:14 AM 09/06/2024


NTNV-n78(3700-3800)-PC2-30-50-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-60-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-60-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-60-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-60-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-70-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-70-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-70-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-70-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-80-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-80-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-80-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-80-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-90-L-CP-QPSK-Edge_1RB_Left-PAS

S




NTNV-n78(3700-3800)-PC2-30-90-L-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-90-H-CP-QPSK-Edge_1RB_Right-PA

SS




NTNV-n78(3700-3800)-PC2-30-90-H-CP-QPSK-Outer_Full-PA

SS




NTNV-n78(3700-3800)-PC2-30-100-L-CP-QPSK-Edge_1RB_Left-PA

SS




NTNV-n78(3700-3800)-PC2-30-100-L-CP-QPSK-Outer_Full-PA

SS



NTNV-n78(3700-3800)-PC2-30-100-H-CP-QPSK-Edge_1RB_Right-P

ASS



NTNV-n78(3700-3800)-PC2-30-100-H-CP-QPSK-Outer_Full-P

ASS

Conducted Spurious Emission for MIMO ANT1

Test Graphs

Note: For UL MIMO mode, the conducted BE/Spurious are tested at single antenna port and add $10 \cdot \log(\text{NANT})$ according to KDB 662911 D01. The result of the single antenna port test is below the limit by more than 3dB margin, so the results of Ant1+Ant2 also meet the limit requirements.

