

A**B****C****D**

4

1.25"

3

Born on Date MMYY

2"

Barcode, 2D
encoding, 5 mil

2

NOTES:

Material:

Z-Ultimate 2000T Glossy Polyester Label
(UL Approved)

Information on this document is proprietary to SmartGuard, LLC and is not to be used, copied, reproduced or disclosed in whole or in part without written consent of SmartGuard, LLC.

SMARTGUARD, LLC, 3660 TECHNOLOGY DRIVE NE, MINNEAPOLIS, MN 55418

A**B****C****D**

REV.	DESCRIPTION	DATE	BY
C	Draft 3	3/23/2016	AH
D	Draft 4	3/31/2016	AH
E	Draft 5	5/09/2016	AH

US

MyGrid Switch
Model #MG11AZ**SmartGuard**

0216

FOR INDOOR USE ONLY

S/N: MGS678910WYZ
FCC ID: 2AEK6-MG11AZ
MAC: 1920394857843937

Conforms to
UL STD 916



Intertek

12345678910

MyGrid Switch
Model #XXXXXX**SmartGuard****FOR INDOOR USE ONLY**

S/N: XXXXXXXXXX

FCC ID: XXXXX-XXXXXX

MAC: XXXXXXXXXXXXXXXX

Conforms to
UL STD 916

Intertek

XXXXXXXXXXXX

Product Model #

SmartGuard product
serial number

FCC issued ID

MAC Address: [X ASCII
encoded Hex characters]Intertek provided
listing number

TOLERANCES:
.X +/- .1
.XX +/- .01
XXX +/- .005

DRAWN: TITLE: MyGrid Switch product label - US

CHECKED: PART NO: 1002999

REV: E

APPROVED:

DWG NO: SIZE: SCALE: SHEET: 1 of 1

A**B****C****D**

4

1.25"

3

2"

2

1

4

3

2

1

Features/Functions:

Power On/Off
Press and release the power button.

Network (HAN) Search
Press and hold power button for 5 seconds.

Factory Reset
Press and hold power button for 10 seconds.

Input: 120VAC, 60HZ
Output: 15AC, 1 HP

REV.	DESCRIPTION	DATE	BY
A	Initial Draft	3/22/16	AH

NOTES:

Material:
Z-Ultimate 2000T Glossy Polyester Label
(UL Approved)



Information on this document is proprietary to SmartGuard, LLC and shall not be used, copied, reproduced or disclosed in whole or in part without written consent of SmartGuard, LLC.

SMARTGUARD, LLC, 3660 TECHNOLOGY DRIVE NE, MINNEAPOLIS, MN 55418

TOLERANCES: X +/- .1 .XX +/- .01 .XXX +/- .005	DRAWN:	TITLE: MyGrid Switch features label		
	CHECKED:	PART NO: 1003670		REV: A
	APPROVED:			
		DWG NO:	SIZE:	SCALE: SHEET: 1 of 1

A**B****C****D**

Features/Functions:

Power On/Off

Press and release the device button.

Network

(HAN) Search

Press and hold device button for 5 seconds.

Factory Reset


Press and hold device button for 10 seconds.

Input: 120VAC, 60HZ

Output: 15AC, 1 HP



MyGrid Switch
Model #MG11AZ



SmartGuard

0516

FOR INDOOR USE ONLY

S/N: MGS678910WYZ

FCC ID: 2AEK6-MG11AZ

MAC: 1920394857843937

Conforms to
UL STD 916



Intertek
12345678910

©2016 SmartGuard L.L.C.